

Proposal & Plan Sales Will Begin on September 2, 2019



**MISSISSIPPI DEPARTMENT OF  
TRANSPORTATION**

***Notice to Contractors***

**Letting Date For September - September 24, 2019**

# MISSISSIPPI DEPARTMENT OF TRANSPORTATION

## NOTICE TO CONTRACTORS

### LETTING DATE FOR SEPTEMBER - Tuesday, September 24, 2019

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List is available online at [mdot.ms.gov](http://mdot.ms.gov)

### PROPOSAL AND PLAN SALES WILL BEGIN ON SEPTEMBER 2, 2019

Proposals must be purchased online at:  
<https://shopmdot.ms.gov>  
For Information Please Contact:  
Contract Administration Division  
Jackson, MS  
Telephone: (601) 359-7700

Plans must be purchased online at:  
<https://shopmdot.ms.gov>  
For Information Please Contact:  
MDOT Plans Print Shop  
Jackson, MS  
Telephone: (601) 359-7460  
e-mail: [plans@mdot.state.ms.us](mailto:plans@mdot.state.ms.us)

Electronic bids will be received by the Mississippi Transportation Commission at 10:00 o'clock A.M., Tuesday, September 24, 2019; from the Bid Express Service and shortly thereafter, bids will be publicly read in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

\* No plans except Standard Drawings

#### LIST OF CONTRACTS FOR SEPTEMBER

| CALL | CONTRACT   | COUNTY               |
|------|--|----------------------|
| *    | 01 NH-0002-02(072)/107820301                               | CLARKE               |
| *    | 02 BR-0009-01(142)/107817301                               | CLAIBORNE            |
| *    | 03 NH-0009-04(037)/107957301                               | COAHOMA              |
| *    | 04 NH-0014-03(074)/107653301                               | GEORGE               |
|      | 05 NH-0015-02(124)/107936301                               | COVINGTON            |
| *    | 06 STP-0018-02(056)/107898301                              | HOLMES               |
| *    | 07 STP-0020-01(247)/107787301                              | WARREN               |
| *    | 08 STP-0024-04(026)/107965301                              | NESHOBA              |
|      | 09 STP-0052-01(010)/107684301                              | COAHOMA              |
|      | 10 BR-0060-03(020)/105333301                               | MARSHALL             |
|      | 11 STBG-0067-00(012)/108152301                             | HANCOCK              |
| *    | 12 NH-0070-02(017)/107775301 & MP-2278-54(001)/306807301   | PANOLA               |
| *    | 13 STP-0303-00(016)/107763301 & STP-0305-00(017)/107763302 | CLAIBORNE, JEFFERSON |
|      | 14 BR-0526-00(006)/102403301                               | LEAKE                |
| *    | 15 MP-5471-61(002)/306549301                               | RANKIN               |
|      | 16 BR-9385-00(017)/107705301                               | JACKSON              |
| *    | 17 STP-9401-00(001)/107190301                              | JACKSON              |



CALL No. 01

Thin Lift approximately 8 miles of US 45 from Wayne County Line North to CR 280, known as Federal Aid Project No. NH-0002-02(072) / 107820301 in Clarke County.

PROJECT COMPLETION: Flexible

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**  
**Roadway Items**

|        |             |           |   |
|--------|-------------|-----------|---|
| 3,850  | Square Yard | 202-B188  | Removal of Pavement, All Types and Depths                   |
| 2,620  | Linear Feet | 202-B240  | Removal of Traffic Stripe                                   |
| 9,025  | Ton         | 304-F003  | Size 825B Crushed Stone Base                                |
| 700    | Ton         | 403-A006  | 19-mm, ST, Asphalt Pavement                                 |
| 2,685  | Ton         | 403-A015  | 9.5-mm, ST, Asphalt Pavement                                |
| 2,145  | Ton         | 403-B012  | 9.5-mm, ST, Asphalt Pavement, Leveling                      |
| 16,975 | Square Yard | 406-A002  | Cold Milling of Bituminous Pavement, All Depths             |
| 39,100 | Gallon      | 407-A001  | Asphalt for Tack Coat                                       |
| 31     | Mile        | 423-A001  | Rumble Strips, Ground In                                    |
| 1      | Lump Sum    | 618-A001  | Maintenance of Traffic                                      |
| 1      | Square Feet | 618-B001  | Additional Construction Signs                               |
| 35     | Mile        | 619-A1001 | Temporary Traffic Stripe, Continuous White                  |
| 30     | Mile        | 619-A2001 | Temporary Traffic Stripe, Continuous Yellow                 |
| 37     | Mile        | 619-A3001 | Temporary Traffic Stripe, Skip White                        |
| 52,920 | Linear Feet | 619-A5001 | Temporary Traffic Stripe, Detail                            |
| 2,472  | Square Feet | 619-A6001 | Temporary Traffic Stripe, Legend                            |
| 2,900  | Linear Feet | 619-A6002 | Temporary Traffic Stripe, Legend                            |
| 1      | Lump Sum    | 620-A001  | Mobilization  |
| 18     | Mile        | 626-A001  | 6" Thermoplastic Double Drop Traffic Stripe, Skip White     |
| 18     | Mile        | 626-C002  | 6" Thermoplastic Double Drop Edge Stripe, Continuous White  |
| 7,756  | Linear Feet | 626-E003  | 6" Thermoplastic Traffic Stripe, Continuous Yellow          |
| 14     | Mile        | 626-F001  | 6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow |
| 27,400 | Linear Feet | 626-G002  | Thermoplastic Detail Stripe, White                          |
| 26,600 | Linear Feet | 626-G003  | Thermoplastic Detail Stripe, Yellow                         |

|        |             |              |   |
|--------|-------------|--------------|---|
| 2,472  | Square Feet | 626-H004     | Thermoplastic Legend, White                               |
| 2,900  | Linear Feet | 626-H005     | Thermoplastic Legend, White                               |
| 686    | Each        | 627-J001     | Two-Way Clear Reflective High Performance Raised Markers  |
| 2,540  | Each        | 627-K001     | Red-Clear Reflective High Performance Raised Markers      |
| 2,460  | Each        | 627-L001     | Two-Way Yellow Reflective High Performance Raised Markers |
| 26,020 | Ton         | 907-411-A001 | Ultra Thin Asphalt Pavement                               |

**ALTERNATE GROUP AA NUMBER 1**

|       |             |              |   |
|-------|-------------|--------------|---|
| 1,200 | Linear Feet | 907-624-A002 | 6" Inverted Profile Thermoplastic Traffic Stripe, Skip White        |
| 1,200 | Linear Feet | 907-624-B002 | 6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White  |
| 1,200 | Linear Feet | 907-624-D002 | 6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow |

**ALTERNATE GROUP AA NUMBER 2**

|       |             |          |  |
|-------|-------------|----------|--|
| 1,200 | Linear Feet | 628-G001 | 6" High Performance Cold Plastic Traffic Stripe, Skip White        |
| 1,200 | Linear Feet | 628-H001 | 6" High Performance Cold Plastic Traffic Stripe, Continuous White  |
| 1,200 | Linear Feet | 628-J001 | 6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow |

CALL No. 02

Bridge Painting on US 61 at Little Bayou Pierre, Bridge No. 86.4, known as Federal Aid Project No. BR-0009-01(142) / 107817301 in Claiborne County.

PROJECT COMPLETION: 92 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**ROADWAY Items**

|   |             |          |                               |
|---|-------------|----------|-------------------------------|
| 1 | Lump Sum    | 618-A001 | Maintenance of Traffic        |
| 1 | Square Feet | 618-B001 | Additional Construction Signs |
| 1 | Lump Sum    | 620-A001 | Mobilization                  |

**BRIDGE Items**

|     |             |               |   |
|-----|-------------|---------------|---|
| 1   | Lump Sum    | 816-C001      | Maintenance Painting of Existing Bridge |
| 448 | Linear Feet | 907-808-A002  | Joint Repair                            |
| 224 | Linear Feet | 907-823-A001  | Preformed Joint Seal, Type I            |
| 448 | Linear Feet | 907-823-B001  | Saw Cut, Type I                         |
| 14  | Each        | 907-824-PP006 | Bridge Repair, CAP CLEANING             |
| 1   | Lump Sum    | 907-845-A001  | Coating Existing Structural Steel       |

CALL No. 03

Mill & Overlay approximately 5 miles of US 61 from Bolivar County Line to 0.60 miles South of SR 161, known as Federal Aid Project No. NH-0009-04(037) / 107957301 in Coahoma County.

PROJECT COMPLETION: 95 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

|                     |           |   |
|---------------------|-----------|---|
| 10 Each             | 202-B213  | Removal of Sign   |
| 1,121 Linear Feet   | 202-B240  | Removal of Traffic Stripe                                   |
| 15,020 Ton          | 304-B002  | Granular Material, Class 3, Group D                         |
| 17,935 Ton          | 403-A013  | 9.5-mm, HT, Asphalt Pavement                                |
| 1,000 Ton           | 403-B010  | 9.5-mm, HT, Asphalt Pavement, Leveling                      |
| 192,500 Square Yard | 406-D001  | Fine Milling of Bituminous Pavement, All Depths             |
| 32,700 Gallon       | 407-A001  | Asphalt for Tack Coat                                       |
| 22 Mile             | 423-A001  | Rumble Strips, Ground In                                    |
| 1 Lump Sum          | 618-A001  | Maintenance of Traffic                                      |
| 10 Square Feet      | 618-B001  | Additional Construction Signs                               |
| 32 Mile             | 619-A1001 | Temporary Traffic Stripe, Continuous White                  |
| 27 Mile             | 619-A2001 | Temporary Traffic Stripe, Continuous Yellow                 |
| 33 Mile             | 619-A3001 | Temporary Traffic Stripe, Skip White                        |
| 29,700 Linear Feet  | 619-A5001 | Temporary Traffic Stripe, Detail                            |
| 1,200 Linear Feet   | 619-A6002 | Temporary Traffic Stripe, Legend                            |
| 1 Lump Sum          | 620-A001  | Mobilization  |
| 374 Linear Feet     | 626-A002  | 6" Thermoplastic Double Drop Traffic Stripe, Skip White     |
| 11 Mile             | 626-A004  | 6" Thermoplastic Traffic Stripe, Skip White                 |
| 11 Mile             | 626-B004  | 6" Thermoplastic Traffic Stripe, Continuous White           |
| 374 Linear Feet     | 626-C001  | 6" Thermoplastic Double Drop Edge Stripe, Continuous White  |
| 9 Mile              | 626-E004  | 6" Thermoplastic Traffic Stripe, Continuous Yellow          |
| 374 Linear Feet     | 626-F002  | 6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow |
| 14,575 Linear Feet  | 626-G002  | Thermoplastic Detail Stripe, White                          |
| 15,100 Linear Feet  | 626-G003  | Thermoplastic Detail Stripe, Yellow                         |
| 1,200 Linear Feet   | 626-H005  | Thermoplastic Legend, White                                 |

|     |             |          |   |
|-----|-------------|----------|---|
| 249 | Each        | 627-J001 | Two-Way Clear Reflective High Performance Raised Markers      |
| 912 | Each        | 627-K001 | Red-Clear Reflective High Performance Raised Markers          |
| 189 | Each        | 627-L001 | Two-Way Yellow Reflective High Performance Raised Markers     |
| 281 | Square Feet | 630-A001 | Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness     |
| 27  | Square Feet | 630-A005 | Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness       |
| 525 | Linear Feet | 630-C003 | Steel U-Section Posts, 3.0 lb/ft                              |
| 52  | Each        | 630-F002 | Delineators, Flexible Post Mounted, Crossover, Type I, Yellow |
| 42  | Linear Feet | 630-K001 | Welded & Seamless Steel Pipe Posts, 3 1/2"                    |



CALL No. 04

Overlay approximately 7 miles of US 98 from East of Old 63 to the Alabama State Line, known as Federal Aid Project No. NH-0014-03(074) / 107653301 in George County.

PROJECT COMPLETION: Flexible

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

|                    |           |   |
|--------------------|-----------|---|
| 300 Linear Feet    | 202-B136  | Removal of Guard Rail                                       |
| 1,048 Ton          | 403-A006  | 19-mm, ST, Asphalt Pavement                                 |
| 18,286 Ton         | 403-A013  | 9.5-mm, HT, Asphalt Pavement                                |
| 5,679 Ton          | 403-A015  | 9.5-mm, ST, Asphalt Pavement                                |
| 1,719 Ton          | 403-B012  | 9.5-mm, ST, Asphalt Pavement, Leveling                      |
| 12,040 Square Yard | 406-A002  | Cold Milling of Bituminous Pavement, All Depths             |
| 6,364 Square Yard  | 406-C002  | Cold Milling of Shoulders, All Types, All Depths            |
| 31,596 Gallon      | 407-A001  | Asphalt for Tack Coat                                       |
| 250 Square Feet    | 412-A001  | Pre-Grinding  |
| 29 Mile            | 423-A001  | Rumble Strips, Ground In                                    |
| 175 Linear Feet    | 606-B003  | Guard Rail, Class A, Type 1, 'W' Beam, Metal Post           |
| 2 Each             | 606-D001  | Guard Rail, Bridge End Section                              |
| 2 Each             | 606-E001  | Guard Rail, Terminal End Section                            |
| 1 Lump Sum         | 618-A001  | Maintenance of Traffic                                      |
| 1 Square Feet      | 618-B001  | Additional Construction Signs                               |
| 30 Mile            | 619-A1001 | Temporary Traffic Stripe, Continuous White                  |
| 30 Mile            | 619-A2001 | Temporary Traffic Stripe, Continuous Yellow                 |
| 30 Mile            | 619-A3001 | Temporary Traffic Stripe, Skip White                        |
| 76,267 Linear Feet | 619-A5001 | Temporary Traffic Stripe, Detail                            |
| 306 Square Feet    | 619-A6001 | Temporary Traffic Stripe, Legend                            |
| 3,452 Linear Feet  | 619-A6002 | Temporary Traffic Stripe, Legend                            |
| 1 Lump Sum         | 620-A001  | Mobilization  |
| 15 Mile            | 626-A004  | 6" Thermoplastic Traffic Stripe, Skip White                 |
| 15 Mile            | 626-C002  | 6" Thermoplastic Double Drop Edge Stripe, Continuous White  |
| 15 Mile            | 626-F001  | 6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow |

|        |             |              |   |
|--------|-------------|--------------|---|
| 50,898 | Linear Feet | 626-G002     | Thermoplastic Detail Stripe, White                        |
| 25,963 | Linear Feet | 626-G003     | Thermoplastic Detail Stripe, Yellow                       |
| 1,195  | Square Feet | 626-H004     | Thermoplastic Legend, White                               |
| 3,452  | Linear Feet | 626-H005     | Thermoplastic Legend, White                               |
| 445    | Each        | 627-J001     | Two-Way Clear Reflective High Performance Raised Markers  |
| 3,590  | Each        | 627-K001     | Red-Clear Reflective High Performance Raised Markers      |
| 406    | Each        | 627-L001     | Two-Way Yellow Reflective High Performance Raised Markers |
| 11     | Each        | 630-F006     | Delineators, Guard Rail, White                            |
| 10,971 | Ton         | 907-411-A001 | Ultra Thin Asphalt Pavement                               |
| 744    | Linear Feet | 907-640-A001 | Vehicle Loop Assemblies                                   |

**ALTERNATE GROUP AA NUMBER 1**

|       |     |          |                             |
|-------|-----|----------|-----------------------------|
| 8,549 | Ton | 304-F002 | Size 610 Crushed Stone Base |
|-------|-----|----------|-----------------------------|

**ALTERNATE GROUP AA NUMBER 2**

|       |     |          |                              |
|-------|-----|----------|------------------------------|
| 8,549 | Ton | 304-F003 | Size 825B Crushed Stone Base |
|-------|-----|----------|------------------------------|

CALL No. 05

Overlay approximately 4 miles of US 84 at Collins Bypass, known as Federal Aid Project No. NH-0015-02(124) / 107936301 in Covington County.

PROJECT COMPLETION: 99 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

|         |             |           |   |
|---------|-------------|-----------|---|
| 9,806   | Linear Feet | 202-B240  | Removal of Traffic Stripe                                   |
| 9,633   | Cubic Yard  | 304-A008  | Granular Material, LVM, Class 6, Group D                    |
| 89      | Ton         | 403-A003  | 12.5-mm, ST, Asphalt Pavement                               |
| 5,086   | Ton         | 403-A015  | 9.5-mm, ST, Asphalt Pavement                                |
| 1,571   | Ton         | 403-D001  | 12.5-mm, HT, Asphalt Pavement, Polymer Modified             |
| 9,532   | Ton         | 403-D007  | 9.5-mm, HT, Asphalt Pavement, Polymer Modified              |
| 182,642 | Square Yard | 406-D001  | Fine Milling of Bituminous Pavement, All Depths             |
| 15,497  | Gallon      | 407-A001  | Asphalt for Tack Coat                                       |
| 14      | Mile        | 423-A001  | Rumble Strips, Ground In                                    |
| 1       | Lump Sum    | 618-A001  | Maintenance of Traffic                                      |
| 1       | Square Feet | 618-B001  | Additional Construction Signs                               |
| 22      | Mile        | 619-A1001 | Temporary Traffic Stripe, Continuous White                  |
| 22      | Mile        | 619-A2001 | Temporary Traffic Stripe, Continuous Yellow                 |
| 15      | Mile        | 619-A3001 | Temporary Traffic Stripe, Skip White                        |
| 108,108 | Linear Feet | 619-A5001 | Temporary Traffic Stripe, Detail                            |
| 1,702   | Square Feet | 619-A6001 | Temporary Traffic Stripe, Legend                            |
| 1,488   | Linear Feet | 619-A6002 | Temporary Traffic Stripe, Legend                            |
| 1       | Lump Sum    | 620-A001  | Mobilization  |
| 8       | Mile        | 626-A004  | 6" Thermoplastic Traffic Stripe, Skip White                 |
| 3       | Mile        | 626-B004  | 6" Thermoplastic Traffic Stripe, Continuous White           |
| 8       | Mile        | 626-C002  | 6" Thermoplastic Double Drop Edge Stripe, Continuous White  |
| 3       | Mile        | 626-E004  | 6" Thermoplastic Traffic Stripe, Continuous Yellow          |
| 8       | Mile        | 626-F001  | 6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow |
| 35,790  | Linear Feet | 626-G002  | Thermoplastic Detail Stripe, White                          |
| 12,689  | Linear Feet | 626-G003  | Thermoplastic Detail Stripe, Yellow                         |

|                   |  |
|-------------------|--|
| 851 Square Feet   | 626-H004 Thermoplastic Legend, White                                   |
| 2,904 Linear Feet | 626-H005 Thermoplastic Legend, White                                   |
| 80 Each           | 627-J001 Two-Way Clear Reflective High Performance Raised Markers      |
| 1,351 Each        | 627-K001 Red-Clear Reflective High Performance Raised Markers          |
| 268 Each          | 627-L001 Two-Way Yellow Reflective High Performance Raised Markers     |
| 28 Each           | 630-F002 Delineators, Flexible Post Mounted, Crossover, Type I, Yellow |
| 130 Each          | 630-F006 Delineators, Guard Rail, White                                |
| 130 Each          | 630-F007 Delineators, Guard Rail, Yellow                               |
| 4,663 Pounds      | 907-420-A001 Undersealing  |

**ALTERNATE GROUP AA NUMBER 1**

|                   |   |
|-------------------|---|
| 5,140 Linear Feet | 907-624-A003 6" Inverted Profile Thermoplastic Traffic Stripe, Skip White, High Contrast        |
| 4,203 Linear Feet | 907-624-B003 6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White, High Contrast  |
| 4,203 Linear Feet | 907-624-D001 6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow, High Contrast |

**ALTERNATE GROUP AA NUMBER 2**

|                   |   |
|-------------------|---|
| 5,140 Linear Feet | 628-G001 6" High Performance Cold Plastic Traffic Stripe, Skip White        |
| 4,203 Linear Feet | 628-H001 6" High Performance Cold Plastic Traffic Stripe, Continuous White  |
| 4,203 Linear Feet | 628-J001 6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow |

CALL No. 06

Bridge Repairs on SR 12, Bridge Nos. 82.7, 83.0, 83.3, & 83.4, known as Federal Aid Project No. STP-0018-02(056) / 107898301 in Holmes County.

PROJECT COMPLETION: 119 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

|        |             |              |                               |
|--------|-------------|--------------|-------------------------------|
| 1      | Lump Sum    | 618-A001     | Maintenance of Traffic        |
| 1      | Square Feet | 618-B001     | Additional Construction Signs |
| 1      | Lump Sum    | 620-A001     | Mobilization                  |
| 10,800 | Pounds      | 907-420-A001 | Undersealing                  |

**Bridge Items**

|       |             |               |   |
|-------|-------------|---------------|---|
| 1,790 | Linear Feet | 907-808-A003  | Joint Repair Without Epoxy                                  |
| 732   | Linear Feet | 907-823-A001  | Preformed Joint Seal, Type I                                |
| 163   | Linear Feet | 907-823-A002  | Preformed Joint Seal, Type II                               |
| 1,464 | Linear Feet | 907-823-B001  | Saw Cut, Type I   |
| 326   | Linear Feet | 907-823-B002  | Saw Cut, Type II  |
| 8     | Cubic Feet  | 907-824-PP005 | Bridge Repair, Epoxy Repair, Per Plans                      |
| 14    | Each        | 907-824-PP006 | Bridge Repair, 110 Foot Beam Bearing Replacement, Per Plans |
| 72    | Each        | 907-824-PP006 | Bridge Repair, 40 Foot Beam Bearing Replacement, Per Plans  |
| 42    | Each        | 907-824-PP006 | Bridge Repair, Cap Cleaning, Per Plans                      |
| 1,063 | Linear Feet | 907-824-PP008 | Bridge Repair, FRP Wrap, Per Plans                          |

CALL No. 07

Overhead Sign Truss Replacement on I-20 in Vicksburg, known as Federal Aid Project No. STP-0020-01(247) / 107787301 in Warren County.

PROJECT COMPLETION: JUNE 26, 2020

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

|     |             |               |   |
|-----|-------------|---------------|---|
| 2   | Each        | 202-B130      | Removal of Footing  |
| 1   | Lump Sum    | 618-A001      | Maintenance of Traffic  |
| 1   | Square Feet | 618-B001      | Additional Construction Signs   |
| 1   | Lump Sum    | 620-A001      | Mobilization  |
| 462 | Square Feet | 630-B003      | Interstate Directional Signs, Bolted Extruded Aluminum Panels, Overhead Mounted |
| 1   | Lump Sum    | 630-I003      | Metal Overhead Sign Supports, Assembly No. 1, Contractor Designed               |
| 6   | Each        | 907-619-E3001 | Changeable Message Sign   |

CALL No. 08

Mill & Overlay approximately 1 mile of SR 16 from end of 2-Lane to BIA Road 22, known as Federal Aid Project No. STP-0024-04(026) / 107965301 in Neshoba County.

PROJECT COMPLETION: 70 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

|        |             |           |  |
|--------|-------------|-----------|--|
| 695    | Square Yard | 202-B009  | Removal of Asphalt Pavement, Failed Areas                      |
| 150    | Cubic Yard  | 203-G001  | Excess Excavation, FM, AH                                      |
| 300    | Cubic Yard  | 304-A004  | Granular Material, LVM, Class 5, Group C                       |
| 7,400  | Ton         | 403-A002  | 12.5-mm, MT, Asphalt Pavement                                  |
| 235    | Ton         | 403-B002  | 12.5-mm, MT, Asphalt Pavement, Leveling                        |
| 950    | Ton         | 403-C002  | 19-mm, MT, Asphalt Pavement, Trench Widening                   |
| 61,300 | Square Yard | 406-D001  | Fine Milling of Bituminous Pavement, All Depths                |
| 6,206  | Gallon      | 407-A001  | Asphalt for Tack Coat  |
| 3      | Mile        | 423-A001  | Rumble Strips, Ground In                                       |
| 1,725  | Linear Feet | 503-C010  | Saw Cut, Full Depth  |
| 1      | Lump Sum    | 618-A001  | Maintenance of Traffic   |
| 4      | Mile        | 619-A1001 | Temporary Traffic Stripe, Continuous White                     |
| 4      | Mile        | 619-A2001 | Temporary Traffic Stripe, Continuous Yellow                    |
| 6      | Mile        | 619-A3001 | Temporary Traffic Stripe, Skip White                           |
| 45,000 | Linear Feet | 619-A5001 | Temporary Traffic Stripe, Detail                               |
| 2,133  | Square Feet | 619-A6001 | Temporary Traffic Stripe, Legend                               |
| 24     | Square Feet | 619-D1001 | Standard Roadside Construction Signs, Less than 10 Square Feet |
| 182    | Square Feet | 619-D2001 | Standard Roadside Construction Signs, 10 Square Feet or More   |
| 12     | Linear Feet | 619-G4001 | Barricades, Type III, Double Faced                             |
| 24     | Linear Feet | 619-G4005 | Barricades, Type III, Single Faced                             |
| 1      | Lump Sum    | 620-A001  | Mobilization   |
| 2      | Mile        | 626-A001  | 6" Thermoplastic Double Drop Traffic Stripe, Skip White        |
| 2      | Mile        | 626-C002  | 6" Thermoplastic Double Drop Edge Stripe, Continuous White     |
| 2      | Mile        | 626-F001  | 6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow    |
| 12,500 | Linear Feet | 626-G004  | Thermoplastic Double Drop Detail Stripe, White                 |

|        |             |              |   |
|--------|-------------|--------------|---|
| 10,000 | Linear Feet | 626-G005     | Thermoplastic Double Drop Detail Stripe, Yellow           |
| 1,067  | Square Feet | 626-H001     | Thermoplastic Double Drop Legend, White                   |
| 183    | Each        | 627-J001     | Two-Way Clear Reflective High Performance Raised Markers  |
| 484    | Each        | 627-K001     | Red-Clear Reflective High Performance Raised Markers      |
| 137    | Each        | 627-L001     | Two-Way Yellow Reflective High Performance Raised Markers |
| 8      | Each        | 907-641-A002 | Signal Stop Bar Radar Vehicle Detection Sensor, Type 2    |
| 1,840  | Linear Feet | 907-641-D001 | Radar Vehicle Detection Cable                             |



CALL No. 09

Intersection Collision Warning System installation on SR 1 at Friars Point Road, known as Federal Aid Project No. STP-0052-01(010) / 107684301 in Coahoma County.

PROJECT COMPLETION: 73 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

|       |             |           |  |
|-------|-------------|-----------|--|
| 78    | Square Yard | 202-B007  | Removal of Asphalt Pavement, All Depths                        |
| 4     | Linear Feet | 202-B191  | Removal of Pipe, 8" And Above                                  |
| 2     | Each        | 202-B217  | Removal of Sign Post and Footing                               |
| 783   | Cubic Yard  | 203-EX040 | Borrow Excavation, AH, LVM, Class B9                           |
| 961   | Square Yard | 209-A005  | Geotextile Stabilization, Type V, Non-Woven                    |
| 1     | Acre        | 225-A001  | Grassing   |
| 1     | Ton         | 225-C001  | Mulch, Vegetative Mulch  |
| 1,220 | Linear Feet | 234-A001  | Temporary Silt Fence   |
| 260   | Linear Feet | 237-A002  | Wattles, 20"   |
| 73    | Ton         | 304-B002  | Granular Material, Class 3, Group D                            |
| 154   | Ton         | 403-A005  | 19-mm, MT, Asphalt Pavement                                    |
| 388   | Ton         | 403-A014  | 9.5-mm, MT, Asphalt Pavement                                   |
| 2,400 | Square Yard | 406-A002  | Cold Milling of Bituminous Pavement, All Depths                |
| 412   | Gallon      | 407-A001  | Asphalt for Tack Coat  |
| 152   | Linear Feet | 503-C010  | Saw Cut, Full Depth  |
| 3     | Cubic Yard  | 601-B001  | Class "B" Structural Concrete, Minor Structures                |
| 16    | Linear Feet | 603-CE013 | 36" x 23" Concrete Arch Pipe, Class A III                      |
| 2     | Each        | 603-CF004 | 36" x 23" Concrete Arch Pipe End Section                       |
| 152   | Linear Feet | 609-D003  | Combination Concrete Curb and Gutter Type 2                    |
| 38    | Square Yard | 616-A002  | Concrete Median and/or Island Pavement, 11-inch                |
| 1     | Lump Sum    | 618-A001  | Maintenance of Traffic   |
| 60    | Square Feet | 619-D1001 | Standard Roadside Construction Signs, Less than 10 Square Feet |
| 120   | Square Feet | 619-D2001 | Standard Roadside Construction Signs, 10 Square Feet or More   |
| 1     | Lump Sum    | 620-A001  | Mobilization   |
| 2,292 | Linear Feet | 626-C003  | 6" Thermoplastic Edge Stripe, Continuous White                 |

|       |             |              |  |
|-------|-------------|--------------|--|
| 603   | Linear Feet | 626-D004     | 6" Thermoplastic Traffic Stripe, Skip Yellow                           |
| 1     | Mile        | 626-E001     | 6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow         |
| 50    | Square Feet | 626-H004     | Thermoplastic Legend, White  |
| 651   | Linear Feet | 626-H005     | Thermoplastic Legend, White  |
| 14    | Each        | 627-C001     | Red-Clear Reflective Raised Markers                                    |
| 24    | Each        | 627-D001     | Two-Way Yellow Reflective Raised Markers                               |
| 107   | Square Feet | 630-A003     | Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness              |
| 40    | Linear Feet | 630-C001     | Square Tube Posts, 4.0 lb/ft   |
| 2     | Each        | 638-A004     | Flasher Assembly, ICWS, Watch For Traffic                              |
| 2     | Each        | 638-A005     | Flasher Assembly, ICWS, Watch For Entering Traffic                     |
| 1     | Each        | 660-A003     | Equipment Cabinet, Type B  |
| 1     | Lump Sum    | 699-A001     | Roadway Construction Stakes  |
| 1     | Each        | 907-630-O001 | Remove and Reset Sign Assembly   |
| 1     | Each        | 907-632-J001 | Power Service Pedestal   |
| 4     | Each        | 907-634-F002 | Detector Pole with Foundation, 35' Pole                                |
| 2,272 | Linear Feet | 907-636-B007 | Electric Cable, Underground in Conduit, IMSA 20-1, AWG 12, 5 Conductor |
| 310   | Linear Feet | 907-636-B028 | Electric Cable, Underground in Conduit, IMSA 20-1, AWG 8, 3 Conductor  |
| 5     | Each        | 907-637-A002 | Pullbox Enclosure, Type 2  |
| 1     | Each        | 907-637-A003 | Pullbox Enclosure, Type 3  |
| 1,732 | Linear Feet | 907-637-C028 | Traffic Signal Conduit, Underground, Type 4, 2"                        |
| 50    | Linear Feet | 907-637-C030 | Traffic Signal Conduit, Underground, Type 4, 3"                        |
| 295   | Linear Feet | 907-637-D003 | Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3" |
| 2     | Each        | 907-641-A002 | Signal Stop Bar Radar Vehicle Detection Sensor, Type 2                 |
| 2     | Each        | 907-641-B002 | Signal Advanced Radar Vehicle Detection Sensor, Type 2                 |
| 450   | Linear Feet | 907-641-D001 | Radar Vehicle Detection Cable  |

**ALTERNATE GROUP AA NUMBER 1**

|     |     |          |                                  |
|-----|-----|----------|----------------------------------|
| 645 | Ton | 304-F001 | 3/4" and Down Crushed Stone Base |
|-----|-----|----------|----------------------------------|

**ALTERNATE GROUP AA NUMBER 2**

|     |     |          |                             |
|-----|-----|----------|-----------------------------|
| 645 | Ton | 304-F002 | Size 610 Crushed Stone Base |
|-----|-----|----------|-----------------------------|

**ALTERNATE GROUP AA NUMBER 3**

645 Ton

304-F003 Size 825B Crushed Stone Base

CALL No. 10

Bridge Replacement on SR 4 over the BNSF Railway & MS Central Railroad Company, Bridge No. 75.3, known as Federal Aid Project No. BR-0060-03(020) / 105333301 in Marshall County.

PROJECT COMPLETION: 204 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

|        |                 |           |   |
|--------|-----------------|-----------|---|
| 1      | Lump Sum        | 201-A001  | Clearing and Grubbing                             |
| 1      | Acre            | 201-B001  | Clearing and Grubbing                             |
| 1      | Lump Sum        | 202-A001  | Removal of Obstructions                           |
| 6,024  | Square Yard     | 202-B005  | Removal of Asphalt Paved Ditch, All Depths        |
| 802    | Linear Feet     | 202-B050  | Removal of Concrete Combination Curb & Gutter     |
| 421    | Square Yard     | 202-B052  | Removal of Concrete Driveways, All Depths         |
| 461    | Square Yard     | 202-B080  | Removal of Concrete Sidewalk                      |
| 6      | Each            | 202-B165  | Removal of Inlets, All Sizes                      |
| 767    | Linear Feet     | 202-B191  | Removal of Pipe, 8" And Above                     |
| 16     | Each            | 202-B215  | Removal of Sign Including Post & Footing          |
| 12,417 | Cubic Yard      | 203-A001  | Unclassified Excavation, FM, AH                   |
| 7,944  | Cubic Yard      | 203-EX020 | Borrow Excavation, AH, FME, Class B9              |
| 500    | Cubic Yard      | 203-G001  | Excess Excavation, FM, AH                         |
| 848    | Cubic Yard      | 206-A001  | Structure Excavation                              |
| 7,763  | Square Yard     | 209-A005  | Geotextile Stabilization, Type V, Non-Woven       |
| 3,543  | Cubic Yard      | 211-B001  | Topsoil for Slope Treatment, Contractor Furnished |
| 4      | Ton             | 213-C001  | Superphosphate                                    |
| 1,018  | Square Yard     | 216-A001  | Solid Sodding                                     |
| 10     | Square Yard     | 217-A001  | Ditch Liner                                       |
| 453    | Thousand Gallon | 219-A001  | Watering  |
| 4      | Acre            | 220-A001  | Insect Pest Control                               |
| 30     | Cubic Yard      | 221-A001  | Concrete Paved Ditch                              |
| 7      | Acre            | 223-A001  | Mowing  |
| 1,200  | Square Yard     | 224-A001  | Soil Reinforcing Mat                              |
| 7      | Acre            | 225-A001  | Grassing  |

|       |             |            |  |
|-------|-------------|------------|--|
| 4     | Ton         | 225-B001   | Agricultural Limestone                                   |
| 15    | Ton         | 225-C001   | Mulch, Vegetative Mulch                                  |
| 7     | Acre        | 226-A001   | Temporary Grassing                                       |
| 2,500 | Linear Feet | 234-A001   | Temporary Silt Fence                                     |
| 2,728 | Linear Feet | 237-A002   | Wattles, 20"   |
| 800   | Linear Feet | 239-A001   | Temporary Slope Drains                                   |
| 1,300 | Linear Feet | 246-A001   | Sandbags   |
| 100   | Ton         | 249-A001   | Riprap for Erosion Control                               |
| 3,610 | Ton         | 304-B002   | Granular Material, Class 3, Group D                      |
| 1,047 | Ton         | 403-A003   | 12.5-mm, ST, Asphalt Pavement                            |
| 1,178 | Ton         | 403-A006   | 19-mm, ST, Asphalt Pavement                              |
| 768   | Ton         | 403-A015   | 9.5-mm, ST, Asphalt Pavement                             |
| 854   | Gallon      | 407-A001   | Asphalt for Tack Coat                                    |
| 70    | Linear Feet | 413-E001   | Sawing and Sealing Transverse Joints in Asphalt Pavement |
| 149   | Square Yard | 502-A001   | Reinforced Cement Concrete Bridge End Pavement           |
| 60    | Linear Feet | 503-C010   | Saw Cut, Full Depth                                      |
| 44    | Cubic Yard  | 601-B001   | Class "B" Structural Concrete, Minor Structures          |
| 2     | Cubic Yard  | 601-B002   | Class "C" Structural Concrete, Minor Structures          |
| 3,198 | Pounds      | 602-A001   | Reinforcing Steel  |
| 528   | Linear Feet | 603-ALT003 | 18" Type A Alternate Pipe                                |
| 936   | Linear Feet | 603-CA011  | 18" Reinforced Concrete Pipe, Class III                  |
| 792   | Linear Feet | 603-CA026  | 24" Reinforced Concrete Pipe, Class III                  |
| 4     | Each        | 603-CB003  | 18" Reinforced Concrete End Section                      |
| 2     | Each        | 603-CB004  | 24" Reinforced Concrete End Section                      |
| 40    | Linear Feet | 603-CE002  | 22" x 13" Concrete Arch Pipe, Class A III                |
| 64    | Linear Feet | 603-CE008  | 29" x 18" Concrete Arch Pipe, Class A III                |
| 32    | Linear Feet | 603-CE028  | 58" x 36" Concrete Arch Pipe, Class A III                |
| 2     | Each        | 603-CF002  | 22" x 13" Concrete Arch Pipe End Section                 |
| 2     | Each        | 603-CF003  | 29" x 18" Concrete Arch Pipe End Section                 |
| 2     | Each        | 603-CF007  | 58" x 36" Concrete Arch Pipe End Section                 |

|                   |   |
|-------------------|---|
| 1,027 Pounds      | 604-A001 Castings   |
| 36 Square Yard    | 605-AA003 Geotextile for Subsurface Drainage, Type V, Non-Woven                     |
| 64 Linear Feet    | 605-O003 4" Perforated Sewer Pipe for Underdrains, SDR 35                           |
| 52 Linear Feet    | 605-P003 4" Non-perforated Sewer Pipe for Underdrains, SDR 35                       |
| 2 Cubic Yard      | 605-W001 Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM |
| 175 Linear Feet   | 606-B001 Guard Rail, Class A, Type 1  |
| 4 Each            | 606-D022 Guard Rail, Bridge End Section, Type I                                     |
| 4 Each            | 606-E007 Guard Rail, Terminal End Section, Non-Flared                               |
| 1,010 Square Yard | 608-B001 Concrete Sidewalk, With Reinforcement                                      |
| 78 Linear Feet    | 609-D001 Combination Concrete Curb and Gutter Type 1                                |
| 1,314 Linear Feet | 609-D012 Combination Concrete Curb and Gutter Type 3A Modified                      |
| 24 Cubic Yard     | 612-B001 Flowable Fill, Non-Excavatable   |
| 7 Each            | 613-D005 Adjustment of Manhole  |
| 600 Square Yard   | 614-A001 Concrete Driveway, Without Reinforcement                                   |
| 253 Square Yard   | 614-B001 Concrete Driveway, With Reinforcement                                      |
| 40 Linear Feet    | 615-A002 Concrete Bridge End Barrier, 33.5"   |
| 48 Each           | 617-A001 Right-of-Way Marker  |
| 1 Lump Sum        | 618-A001 Maintenance of Traffic   |
| 5,291 Linear Feet | 619-A1003 Temporary Traffic Stripe, Continuous White, Paint                         |
| 5,822 Linear Feet | 619-A2003 Temporary Traffic Stripe, Continuous Yellow, Paint                        |
| 349 Linear Feet   | 619-A5002 Temporary Traffic Stripe, Detail, Paint                                   |
| 311 Linear Feet   | 619-A6004 Temporary Traffic Stripe, Legend, Paint                                   |
| 221 Square Feet   | 619-D1001 Standard Roadside Construction Signs, Less than 10 Square Feet            |
| 224 Square Feet   | 619-D2001 Standard Roadside Construction Signs, 10 Square Feet or More              |
| 12 Linear Feet    | 619-G4001 Barricades, Type III, Double Faced  |
| 72 Linear Feet    | 619-G4005 Barricades, Type III, Single Faced  |
| 60 Each           | 619-G5001 Free Standing Plastic Drums   |
| 3 Each            | 619-G7001 Warning Lights, Type "B"  |
| 1 Lump Sum        | 620-A001 Mobilization   |

|       |             |               |  |
|-------|-------------|---------------|--|
| 5,291 | Linear Feet | 626-C001      | 6" Thermoplastic Double Drop Edge Stripe, Continuous White     |
| 5,822 | Linear Feet | 626-E002      | 6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow |
| 349   | Linear Feet | 626-G004      | Thermoplastic Double Drop Detail Stripe, White                 |
| 311   | Linear Feet | 626-H002      | Thermoplastic Double Drop Legend, White                        |
| 63    | Each        | 627-L001      | Two-Way Yellow Reflective High Performance Raised Markers      |
| 25    | Square Feet | 630-A001      | Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness      |
| 27    | Square Feet | 630-A003      | Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness      |
| 97    | Linear Feet | 630-C003      | Steel U-Section Posts, 3.0 lb/ft                               |
| 22    | Each        | 630-F006      | Delineators, Guard Rail, White                                 |
| 22    | Each        | 630-F007      | Delineators, Guard Rail, Yellow                                |
| 4     | Each        | 630-G005      | Type 3 Object Markers, OM-3R or OM-3L, Post Mounted            |
| 1     | Lump Sum    | 699-A001      | Roadway Construction Stakes                                    |
| 25    | Ton         | 815-A007      | Loose Riprap, Size 300   |
| 67    | Square Yard | 815-E001      | Geotextile under Riprap  |
| 12    | Ton         | 815-F002      | Sediment Control Stone   |
| 4     | Each        | 907-619-E3001 | Changeable Message Sign  |
| 1     | Lump Sum    | 907-899-A001  | Railway-Highway Provisions                                     |

**ALTERNATE GROUP AA NUMBER 1**

|       |     |          |                                  |
|-------|-----|----------|----------------------------------|
| 7,513 | Ton | 304-F001 | 3/4" and Down Crushed Stone Base |
|-------|-----|----------|----------------------------------|

**ALTERNATE GROUP AA NUMBER 2**

|       |     |          |                             |
|-------|-----|----------|-----------------------------|
| 7,513 | Ton | 304-F002 | Size 610 Crushed Stone Base |
|-------|-----|----------|-----------------------------|

**ALTERNATE GROUP AA NUMBER 3**

|       |     |          |                              |
|-------|-----|----------|------------------------------|
| 7,513 | Ton | 304-F003 | Size 825B Crushed Stone Base |
|-------|-----|----------|------------------------------|

**ALTERNATE GROUP BB NUMBER 1**

|    |            |          |  |
|----|------------|----------|--|
| 16 | Cubic Yard | 605-W002 | Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM |
|----|------------|----------|--|

**ALTERNATE GROUP BB NUMBER 2**

|    |            |          |  |
|----|------------|----------|--|
| 16 | Cubic Yard | 605-W003 | Filter Material for Combination Storm Drain and/or Underdrains, Type C, FM |
|----|------------|----------|--|

**Bridge Items**

|       |             |          |  |
|-------|-------------|----------|--|
| 853   | Square Yard | 501-K001 | Transverse Grooving                          |
| 2,550 | Linear Feet | 803-D007 | HP 14 x 89 Steel Piling                      |
| 845   | Linear Feet | 803-P003 | 30" Steel Pipe Piling, Wall Thickness 0.500" |

|        |             |              |   |
|--------|-------------|--------------|---|
| 764    | Linear Feet | 804-C026     | 110' Prestressed Concrete Beam, Type IV |
| 902    | Linear Feet | 804-C095     | 65' Prestressed Concrete Beam, Type IV  |
| 97,542 | Pounds      | 805-A001     | Reinforcement                           |
| 484    | Linear Feet | 813-A002     | Concrete Railing, 32"                   |
| 480    | Linear Feet | 813-B001     | Concrete-Steel Railing                  |
| 95     | Cubic Yard  | 815-D001     | Concrete Slope Paving                   |
| 1      | Each        | 907-803-B001 | Conventional Static Pile Load Test      |
| 2      | Each        | 907-803-I003 | PDA Test Pile, HP Steel Pile            |
| 1      | Each        | 907-803-I004 | PDA Test Pile, Steel Pipe Pile          |
| 2      | Each        | 907-803-J001 | Pile Restrike                           |
| 226    | Cubic Yard  | 907-804-A002 | Bridge Concrete, Class AA               |
| 336    | Cubic Yard  | 907-804-A004 | Bridge Concrete, Class BD               |



CALL No. 11

Installation of a Traffic Signal on SR 43/603 at Texas Flat Road, known as Federal Aid Project No. STBG-0067-00(012) / 108152301 in Hancock County.

PROJECT COMPLETION: 114 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

|     |             |              |   |
|-----|-------------|--------------|---|
| 3   | Each        | 202-B213     | Removal of Sign   |
| 1   | Lump Sum    | 618-A001     | Maintenance of Traffic  |
| 16  | Square Feet | 619-D1001    | Standard Roadside Construction Signs, Less than 10 Square Feet            |
| 128 | Square Feet | 619-D2001    | Standard Roadside Construction Signs, 10 Square Feet or More              |
| 24  | Linear Feet | 619-G4001    | Barricades, Type III, Double Faced  |
| 1   | Lump Sum    | 620-A001     | Mobilization  |
| 109 | Linear Feet | 626-H005     | Thermoplastic Legend, White   |
| 36  | Square Feet | 630-A003     | Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness                 |
| 56  | Linear Feet | 630-C003     | Steel U-Section Posts, 3.0 lb/ft  |
| 6   | Each        | 635-A059     | Traffic Signal Head, Type 1   |
| 2   | Each        | 635-A065     | Traffic Signal Head, Type 2 FYA   |
| 2   | Each        | 635-A070     | Traffic Signal Head, Type 3   |
| 1   | Each        | 907-632-A007 | Solid State Traffic Cabinet Assembly, Type III Cabinet, Type 1 Controller |
| 1   | Each        | 907-632-J001 | Power Service Pedestal  |
| 1   | Each        | 907-634-A257 | Traffic Signal Equipment Pole, Type III(L), 30' Shaft, 40' & 55' Arm      |
| 1   | Each        | 907-634-A324 | Traffic Signal Equipment Pole, Type III(L), 40' Shaft, 40' & 60' Arm      |
| 945 | Each        | 907-634-B001 | Traffic Signal Equipment Pole Shaft Extension, 10'                        |
| 8   | Cubic Yard  | 907-634-C002 | Pole Foundations, Class "DS" Concrete                                     |
| 30  | Linear Feet | 907-634-D003 | Slip Casing, 36" Diameter   |
| 512 | Linear Feet | 907-636-B003 | Electric Cable, Underground in Conduit, IMSA 20-1, AWG 10, 2 Conductor    |
| 945 | Linear Feet | 907-636-B016 | Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 8 Conductor    |
| 25  | Linear Feet | 907-636-B028 | Electric Cable, Underground in Conduit, IMSA 20-1, AWG 8, 3 Conductor     |
| 4   | Each        | 907-637-A001 | Pullbox Enclosure, Type 1   |
| 3   | Each        | 907-637-A002 | Pullbox Enclosure, Type 2   |
| 1   | Each        | 907-637-A003 | Pullbox Enclosure, Type 3   |

|       |             |              |  |
|-------|-------------|--------------|--|
| 930   | Linear Feet | 907-637-C028 | Traffic Signal Conduit, Underground, Type 4, 2"                        |
| 78    | Linear Feet | 907-637-D002 | Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2" |
| 222   | Linear Feet | 907-637-D003 | Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3" |
| 8     | Each        | 907-639-B001 | Type 1 Optical Detector  |
| 900   | Linear Feet | 907-639-C001 | Type 1 Optical Detector Cable  |
| 1     | Each        | 907-639-D001 | Multimode Phase Selector   |
| 60    | Linear Feet | 907-640-A001 | Vehicle Loop Assemblies  |
| 1,340 | Linear Feet | 907-640-B001 | Shielded Cable, AWG #14, 2 Conductor                                   |
| 4     | Each        | 907-643-A004 | Video Vehicle Detection Sensor, Type 1A                                |
| 945   | Linear Feet | 907-643-C001 | Video Vehicle Detection Power Cable                                    |
| 39    | Square Feet | 907-653-B001 | Street Name Sign   |
| 2     | Each        | 907-662-D002 | Radio Interconnect, Broadband, Short Range                             |
| 1     | Each        | 907-663-A001 | Network Switch, Type A   |
| 214   | Linear Feet | 907-663-D001 | Category 6 Cable, Installed in Conduit                                 |

CALL No. 12

Mill & Overlay approximately 12 miles on US 278 beginning at the Quitman/Panola County Line East to the ICRR Overpass in Batesville, known as Federal Aid Project No. NH-0070-02(017) / 107775301 and State Project No. MP-2278-54(001) / 306807301 in Panola County.

PROJECT COMPLETION: 149 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

|         |             |           |   |
|---------|-------------|-----------|---|
| 625     | Square Yard | 202-B007  | Removal of Asphalt Pavement, All Depths                       |
| 1,562   | Square Yard | 202-B062  | Removal of Concrete Overlayed w/ Asphalt Pavement, All Depths |
| 1,546   | Linear Feet | 202-B240  | Removal of Traffic Stripe                                     |
| 275     | Cubic Yard  | 203-G001  | Excess Excavation, FM, AH                                     |
| 7,470   | Ton         | 304-B002  | Granular Material, Class 3, Group D                           |
| 1,475   | Ton         | 403-A006  | 19-mm, ST, Asphalt Pavement                                   |
| 16,985  | Ton         | 403-A014  | 9.5-mm, MT, Asphalt Pavement                                  |
| 7,785   | Ton         | 403-B011  | 9.5-mm, MT, Asphalt Pavement, Leveling                        |
| 203,900 | Square Yard | 406-D001  | Fine Milling of Bituminous Pavement, All Depths               |
| 29,000  | Gallon      | 407-A001  | Asphalt for Tack Coat   |
| 41,845  | Linear Feet | 413-E001  | Sawing and Sealing Transverse Joints in Asphalt Pavement      |
| 22      | Mile        | 423-A001  | Rumble Strips, Ground In                                      |
| 281     | Linear Feet | 609-B002  | Concrete Curb, Header   |
| 306     | Linear Feet | 609-D008  | Combination Concrete Curb and Gutter Type 3A                  |
| 27      | Square Yard | 616-A001  | Concrete Median and/or Island Pavement, 10-inch               |
| 273     | Square Yard | 616-A004  | Concrete Median and/or Island Pavement, 4-inch                |
| 1       | Lump Sum    | 618-A001  | Maintenance of Traffic  |
| 2       | Square Feet | 618-B001  | Additional Construction Signs                                 |
| 66      | Mile        | 619-A1001 | Temporary Traffic Stripe, Continuous White                    |
| 6       | Mile        | 619-A2001 | Temporary Traffic Stripe, Continuous Yellow                   |
| 31      | Mile        | 619-A4004 | Temporary Traffic Stripe, Skip Yellow, Paint                  |
| 13,225  | Linear Feet | 619-A5001 | Temporary Traffic Stripe, Detail                              |
| 3,844   | Linear Feet | 619-A6002 | Temporary Traffic Stripe, Legend                              |
| 1       | Lump Sum    | 620-A001  | Mobilization  |

|       |             |              |  |
|-------|-------------|--------------|--|
| 776   | Linear Feet | 626-C001     | 6" Thermoplastic Double Drop Edge Stripe, Continuous White     |
| 22    | Mile        | 626-C004     | 6" Thermoplastic Edge Stripe, Continuous White                 |
| 10    | Mile        | 626-D003     | 6" Thermoplastic Traffic Stripe, Skip Yellow                   |
| 776   | Linear Feet | 626-E002     | 6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow |
| 2     | Mile        | 626-E004     | 6" Thermoplastic Traffic Stripe, Continuous Yellow             |
| 4,462 | Linear Feet | 626-G002     | Thermoplastic Detail Stripe, White                             |
| 2,153 | Linear Feet | 626-G003     | Thermoplastic Detail Stripe, Yellow                            |
| 57    | Square Feet | 626-H004     | Thermoplastic Legend, White                                    |
| 1,928 | Linear Feet | 626-H005     | Thermoplastic Legend, White                                    |
| 446   | Each        | 627-B001     | Two-Way Clear Reflective Raised Markers                        |
| 1,382 | Each        | 627-L001     | Two-Way Yellow Reflective High Performance Raised Markers      |
| 132   | Linear Feet | 907-619-B001 | Temporary Portable Rumble Strips                               |

**ALTERNATE GROUP AA NUMBER 1**

|     |     |          |                                  |
|-----|-----|----------|----------------------------------|
| 180 | Ton | 304-F001 | 3/4" and Down Crushed Stone Base |
|-----|-----|----------|----------------------------------|

**ALTERNATE GROUP AA NUMBER 2**

|     |     |          |                             |
|-----|-----|----------|-----------------------------|
| 180 | Ton | 304-F002 | Size 610 Crushed Stone Base |
|-----|-----|----------|-----------------------------|

**ALTERNATE GROUP AA NUMBER 3**

|     |     |          |                              |
|-----|-----|----------|------------------------------|
| 180 | Ton | 304-F003 | Size 825B Crushed Stone Base |
|-----|-----|----------|------------------------------|

CALL No. 13

Overlay approximately 6 miles of SR 552 from Alcorn State University to US 61, known as Federal Aid Project Nos. STP-0303-00(016) / 107763301 & STP-0305-00(017) / 107763302 in Claiborne & Jefferson Counties.

PROJECT COMPLETION: 79 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

|        |             |           |   |
|--------|-------------|-----------|---|
| 132    | Linear Feet | 202-B158  | Removal of Guard Rail, Including Rails, Posts and Terminal Ends |
| 1,500  | Ton         | 304-B004  | Granular Material, Class 5, Group D                             |
| 19,600 | Ton         | 403-A015  | 9.5-mm, ST, Asphalt Pavement                                    |
| 4,800  | Square Yard | 406-A002  | Cold Milling of Bituminous Pavement, All Depths                 |
| 16,800 | Gallon      | 407-A001  | Asphalt for Tack Coat   |
| 11     | Mile        | 423-A001  | Rumble Strips, Ground In  |
| 60     | Linear Feet | 606-B001  | Guard Rail, Class A, Type 1                                     |
| 2      | Each        | 606-E001  | Guard Rail, Terminal End Section                                |
| 1      | Lump Sum    | 618-A001  | Maintenance of Traffic  |
| 2      | Square Feet | 618-B001  | Additional Construction Signs                                   |
| 13     | Mile        | 619-A1004 | Temporary Traffic Stripe, Continuous White, Paint               |
| 15     | Mile        | 619-A2004 | Temporary Traffic Stripe, Continuous Yellow, Paint              |
| 12     | Mile        | 619-A3003 | Temporary Traffic Stripe, Skip White, Paint                     |
| 3,400  | Linear Feet | 619-A4003 | Temporary Traffic Stripe, Skip Yellow, Paint                    |
| 20,000 | Linear Feet | 619-A5002 | Temporary Traffic Stripe, Detail, Paint                         |
| 3,300  | Linear Feet | 619-A6004 | Temporary Traffic Stripe, Legend, Paint                         |
| 1      | Lump Sum    | 620-A001  | Mobilization  |
| 12     | Mile        | 626-A001  | 6" Thermoplastic Double Drop Traffic Stripe, Skip White         |
| 13     | Mile        | 626-B002  | 6" Thermoplastic Double Drop Traffic Stripe, Continuous White   |
| 3,400  | Linear Feet | 626-D002  | 6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow        |
| 15     | Mile        | 626-E001  | 6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow  |
| 8,300  | Linear Feet | 626-G004  | Thermoplastic Double Drop Detail Stripe, White                  |
| 10,200 | Linear Feet | 626-G005  | Thermoplastic Double Drop Detail Stripe, Yellow                 |
| 600    | Square Feet | 626-H001  | Thermoplastic Double Drop Legend, White                         |
| 3,300  | Linear Feet | 626-H002  | Thermoplastic Double Drop Legend, White                         |

|       |      |          |   |
|-------|------|----------|---|
| 195   | Each | 627-J001 | Two-Way Clear Reflective High Performance Raised Markers  |
| 1,520 | Each | 627-K001 | Red-Clear Reflective High Performance Raised Markers      |
| 2,500 | Each | 627-L001 | Two-Way Yellow Reflective High Performance Raised Markers |

CALL No. 14

Bridge Replacements on SR 487 from Tuscola to SR 35, Bridge Nos. 6.7, 7.1 and 7.6, known as Federal Aid Project No. BR-0526-00(006) / 102403301 in Leake County.

PROJECT COMPLETION: 373 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

|        |                 |           |   |
|--------|-----------------|-----------|---|
| 1      | Lump Sum        | 201-A001  | Clearing and Grubbing                             |
| 3      | Acre            | 201-B001  | Clearing and Grubbing                             |
| 1      | Lump Sum        | 202-A001  | Removal of Obstructions                           |
| 5,074  | Square Yard     | 202-B007  | Removal of Asphalt Pavement, All Depths           |
| 4      | Each            | 202-B036  | Removal of Bridge Piling                          |
| 115    | Linear Feet     | 202-B191  | Removal of Pipe, 8" And Above                     |
| 963    | Square Yard     | 202-B208  | Removal of Riprap                                 |
| 11     | Each            | 202-B215  | Removal of Sign Including Post & Footing          |
| 32,976 | Cubic Yard      | 203-A001  | Unclassified Excavation, FM, AH                   |
| 17,442 | Cubic Yard      | 203-EX010 | Borrow Excavation, AH, FME, Class B17             |
| 624    | Cubic Yard      | 203-G001  | Excess Excavation, FM, AH                         |
| 23,818 | Square Yard     | 209-A005  | Geotextile Stabilization, Type V, Non-Woven       |
| 3,127  | Cubic Yard      | 211-B001  | Topsoil for Slope Treatment, Contractor Furnished |
| 35     | Ton             | 213-A001  | Agricultural Limestone                            |
| 6      | Ton             | 213-C001  | Superphosphate                                    |
| 71     | Square Yard     | 216-A001  | Solid Sodding                                     |
| 1      | Thousand Gallon | 219-A001  | Watering  |
| 6      | Acre            | 220-A001  | Insect Pest Control                               |
| 11     | Cubic Yard      | 221-A001  | Concrete Paved Ditch                              |
| 12     | Acre            | 225-A001  | Grassing  |
| 23     | Ton             | 225-C001  | Mulch, Vegetative Mulch                           |
| 12     | Acre            | 226-A001  | Temporary Grassing                                |
| 7,300  | Linear Feet     | 234-A001  | Temporary Silt Fence                              |
| 8,500  | Linear Feet     | 234-C001  | Super Silt Fence                                  |
| 16,150 | Linear Feet     | 237-A002  | Wattles, 20"                                      |

|       |             |            |  |
|-------|-------------|------------|--|
| 4,060 | Linear Feet | 239-A001   | Temporary Slope Drains   |
| 156   | Linear Feet | 245-A001   | Silt Dike  |
| 795   | Each        | 246-B001   | Rockbags   |
| 2,182 | Ton         | 249-A001   | Riprap for Erosion Control   |
| 1,091 | Cubic Yard  | 249-B001   | Remove and Reset Riprap  |
| 1,650 | Cubic Yard  | 304-A004   | Granular Material, LVM, Class 5, Group C                                   |
| 825   | Ton         | 403-A003   | 12.5-mm, ST, Asphalt Pavement  |
| 1,262 | Ton         | 403-A015   | 9.5-mm, ST, Asphalt Pavement   |
| 670   | Square Yard | 406-A002   | Cold Milling of Bituminous Pavement, All Depths                            |
| 2,101 | Gallon      | 407-A001   | Asphalt for Tack Coat  |
| 185   | Linear Feet | 413-E001   | Sawing and Sealing Transverse Joints in Asphalt Pavement                   |
| 392   | Square Yard | 502-A001   | Reinforced Cement Concrete Bridge End Pavement                             |
| 115   | Linear Feet | 503-C010   | Saw Cut, Full Depth  |
| 64    | Linear Feet | 603-ALT003 | 18" Type A Alternate Pipe  |
| 120   | Square Yard | 605-AA001  | Geotextile for Subsurface Drainage, Type III                               |
| 216   | Linear Feet | 605-O002   | 4" Perforated Sewer Pipe for Underdrains, SDR 23.5                         |
| 21    | Linear Feet | 605-P002   | 4" Non-perforated Sewer Pipe for Underdrains, SDR 23.5                     |
| 8     | Cubic Yard  | 605-W001   | Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM |
| 1,050 | Linear Feet | 606-B001   | Guard Rail, Class A, Type 1  |
| 12    | Each        | 606-D022   | Guard Rail, Bridge End Section, Type I                                     |
| 11    | Each        | 606-E005   | Guard Rail, Terminal End Section, Flared                                   |
| 1     | Each        | 606-E007   | Guard Rail, Terminal End Section, Non-Flared                               |
| 120   | Linear Feet | 615-A002   | Concrete Bridge End Barrier, 33.5"   |
| 26    | Each        | 617-A001   | Right-of-Way Marker  |
| 1     | Lump Sum    | 618-A001   | Maintenance of Traffic   |
| 3     | Mile        | 619-A1001  | Temporary Traffic Stripe, Continuous White                                 |
| 2     | Mile        | 619-A2001  | Temporary Traffic Stripe, Continuous Yellow                                |
| 1     | Mile        | 619-A4002  | Temporary Traffic Stripe, Skip Yellow                                      |
| 186   | Square Feet | 619-D1001  | Standard Roadside Construction Signs, Less than 10 Square Feet             |
| 412   | Square Feet | 619-D2001  | Standard Roadside Construction Signs, 10 Square Feet or More               |



|                                    |             |               |  |
|------------------------------------|-------------|---------------|--|
| 24                                 | Linear Feet | 619-G4001     | Barricades, Type III, Double Faced   |
| 48                                 | Linear Feet | 619-G4005     | Barricades, Type III, Single Faced   |
| 14                                 | Each        | 619-G7001     | Warning Lights, Type "B"   |
| 1                                  | Lump Sum    | 620-A001      | Mobilization   |
| 3                                  | Mile        | 626-C002      | 6" Thermoplastic Double Drop Edge Stripe, Continuous White                 |
| 1                                  | Mile        | 626-D001      | 6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow                   |
| 2                                  | Mile        | 626-E001      | 6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow             |
| 126                                | Each        | 627-D001      | Two-Way Yellow Reflective Raised Markers                                   |
| 2                                  | Square Feet | 630-A001      | Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness                  |
| 73                                 | Square Feet | 630-A003      | Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness                  |
| 132                                | Linear Feet | 630-C003      | Steel U-Section Posts, 3.0 lb/ft   |
| 60                                 | Each        | 630-F006      | Delineators, Guard Rail, White   |
| 6                                  | Each        | 630-G003      | Type 3 Object Markers, OM-3L, Post Mounted                                 |
| 6                                  | Each        | 630-G007      | Type 3 Object Markers, OM-3R, Post Mounted                                 |
| 1                                  | Lump Sum    | 699-A001      | Roadway Construction Stakes  |
| 362                                | Ton         | 815-A007      | Loose Riprap, Size 300   |
| 951                                | Square Yard | 815-E001      | Geotextile under Riprap  |
| 165                                | Ton         | 815-F002      | Sediment Control Stone   |
| 6                                  | Each        | 907-619-E3001 | Changeable Message Sign  |
| <b>ALTERNATE GROUP AA NUMBER 1</b> |             |               |  |
| 6,800                              | Ton         | 304-F001      | 3/4" and Down Crushed Stone Base   |
| <b>ALTERNATE GROUP AA NUMBER 2</b> |             |               |  |
| 6,800                              | Ton         | 304-F002      | Size 610 Crushed Stone Base  |
| <b>ALTERNATE GROUP AA NUMBER 3</b> |             |               |  |
| 6,800                              | Ton         | 304-F003      | Size 825B Crushed Stone Base   |
| <b>ALTERNATE GROUP BB NUMBER 1</b> |             |               |  |
| 96                                 | Cubic Yard  | 605-W002      | Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM |
| <b>ALTERNATE GROUP BB NUMBER 2</b> |             |               |  |
| 96                                 | Cubic Yard  | 605-W003      | Filter Material for Combination Storm Drain and/or Underdrains, Type C, FM |
| <b>Bridge Items</b>                |             |               |  |
| 3,884                              | Square Yard | 501-K001      | Transverse Grooving  |

|         |             |              |  |
|---------|-------------|--------------|--|
| 6,150   | Linear Feet | 803-P001     | 24" Steel Pipe Piling, Wall Thickness 0.500" |
| 1,260   | Linear Feet | 803-P003     | 30" Steel Pipe Piling, Wall Thickness 0.500" |
| 4,442   | Linear Feet | 804-C188     | 80' Prestressed Concrete Beam, Type FIB-36   |
| 1,312   | Linear Feet | 804-C189     | 110' Prestressed Concrete Beam, Type FIB-54  |
| 397,365 | Pounds      | 805-A001     | Reinforcement                                |
| 14,278  | Pounds      | 805-C001     | Reinforcement, Corrosion Resistant           |
| 2,913   | Linear Feet | 813-A002     | Concrete Railing, 32"                        |
| 10,584  | Ton         | 815-A007     | Loose Riprap, Size 300                       |
| 8,692   | Square Yard | 815-E001     | Geotextile under Riprap                      |
| 11      | Each        | 907-803-I004 | PDA Test Pile, Steel Pipe Pile               |
| 6       | Each        | 907-803-J001 | Pile Restrike                                |
| 1,353   | Cubic Yard  | 907-804-A001 | Bridge Concrete, Class BDY                   |
| 455     | Cubic Yard  | 907-804-A002 | Bridge Concrete, Class AA                    |

CALL No. 15

Mill & Overlay approximately 5 miles of SR 471 from Grant's Ferry Road to SR 25, known as State Project No. MP-5471-61(002) / 306549301 in Rankin County.

PROJECT COMPLETION: JUNE 17, 2020

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

|        |             |           |  |
|--------|-------------|-----------|--|
| 110    | Linear Feet | 202-B003  | Removal of Asphalt Curb  |
| 3,293  | Square Yard | 202-B007  | Removal of Asphalt Pavement, All Depths                        |
| 353    | Cubic Yard  | 203-G001  | Excess Excavation, FM, AH                                      |
| 1,340  | Ton         | 304-D002  | Granular Material, Crushed Stone                               |
| 50     | Ton         | 310-B001  | Size I Stabilizer Aggregate, Coarse                            |
| 11,265 | Ton         | 403-A002  | 12.5-mm, MT, Asphalt Pavement                                  |
| 3,235  | Ton         | 403-B002  | 12.5-mm, MT, Asphalt Pavement, Leveling                        |
| 93,545 | Square Yard | 406-D001  | Fine Milling of Bituminous Pavement, All Depths                |
| 5,188  | Gallon      | 407-A001  | Asphalt for Tack Coat  |
| 110    | Linear Feet | 609-E001  | Bituminous Curb  |
| 1      | Lump Sum    | 618-A001  | Maintenance of Traffic   |
| 20     | Mile        | 619-A1001 | Temporary Traffic Stripe, Continuous White                     |
| 17     | Mile        | 619-A2001 | Temporary Traffic Stripe, Continuous Yellow                    |
| 3,256  | Linear Feet | 619-A3002 | Temporary Traffic Stripe, Skip White                           |
| 1      | Mile        | 619-A4002 | Temporary Traffic Stripe, Skip Yellow                          |
| 16,000 | Linear Feet | 619-A5001 | Temporary Traffic Stripe, Detail                               |
| 819    | Square Feet | 619-A6001 | Temporary Traffic Stripe, Legend                               |
| 4,452  | Linear Feet | 619-A6002 | Temporary Traffic Stripe, Legend                               |
| 195    | Square Feet | 619-D1001 | Standard Roadside Construction Signs, Less than 10 Square Feet |
| 500    | Square Feet | 619-D2001 | Standard Roadside Construction Signs, 10 Square Feet or More   |
| 24     | Linear Feet | 619-G4001 | Barricades, Type III, Double Faced                             |
| 1      | Lump Sum    | 620-A001  | Mobilization   |
| 1,650  | Linear Feet | 626-A002  | 6" Thermoplastic Double Drop Traffic Stripe, Skip White        |
| 1,800  | Linear Feet | 626-B001  | 6" Thermoplastic Double Drop Traffic Stripe, Continuous White  |
| 10     | Mile        | 626-C002  | 6" Thermoplastic Double Drop Edge Stripe, Continuous White     |

|                    |              |  |
|--------------------|--------------|--|
| 1 Mile             | 626-D001     | 6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow       |
| 9 Mile             | 626-E001     | 6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow |
| 11,250 Linear Feet | 626-G002     | Thermoplastic Detail Stripe, White                             |
| 17,900 Linear Feet | 626-G003     | Thermoplastic Detail Stripe, Yellow                            |
| 820 Square Feet    | 626-H004     | Thermoplastic Legend, White                                    |
| 2,970 Linear Feet  | 626-H005     | Thermoplastic Legend, White                                    |
| 600 Each           | 627-J001     | Two-Way Clear Reflective High Performance Raised Markers       |
| 85 Each            | 627-K001     | Red-Clear Reflective High Performance Raised Markers           |
| 930 Each           | 627-L001     | Two-Way Yellow Reflective High Performance Raised Markers      |
| 66 Linear Feet     | 907-619-B001 | Temporary Portable Rumble Strips                               |
| 4 Each             | 907-641-A002 | Signal Stop Bar Radar Vehicle Detection Sensor, Type 2         |
| 300 Linear Feet    | 907-641-D001 | Radar Vehicle Detection Cable                                  |

CALL No. 16

Bridge Repair on SR 609 over Old Fort Bayou, Bridge No. 0.2, known as Federal Aid Project No. BR-9385-00(017) / 107705301 in Jackson County.

PROJECT COMPLETION: NOVEMBER 11, 2021

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Bridge Items**

|         |             |               |   |
|---------|-------------|---------------|---|
| 116,253 | Pounds      | 810-A006      | Structural Steel, A 709, Grade 50                               |
| 6,333   | Square Feet | 812-A001      | Steel Grid Floor, Open Type                                     |
| 126     | Linear Feet | 813-E003      | Aluminum Railing  |
| 142     | Linear Feet | 813-E006      | Metal Railing   |
| 1       | Lump Sum    | 814-A001      | Painting of Metal Structures                                    |
| 5       | Cubic Yard  | 907-804-A002  | Bridge Concrete, Class AA                                       |
| 431     | Linear Feet | 907-808-A002  | Joint Repair  |
| 292     | Linear Feet | 907-823-A002  | Preformed Joint Seal, Type II Compression Joint Seal            |
| 136     | Linear Feet | 907-823-A002  | Preformed Joint Seal, Type II Elastomer or Wabotrans Flex Joint |
| 860     | Linear Feet | 907-823-B001  | Saw Cut, Type I   |
| 1       | Lump Sum    | 907-824-PP001 | Bridge Raising Bascule Span Jacking                             |
| 1       | Lump Sum    | 907-824-PP004 | Bridge Repair, Bird Proofing                                    |
| 1       | Lump Sum    | 907-824-PP004 | Bridge Repair, Concrete Repair                                  |
| 1       | Lump Sum    | 907-824-PP004 | Bridge Repair, Electric Fans                                    |
| 1       | Lump Sum    | 907-824-PP004 | Bridge Repair, Fender System & Access                           |
| 1       | Lump Sum    | 907-824-PP004 | Bridge Repair, Remove & Replace Bumper Block                    |
| 1       | Lump Sum    | 907-824-PP004 | Bridge Repair, Remove & Replace Control House Ladder            |
| 1       | Lump Sum    | 907-824-PP004 | Bridge Repair, Remove & Replace Warning Gates                   |
| 1       | Lump Sum    | 907-824-PP004 | Bridge Repair, Utility Platform                                 |
| 1       | Lump Sum    | 907-850-A001  | Mechanical Work   |
| 1       | Lump Sum    | 907-851-A001  | Span Balancing  |
| 44      | Each        | 907-851-B001  | Balance Plates  |
| 1       | Lump Sum    | 907-852-A001  | Electrical Work   |
| 1       | Lump Sum    | 907-852-B001  | Electrical Service  |
| 1       | Lump Sum    | 907-852-C001  | Auxiliary Electrical Equipment                                  |

|   |          |              |                                    |
|---|----------|--------------|------------------------------------|
| 1 | Lump Sum | 907-852-D001 | Control Console                    |
| 1 | Lump Sum | 907-852-E001 | Motor Control Center               |
| 1 | Lump Sum | 907-852-F001 | Span Drives and Motors             |
| 1 | Lump Sum | 907-852-G001 | PLC Cabinet and Programming        |
| 1 | Lump Sum | 907-852-H001 | Limits and Sensors                 |
| 1 | Lump Sum | 907-852-I001 | Submarine Cables                   |
| 1 | Lump Sum | 907-852-J001 | Lightning and Surge Protection     |
| 1 | Lump Sum | 907-852-K001 | Training, Manuals, and Spare Parts |

**Roadway Items**

|       |             |           |  |
|-------|-------------|-----------|--|
| 2     | Square Yard | 202-B087  | Removal of Continuously Reinforced Concrete Pavement, All Depths |
| 430   | Linear Feet | 202-B169  | Removal of Joint Material  |
| 2     | Mile        | 202-B241  | Removal of Traffic Stripe  |
| 500   | Linear Feet | 413-C001  | Cleaning and Sealing Cracks                                      |
| 50    | Linear Feet | 606-B010  | Guard Rail, Class A, Type 1, Thrie Beam                          |
| 1     | Each        | 606-D022  | Guard Rail, Bridge End Section, Type I                           |
| 1     | Each        | 606-E005  | Guard Rail, Terminal End Section, Flared                         |
| 12    | Square Yard | 608-B001  | Concrete Sidewalk, With Reinforcement                            |
| 1     | Lump Sum    | 618-A001  | Maintenance of Traffic   |
| 1     | Square Feet | 618-B001  | Additional Construction Signs                                    |
| 6,973 | Linear Feet | 619-A1007 | Temporary Traffic Stripe, Continuous White, Type 1 or 2 Tape     |
| 7,033 | Linear Feet | 619-A2008 | Temporary Traffic Stripe, Continuous Yellow, Type 1 or 2 Tape    |
| 400   | Linear Feet | 619-A3008 | Temporary Traffic Stripe, Skip White, Type 1 or 2 Tape           |
| 12    | Each        | 619-C6001 | Red-Clear Reflective High Performance Raised Marker              |
| 129   | Each        | 619-C7001 | Two-Way Yellow Reflective High Performance Raised Marker         |
| 2     | Each        | 619-E1001 | Flashing Arrow Panel, Type C                                     |
| 1,655 | Linear Feet | 619-F1001 | Concrete Median Barrier, Precast                                 |
| 90    | Linear Feet | 619-F1002 | Portable Median Barrier  |
| 1,615 | Linear Feet | 619-F2001 | Remove and Reset Concrete Median Barrier, Precast                |
| 90    | Linear Feet | 619-F2002 | Remove and Reset Portable Median Barrier                         |
| 144   | Linear Feet | 619-G4005 | Barricades, Type III, Single Faced                               |

|     |          |               |   |
|-----|----------|---------------|---|
| 40  | Each     | 619-G5001     | Free Standing Plastic Drums                               |
| 13  | Each     | 619-G7001     | Warning Lights, Type "B"                                  |
| 1   | Each     | 619-J1001     | Impact Attenuator, 40 MPH                                 |
| 1   | Each     | 619-J3001     | Remove and Reset Impact Attenuator                        |
| 1   | Lump Sum | 620-A001      | Mobilization  |
| 88  | Each     | 627-K001      | Red-Clear Reflective High Performance Raised Markers      |
| 107 | Each     | 627-L001      | Two-Way Yellow Reflective High Performance Raised Markers |
| 1   | Lump Sum | 907-258-A002  | Building Amenities  |
| 19  | Each     | 907-619-E3001 | Changeable Message Sign                                   |

**ALTERNATE GROUP AA NUMBER 1**

|       |             |              |   |
|-------|-------------|--------------|---|
| 3,510 | Linear Feet | 907-624-A002 | 6" Inverted Profile Thermoplastic Traffic Stripe, Skip White        |
| 3,510 | Linear Feet | 907-624-B002 | 6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White  |
| 4,280 | Linear Feet | 907-624-D002 | 6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow |
| 192   | Linear Feet | 907-624-E001 | Inverted Profile Thermoplastic Detail Traffic Stripe, White         |

**ALTERNATE GROUP AA NUMBER 2**

|       |             |          |  |
|-------|-------------|----------|--|
| 3,510 | Linear Feet | 628-G001 | 6" High Performance Cold Plastic Traffic Stripe, Skip White        |
| 3,510 | Linear Feet | 628-H001 | 6" High Performance Cold Plastic Traffic Stripe, Continuous White  |
| 4,280 | Linear Feet | 628-J001 | 6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow |
| 192   | Linear Feet | 628-K001 | High Performance Cold Plastic Detail Stripe, White                 |

CALL No. 17

Mill & Overlay approximately 2 miles of SR 617 (Ingalls Access) from North End of US 90 to EOSM, known as Federal Aid Project No. STP-9401-00(001) / 107190301 in Jackson County.

PROJECT COMPLETION: Flexible

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

|       |             |           |  |
|-------|-------------|-----------|--|
| 38    | Linear Feet | 202-B136  | Removal of Guard Rail  |
| 382   | Linear Feet | 202-B191  | Removal of Pipe, 8" And Above                                |
| 400   | Cubic Yard  | 206-A001  | Structure Excavation   |
| 100   | Cubic Yard  | 206-B001  | Select Material for Undercuts, Contractor Furnished, FM      |
| 5,000 | Square Yard | 216-A001  | Solid Sodding  |
| 4,090 | Ton         | 403-A014  | 9.5-mm, MT, Asphalt Pavement                                 |
| 9,075 | Square Yard | 406-A002  | Cold Milling of Bituminous Pavement, All Depths              |
| 5,296 | Gallon      | 407-A001  | Asphalt for Tack Coat  |
| 100   | Square Feet | 412-A001  | Pre-Grinding   |
| 368   | Linear Feet | 603-CA027 | 24" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets |
| 168   | Linear Feet | 603-CA038 | 24" Reinforced Concrete Pipe, Class V, Jacked or Bored       |
| 4     | Each        | 603-CB004 | 24" Reinforced Concrete End Section                          |
| 1     | Each        | 606-E001  | Guard Rail, Terminal End Section                             |
| 24    | Cubic Yard  | 612-A001  | Flowable Fill, Excavatable                                   |
| 1     | Lump Sum    | 618-A001  | Maintenance of Traffic                                       |
| 1     | Square Feet | 618-B001  | Additional Construction Signs                                |
| 4     | Mile        | 619-A1001 | Temporary Traffic Stripe, Continuous White                   |
| 3     | Mile        | 619-A2001 | Temporary Traffic Stripe, Continuous Yellow                  |
| 6     | Mile        | 619-A3001 | Temporary Traffic Stripe, Skip White                         |
| 1,116 | Linear Feet | 619-A5001 | Temporary Traffic Stripe, Detail                             |
| 353   | Square Feet | 619-A6001 | Temporary Traffic Stripe, Legend                             |
| 1,616 | Linear Feet | 619-A6002 | Temporary Traffic Stripe, Legend                             |
| 1     | Lump Sum    | 620-A001  | Mobilization   |
| 3     | Mile        | 626-A004  | 6" Thermoplastic Traffic Stripe, Skip White                  |
| 2     | Mile        | 626-C004  | 6" Thermoplastic Edge Stripe, Continuous White               |



|                   |              |   |
|-------------------|--------------|---|
| 2 Mile            | 626-E004     | 6" Thermoplastic Traffic Stripe, Continuous Yellow        |
| 3,038 Linear Feet | 626-G002     | Thermoplastic Detail Stripe, White                        |
| 9,208 Linear Feet | 626-G003     | Thermoplastic Detail Stripe, Yellow                       |
| 353 Square Feet   | 626-H004     | Thermoplastic Legend, White                               |
| 808 Linear Feet   | 626-H005     | Thermoplastic Legend, White                               |
| 52 Each           | 627-J001     | Two-Way Clear Reflective High Performance Raised Markers  |
| 883 Each          | 627-K001     | Red-Clear Reflective High Performance Raised Markers      |
| 236 Each          | 627-L001     | Two-Way Yellow Reflective High Performance Raised Markers |
| 100 Ton           | 815-A007     | Loose Riprap, Size 300                                    |
| 200 Square Yard   | 815-E001     | Geotextile under Riprap                                   |
| 1,976 Ton         | 907-411-A001 | Ultra Thin Asphalt Pavement                               |
| 1,178 Linear Feet | 907-640-A001 | Vehicle Loop Assemblies                                   |

**ALTERNATE GROUP AA NUMBER 1**

|         |          |                             |
|---------|----------|-----------------------------|
| 699 Ton | 304-F002 | Size 610 Crushed Stone Base |
|---------|----------|-----------------------------|

**ALTERNATE GROUP AA NUMBER 2**

|         |          |                              |
|---------|----------|------------------------------|
| 699 Ton | 304-F003 | Size 825B Crushed Stone Base |
|---------|----------|------------------------------|

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Contractors may request permission to bid online at <http://shopmdot.ms.gov> at no cost. Upon approval, contractors shall be eligible to submit a bid using Bid Express at <http://bidx.com>. Specimen proposals may be viewed and downloaded online at no cost at <http://mdot.ms.gov> or purchased online at <http://shopmdot.ms.gov> at a cost of Ten Dollars (\$10.00) per proposal plus a small convenience fee. Cash or checks will not be accepted as payment.

Plans must be purchased online at <https://shopmdot.ms.gov>. Costs of plans will be on a cost per sheet basis plus a small convenience fee. You can contact the MDOT Plans Print Shop at Telephone No. (601) 359-7460 or e-mail at [plans@mdot.state.ms.us](mailto:plans@mdot.state.ms.us). Plans will be shipped on receipt of payment. Cash or checks will not be accepted as payment.

Bid bond, signed or countersigned by a Mississippi Resident Agent or qualified non-resident agent, with Power of Attorney attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

MELINDA L. MCGRATH, P.E.  
EXECUTIVE DIRECTOR