

**SECTION 905 -- PROPOSAL (CONTINUED)**

I (We) hereby certify by digital signature and electronic submission via Bid Express of the Section 905 proposal below, that all certifications, disclosures and affidavits incorporated herein are deemed to be duly executed in the aggregate, fully enforceable and binding upon delivery of the bid proposal. I (We) further acknowledge that this certification shall not extend to the bid bond or alternate security which must be separately executed for the benefit of the Commission. This signature does not cure deficiencies in any required certifications, disclosures and/or affidavits. I (We) also acknowledge the right of the Commission to require full and final execution on any certification, disclosure or affidavit contained in the proposal at the Commission's election upon award. Failure to so execute at the Commission's request within the time allowed in the Standard Specifications for execution of all contract documents will result in forfeiture of the bid bond or alternate security.

Bidder acknowledges receipt of and has added to and made a part of the proposal and contract documents the following addendum (addenda):

ADDENDUM NO. <u>1</u>	DATED <u>11/19/2019</u>	ADDENDUM NO. <u>4</u>	DATED <u>12/2/2019</u>
ADDENDUM NO. <u>2</u>	DATED <u>11/20/2019</u>	ADDENDUM NO. <u>5</u>	DATED <u>12/3/2019</u>
ADDENDUM NO. <u>3</u>	DATED <u>11/25/2019</u>	ADDENDUM NO. _____	DATED _____

Number	Description
1	Revised Table of Contents; Revised NTB No. 1991; Added NTB Nos. 2055, 2056, 2057, 2058, & 2059; Deleted Progress Schedule; Amendment EBS Download Required.
2	Postponed til December 5, 2019; Amendment EBSx Download Required.
3	Revised NTB No. 2058; Amendment EBSx Download Required.
4	Revised Table of Contents; Add SP 907-804-8; Revised Bid Items; Revised or Added Plan Sheet Nos. 2, 7, 19, 23-35; 38, 41-42, 49, 71,81, 88, 96, 104, 111, & 120-124; Amendment EBSx Download Required.
5	Revised Bid Items; Amendment EBSx Download Required.

TOTAL ADDENDA: 5  
(Must agree with total addenda issued prior to opening of bids)

Respectfully Submitted,

DATE \_\_\_\_\_

\_\_\_\_\_  
Contractor

BY \_\_\_\_\_  
Signature

TITLE \_\_\_\_\_

ADDRESS \_\_\_\_\_

CITY, STATE, ZIP \_\_\_\_\_

PHONE \_\_\_\_\_

FAX \_\_\_\_\_

E-MAIL \_\_\_\_\_

(To be filled in if a corporation)

Our corporation is chartered under the Laws of the State of \_\_\_\_\_ and the names, titles and business addresses of the executives are as follows:

_____ President	_____ Address
_____ Secretary	_____ Address
_____ Treasurer	_____ Address

The following is my (our) itemized proposal.

BR-0020-01(216)/ 105858302000 & BR-0020-01(216)/ 105858303000  
Hinds & Rankin County(ies)

Revised 01/26/2016

Bridge Replacement on I-20, Bridge No. 44.9B, known as Federal Aid Project Nos. BR-0020-01(216) / 105858302 & BR-0020-01(216) / 105858303 in Hinds & Rankin Counties.

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
<b>Roadway Items</b>					
0009	201-B001		7	Acre	Clearing and Grubbing
0020	202-B006		9,662	Square Yard	Removal of Asphalt Paved Shoulders, All Depths
0030	202-B023		1	Each	Removal of Bridge
0040	202-B029		428	Square Yard	Removal of Bridge End Pavement
0050	202-B042		3	Each	Removal of Camera Pole
0060	202-B061		2,083	Linear Feet	Removal of Concrete Median Barrier, Precast
0070	202-B063		1,595	Square Yard	Removal of Concrete Paved Ditch
0080	202-B079		175	Linear Feet	Removal of Concrete Retaining Wall
0090	202-B083		11,750	Square Yard	Removal of Concrete Slope Paving
0100	202-B124		1,280	Linear Feet	Removal of Electrical Conductors
0110	202-B136		6,875	Linear Feet	Removal of Guard Rail
0120	202-B161		1	Each	Removal of High Mast Lighting Foundation
0130	202-B162		1	Each	Removal of Impact Attenuator
0140	202-B170		1	Each	Removal of Junction Box
0150	202-B179		1	Each	Removal of Low Mast Lighting Foundation
0160	202-B185		2	Each	Removal of Overhead Sign Including Panels, Truss, Supports & Footing
0170	202-B188		6,795	Square Yard	Removal of Pavement, All Types and Depths
0180	202-B191		550	Linear Feet	Removal of Pipe, 8" And Above
0190	202-B219		3	Each	Removal of Sign, Ground Mounted with Posts
0200	202-B226		20,742	Square Yard	Removal of Soil Cement Treated Base, All Depths
0210	202-B241		18	Mile	Removal of Traffic Stripe
0220	203-A001	(E)	53,527	Cubic Yard	Unclassified Excavation, FM, AH
0230	203-EX021	(E)	29,227	Cubic Yard	Borrow Excavation, AH, FME, Class B9-6
0240	203-G001	(E)	38,658	Cubic Yard	Excess Excavation, FM, AH
0250	203-I002		3,112	Square Yard	Site Grading
0260	206-A001	(S)	936	Cubic Yard	Structure Excavation
0270	209-A004		2,981	Square Yard	Geotextile Stabilization, Type V
0280	209-A005		26,270	Square Yard	Geotextile Stabilization, Type V, Non-Woven
0290	213-C001		20	Ton	Superphosphate
0300	216-A001		1,032	Square Yard	Solid Sodding
0310	219-A001		1,936	Thousand Gallon	Watering [\$20.00]
0320	220-A001		20	Acre	Insect Pest Control [\$30.00]

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
0330	221-A001	(S)	1,156	Cubic Yard	Concrete Paved Ditch
0340	223-A001		1,000	Acre	Mowing [\$50.00]
0350	225-A001		20	Acre	Grassing
0360	225-B001		10	Ton	Agricultural Limestone
0370	225-C001		40	Ton	Mulch, Vegetative Mulch
0380	226-A001		20	Acre	Temporary Grassing
0390	234-A001		20,000	Linear Feet	Temporary Silt Fence
0400	234-D001		40	Each	Inlet Siltation Guard
0410	237-A002		2,000	Linear Feet	Wattles, 20"
0420	239-A001		500	Linear Feet	Temporary Slope Drains
0430	246-B001		500	Each	Rockbags
0440	249-A001		1,000	Ton	Riprap for Erosion Control
0450	304-A004	(GY)	6,900	Cubic Yard	Granular Material, LVM, Class 5, Group C
0490	402-A002	(BA1)	2,564	Ton	Open Graded Friction Course, 9.5-mm Mixture
0500	402-B001	(A3)	5,513	Gallon	Bituminous Tack Coat
0510	403-A001	(BA1)	811	Ton	12.5-mm, HT, Asphalt Pavement
0520	403-A003	(BA1)	3,499	Ton	12.5-mm, ST, Asphalt Pavement
0530	403-A004	(BA1)	2,089	Ton	19-mm, HT, Asphalt Pavement
0540	403-A006	(BA1)	5,042	Ton	19-mm, ST, Asphalt Pavement
0550	403-A015	(BA1)	1,205	Ton	9.5-mm, ST, Asphalt Pavement
0560	403-B012	(BA1)	48	Ton	9.5-mm, ST, Asphalt Pavement, Leveling
0570	403-E004	(BA1)	1,150	Ton	9.5-mm, HT, Asphalt Pavement, Polymer Modified, Leveling
0580	403-S001		2	Mile	Joint Sealant
0590	405-A001	(BA1)	640	Ton	Stone Matrix Asphalt, 12.5 mm Mixture
0600	405-A002	(BA1)	1,629	Ton	Stone Matrix Asphalt, 9.5 mm Mixture
0610	406-A002		19,711	Square Yard	Cold Milling of Bituminous Pavement, All Depths
0620	407-A001	(A2)	15,420	Gallon	Asphalt for Tack Coat
0630	413-E001		40	Linear Feet	Sawing and Sealing Transverse Joints in Asphalt Pavement
0640	423-A001		3	Mile	Rumble Strips, Ground In
0650	501-K001		394	Square Yard	Transverse Grooving
0660	502-A001	(C)	430	Square Yard	Reinforced Cement Concrete Bridge End Pavement
0670	503-C010		14,545	Linear Feet	Saw Cut, Full Depth
0680	601-B001	(S)	36	Cubic Yard	Class "B" Structural Concrete, Minor Structures
0690	602-A001	(S)	2,895	Pounds	Reinforcing Steel

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
0700	603-CA003	(S)	102	Linear Feet	15" Reinforced Concrete Pipe, Class III
0710	603-CA011	(S)	790	Linear Feet	18" Reinforced Concrete Pipe, Class III
0720	603-CA013	(S)	84	Linear Feet	18" Reinforced Concrete Pipe, Class IV
0730	603-CA040	(S)	158	Linear Feet	30" Reinforced Concrete Pipe, Class III
0740	603-CB002	(S)	2	Each	15" Reinforced Concrete End Section
0750	603-CB003	(S)	4	Each	18" Reinforced Concrete End Section
0760	603-CB005	(S)	1	Each	30" Reinforced Concrete End Section
0770	604-B001		4,864	Pounds	Gratings
0780	605-AA003	(S)	5,082	Square Yard	Geotextile for Subsurface Drainage, Type V, Non-Woven
0790	605-O001	(S)	5,700	Linear Feet	12" Perforated Sewer Pipe for Underdrains, SDR 35
0800	605-O004	(S)	390	Linear Feet	6" Perforated Sewer Pipe for Underdrains, SDR 23.5
0810	605-P004	(S)	70	Linear Feet	6" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
0820	605-T001	(S)	160	Linear Feet	4" Perforated Pipe for Underdrains
0830	605-U001	(S)	143	Linear Feet	4" Non-perforated Pipe for Underdrains
0840	605-W001	(GY)	30	Cubic Yard	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
0850	605-W002	(GY)	591	Cubic Yard	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
0860	605-W004	(GY)	1,875	Cubic Yard	Filter Material for Combination Storm Drain and/or Underdrains, Type E, FM
0870	606-B001		5,050	Linear Feet	Guard Rail, Class A, Type 1
0880	606-C003		1	Each	Guard Rail, Cable Anchor, Type 1
0890	606-D020		4	Each	Guard Rail, Bridge End Section, Type H, Metal Post
0900	606-D023		17	Each	Guard Rail, Bridge End Section, Type I, Metal Post
0910	606-E005		5	Each	Guard Rail, Terminal End Section, Flared
0920	606-E007		7	Each	Guard Rail, Terminal End Section, Non-Flared
0930	607-B035		94	Linear Feet	96" Type I Chain Link Fence, Class I
0940	613-D003		5	Each	Adjustment of Inlet
0950	615-A003	(S)	113	Linear Feet	Concrete Bridge End Barrier, 42"
0960	615-A006	(S)	165	Linear Feet	Concrete Pier Protection Barrier, 42"
0970	615-A007	(S)	1,387	Linear Feet	Concrete Pier Protection Barrier, 54"
0980	615-A011	(S)	1,786	Linear Feet	Concrete Type I Cast-in-Place Median Barrier, 42" High
0990	615-A021	(S)	5,501	Linear Feet	Concrete Type IV Cast-in-Place Median Barrier, 42" High
1000	618-A001		1	Lump Sum	Maintenance of Traffic
1010	619-A1004		2	Mile	Temporary Traffic Stripe, Continuous White, Paint
1020	619-A1005		655	Linear Feet	Temporary Traffic Stripe, Continuous White, Type 1 Tape

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
1030	619-A2004		3	Mile	Temporary Traffic Stripe, Continuous Yellow, Paint
1040	619-A2006		908	Linear Feet	Temporary Traffic Stripe, Continuous Yellow, Type 1 Tape
1050	619-A3003		3	Mile	Temporary Traffic Stripe, Skip White, Paint
1060	619-A5002		2,700	Linear Feet	Temporary Traffic Stripe, Detail, Paint
1070	619-A6001		240	Square Feet	Temporary Traffic Stripe, Legend
1080	619-C6001		1,824	Each	Red-Clear Reflective High Performance Raised Marker
1090	619-C9001		240	Each	One-Way Yellow Reflective High Performance Raised Marker
1100	619-D1001		540	Square Feet	Standard Roadside Construction Signs, Less than 10 Square Feet
1110	619-D2001		2,324	Square Feet	Standard Roadside Construction Signs, 10 Square Feet or More
1120	619-D3001		110	Each	Remove and Reset Signs, All Sizes
1130	619-D4001		1,821	Square Feet	Directional Signs
1140	619-E1001		3	Each	Flashing Arrow Panel, Type C
1150	619-F1001		11,263	Linear Feet	Concrete Median Barrier, Precast
1160	619-F1004		200	Linear Feet	Portable Median Barrier, 60 MPH
1170	619-F2001		12,571	Linear Feet	Remove and Reset Concrete Median Barrier, Precast
1180	619-G4005		144	Linear Feet	Barricades, Type III, Single Faced
1190	619-G5001		86	Each	Free Standing Plastic Drums
1200	619-G7001		22	Each	Warning Lights, Type "B"
1210	619-J1004		7	Each	Impact Attenuator, 60 MPH
1220	619-J2004		4	Each	Impact Attenuator, 60 MPH, Replacement Package
1230	619-J3001		13	Each	Remove and Reset Impact Attenuator
1240	620-A001		1	Lump Sum	Mobilization
1250	626-A001		3	Mile	6" Thermoplastic Double Drop Traffic Stripe, Skip White
1260	626-C002		3	Mile	6" Thermoplastic Double Drop Edge Stripe, Continuous White
1270	626-F001		3	Mile	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
1280	626-G004		10,899	Linear Feet	Thermoplastic Double Drop Detail Stripe, White
1290	626-G005		623	Linear Feet	Thermoplastic Double Drop Detail Stripe, Yellow
1300	626-H001		80	Square Feet	Thermoplastic Double Drop Legend, White
1310	627-K001		841	Each	Red-Clear Reflective High Performance Raised Markers
1320	629-A002		1	Each	Vehicular Impact Attenuator, 50 MPH
1330	630-B002		114	Square Feet	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
1340	630-B003		1,020	Square Feet	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Overhead Mounted
1350	630-C003		70	Linear Feet	Steel U-Section Posts, 3.0 lb/ft

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
1360	630-D007		43	Linear Feet	Structural Steel Beams, W6 x 15
1370	630-D008		29	Linear Feet	Structural Steel Beams, W6 x 9
1380	630-E001		53	Pounds	Structural Steel Angles & Bars, 3 1/2" x 3 1/2" x 1/4" Angles
1390	630-E002		22	Pounds	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
1400	630-F006		142	Each	Delineators, Guard Rail, White
1410	630-F007		148	Each	Delineators, Guard Rail, Yellow
1420	630-G004		5	Each	Type 3 Object Markers, OM-3R or OM-3L
1430	630-I003		1	Lump Sum	Metal Overhead Sign Supports, Assembly No. 1, Contractor Designed
1440	630-I015		1	Lump Sum	Metal Overhead Sign Supports, Assembly No. 2, Contractor Designed
1450	630-I020		1	Lump Sum	Metal Overhead Sign Supports, Assembly No. 3, Contractor Designed
1460	660-A003		4	Each	Equipment Cabinet, Type B
1470	660-B001		2	Each	Cabinet Modifications
1480	682-A018		750	Linear Feet	Underground Branch Circuit, AWG 2, 3 Conductor
1490	682-B016		370	Linear Feet	Underground Branch Circuit, Jacked or Bored, AWG 2, 3 Conductor
1500	682-D003		1	Each	Underground Pull Box
1510	682-E002		3	Each	Underground Junction Box
1520	683-B195		1	Each	Lighting Assembly, Low Mast, LED, Type 40-1-15-171
1530	684-A003		1	Cubic Yard	Pole Foundation, 24" Diameter
1540	684-A006		8	Cubic Yard	Pole Foundation, 42" Diameter
1550	686-A001		1	Each	Relocation of Existing Lighting Assemblies
1560	699-A001		1	Lump Sum	Roadway Construction Stakes
1570	815-F002	(S)	1,000	Ton	Sediment Control Stone
1580	907-250-A001		200	Pounds	Polyacrylamide (PAM)
1590	907-619-E3001		4	Each	Changeable Message Sign
1600	907-626-U003		8	Mile	6" Thermoplastic Traffic Stripe, Skip White, 40-mil min.
1610	907-626-V003		6	Mile	6" Thermoplastic Traffic Stripe, Continuous White, 40-mil min.
1620	907-626-X003		6	Mile	6" Thermoplastic Traffic Stripe, Continuous Yellow, 40-mil min.
1630	907-626-Y002		13,691	Linear Feet	Thermoplastic Detail Traffic Stripe, White, 6" Equivalent Length, 40-mil min.
1640	907-626-Y004		257	Linear Feet	Thermoplastic Detail Traffic Stripe, Yellow, 6" Equivalent Length, 40-mil min.
1650	907-630-O004		16	Each	Remove and Reset Sign, All Sizes
1660	907-632-B007		1	Each	Remove and Replace Existing Traffic Signal Cabinet Assembly, Type III Cabinet, Type 1 Controller
1670	907-634-E001		2	Each	Camera Pole with Foundation, 50' Pole
1680	907-634-F002		1	Each	Detector Pole with Foundation, 35' Pole

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
1690	907-634-I001		3	Each	Wood Pole, Class II Height 40'
1700	907-634-K001		1	Each	Camera Lowering Device
1710	907-636-B042		2,260	Linear Feet	Electric Cable, Underground in Conduit, THHN, AWG #2, 3 Conductor
1720	907-636-D018		11,565	Linear Feet	Electric Cable, Aerial Supported in Conduit, THHN, AWG #2, 3 Conductor
1730	907-636-E001		22,760	Linear Feet	Electric Cable, Underground in Conduit, Tracer Cable
1740	907-637-A002		15	Each	Pullbox Enclosure, Type 2
1750	907-637-A004		20	Each	Pullbox Enclosure, Type 4
1760	907-637-A005		18	Each	Pullbox Enclosure, Type 5
1770	907-637-B001		8	Each	Pull Box Enclosure, Structure Mounted, Type 1
1780	907-637-H001		8,700	Linear Feet	Traffic Signal Conduit Bank, Underground, Rolled Pipe, 2 @ 2"
1790	907-637-H002		330	Linear Feet	Traffic Signal Conduit Bank, Underground, Rolled Pipe, 2"
1800	907-637-H003		3,670	Linear Feet	Traffic Signal Conduit Bank, Underground, Rolled Pipe, 3 @ 2"
1810	907-637-I001		8,815	Linear Feet	Traffic Signal Conduit Bank, Underground, Drilled or Jacked, Rolled Pipe, 2 @ 2"
1820	907-637-I002		495	Linear Feet	Traffic Signal Conduit Bank, Underground, Drilled or Jacked, Rolled Pipe, 2"
1830	907-637-I003		750	Linear Feet	Traffic Signal Conduit Bank, Underground, Drilled or Jacked, Rolled Pipe, 3 @ 2"
1840	907-637-K001		3,245	Linear Feet	Traffic Signal Conduit Bank, Aerial Supported, Type 1, 2 @ 2"
1850	907-637-K002		700	Linear Feet	Traffic Signal Conduit Bank, Aerial Supported, Type 1, 3 @ 2"
1860	907-641-C001		1	Each	ITS Radar Detection Sensor
1870	907-650-A002		9	Each	On Street Video Equipment, Fixed Type
1880	907-650-A003		3	Each	On Street Video Equipment, PTZ Type
1890	907-659-A001		1	Lump Sum	Traffic Management Center Modifications
1900	907-661-A004		20,510	Linear Feet	Fiber Optic Cable, 72 SM
1910	907-661-A006		4,490	Linear Feet	Fiber Optic Cable, Aerial, 72 SM
1920	907-661-B002		2,535	Linear Feet	Fiber Optic Drop Cable, 12 SM
1930	907-663-A001		5	Each	Network Switch, Type A
1940	907-663-A003		2	Each	Network Switch, Type C
1950	907-663-D001		1,000	Linear Feet	Category 6 Cable, Installed in Conduit
1960	907-664-D001		2	Each	Communications Node Modifications
1970	907-672-B002		4	Each	Remove and Reset ITS Equipment
1980	907-682-A1019		530	Linear Feet	Branch Circuit Wire, AWG #4, 3 Conductor
1990	907-899-A001		1	Lump Sum	Railway-Highway Provisions
2000	907-906001		720	Hours	Trainees [\$5.00]

**ALTERNATE GROUP AA NUMBER 1**

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
2010	304-F001	(GT)	9,300	Ton	3/4" and Down Crushed Stone Base
<b>ALTERNATE GROUP AA NUMBER 2</b>					
2020	304-F002	(GT)	9,300	Ton	Size 610 Crushed Stone Base
<b>ALTERNATE GROUP AA NUMBER 3</b>					
2030	304-F003	(GT)	9,300	Ton	Size 825B Crushed Stone Base
<b>ALTERNATE GROUP BB NUMBER 1</b>					
2040	308-A001		136	Ton	Cement
2050	308-B003	(M)	29,200	Square Yard	Soil-Cement-Water Mixing, Optional Mixers, Design Soil
2060	308-S001	(A3)	7,300	Gallon	Bituminous Curing Seal
<b>ALTERNATE GROUP BB NUMBER 2</b>					
2062	307-C004	(M)	29,200	Square Yard	6" Soil-Lime-Water Mixing, Class C
2064	307-D001		216	Ton	Lime
2066	307-S001	(A3)	7,300	Gallon	Bituminous Curing Seal
<b>Bridge Items</b>					
2180	501-K001		12,466	Square Yard	Transverse Grooving
2190	605-AA002	(S)	12,563	Square Yard	Geotextile for Subsurface Drainage, Type V
2200	605-T001	(S)	3,751	Linear Feet	4" Perforated Pipe for Underdrains
2210	605-W001	(GY)	1,972	Cubic Yard	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
2220	802-A001	(S)	3,494	Square Feet	Permanent Steel Sheet Piling
2230	802-C001	(S)	1,825	Square Feet	Temporary Steel Sheet Piling
2240	803-D006	(S)	13,440	Linear Feet	HP 14 x 73 Steel Piling
2250	803-K002	(S)	50	Linear Feet	Drilled Shaft, 24" Diameter
2260	803-K007	(S)	3,100	Linear Feet	Drilled Shaft, 54" Diameter
2270	803-K010	(S)	348	Linear Feet	Drilled Shaft, 72" Diameter
2280	803-L003	(S)	1	Each	Test Shaft, 54" Diameter
2290	803-M009	(S)	107	Linear Feet	Trial Shaft, 72" Diameter
2300	803-N001	(S)	560	Linear Feet	Exploration
2310	804-C172	(S)	448	Linear Feet	64' Prestressed Concrete Beam, Type FIB-78
2320	804-C173	(S)	857	Linear Feet	114' Prestressed Concrete Beam, Type FIB-78
2330	804-C174	(S)	1,020	Linear Feet	145' Prestressed Concrete Beam, Type FIB-78
2340	804-C175	(S)	1,713	Linear Feet	136' Prestressed Concrete Beam, Type FIB-78
2350	804-C176	(S)	2,077	Linear Feet	148' Prestressed Concrete Beam, Type FIB-78
2360	804-C177	(S)	1,708	Linear Feet	143' Prestressed Concrete Beam, Type FIB-78
2370	804-C178	(S)	846	Linear Feet	147' Prestressed Concrete Beam, Type FIB-78

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
2380	804-C179	(S)	674	Linear Feet	118' Prestressed Concrete Beam, Type FIB-78
2390	804-C180	(S)	1,673	Linear Feet	120' Prestressed Concrete Beam, Type FIB-78
2400	804-C183	(S)	1,186	Linear Feet	170' Prestressed Concrete Beam, Type FIB-84
2410	805-A001	(S)	1,541,753	Pounds	Reinforcement
2420	811-D001	(S)	2	Each	Disc Bearing Device
2430	813-A003	(S)	3,717	Linear Feet	Concrete Railing, 42"
2440	815-D001	(S)	1,787	Cubic Yard	Concrete Slope Paving
2450	907-607-PP001		1,580	Linear Feet	Safety Fence
2460	907-804-A002	(S)	1,632	Cubic Yard	Bridge Concrete, Class AA
2470	907-804-A002	(S)	380	Cubic Yard	Bridge Concrete, Class AA 6000 psi
2480	907-804-A004	(S)	4,568	Cubic Yard	Bridge Concrete, Class BD
2490	907-804-PP004	(S)	1	Lump Sum	Post Tensioning System
2500	907-822-B005		290	Linear Feet	4" Reinforced Elastomeric Molded Rubber Expansion Joint
2510	907-824-PP004		1	Lump Sum	Bridge Repair, Remove and replace bridge railing and deck, per plans
2520	907-824-PP006		12	Each	Bridge Repair, Cap Cleaning