

SECTION 905 -- PROPOSAL (CONTINUED)

I (We) hereby certify by digital signature and electronic submission via Bid Express of the Section 905 proposal below, that all certifications, disclosures and affidavits incorporated herein are deemed to be duly executed in the aggregate, fully enforceable and binding upon delivery of the bid proposal. I (We) further acknowledge that this certification shall not extend to the bid bond or alternate security which must be separately executed for the benefit of the Commission. This signature does not cure deficiencies in any required certifications, disclosures and/or affidavits. I (We) also acknowledge the right of the Commission to require full and final execution on any certification, disclosure or affidavit contained in the proposal at the Commission's election upon award. Failure to so execute at the Commission's request within the time allowed in the Standard Specifications for execution of all contract documents will result in forfeiture of the bid bond or alternate security.

Bidder acknowledges receipt of and has added to and made a part of the proposal and contract documents the following addendum (addenda):

ADDENDUM NO. <u> 1 </u>	DATED <u> 2/13/2020 </u>	ADDENDUM NO. _____	DATED _____
ADDENDUM NO. _____	DATED _____	ADDENDUM NO. _____	DATED _____
ADDENDUM NO. _____	DATED _____	ADDENDUM NO. _____	DATED _____

Number	Description
1	Revised Table of Contents; Added NTB No. 2271; Revised Specialty Items; Revised Bid Items; Revised or Added Plan Sheets Nos. 2 - 7; Amendment EBSx Download Required.

TOTAL ADDENDA: 1
 (Must agree with total addenda issued prior to opening of bids)

Respectfully Submitted,

DATE _____

 Contractor

BY _____
 Signature

TITLE _____

ADDRESS _____

CITY, STATE, ZIP _____

PHONE _____

FAX _____

E-MAIL _____

(To be filled in if a corporation)

Our corporation is chartered under the Laws of the State of _____ and the names, titles and business addresses of the executives are as follows:

President	Address
-----------	---------

Secretary	Address
-----------	---------

Treasurer	Address
-----------	---------

The following is my (our) itemized proposal.

IM-0006-03(039)/ 107298301000

Itawamba County(ies)

Revised 01/26/2016

**MISSISSIPPI DEPARTMENT OF TRANSPORTATION
TABLE OF CONTENTS**

PROJECT: IM-0006-03(039)/107298301 - Itawamba

Section 901 - Advertisement

Section 904 - Notice to Bidders

#1	Governing Specification
#2	Status of ROW, w/ Attachments
#3	Final Cleanup
#9	Federal Bridge Formula
#13	Safety Edge
#113	Tack Coat
#296	Reduced Speed Limit Signs
#445	Mississippi Agent and Qualified Nonresident Agent
#516	Errata and Modifications to the 2017 Standard Specifications
#977	DUNS Requirement For Federal Funded Projects
#1225	Early Notice to Proceed
#1226	Material Storage Under Bridges
#1241	Fuel and Material Adjustments
#1963	Guardrail Pads
#2061	Reflective Sheeting for Signs
#2198	Contract Time
#2199	Specialty Items
#2206	MASH Compliant Devices
#2214	Disadvantaged Business Enterprise In Federal-Aid Highway Construction, w/ Supplement
#2271	Additional Milling Requirements and Sequence of Operations

906 Required Federal Contract Provisions -- FHWA 1273, w/Supplements

Section 907 - Special Provisions

907-102-2	Bidding Requirements and Conditions
907-109-1	Measurement and Payment
907-624-1	Inverted Profile Thermoplastic Traffic Stripe
907-626-10	Audible Bump Thermoplastic Traffic Markings
907-701-1	Hydraulic Cement
907-702-4	Bituminous Materials
907-703-1	Gradation
907-705-1	Stone Riprap
907-707-2	Joint Material
907-711-2	Plain Steel Wire
907-720-2	Acceptance Procedure for Glass Beads
907-721-1	Materials for Signing

906-8 Training Special Provisions

Section 905 - Proposal, Proposal Bid Items, Combination Bid Proposal
Certification of Performance - Prior Federal-Aid Contracts

PROJECT: IM-0006-03(039)/107298301 - Itawamba

Certification Regarding Non-Collusion, Debarment and Suspension

SAM.GOV Registration and DUNS Number

Section 902 - Contract Form

Section 903 - Contract Bond Forms

Form -- OCR-485

Progress Schedule

(REVISIONS TO THE ABOVE WILL BE INDICATED ON THE SECOND SHEET
OF SECTION 905 AS ADDENDA)

02/13/2020 04:25 PM

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

SECTION 904 - NOTICE TO BIDDERS NO. 2199

DATE: February 7, 2020

SUBJECT: Specialty Items

PROJECT: IM-0006-03(039)/107298301 - ITAWAMBA

Pursuant to the provisions of Section 108, the following work items are hereby designated as "Specialty Items" for this contract. Bidders are reminded that these items must be subcontracted in order to be considered as specialty items.

CATEGORY: MISCELLANEOUS/ SPECIALTY WORK ITEMS

Line No	Pay Item	Description
0120	423-A001	Rumble Strips, Ground In

CATEGORY: PAVEMENT STRIPING AND MARKING

Line No	Pay Item	Description
0220	626-A004	6" Thermoplastic Traffic Stripe, Skip White
0230	626-C004	6" Thermoplastic Edge Stripe, Continuous White
0240	626-F003	6" Thermoplastic Edge Stripe, Continuous Yellow
0250	626-G002	Thermoplastic Detail Stripe, White
0260	626-H004	Thermoplastic Legend, White
0270	626-H005	Thermoplastic Legend, White
0280	627-K001	Red-Clear Reflective High Performance Raised Markers
0340	907-626-C008	Thermoplastic Audible Edge Stripe
0390	907-624-A002	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White
0400	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
0410	907-624-D002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow
0420	628-G001	6" High Performance Cold Plastic Traffic Stripe, Skip White
0430	628-H001	6" High Performance Cold Plastic Traffic Stripe, Continuous White
0440	628-J001	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

CATEGORY: TRAFFIC CONTROL - PERMANENT

Line No	Pay Item	Description
0290	630-F010	Delineators, Post Mounted, Double White
0300	630-F011	Delineators, Post Mounted, Double Yellow
0310	630-F012	Delineators, Post Mounted, Single White
0320	630-F013	Delineators, Post Mounted, Single Yellow
0330	630-F014	Delineators, Surface Mounted, White

CATEGORY: TRAFFIC CONTROL - TEMPORARY

Line No	Pay Item	Description
0160	619-A1001	Temporary Traffic Stripe, Continuous White
0170	619-A2001	Temporary Traffic Stripe, Continuous Yellow

CATEGORY: TRAFFIC CONTROL - TEMPORARY

Line No	Pay Item	Description
0180	619-A3001	Temporary Traffic Stripe, Skip White
0190	619-A5001	Temporary Traffic Stripe, Detail
0200	619-A6002	Temporary Traffic Stripe, Legend

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

SECTION 904 - NOTICE TO BIDDERS NO. 2271

CODE: (SP)

DATE: 02/13/2020

SUBJECT: Additional Milling Requirements and Sequence of Operations

PROJECT: IM-0006-03(039) / 107298301 – Itawamba County

Bidders are hereby advised that traffic **WILL NOT** be allowed on the milled surface. Asphalt Pavement should be placed in a “Mill and Fill” sequence.

Bidders are further advised of the following expected sequence of operations regarding milling, filling, and SMA placement.

1. Mill and fill the first lift of the inside lanes in both directions.
2. Mill and fill the first lift of the outside lanes in both directions. The Contractor must place weep drains in the outside shoulder to provide positive drainage when necessary.
3. Place the outside SMA lift (top lift) in both directions.
4. Place the inside SMA lift (top lift) in both directions.

Any sequence proposed by the Contractor that varies from the steps outlined above must be approved by the Engineer prior to initiation of the work.

Mill & Overlay approximately 8 miles of I-22 from Lee County Line to SR 25 South Fulton, known as Federal Aid Project No. IM-0006-03(039) / 107298301 in Itawamba County.

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
Roadway Items					
0010	202-B007		922	Square Yard	Removal of Asphalt Pavement, All Depths
0020	202-B240		16,028	Linear Feet	Removal of Traffic Stripe
0030	203-G001	(E)	308	Cubic Yard	Excess Excavation, FM, AH
0040	304-A003	(GY)	14,362	Cubic Yard	Granular Material, LVM, Class 3, Group D
0050	403-A001	(BA1)	7,975	Ton	12.5-mm, HT, Asphalt Pavement
0060	403-A004	(BA1)	966	Ton	19-mm, HT, Asphalt Pavement
0070	403-A015	(BA1)	4,204	Ton	9.5-mm, ST, Asphalt Pavement
0080	403-S002		253,047	Linear Feet	Joint Sealant
0090	405-A002	(BA1)	48,456	Ton	Stone Matrix Asphalt, 9.5 mm Mixture
0100	406-A002		362,724	Square Yard	Cold Milling of Bituminous Pavement, All Depths
0110	407-A001	(A2)	71,112	Gallon	Asphalt for Tack Coat
0120	423-A001		31	Mile	Rumble Strips, Ground In
0130	503-C010		1,128	Linear Feet	Saw Cut, Full Depth
0140	618-A001		1	Lump Sum	Maintenance of Traffic
0150	618-B001		1	Square Feet	Additional Construction Signs [\$10.00]
0160	619-A1001		57	Mile	Temporary Traffic Stripe, Continuous White
0170	619-A2001		57	Mile	Temporary Traffic Stripe, Continuous Yellow
0180	619-A3001		48	Mile	Temporary Traffic Stripe, Skip White
0190	619-A5001		35,349	Linear Feet	Temporary Traffic Stripe, Detail
0200	619-A6002		785	Linear Feet	Temporary Traffic Stripe, Legend
0210	620-A001		1	Lump Sum	Mobilization
0220	626-A004		16	Mile	6" Thermoplastic Traffic Stripe, Skip White
0230	626-C004		19	Mile	6" Thermoplastic Edge Stripe, Continuous White
0240	626-F003		19	Mile	6" Thermoplastic Edge Stripe, Continuous Yellow
0250	626-G002		11,783	Linear Feet	Thermoplastic Detail Stripe, White
0260	626-H004		135	Square Feet	Thermoplastic Legend, White
0270	626-H005		349	Linear Feet	Thermoplastic Legend, White
0280	627-K001		2,667	Each	Red-Clear Reflective High Performance Raised Markers
0290	630-F010		167	Each	Delineators, Post Mounted, Double White
0300	630-F011		88	Each	Delineators, Post Mounted, Double Yellow
0310	630-F012		80	Each	Delineators, Post Mounted, Single White
0320	630-F013		19	Each	Delineators, Post Mounted, Single Yellow

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
0330	630-F014		23	Each	Delineators, Surface Mounted, White
0340	907-626-C008		1,938	Linear Feet	Thermoplastic Audible Edge Stripe
0350	907-906001		520	Hours	Trainees [\$5.00]
ALTERNATE GROUP AA NUMBER 1					
0360	304-H001	(GY)	461	Cubic Yard	3/4" and Down Crushed Stone Base, LVM
ALTERNATE GROUP AA NUMBER 2					
0370	304-H002	(GY)	461	Cubic Yard	Size 610 Crushed Stone Base, LVM
ALTERNATE GROUP AA NUMBER 3					
0380	304-H003	(GY)	461	Cubic Yard	Size 825B Crushed Stone Base, LVM
ALTERNATE GROUP BB NUMBER 1					
0390	907-624-A002		7,915	Linear Feet	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White
0400	907-624-B002		8,890	Linear Feet	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
0410	907-624-D002		8,890	Linear Feet	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow
ALTERNATE GROUP BB NUMBER 2					
0420	628-G001		7,915	Linear Feet	6" High Performance Cold Plastic Traffic Stripe, Skip White
0430	628-H001		8,890	Linear Feet	6" High Performance Cold Plastic Traffic Stripe, Continuous White
0440	628-J001		8,890	Linear Feet	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

ADDENDUM

DESCRIPTION OF SHEET

	WKG. NO.	SH. NO.
TITLE SHEET (1)		1
DETAILED INDEX & GENERAL NOTES (1)		
DETAILED INDEX & GENERAL NOTES	DI-1	2
TYPICAL SECTION SHEETS (3)		
TYPICAL OVERLAY SECTION FOR MAINLINE I-22	TS-1	3
TYPICAL OVERLAY SECTION FOR MAINLINE FAWN GROVE RD	TS-2	4
TYPICAL OVERLAY SECTION FOR RAMPS	TS-3	5
QUANTITY SHEETS (2)		
SUMMARY OF QUANTITIES	SQ-1	6
SUMMARY OF QUANTITIES	SQ-2	7
SPECIAL DESIGN SHEETS (5)		
DETAIL OF CONSTRUCTION SIGNING	CS-1	8
DETAIL OF CONSTRUCTION SIGNING	CS-2	9
DETAIL OF CONSTRUCTION SIGNING	CS-3	10
DETAIL OF MILLING AT BRIDGES	DM-1	11
DETAIL OF MILLING TRANSITION AT FAWN GROVE BRIDGE	DM-2	12
▲ STANDARD DRAWINGS - ROADWAY SHEETS (14)		
PAVEMENT MARKING DETAILS FOR 2-LANE AND 4-LANE DIVIDED HIGHWAYS	PM-1	6051
PAVEMENT MARKING DETAILS FOR INTERCHANGE ENTRANCE RAMPS	PM-3	6053
PAVEMENT MARKING DETAILS FOR INTERCHANGE EXIT RAMPS	PM-4	6054
PAVEMENT MARKING LEGEND DETAILS	PM-6	6056
DETAIL OF RUMBLE STRIPES	RS-2	6065
TYPICAL INSTALLATION OF DELINEATORS	SN-8A	6315
▲ TRAFFIC CONTROL PLAN FOR POSTED SPEED LIMIT OF 65 OR 70 MPH (INTERSTATES AND OTHER 4-LANE DIVIDED HIGHWAYS) (MEDIAN LANE OR OUTSIDE LANE CLOSURE)(EXTENDED PERIOD)	TCP-4	6354
TRAFFIC CONTROL PLAN FOR POSTED SPEED LIMIT OF 65 OR 70 MPH (INTERSTATES AND OTHER 4-LANE DIVIDED HIGHWAYS) (MEDIAN LANE OR OUTSIDE LANE CLOSURE)(WORK DAY ONLY)	TCP-5	6355
TRAFFIC CONTROL PLAN FOR CONSTRUCTION PROJECTS (HIGHWAY SIGN AND BARRICADE DETAILS FOR CONSTRUCTION PROJECTS)	TCP-8	6358
TRAFFIC CONTROL PLAN MOBILE OPERATIONS MULTILANE ROADS AND TWO-LANE ROADS	TCP-9	6359
DETAILS OF OUTSIDE LANE CLOSURE AT EXIT AND ENTRANCE RAMPS	TCP-10	6360
TRAFFIC CONTROL PLANS UNEVEN PAVEMENT DETAILS	TCP-12	6362
TEMPORARY STRIPING FOR TRAFFIC CONTROL 2-LANE AND 4-LANE DIVIDED HIGHWAYS	TCP-13	6363
TRAFFIC CONTROL DETAIL DRUM PLACEMENT AND SHOULDER CLOSURE	TCP-16	6366

GENERAL NOTES

- (1) THE LOCATION AND SPACING OF SIGNS, SHOWN ON THE TRAFFIC CONTROL PLANS, ARE APPROXIMATE AND MAY BE ADJUSTED AS NECESSARY TO FIT FIELD CONDITIONS.
- (2) MAXIMUM LANE CLOSURE ALLOWED IS 3 MILES. A MINIMUM INTERVAL OF 3 MILES IS REQUIRED BETWEEN WORK ZONE LANE CLOSURES SET IN ADJACENT LANES. A MINIMUM INTERVAL OF 2 MILES IS REQUIRED BETWEEN WORK ZONE LANE CLOSURES LOCATED IN THE SAME LANE.
- (3) FLUORESCENT ORANGE SHEETING SHALL BE USED ON ALL CONSTRUCTION AND TRAFFIC CONTROL SIGNS EXCEPT FOR THOSE DESIGNATED ON THE PLANS TO BE BLACK LEGEND AND BORDER ON WHITE BACKGROUND.
- (4) BIDDERS ARE ADVISED THAT HARD COPIES OF ANY ADDENDA FOR THIS PROJECT WILL NO LONGER BE MAILED. ALL ADDENDA FOR THIS PROJECT WILL BE POSTED TO www.mdot.ms.gov UNDER THE PROPOSAL ADDENDA COLUMN. IT IS THE BIDDER'S RESPONSIBILITY TO CHECK AND SEE IF ANY ADDENDA HAVE BEEN POSTED FOR THIS PROJECT. PLEASE CONTACT CONTRACT ADMINISTRATION DIVISION AT 601-359-7700 FOR ANY QUESTIONS REGARDING ELECTRONIC ADDENDA.
- (5) STORAGE OF FLAMMABLE MATERIALS WILL NOT BE ALLOWED UNDER ANY BRIDGE STRUCTURES.
- (6) AT NO TIME SHALL THE PAVEMENT DIFFERENTIAL EXCEED 3" WITH THE ADJACENT LANE. CONSTRUCTION SHALL PROCEED IN SUCH A MANNER DROPOFFS IN EXCESS OF 3" ARE BACKFILLED THE SAME DAY. ANY DROPOFFS THAT CANNOT BE BACKFILLED THE SAME DAY SHALL BE BACKFILLED WITH CRUSHED STONE. THE COST SHALL BE ABSORBED.

▲ TOTAL NUMBER OF SHEETS (26)

PS & E PLANS-DATE:12/21/19			
FMS CON. # 107298/301000			
REVISIONS			
DATE	SHEET NO.	BY	
01/22/20	2,3,4,6,7	TRG	▲
01/21/20	6	TRG	▲
02/10/20	2,3,4,5,6	TRG	▲

01/22/2020	ADDED REVISIONS	TRG	▲
01/22/2020	CHANGED TOTAL NUMBER OF SHEETS	TRG	▲
01/22/2020	CHANGED ROADWAY NUMBER SHEETS	TRG	▲
01/22/2020	ADDED STANDARD 6315	TRG	▲
01/22/2020	ADDED NOTE NUMBER 6	TRG	▲
01/22/2020	ADDED REVISIONS	TRG	▲
01/22/2020	REVISION	BY	▲

MISSISSIPPI DEPARTMENT OF TRANSPORTATION


DETAILED INDEX

PROJ. NO.: IM-0006-03(039)
 COUNTY: ITAWAMBA




FILENAME: _____
 DESIGN TEAM _____

CHECKED _____ DATE _____

WORKING NUMBER: DI-1
 SHEET NUMBER: 2



TYPICAL OVERLAY SECTION MAINLINE I-22
DIVIDED HIGHWAY



- NOTE:
1. PRIOR TO PLACING ASPHALT, THE SHOULDERS ARE TO BE BLADED FOR A MINIMUM DISTANCE OF ONE FOOT BEYOND THE EXISTING PAVEMENT EDGE TO REMOVE VEGETATION AND EXCESS SHOULDER MATERIAL. (NOT A PAY ITEM)
 2. NO GRANULAR MATERIAL SHALL BE PLACED DIRECTLY UPON THE FINISHED SURFACE COURSE.

STATION 531+36-970+75 LT & RT LN

STATION 551+84-552+54 = 70' X 14 RT OF RT LANE
 STATION 701+90-702+78 = 88' X 14 RT OF RT LANE
 STATION 719+91-720+40 = 49' X 14 RT OF RT LANE

- 1 REMOVE AND UNDERCUT FAILED AREAS AS DIRECTED BY THE ENGINEER. REMOVAL OF ASPHALT PAVEMENT TO BE PAID FOR UNDER PAY ITEM NO. 202-B007. ANY ADDITIONAL REMOVAL TO BE PAID FOR UNDER EXCESS EXCAVATION, FM, AH, PAY ITEM NO. 203-G001. BACKFILL WITH 19-MM,HT, ASPHALT MIXTURE, PAY ITEM NO. 403-A004, FOR A MAX. DEPTH OF 1'; IF ADDITIONAL BACKFILL MATERIAL IS REQUIRED USE SIZE 825 B CRUSHED STONE BASE, LVM, PAY ITEM NO. 304-H003, OR 3/4" AND DOWN CRUSHED STONE BASE, LVM, PAY ITEM NO. 304-H001, OR SIZE 610 CRUSHED STONE BASE, LVM, PAY ITEM NO. 304-H002.
- 2 2" AND VARIABLE COLD MILLING OF BITUMINOUS PAVEMENT, ALL DEPTHS PAY ITEM NO. 406-A002.
- 3 2 LIFTS @ 1 1/2" ASPHALT PAVEMENT, 9.5-MM STONE MATRIX ASPHALT, REQUIRED ON SURFACE COURSE, PAY ITEM NO. 405-A002.
- 4 1" AND VARIABLE ASPHALT PAVEMENT, ST, 9.5-MM ASPHALT, REQUIRED ON SURFACE COURSE, PAY ITEM NO. 403-A015.
- 5 RUMBLE STRIPS, GROUND IN, PAY ITEM NO. 423-A001. * SEE SHEET RS-2 FOR ADDITIONAL DETAILS.
- 6 GRANULAR MATERIAL, LVM, CLASS 3, GROUP D, REQUIRED ON SHOULDERS AS DIRECTED BY THE ENGINEER. PAY ITEM NO. 304-A003.
- 7 6" THERMOPLASTIC STRIPE SHALL BE APPLIED OVER GROUND IN RUMBLE STRIPS.

- VARIABLE DEPTH
- A 13" AND VARIABLE ASPHALT IN PLACE
 - B GRANULAR MATERIAL IN PLACE.
 - C VARIABLE ASPHALT IN PLACE

DATE	REVISION	BY
01/22/2020	REPLACED FINE WITH COLD MILLING, PAY ITEM NUMBERS	TRG
01/22/2020	ADDED NUMBER 2 TO THE SHOULDER	TRG
01/22/2020	ADDED AND VARIABLE TO NUMBER 4	TRG
01/22/2020	ADDED AND VARIABLE TO NUMBER 2	TRG

MISSISSIPPI DEPARTMENT OF TRANSPORTATION




PROJ. NO.: IM-0006-03(039)
 COUNTY: ITAWAMBA

FILENAME: IM-0006-03(039).DGN
 DESIGN TEAM UPDATE CHECKED UPDATE DATE UPDATE

WORKING NUMBER
 TS-1

SHEET NUMBER
 3

TYPICAL OVERLAY SECTION MAINLINE FAWN GROVE RD



**SAFETY EDGE REQD
TOP 2 LIFTS ONLY
(NOT A PAY ITEM)
OVERLAY**

- NOTE:
1. PRIOR TO PLACING ASPHALT, THE SHOULDERS ARE TO BE BLADED FOR A MINIMUM DISTANCE OF ONE FOOT BEYOND THE EXISTING PAVEMENT EDGE TO REMOVE VEGETATION AND EXCESS SHOULDER MATERIAL. (NOT A PAY ITEM)
 2. NO GRANULAR MATERIAL SHALL BE PLACED DIRECTLY UPON THE FINISHED SURFACE COURSE.

STATION
 ▲ 17+68-21+12 - 36' AND VARIABLE LT&RT
 ▲ 21+12-40+77 - 24' AND VARIABLE LT&RT

- ▲ ① 2" COLD MILLING OF BITUMINOUS PAVEMENT, ALL DEPTHS PAY ITEM NO. 406-A002.
- ② 2" ASPHALT PAVEMENT, HT, 12.5-MM ASPHALT, REQUIRED ON SURFACE COURSE, PAY ITEM NO. 403-A001.
- ③ GRANULAR MATERIAL, LVM, CLASS 3, GROUP D, REQUIRED ON SHOULDERS AS DIRECTED BY THE ENGINEER. PAY ITEM NO. 304-A003.
- ▲ ④ THERMOPLASTIC AUDIBLE BUMP EDGE STRIPE.

- ▲ A ASPHALT IN PLACE
- ▲ B GRANULAR MATERIAL IN PLACE.

VARIABLE DEPTH

DATE	REVISION	BY
02/10/2020	REPLACED FINE WITH COLD MILLING, PAY ITEM NUMBERS	TRG
01/22/2020	REPLACED THERMOPLASTIC STRIPE TO AUDIBLE BUMP STRIPE	TRG
01/22/2020	ADDED WIDTHS TO STATION NUMBERS	TRG
01/22/2020	ADDED WIDTHS TO STATION NUMBERS	TRG

MISSISSIPPI DEPARTMENT OF TRANSPORTATION




**TYPICAL SECTION
FAWN GROVE**

PROJ. NO.: IM-0006-03(039)
 COUNTY: ITAWAMBA

FILENAME: _____
 DESIGN TEAM _____

WORKING NUMBER: TS-2
 SHEET NUMBER: 4

TYPICAL OVERLAY SECTION OF RAMPS



SAFETY EDGE REQ'D
 TOP 2 LIFTS ONLY
 (NOT A PAY ITEM)
 OVERLAY

- NOTE:
1. PRIOR TO PLACING ASPHALT, THE SHOULDERS ARE TO BE BLADED FOR A MINIMUM DISTANCE OF ONE FOOT BEYOND THE EXISTING PAVEMENT EDGE TO REMOVE VEGETATION AND EXCESS SHOULDER MATERIAL. (NOT A PAY ITEM)
 2. NO GRANULAR MATERIAL SHALL BE PLACED DIRECTLY UPON THE FINISHED SURFACE COURSE.

FAWN GROVE RD
 S/E RAMP - 1,938'
 S/W RAMP - 2,385'
 N/E RAMP - 2,387'
 N/W RAMP - 2,203'

HWY 178
 S/E RAMP - 2,185'
 S/W RAMP - 1,895'
 N/E RAMP - 1,832'
 N/W RAMP - 2,162'

- A ① 2" COLD MILLING OF BITUMINOUS PAVEMENT, ALL DEPTHS PAY ITEM NO. 406-A002.
 ② 2" ASPHALT PAVEMENT, HT, 12.5-MM ASPHALT, REQUIRED ON SURFACE COURSE, PAY ITEM NO. 403-A001.
 ③ GRANULAR MATERIAL, LVM, CLASS 3, GROUP D, REQUIRED ON SHOULDERS AS DIRECTED BY THE ENGINEER. PAY ITEM NO. 304-A003.
 ④ 6" THERMOPLASTIC STRIPE.

- A VAR. THICKNESS ASPHALT PAVEMENT IN PLACE.
 B GRANULAR MATERIAL IN PLACE.

DATE	REVISION	TRG BY
02/18/2020	REPLACED FINE WITH COLD MILLING. PAY ITEM NUMBERS	

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

TYPICAL SECTION RAMPS

PROJ. NO.: IM-0006-03(039)
 COUNTY: ITAWAMBA

FILENAME: _____
 DESIGN TEAM _____

CHECKED _____ DATE _____

WORKING NUMBER TS-3
 SHEET NUMBER 5

SUMMARY OF QUANTITIES (SHEET 1)

PAY ITEM NO.	PAY ITEM	UNIT	ITAWAMBA : 107298-301000	
			Prelim	Final
202-B007	Removal of Asphalt Pavement, All Depths	SY	922	
202-B240	Removal of Traffic Stripe	LF	16,028	
203-G001	Excess Excavation, FM, AH	CY	308	
304-A003	Granular Material, LVM, Class 3, Group D	CY	14,362	①
304-H001	3/4" and Down Crushed Stone Base, LVM	CY	461	①
	OR			
304-H002	Size 610 Crushed Stone Base, LVM	CY	461	①
	OR			
304-H003	Size 825B Crushed Stone Base, LVM	CY	461	①
503-C010	Saw Cut, Full Depth	LF	1,128	
403-A001	12.5-mm, HT, Asphalt Pavement	TON	7,975	
403-A004	19-mm, HT, Asphalt Pavement	TON	966	
403-A015	9.5-mm, ST, Asphalt Pavement	TON	4,204	
403-S002	Joint Sealant	LF	253,047	②
405-A002	Stone Matrix Asphalt, 9.5 mm Mixture	TON	48,456	
406-A002	Cold Milling of Bituminous Pavement, All Depths	SY	362,724	
407-A001	Asphalt for Tack Coat	GAL	71,112	③
423-A001	Rumble Strips, Ground In	MI	31	
618-A001	Maintenance of Traffic	LS	1	
618-B001	Additional Construction Signs	SF	1	
620-A001	Mobilization	LS	1	
619-A1001	Temporary Traffic Stripe, Continuous White	MI	57	
619-A2001	Temporary Traffic Stripe, Continuous Yellow	MI	57	
619-A3001	Temporary Traffic Stripe, Skip White	MI	48	
619-A5001	Temporary Traffic Stripe, Detail	LF	35,349	
619-A6002	Temporary Traffic Stripe, Legend	LF	785	
907-624-A002	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White	LF	7,915	
907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White	LF	8,890	
907-624-D002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow	LF	8,890	
	OR			
628-G001	6" High Performance Cold Plastic Traffic Stripe, Skip White	LF	7,915	
628-H001	6" High Performance Cold Plastic Traffic Stripe, Continuous White	LF	8,890	
628-J001	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow	LF	8,890	
626-A004	6" Thermoplastic Traffic Stripe, Skip White	MI	16	
626-C004	6" Thermoplastic Edge Stripe, Continuous White	MI	19	
907-626-C008	Thermoplastic Audible Edge Stripe	LF	1,938	④

- ① INCLUDES 50% FOR SHRINKAGE.
- ② INCLUDES CENTERLINE AND OUTSIDE JOINTS.

**MISSISSIPPI DEPARTMENT OF TRANSPORTATION
SUMMARY OF QUANTITIES**



01/27/2020	CORRECTED PAY ITEM 907-626-C009 TO 907-626-C008.	TRG	
02/10/2020	REPLACED FINE MILLING WITH COLD MILLING.	TRG	
Date	Revision	By	
PROJ NO: IM-0006-03(039) COUNTY: ITAWAMBA FILENAME: SQS Design Team			
Checked	Date	Working Number	Sheet Number
		SQ-1	6

