

Proposal & Plan Sales Will Begin on February 3, 2020



**MISSISSIPPI DEPARTMENT OF
TRANSPORTATION**

Notice to Contractors

Letting Date For February - February 25, 2020

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

NOTICE TO CONTRACTORS

LETTING DATE FOR FEBRUARY - Tuesday, February 25, 2020

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List is available online at mdot.ms.gov

PROPOSAL AND PLAN SALES WILL BEGIN ON FEBRUARY 3, 2020

Proposals must be purchased online at:
<https://shopmdot.ms.gov>
For Information Please Contact:
Contract Administration Division
Jackson, MS
Telephone: (601) 359-7700

Plans must be purchased online at:
<https://shopmdot.ms.gov>
For Information Please Contact:
MDOT Plans Print Shop
Jackson, MS
Telephone: (601) 359-7460
e-mail: plans@mdot.state.ms.us

Electronic bids will be received by the Mississippi Transportation Commission at 10:00 o'clock A.M., Tuesday, February 25, 2020; from the Bid Express Service and shortly thereafter, bids will be publicly read in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

* No plans except Standard Drawings

LIST OF CONTRACTS FOR FEBRUARY

CALL	CONTRACT	COUNTY
01	NHAPD-0078-01(011)N/102076301	ITAWAMBA
02	IM-0006-01(096)/107826301	UNION
03	IM-0006-03(039)/107298301	ITAWAMBA
04	NH-0008-02(112)/107617301	COVINGTON
05	NH-0011-03(086)/107779301	LOWNDES
06	BR-0020-01(248)/107878301	HINDS
* 07	IM-0020-02(095)/107829301	SCOTT
08	BR-0023-02(058)/103334301 & BR-0008-05(038)/105343301	TALLAHATCHIE, ATTALA
* 09	STP-0024-05(010)/107628301	KEMPER
10	NHPP-0029-02(022)/107114301	DESOTO
* 11	IM-0055-01(116)/108097301	PANOLA

CALL No. 01

Grade, Drain, Bridge, & Pave 4-Lane approximately 9 miles of APD Corridor "V" between Fairview & SR 23, known as Federal Aid Project No. NH-APD-0078-01(011)N / 102076301 in Itawamba County.

PROJECT COMPLETION: JUNE 30, 2023

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

1	Lump Sum	201-A001	Clearing and Grubbing
13	Acre	201-B001	Clearing and Grubbing
1	Lump Sum	202-A001	Removal of Obstructions
23,425	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
120	Linear Feet	202-B011	Removal of Barricade, All Types
375	Square Yard	202-B063	Removal of Concrete Paved Ditch
3	Each	202-B165	Removal of Inlets, All Sizes
77	Square Feet	202-B172	Removal of Legend, All Types
243	Linear Feet	202-B191	Removal of Pipe, 8" And Above
40	Each	202-B215	Removal of Sign Including Post & Footing
9,000	Linear Feet	202-B240	Removal of Traffic Stripe
2,768,838	Cubic Yard	203-A001	Unclassified Excavation, FM, AH
1,215,589	Cubic Yard	203-EX020	Borrow Excavation, AH, FME, Class B9
86,135	Cubic Yard	203-EX021	Borrow Excavation, AH, FME, Class B9-6
358,038	Cubic Yard	203-G001	Excess Excavation, FM, AH
23,379	Square Yard	203-I002	Site Grading
9,064	Cubic Yard	206-A001	Structure Excavation
610	Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
28,849	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
213,855	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
268	Ton	213-C001	Superphosphate
31,401	Square Yard	216-A001	Solid Sodding
11,922	Square Yard	217-A001	Ditch Liner
628	Thousand Gallon	219-A001	Watering

268 Acre	220-A001	Insect Pest Control
2,803 Cubic Yard	221-A001	Concrete Paved Ditch
3,210 Acre	223-A001	Mowing
5,000 Square Yard	224-A001	Soil Reinforcing Mat
536 Acre	225-A001	Grassing
268 Ton	225-B001	Agricultural Limestone
1,075 Ton	225-C001	Mulch, Vegetative Mulch
536 Acre	226-A001	Temporary Grassing
5,000 Square Yard	229-A001	Erosion Mat
60,000 Linear Feet	234-A001	Temporary Silt Fence
7,100 Linear Feet	234-C001	Super Silt Fence
81 Each	234-D001	Inlet Siltation Guard
81 Each	234-E001	Reset Inlet Siltation Guard
10,700 Each	235-A001	Temporary Erosion Checks
57 Each	236-A008	Silt Basin, Type D
500 Linear Feet	237-A001	Wattles, 12"
23,800 Linear Feet	237-A002	Wattles, 20"
16,000 Linear Feet	239-A001	Temporary Slope Drains
23,800 Linear Feet	245-A001	Silt Dike
24,200 Linear Feet	246-B002	Rockbags
6 Each	247-A001	Temporary Stream Diversion
10,000 Ton	249-A001	Riprap for Erosion Control
76,555 Ton	304-B001	Granular Material, Class 3, Group C
176,642 Ton	304-B009	Granular Material, Class 9, Group C
238,233 Square Yard	307-B003	6" Soil-Lime-Water Mixing, Class B
3,217 Ton	307-D001	Lime
59,559 Gallon	307-S001	Bituminous Curing Seal
6,695 Ton	308-A001	Cement
367,635 Square Yard	308-B002	Soil-Cement-Water Mixing, Optional Mixers, Base
238,233 Square Yard	308-B003	Soil-Cement-Water Mixing, Optional Mixers, Design Soil

151,468	Gallon	308-S001	Bituminous Curing Seal
2	Mile	321-A001	12" In-Grade Preparation
74,056	Ton	403-A002	12.5-mm, MT, Asphalt Pavement
2,967	Ton	403-A003	12.5-mm, ST, Asphalt Pavement
42,602	Ton	403-A006	19-mm, ST, Asphalt Pavement
28,717	Ton	403-A014	9.5-mm, MT, Asphalt Pavement
2,557	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
193	Ton	403-C003	19-mm, ST, Asphalt Pavement, Trench Widening
21,500	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
106,310	Gallon	407-A001	Asphalt for Tack Coat
1,879	Gallon	408-A002	Asphalt for Prime Coat, Cut-Back MC-70 or Emulsified EA-1
730	Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
30	Mile	423-A001	Rumble Strips, Ground In
730	Linear Feet	501-E001	Expansion Joints, Without Dowels
1,582	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
2,040	Cubic Yard	601-A001	Class "B" Structural Concrete
127	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
506,902	Pounds	602-A001	Reinforcing Steel
2,384	Linear Feet	603-ALT003	18" Type A Alternate Pipe
440	Linear Feet	603-ALT006	24" Type A Alternate Pipe
192	Linear Feet	603-ALT011	36" Type A Alternate Pipe
128	Linear Feet	603-ALT014	42" Type A Alternate Pipe
88	Linear Feet	603-ALT018	54" Type A Alternate Pipe
5,320	Linear Feet	603-CA011	18" Reinforced Concrete Pipe, Class III
256	Linear Feet	603-CA013	18" Reinforced Concrete Pipe, Class IV
584	Linear Feet	603-CA020	18" Reinforced Concrete Pipe, Class V, Class B Bedding
488	Linear Feet	603-CA026	24" Reinforced Concrete Pipe, Class III
552	Linear Feet	603-CA029	24" Reinforced Concrete Pipe, Class IV, Class B Bedding
192	Linear Feet	603-CA040	30" Reinforced Concrete Pipe, Class III
584	Linear Feet	603-CA042	30" Reinforced Concrete Pipe, Class IV

560	Linear Feet	603-CA043	30" Reinforced Concrete Pipe, Class IV, Class B Bedding
392	Linear Feet	603-CA055	36" Reinforced Concrete Pipe, Class III
232	Linear Feet	603-CA057	36" Reinforced Concrete Pipe, Class IV
248	Linear Feet	603-CA058	36" Reinforced Concrete Pipe, Class IV, Class B Bedding
240	Linear Feet	603-CA068	42" Reinforced Concrete Pipe, Class IV
328	Linear Feet	603-CA069	42" Reinforced Concrete Pipe, Class IV, Class B Bedding
336	Linear Feet	603-CA073	42" Reinforced Concrete Pipe, Class V, Class B Bedding
416	Linear Feet	603-CA087	54" Reinforced Concrete Pipe, Class III
344	Linear Feet	603-CA089	54" Reinforced Concrete Pipe, Class IV
360	Linear Feet	603-CA095	54" Reinforced Concrete Pipe, Class V, Class B Bedding
880	Linear Feet	603-CA099	60" Reinforced Concrete Pipe, Class III
264	Linear Feet	603-CA102	60" Reinforced Concrete Pipe, Class IV, Class B Bedding
264	Linear Feet	603-CA107	60" Reinforced Concrete Pipe, Class V, Class B Bedding,
272	Linear Feet	603-CA119	72" Reinforced Concrete Pipe, Class III
224	Linear Feet	603-CA121	72" Reinforced Concrete Pipe, Class IV
52	Each	603-CB003	18" Reinforced Concrete End Section
15	Each	603-CB004	24" Reinforced Concrete End Section
12	Each	603-CB005	30" Reinforced Concrete End Section
8	Each	603-CB006	36" Reinforced Concrete End Section
6	Each	603-CB007	42" Reinforced Concrete End Section
8	Each	603-CB009	54" Reinforced Concrete End Section
11	Each	603-CB010	60" Reinforced Concrete End Section
4	Each	603-CB012	72" Reinforced Concrete End Section
176	Linear Feet	603-CE018	44" x 27" Concrete Arch Pipe, Class A III
4	Each	603-CF005	44" x 27" Concrete Arch Pipe End Section
2	Each	603-SB011	18" Branch Connections, Stub into Box Bridge
25,377	Pounds	604-B001	Gratings
2,373	Square Yard	605-AA001	Geotextile for Subsurface Drainage, Type III
2,736	Linear Feet	605-O004	6" Perforated Sewer Pipe for Underdrains, SDR 23.5
2,500	Linear Feet	605-P004	6" Non-perforated Sewer Pipe for Underdrains, SDR 23.5

177	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
1,800	Linear Feet	606-B001	Guard Rail, Class A, Type 1
16	Each	606-D022	Guard Rail, Bridge End Section, Type I
16	Each	606-E001	Guard Rail, Terminal End Section
5,273	Linear Feet	609-D004	Combination Concrete Curb and Gutter Type 2 Modified
33	Cubic Yard	612-B001	Flowable Fill, Non-Excavatable
320	Linear Feet	615-A002	Concrete Bridge End Barrier, 33.5"
215	Square Yard	616-A001	Concrete Median and/or Island Pavement, 10-inch
1,048	Square Yard	616-A004	Concrete Median and/or Island Pavement, 4-inch
240	Each	617-A001	Right-of-Way Marker
1	Lump Sum	618-A001	Maintenance of Traffic
6	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
2	Mile	619-A1006	Temporary Traffic Stripe, Continuous White, Type 1 Tape
6	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
2	Mile	619-A2005	Temporary Traffic Stripe, Continuous Yellow, Type 1 Tape
2,500	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
105	Linear Feet	619-A5003	Temporary Traffic Stripe, Detail, Type 1 Tape
1,665	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
77	Linear Feet	619-A6005	Temporary Traffic Stripe, Legend, Type 1 Tape
316	Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
515	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
3,278	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
1	Each	619-E1001	Flashing Arrow Panel, Type C
500	Linear Feet	619-F1001	Concrete Median Barrier, Precast
500	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
1,350	Linear Feet	619-G4001	Barricades, Type III, Double Faced
397	Each	619-G5001	Free Standing Plastic Drums
53	Each	619-G7001	Warning Lights, Type "B"
2	Each	619-J1002	Impact Attenuator, 45 MPH

2	Each	619-J3001	Remove and Reset Impact Attenuator
1	Lump Sum	620-A001	Mobilization
1	Each	621-A001	Field Laboratory
20	Mile	626-A004	6" Thermoplastic Traffic Stripe, Skip White
20	Mile	626-C004	6" Thermoplastic Edge Stripe, Continuous White
4	Mile	626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
15	Mile	626-F003	6" Thermoplastic Edge Stripe, Continuous Yellow
31,643	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
27,377	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
1,631	Square Feet	626-H004	Thermoplastic Legend, White
4,974	Linear Feet	626-H005	Thermoplastic Legend, White
544	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
2,497	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
348	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1,503	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
623	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
82	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
383	Square Feet	630-B002	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
117	Linear Feet	630-C002	Steel U-Section Posts, 2.0 lb/ft
2,498	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
477	Linear Feet	630-D008	Structural Steel Beams, W6 x 9
510	Pounds	630-E002	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
2,872	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
10	Each	630-F002	Delineators, Flexible Post Mounted, Crossover, Type I, Yellow
46	Each	630-F003	Delineators, Flexible Post Mounted, Crossover, Type II, Yellow
48	Each	630-F006	Delineators, Guard Rail, White
48	Each	630-F007	Delineators, Guard Rail, Yellow
16	Each	630-G004	Type 3 Object Markers, OM-3R or OM-3L
166	Linear Feet	630-K001	Welded & Seamless Steel Pipe Posts, 3 1/2"
31	Linear Feet	630-K002	Welded & Seamless Steel Pipe Posts, 3"

391	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
2	Each	638-A002	Flashing Assembly, Advanced Warning , Stop Ahead
1	Lump Sum	699-A001	Roadway Construction Stakes
30,870	Ton	815-A007	Loose Riprap, Size 300
30,500	Ton	815-A009	Loose Riprap, Size 500
55,680	Square Yard	815-E001	Geotextile under Riprap
4,283	Ton	815-F002	Sediment Control Stone
24,000	Square Yard	907-228-A002	Erosion Control Blanket, Type II
50	Each	907-241-A001	Floc Blocks
9,994	Linear Feet	907-253-A001	Coir Fiber Baffle
8	Each	907-619-E3001	Changeable Message Sign
32	Square Feet	907-630-A001	Standard Roadside Signs, LED Enhanced , R1-1
612	Cubic Yard	907-804-B001	Box Bridge Concrete, Class B
5,000	Square Yard	907-832-PP003	Concrete Mat
1,040	Hours	907-906001	Trainees

ALTERNATE GROUP AA NUMBER 1

8,629	Ton	304-F001	3/4" and Down Crushed Stone Base
-------	-----	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

8,629	Ton	304-F002	Size 610 Crushed Stone Base
-------	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

8,629	Ton	304-F003	Size 825B Crushed Stone Base
-------	-----	----------	------------------------------

ALTERNATE GROUP BB NUMBER 1

2,723	Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
-------	------------	----------	--

ALTERNATE GROUP BB NUMBER 2

2,723	Cubic Yard	605-W003	Filter Material for Combination Storm Drain and/or Underdrains, Type C, FM
-------	------------	----------	--

ALTERNATE GROUP CC NUMBER 1

3,298	Linear Feet	907-624-A002	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White
3,298	Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
3,298	Linear Feet	907-624-D002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

ALTERNATE GROUP CC NUMBER 2

3,298	Linear Feet	628-G001	6" High Performance Cold Plastic Traffic Stripe, Skip White
-------	-------------	----------	---

3,298	Linear Feet	628-H001	6" High Performance Cold Plastic Traffic Stripe, Continuous White
3,298	Linear Feet	628-J001	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

ALTERNATE GROUP DD NUMBER 1

4,790	Linear Feet	907-626-C008	Thermoplastic Audible Edge Stripe
-------	-------------	--------------	-----------------------------------

ALTERNATE GROUP DD NUMBER 2

4,790	Linear Feet	907-626-C009	Thermoplastic Audible Bump Edge Stripe
-------	-------------	--------------	--

Bridge Items

13,120	Square Yard	501-K001	Transverse Grooving
12,430	Linear Feet	803-D006	HP 14 x 73 Steel Piling
29,520	Linear Feet	803-D007	HP 14 x 89 Steel Piling
4,788	Linear Feet	804-C002	100' Prestressed Concrete Beam, Type IV
1,317	Linear Feet	804-C026	110' Prestressed Concrete Beam, Type IV
1,557	Linear Feet	804-C051	130' Prestressed Concrete Beam, Type BT-72
1,894	Linear Feet	804-C065	40' Prestressed Concrete Beam, Type I+2
7,120	Linear Feet	804-C084	60' Prestressed Concrete Beam, Type II+2
2,857	Linear Feet	804-C121	80' Prestressed Concrete Beam, Type III
1,097,184	Pounds	805-A001	Reinforcement
6,595	Linear Feet	813-A002	Concrete Railing, 32"
14,441	Ton	815-A007	Loose Riprap, Size 300
10,697	Square Yard	815-E001	Geotextile under Riprap
8	Each	907-803-B001	Conventional Static Pile Load Test
32	Each	907-803-I003	PDA Test Pile, HP Steel Pile
32	Each	907-803-J001	Pile Restrike
1,919	Cubic Yard	907-804-A002	Bridge Concrete, Class AA
4,022	Cubic Yard	907-804-A004	Bridge Concrete, Class BD

CALL No. 02

Mill & Overlay approximately 4 miles of I-22 from 7.4 Miles East of Benton CL to SR 30 W, known as Federal Aid Project No. IM-0006-01(096) / 107826301 in Union County.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

2,800	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
1,770	Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
3,456	Linear Feet	202-B240	Removal of Traffic Stripe
924	Cubic Yard	203-G001	Excess Excavation, FM, AH
2,800	Square Yard	204-A003	Geogrid, Type II, Biaxial
2,800	Square Yard	209-A009	Geotextile Stabilization, Type VII, Non-Woven
3,146	Ton	304-B001	Granular Material, Class 3, Group C
3,628	Ton	403-A013	9.5-mm, HT, Asphalt Pavement
6,115	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
16	Mile	403-S001	Joint Sealant
19,178	Ton	405-A002	Stone Matrix Asphalt, 9.5 mm Mixture
142,017	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
22,914	Gallon	407-A001	Asphalt for Tack Coat
15	Mile	423-A001	Rumble Strips, Ground In
1,200	Linear Feet	606-B001	Guard Rail, Class A, Type 1
8	Each	606-D012	Guard Rail, Bridge End Section, Type D Modified
4	Each	606-D020	Guard Rail, Bridge End Section, Type H, Metal Post
12	Each	606-E001	Guard Rail, Terminal End Section
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
28	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
29	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
24	Mile	619-A3001	Temporary Traffic Stripe, Skip White
1	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
17,164	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail

607	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
1,872	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
8	Mile	626-A004	6" Thermoplastic Traffic Stripe, Skip White
11	Mile	626-C004	6" Thermoplastic Edge Stripe, Continuous White
4,160	Linear Feet	626-D004	6" Thermoplastic Traffic Stripe, Skip Yellow
11	Mile	626-F003	6" Thermoplastic Edge Stripe, Continuous Yellow
13,357	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
3,807	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
607	Square Feet	626-H004	Thermoplastic Legend, White
1,872	Linear Feet	626-H005	Thermoplastic Legend, White
90	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,500	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
752	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
94	Each	630-F006	Delineators, Guard Rail, White
88	Each	630-F007	Delineators, Guard Rail, Yellow
2	Each	907-632-C001	Modify Existing Traffic Signal Cabinet Assembly
10	Each	907-641-A002	Signal Stop Bar Radar Vehicle Detection Sensor, Type 2
2,100	Linear Feet	907-641-D001	Radar Vehicle Detection Cable
1	Each	907-687-A001	Traffic Recorder Classification Permanent System
ALTERNATE GROUP AA NUMBER 1			
1,202	Ton	304-F001	3/4" and Down Crushed Stone Base
ALTERNATE GROUP AA NUMBER 2			
1,202	Ton	304-F002	Size 610 Crushed Stone Base
ALTERNATE GROUP AA NUMBER 3			
1,202	Ton	304-F003	Size 825B Crushed Stone Base
ALTERNATE GROUP BB NUMBER 1			
520	Linear Feet	907-624-A002	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White
1,404	Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
2,028	Linear Feet	907-624-D002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow
ALTERNATE GROUP BB NUMBER 2			

520 Linear Feet

628-G001 6" High Performance Cold Plastic Traffic Stripe, Skip White

1,404 Linear Feet

628-H001 6" High Performance Cold Plastic Traffic Stripe, Continuous White

2,028 Linear Feet

628-J001 6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

CALL No. 03

Mill & Overlay approximately 8 miles of I-22 from Lee County Line to SR 25 South Fulton, known as Federal Aid Project No. IM-0006-03(039) / 107298301 in Itawamba County.

PROJECT COMPLETION: 119 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

922	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
16,028	Linear Feet	202-B240	Removal of Traffic Stripe
308	Cubic Yard	203-G001	Excess Excavation, FM, AH
14,362	Cubic Yard	304-A003	Granular Material, LVM, Class 3, Group D
7,975	Ton	403-A001	12.5-mm, HT, Asphalt Pavement
966	Ton	403-A004	19-mm, HT, Asphalt Pavement
4,204	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
253,047	Linear Feet	403-S002	Joint Sealant
48,456	Ton	405-A002	Stone Matrix Asphalt, 9.5 mm Mixture
362,724	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
71,112	Gallon	407-A001	Asphalt for Tack Coat
31	Mile	423-A001	Rumble Strips, Ground In
1,128	Linear Feet	503-C010	Saw Cut, Full Depth
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
57	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
57	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
48	Mile	619-A3001	Temporary Traffic Stripe, Skip White
35,349	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
785	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
16	Mile	626-A004	6" Thermoplastic Traffic Stripe, Skip White
19	Mile	626-C004	6" Thermoplastic Edge Stripe, Continuous White
19	Mile	626-F003	6" Thermoplastic Edge Stripe, Continuous Yellow
11,783	Linear Feet	626-G002	Thermoplastic Detail Stripe, White

135	Square Feet	626-H004	Thermoplastic Legend, White
349	Linear Feet	626-H005	Thermoplastic Legend, White
2,667	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
167	Each	630-F010	Delineators, Post Mounted, Double White
88	Each	630-F011	Delineators, Post Mounted, Double Yellow
80	Each	630-F012	Delineators, Post Mounted, Single White
19	Each	630-F013	Delineators, Post Mounted, Single Yellow
23	Each	630-F014	Delineators, Surface Mounted, White
1,938	Linear Feet	907-626-C009	Thermoplastic Audible Bump Edge Stripe
520	Hours	907-906001	Trainees
ALTERNATE GROUP AA NUMBER 1			
461	Cubic Yard	304-H001	3/4" and Down Crushed Stone Base, LVM
ALTERNATE GROUP AA NUMBER 2			
461	Cubic Yard	304-H002	Size 610 Crushed Stone Base, LVM
ALTERNATE GROUP AA NUMBER 3			
461	Cubic Yard	304-H003	Size 825B Crushed Stone Base, LVM
ALTERNATE GROUP BB NUMBER 1			
7,915	Linear Feet	907-624-A002	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White
8,890	Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
8,890	Linear Feet	907-624-D002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow
ALTERNATE GROUP BB NUMBER 2			
7,915	Linear Feet	628-G001	6" High Performance Cold Plastic Traffic Stripe, Skip White
8,890	Linear Feet	628-H001	6" High Performance Cold Plastic Traffic Stripe, Continuous White
8,890	Linear Feet	628-J001	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

CALL No. 04

Mill & Overlay approximately 7 miles of US 49 from JCT US 84 (Collins) to JCT SR 149 (Mt. Olive), known as Federal Aid Project No. NH-0008-02(112) / 107617301 in Covington County.

PROJECT COMPLETION: 183 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

451	Square Yard	202-B069	Removal of Concrete Pavement w/ Variable Depth Overlay
133	Square Yard	202-B073	Removal of Concrete Pavement, All Depths
1,410	Linear Feet	202-B240	Removal of Traffic Stripe
66	Cubic Yard	203-G002	Excess Excavation, LVM, AH
526	Square Yard	209-A004	Geotextile Stabilization, Type V
261	Ton	403-D003	19-mm, HT, Asphalt Pavement, Polymer Modified
19,244	Ton	403-D007	9.5-mm, HT, Asphalt Pavement, Polymer Modified
233,382	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
17,442	Gallon	407-A001	Asphalt for Tack Coat
362	Linear Feet	413-D002	Cleaning and Filling Joints
48,223	Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
28	Mile	423-A001	Rumble Strips, Ground In
24	Linear Feet	501-D001	Expansion Joints, With Dowels
133	Square Yard	503-A001	8" and Variable Continuously Reinforced Concrete Pavement, Broom Finish
48	Linear Feet	503-C004	Saw Cut, 3-inch
1,274	Linear Feet	503-C010	Saw Cut, Full Depth
22	Cubic Yard	503-D001	Concrete for Base Repair
42	Each	503-E002	Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted
12	Each	503-F001	1 1/4" Smooth Dowel Bars, Drilled & Epoxied or Grouted
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
18	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
10	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
14	Mile	619-A3001	Temporary Traffic Stripe, Skip White
45,418	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail

895	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
4,586	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
14	Mile	626-A001	6" Thermoplastic Double Drop Traffic Stripe, Skip White
12	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
10	Mile	626-F001	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
22,507	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
22,911	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
175	Square Feet	626-H004	Thermoplastic Legend, White
1,786	Linear Feet	626-H005	Thermoplastic Legend, White
999	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
2,563	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
2,062	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
7	Each	627-P001	Two-Way Blue Reflective High Performance Raised Markers
52	Each	630-F002	Delineators, Flexible Post Mounted, Crossover, Type I, Yellow
68	Each	630-F006	Delineators, Guard Rail, White
20	Each	630-F007	Delineators, Guard Rail, Yellow
4,187	Gallon	907-410-D001	Asphalt for Rejuvenating Fog Seal, Grade CMS-1PF
4,080	Pounds	907-420-A002	Undersealing Concrete Pavement
ALTERNATE GROUP AA NUMBER 1			
1,540	Cubic Yard	304-H001	3/4" and Down Crushed Stone Base, LVM
ALTERNATE GROUP AA NUMBER 2			
1,540	Cubic Yard	304-H002	Size 610 Crushed Stone Base, LVM
ALTERNATE GROUP AA NUMBER 3			
1,540	Cubic Yard	304-H003	Size 825B Crushed Stone Base, LVM
ALTERNATE GROUP BB NUMBER 1			
430	Linear Feet	907-624-A003	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White, High Contrast
430	Linear Feet	907-624-B003	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White, High Contrast
430	Linear Feet	907-624-D001	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow, High Contrast
ALTERNATE GROUP BB NUMBER 2			
430	Linear Feet	628-G001	6" High Performance Cold Plastic Traffic Stripe, Skip White

430 Linear Feet

628-H001 6" High Performance Cold Plastic Traffic Stripe, Continuous White

430 Linear Feet

628-J001 6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

CALL No. 05

Mill & Overlay approximately 8 miles of US 82 from 0.5 miles East of Catapala Creek to US 45 South, known as Federal Aid Project NH-0011-03(086) / 107779301 in Lowndes County.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

3 Each	202-B215	Removal of Sign Including Post & Footing
2,750 Linear Feet	202-B240	Removal of Traffic Stripe
500 Cubic Yard	203-EX040	Borrow Excavation, AH, LVM, Class B9
400 Cubic Yard	203-G001	Excess Excavation, FM, AH
900 Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
55 Square Yard	216-A001	Solid Sodding
2,300 Cubic Yard	304-A003	Granular Material, LVM, Class 3, Group D
135 Ton	403-A004	19-mm, HT, Asphalt Pavement
3,500 Ton	403-A014	9.5-mm, MT, Asphalt Pavement
3,150 Ton	403-A015	9.5-mm, ST, Asphalt Pavement
100 Ton	403-D001	12.5-mm, HT, Asphalt Pavement, Polymer Modified
1,650 Ton	403-D007	9.5-mm, HT, Asphalt Pavement, Polymer Modified
21,750 Ton	405-A002	Stone Matrix Asphalt, 9.5 mm Mixture
355,000 Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
18,000 Gallon	407-A001	Asphalt for Tack Coat
32 Mile	423-A001	Rumble Strips, Ground In
1 Lump Sum	618-A001	Maintenance of Traffic
1 Square Feet	618-B001	Additional Construction Signs
32 Mile	619-A1001	Temporary Traffic Stripe, Continuous White
32 Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
34 Mile	619-A3001	Temporary Traffic Stripe, Skip White
39,000 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
2,300 Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1 Lump Sum	620-A001	Mobilization
17 Mile	626-A004	6" Thermoplastic Traffic Stripe, Skip White

16 Mile	626-C004	6" Thermoplastic Edge Stripe, Continuous White
16 Mile	626-F003	6" Thermoplastic Edge Stripe, Continuous Yellow
39,000 Linear Feet	626-G002	Thermoplastic Detail Stripe, White
26,000 Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
200 Square Feet	626-H004	Thermoplastic Legend, White
2,300 Linear Feet	626-H005	Thermoplastic Legend, White
2,500 Each	627-K001	Red-Clear Reflective High Performance Raised Markers
125 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
15 Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
51 Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
20 Each	630-F006	Delineators, Guard Rail, White
20 Each	630-F007	Delineators, Guard Rail, Yellow
46 Linear Feet	630-K001	Welded & Seamless Steel Pipe Posts, 3 1/2"
ALTERNATE GROUP AA NUMBER 1		
235 Cubic Yard	304-H001	3/4" and Down Crushed Stone Base, LVM
ALTERNATE GROUP AA NUMBER 2		
235 Cubic Yard	304-H002	Size 610 Crushed Stone Base, LVM
ALTERNATE GROUP AA NUMBER 3		
235 Cubic Yard	304-H003	Size 825B Crushed Stone Base, LVM
ALTERNATE GROUP BB NUMBER 1		
1,250 Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
1,250 Linear Feet	907-624-C001	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow
1,250 Linear Feet	907-624-D002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow
ALTERNATE GROUP BB NUMBER 2		
1,250 Linear Feet	628-G001	6" High Performance Cold Plastic Traffic Stripe, Skip White
1,250 Linear Feet	628-H001	6" High Performance Cold Plastic Traffic Stripe, Continuous White
1,250 Linear Feet	628-J001	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

CALL No. 06

Bridge Preservation on I-20 over Meridian Speedway, Bridge No. 31.5, known as Federal Aid Project No. BR-0020-01(248) / 107878301 in Hinds County.

PROJECT COMPLETION: 117 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1,954	Linear Feet	202-B240	Removal of Traffic Stripe
5,379	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
1	Lump Sum	618-A001	Maintenance of Traffic
8,236	Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
2,134	Linear Feet	619-A1005	Temporary Traffic Stripe, Continuous White, Type 1 Tape
8,236	Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow
2,134	Linear Feet	619-A2006	Temporary Traffic Stripe, Continuous Yellow, Type 1 Tape
6,504	Linear Feet	619-A3002	Temporary Traffic Stripe, Skip White
37	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
312	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
1,153	Linear Feet	619-F1001	Concrete Median Barrier, Precast
1,153	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
24	Linear Feet	619-G4005	Barricades, Type III, Single Faced
32	Each	619-G5001	Free Standing Plastic Drums
2	Each	619-G7001	Warning Lights, Type "B"
1	Each	619-J1004	Impact Attenuator, 60 MPH
1	Each	619-J2004	Impact Attenuator, 60 MPH, Replacement Package
1	Lump Sum	620-A001	Mobilization
3,406	Linear Feet	626-A002	6" Thermoplastic Double Drop Traffic Stripe, Skip White
3,406	Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White
3,406	Linear Feet	626-F002	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
85	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1	Lump Sum	699-A001	Roadway Construction Stakes
253	Ton	907-402-A002	Open Graded Friction Course, 9.5-mm Mixture
646	Gallon	907-402-B001	Bituminous Tack Coat

1 Lump Sum 907-618-Q002 Traffic Queue Protection

2 Each 907-619-E3001 Changeable Message Sign

Bridge Items

48 Square Yard 501-K001 Transverse Grooving

246 Linear Feet 503-C001 Saw Cut, 1-inch

2,716 Pounds 805-A001 Reinforcement

18,693 Pounds 810-A006 Structural Steel, A 709, Grade 50

28 Linear Feet 813-A002 Concrete Railing, 32"

24 Cubic Yard 907-804-A002 Bridge Concrete, Class AA

70,445 Square Feet 907-824-PP003 Bridge Repair, Crack Sealant

1 Lump Sum 907-824-PP004 Bridge Repair, Cleaning of Bridge

90 Linear Feet 907-824-PP008 Bridge Repair, Removal of Existing Finger Joint

CALL No. 07

Mill & Overlay approximately 8 miles of I-20 from EB Rest Area to Newton County Line, known as Federal Aid Project No. IM-0020-02(095) / 107829301 in Scott County.

PROJECT COMPLETION: 133 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

7,461	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
3,639	Square Yard	202-B009	Removal of Asphalt Pavement, Failed Areas
16	Square Yard	202-B045	Removal of Cement Treated Base, All Depths
174	Square Yard	202-B069	Removal of Concrete Pavement w/ Variable Depth Overlay
4	Each	202-B138	Removal of Guard Rail Bridge End Section
8	Each	202-B144	Removal of Guard Rail Cable Anchor, Including Post, Rail, Anchor & Hardware
3,660	Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
854	Square Yard	202-B168	Removal of Island Pavement, All Types
1,525	Linear Feet	202-B240	Removal of Traffic Stripe
3,700	Cubic Yard	203-G001	Excess Excavation, FM, AH
3,930	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
10	Square Yard	216-A001	Solid Sodding
5	Cubic Yard	221-A001	Concrete Paved Ditch
3,978	Cubic Yard	304-A004	Granular Material, LVM, Class 5, Group C
12,900	Ton	402-A002	Open Graded Friction Course, 9.5-mm Mixture
36,800	Gallon	402-B001	Bituminous Tack Coat
1,000	Ton	403-A001	12.5-mm, HT, Asphalt Pavement
2,450	Ton	403-A004	19-mm, HT, Asphalt Pavement
200	Ton	403-A006	19-mm, ST, Asphalt Pavement
3,050	Ton	403-A013	9.5-mm, HT, Asphalt Pavement
6,950	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
650	Ton	403-C001	19-mm, HT, Asphalt Pavement, Trench Widening
84,480	Linear Feet	403-S002	Joint Sealant
25,950	Ton	405-A002	Stone Matrix Asphalt, 9.5 mm Mixture
386,000	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths

39,500	Gallon	407-A001	Asphalt for Tack Coat
32	Mile	423-A001	Rumble Strips, Ground In
174	Square Yard	503-A001	8" and Variable Continuously Reinforced Concrete Pavement, Broom Finish
98	Linear Feet	503-B001	Saw Cut, Longitudinal Joints
390	Linear Feet	503-C004	Saw Cut, 3-inch
3,257	Linear Feet	503-C010	Saw Cut, Full Depth
19	Cubic Yard	503-D001	Concrete for Base Repair
69	Each	503-E002	Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted
1,262	Each	512-A001	Holes
12,194	Pounds	512-B002	Cement Pressure Grout Slurry, Type 6
249	Linear Feet	605-H001	Edge Drain
32	Linear Feet	605-I001	Edge Drain Outlets/Vents
281	Linear Feet	605-J001	Edge Drain & Edge Drain Outlet/Vent Inspection
2,793	Linear Feet	606-B003	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
136	Linear Feet	606-B011	Guard Rail, Class A, Type 1, Thrie Beam, Metal Post
40	Linear Feet	606-B013	Guard Rail, Class A, Type 1, Thrie Beam, Transition Section
7	Each	606-C001	Guard Rail, Cable Anchor Type 1, Metal Post
4	Each	606-D023	Guard Rail, Bridge End Section, Type I, Metal Post
20	Each	606-E005	Guard Rail, Terminal End Section, Flared
1	Lump Sum	618-A001	Maintenance of Traffic
48	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
48	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
48	Mile	619-A3001	Temporary Traffic Stripe, Skip White
47,000	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
300	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
64	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
232	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
1	Each	619-D3001	Remove and Reset Signs, All Sizes
48	Linear Feet	619-G4001	Barricades, Type III, Double Faced
48	Linear Feet	619-G4005	Barricades, Type III, Single Faced

1	Lump Sum	620-A001	Mobilization
17	Mile	626-A001	6" Thermoplastic Double Drop Traffic Stripe, Skip White
20	Mile	626-B002	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
18	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
21,000	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
2,500	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
150	Square Feet	626-H001	Thermoplastic Double Drop Legend, White
150	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
3,900	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
150	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
85	Each	630-F006	Delineators, Guard Rail, White
40	Each	630-F007	Delineators, Guard Rail, Yellow
4	Each	630-G003	Type 3 Object Markers, OM-3L, Post Mounted
4	Each	630-G007	Type 3 Object Markers, OM-3R, Post Mounted
4	Each	907-619-E3001	Changeable Message Sign
720	Hours	907-906001	Trainees
ALTERNATE GROUP AA NUMBER 1			
2,527	Ton	304-F001	3/4" and Down Crushed Stone Base
ALTERNATE GROUP AA NUMBER 2			
2,527	Ton	304-F002	Size 610 Crushed Stone Base
ALTERNATE GROUP AA NUMBER 3			
2,527	Ton	304-F003	Size 825B Crushed Stone Base

CALL No. 08

Bridge Replacements on SR 35 from Leake County Line to Kosciusko, Bridge Nos. 150.5 & 152.0, and US 49 across Hopson Bayou, Bridge No. 295.3, known as Federal Aid Project Nos. BR-0023-02(058) / 103334301 & BR-0008-05(038) / 105343301 in Attala & Tallahatchie Counties.

PROJECT COMPLETION: 308 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Bridge Items

4,022	Square Yard	501-K001	Transverse Grooving
7,335	Linear Feet	803-D005	HP 14 x 117 Steel Piling
1,440	Linear Feet	803-P001	24" Steel Pipe Piling, Wall Thickness 0.500"
825	Linear Feet	803-P003	30" Steel Pipe Piling, Wall Thickness 0.500"
1,968	Linear Feet	804-C024	110' Prestressed Concrete Beam, Type BT-54
803	Linear Feet	804-C032	115' Prestressed Concrete Beam, Type BT-63
954	Linear Feet	804-C121	80' Prestressed Concrete Beam, Type III
1,789	Linear Feet	804-C165	100' Prestressed Concrete Beam, Type BT-54
365,720	Pounds	805-A001	Reinforcement
1,823	Linear Feet	813-A002	Concrete Railing, 32"
6,874	Ton	815-A007	Loose Riprap, Size 300
6,345	Square Yard	815-E001	Geotextile under Riprap
2	Each	907-803-B001	Conventional Static Pile Load Test
4	Each	907-803-I003	PDA Test Pile, HP Steel Pile
3	Each	907-803-I004	PDA Test Pile, Steel Pipe Pile
6	Each	907-803-J001	Pile Restrike
428	Cubic Yard	907-804-A002	Bridge Concrete, Class AA
1,213	Cubic Yard	907-804-A004	Bridge Concrete, Class BD
672	Square Yard	907-832-PP003	Concrete Mat

Roadway Items

1	Lump Sum	201-A001	Clearing and Grubbing
13	Acre	201-B001	Clearing and Grubbing
1	Lump Sum	202-A001	Removal of Obstructions
14,508	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths

2,181	Square Yard	202-B069	Removal of Concrete Pavement w/ Variable Depth Overlay
115	Linear Feet	202-B088	Removal of Curb & Gutter, All Types
608	Linear Feet	202-B150	Removal of Guard Rail Including Post, Blockouts & Hardware
1,220	Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
80	Linear Feet	202-B191	Removal of Pipe, 8" And Above
1,441	Linear Feet	202-B240	Removal of Traffic Stripe
1	Mile	202-B241	Removal of Traffic Stripe
8,500	Cubic Yard	203-A001	Unclassified Excavation, FM, AH
34,914	Cubic Yard	203-EX020	Borrow Excavation, AH, FME, Class B9
17,549	Cubic Yard	203-EX021	Borrow Excavation, AH, FME, Class B9-6
1,158	Cubic Yard	203-F001	Channel Excavation, FM
37,325	Cubic Yard	203-G001	Excess Excavation, FM, AH
65	Cubic Yard	206-A001	Structure Excavation
24	Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
8,717	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
9	Ton	213-C001	Superphosphate
240	Square Yard	216-A001	Solid Sodding
690	Square Yard	217-A001	Ditch Liner
5	Thousand Gallon	219-A001	Watering
9	Acre	220-A001	Insect Pest Control
28	Cubic Yard	221-A001	Concrete Paved Ditch
23	Acre	223-A001	Mowing
1,426	Square Yard	224-A001	Soil Reinforcing Mat
20	Acre	225-A001	Grassing
34	Ton	225-B001	Agricultural Limestone
38	Ton	225-C001	Mulch, Vegetative Mulch
20	Acre	226-A001	Temporary Grassing
9,340	Linear Feet	234-A001	Temporary Silt Fence
70	Each	235-A001	Temporary Erosion Checks
450	Linear Feet	237-A002	Wattles, 20"

150	Linear Feet	245-A001	Silt Dike
450	Each	246-A002	Sandbags
1	Each	247-A001	Temporary Stream Diversion
322	Ton	249-A001	Riprap for Erosion Control
13,632	Ton	304-B002	Granular Material, Class 3, Group D
1,900	Ton	403-A002	12.5-mm, MT, Asphalt Pavement
376	Ton	403-A003	12.5-mm, ST, Asphalt Pavement
686	Ton	403-A005	19-mm, MT, Asphalt Pavement
2,137	Ton	403-A006	19-mm, ST, Asphalt Pavement
2,210	Ton	403-A014	9.5-mm, MT, Asphalt Pavement
372	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
317	Ton	403-B002	12.5-mm, MT, Asphalt Pavement, Leveling
4,458	Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
4,744	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
3,173	Gallon	407-A001	Asphalt for Tack Coat
297	Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
1	Mile	423-A001	Rumble Strips, Ground In
641	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
100	Linear Feet	503-C010	Saw Cut, Full Depth
63	Cubic Yard	601-A001	Class "B" Structural Concrete
1	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
9,196	Pounds	602-A001	Reinforcing Steel
264	Linear Feet	603-ALT003	18" Type A Alternate Pipe
48	Linear Feet	603-ALT006	24" Type A Alternate Pipe
48	Linear Feet	603-CA026	24" Reinforced Concrete Pipe, Class III
1	Each	603-CB004	24" Reinforced Concrete End Section
212	Square Yard	605-AA001	Geotextile for Subsurface Drainage, Type III
108	Linear Feet	605-O002	4" Perforated Sewer Pipe for Underdrains, SDR 23.5
10	Linear Feet	605-P002	4" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
216	Linear Feet	605-T001	4" Perforated Pipe for Underdrains

72	Linear Feet	605-U001	4" Non-perforated Pipe for Underdrains
14	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
825	Linear Feet	606-B001	Guard Rail, Class A, Type 1
12	Each	606-D022	Guard Rail, Bridge End Section, Type I
12	Each	606-E005	Guard Rail, Terminal End Section, Flared
339	Linear Feet	609-B002	Concrete Curb, Header
255	Linear Feet	609-D004	Combination Concrete Curb and Gutter Type 2 Modified
120	Linear Feet	615-A002	Concrete Bridge End Barrier, 33.5"
148	Square Yard	616-A001	Concrete Median and/or Island Pavement, 10-inch
34	Each	617-A001	Right-of-Way Marker
1	Lump Sum	618-A001	Maintenance of Traffic
1	Lump Sum	618-C001	Construction and Removal of Detour Bridge
6,710	Linear Feet	618-E001	Detour Bridge Piling
1	Lump Sum	618-F001	Detour Bridge PDA Test Pile
11,412	Linear Feet	619-A1003	Temporary Traffic Stripe, Continuous White, Paint
10,458	Linear Feet	619-A1005	Temporary Traffic Stripe, Continuous White, Type 1 Tape
5,532	Linear Feet	619-A2003	Temporary Traffic Stripe, Continuous Yellow, Paint
11,404	Linear Feet	619-A2006	Temporary Traffic Stripe, Continuous Yellow, Type 1 Tape
5,850	Linear Feet	619-A2008	Temporary Traffic Stripe, Continuous Yellow, Type 1 or 2 Tape
3,400	Linear Feet	619-A4003	Temporary Traffic Stripe, Skip Yellow, Paint
5,298	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
5,000	Linear Feet	619-A5003	Temporary Traffic Stripe, Detail, Type 1 Tape
486	Linear Feet	619-A6004	Temporary Traffic Stripe, Legend, Paint
137	Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
225	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
933	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
32	Each	619-F3001	Delineators, Guard Rail, White
48	Linear Feet	619-G4001	Barricades, Type III, Double Faced
216	Linear Feet	619-G4005	Barricades, Type III, Single Faced
141	Each	619-G5001	Free Standing Plastic Drums

11	Each	619-G7001	Warning Lights, Type "B"
300	Linear Feet	619-K1001	Installation and Removal of Guard Rail, Type I, Class A
12	Each	619-K2001	Installation and Removal of Guard Rail, Bridge End Section
12	Each	619-K4001	Installation and Removal of Guardrail, Terminal End Section
1	Lump Sum	620-A001	Mobilization
1	Each	621-A001	Field Laboratory
6,680	Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White
1	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
3,340	Linear Feet	626-D002	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
1	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
800	Linear Feet	626-E002	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
437	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
210	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
292	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
90	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
61	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
27	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
135	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
56	Each	630-F006	Delineators, Guard Rail, White
12	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
15	Linear Feet	630-K002	Welded & Seamless Steel Pipe Posts, 3"
1	Lump Sum	699-A001	Roadway Construction Stakes
1,040	Hours	907-906001	Trainees

ALTERNATE GROUP AA NUMBER 1

3,950	Ton	304-F001	3/4" and Down Crushed Stone Base
-------	-----	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

3,950	Ton	304-F002	Size 610 Crushed Stone Base
-------	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

3,950	Ton	304-F003	Size 825B Crushed Stone Base
-------	-----	----------	------------------------------

ALTERNATE GROUP BB NUMBER 1

208 Cubic Yard

605-W002 Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM

ALTERNATE GROUP BB NUMBER 2

208 Cubic Yard

605-W003 Filter Material for Combination Storm Drain and/or Underdrains, Type C, FM

CALL No. 09

Mill & Overlay approximately 13 miles on SR 16 from SR 39 to US 45, known as Federal Aid Project No. STP-0024-05(010) / 107628301 in Kemper County.

PROJECT COMPLETION: 130 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

27,521	Square Yard	202-B006	Removal of Asphalt Paved Shoulders, All Depths
2,200	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
3,029	Square Yard	202-B009	Removal of Asphalt Pavement, Failed Areas
8	Each	202-B138	Removal of Guard Rail Bridge End Section
2,755	Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
2,780	Linear Feet	202-B240	Removal of Traffic Stripe
600	Cubic Yard	203-G002	Excess Excavation, LVM, AH
2,400	Cubic Yard	304-E003	Granular Material, LVM, Crushed Stone
30,300	Ton	403-A002	12.5-mm, MT, Asphalt Pavement
1,050	Ton	403-B002	12.5-mm, MT, Asphalt Pavement, Leveling
9,800	Ton	403-C002	19-mm, MT, Asphalt Pavement, Trench Widening
236,824	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
23,985	Gallon	407-A001	Asphalt for Tack Coat
19	Mile	423-A001	Rumble Strips, Ground In
4,137	Linear Feet	503-C010	Saw Cut, Full Depth
2,005	Linear Feet	606-B003	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
4	Each	606-D017	Guard Rail, Bridge End Section, Type G
4	Each	606-D018	Guard Rail, Bridge End Section, Type G, Modified
12	Each	606-E005	Guard Rail, Terminal End Section, Flared
8	Each	606-E007	Guard Rail, Terminal End Section, Non-Flared
1	Lump Sum	618-A001	Maintenance of Traffic
48	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
45	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
6	Mile	619-A3001	Temporary Traffic Stripe, Skip White
51	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow

35,832	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
3,454	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
807	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
356	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
24	Linear Feet	619-G4001	Barricades, Type III, Double Faced
1	Lump Sum	620-A001	Mobilization
2	Mile	626-A001	6" Thermoplastic Double Drop Traffic Stripe, Skip White
24	Mile	626-B002	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
17	Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
15	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
6,641	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
11,275	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
1,727	Square Feet	626-H001	Thermoplastic Double Drop Legend, White
900	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
300	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,500	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
145	Each	630-F006	Delineators, Guard Rail, White
4	Each	630-G003	Type 3 Object Markers, OM-3L, Post Mounted
4	Each	630-G007	Type 3 Object Markers, OM-3R, Post Mounted
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
1,014	Linear Feet	907-808-A002	Joint Repair
507	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
1,014	Linear Feet	907-823-B001	Saw Cut, Type I
1	Lump Sum	907-899-A001	Railway-Highway Provisions

CALL No. 10

Interchange Construction on SR 304 at McIngvale Road, known as Federal Aid Project No. NHPP-0029-02(022) / 107114301 in Desoto County.

PROJECT COMPLETION: 198 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

22 Acre	201-B001	Clearing and Grubbing
844 Square Yard	202-B052	Removal of Concrete Driveways, All Depths
979 Square Yard	202-B063	Removal of Concrete Paved Ditch
395 Square Yard	202-B080	Removal of Concrete Sidewalk
628 Linear Feet	202-B088	Removal of Curb & Gutter, All Types
9,768 Linear Feet	202-B126	Removal of Fence, All Types
7 Each	202-B129	Removal of Flared End Section, All Sizes
472 Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
2 Each	202-B165	Removal of Inlets, All Sizes
100 Square Yard	202-B188	Removal of Pavement, All Types and Depths
28 Linear Feet	202-B191	Removal of Pipe, 8" And Above
611 Ton	202-B207	Removal of Riprap
12,493 Linear Feet	202-B240	Removal of Traffic Stripe
105,009 Cubic Yard	203-A001	Unclassified Excavation, FM, AH
134,010 Cubic Yard	203-G001	Excess Excavation, FM, AH
723 Cubic Yard	206-A001	Structure Excavation
29 Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
19,138 Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
24 Ton	213-C001	Superphosphate
4,258 Square Yard	216-A001	Solid Sodding
2,167 Square Yard	217-A001	Ditch Liner
85 Thousand Gallon	219-A001	Watering
24 Acre	220-A001	Insect Pest Control
339 Cubic Yard	221-A001	Concrete Paved Ditch
96 Acre	223-A001	Mowing

48 Acre	225-A001	Grassing
24 Ton	225-B001	Agricultural Limestone
96 Ton	225-C001	Mulch, Vegetative Mulch
48 Acre	226-A001	Temporary Grassing
20,450 Linear Feet	234-A001	Temporary Silt Fence
100 Each	235-A001	Temporary Erosion Checks
4 Each	236-A008	Silt Basin, Type D
3,918 Linear Feet	237-A002	Wattles, 20"
629 Linear Feet	239-A001	Temporary Slope Drains
2,654 Linear Feet	245-A001	Silt Dike
2,724 Linear Feet	246-A001	Sandbags
100 Linear Feet	246-B002	Rockbags
1,026 Ton	249-A001	Riprap for Erosion Control
377 Cubic Yard	249-B001	Remove and Reset Riprap
5,650 Ton	304-B002	Granular Material, Class 3, Group D
22,550 Ton	304-B008	Granular Material, Class 9, Group B
22,459 Square Yard	307-A004	6" Soil-Lime-Water Mixing, Class A
303 Ton	307-D001	Lime
5,615 Gallon	307-S001	Bituminous Curing Seal
889 Ton	308-A001	Cement
22,459 Square Yard	308-B002	Soil-Cement-Water Mixing, Optional Mixers, Base
44,918 Square Yard	308-B003	Soil-Cement-Water Mixing, Optional Mixers, Design Soil
16,844 Gallon	308-S001	Bituminous Curing Seal
9,765 Gallon	402-B001	Bituminous Tack Coat
2,406 Ton	403-A001	12.5-mm, HT, Asphalt Pavement
173 Ton	403-A002	12.5-mm, MT, Asphalt Pavement
1,464 Ton	403-A003	12.5-mm, ST, Asphalt Pavement
2,706 Ton	403-A004	19-mm, HT, Asphalt Pavement
195 Ton	403-A005	19-mm, MT, Asphalt Pavement
6,041 Ton	403-A006	19-mm, ST, Asphalt Pavement

1,804	Ton	403-A013	9.5-mm, HT, Asphalt Pavement
1,298	Ton	403-A014	9.5-mm, MT, Asphalt Pavement
1,098	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
14,768	Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
2,385	Linear Feet	503-C010	Saw Cut, Full Depth
100	Cubic Yard	601-A001	Class "B" Structural Concrete
55	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
21,515	Pounds	602-A001	Reinforcing Steel
304	Linear Feet	603-CA011	18" Reinforced Concrete Pipe, Class III
224	Linear Feet	603-CA026	24" Reinforced Concrete Pipe, Class III
160	Linear Feet	603-CA040	30" Reinforced Concrete Pipe, Class III
360	Linear Feet	603-CA055	36" Reinforced Concrete Pipe, Class III
104	Linear Feet	603-CA076	48" Reinforced Concrete Pipe, Class III
104	Linear Feet	603-CA087	54" Reinforced Concrete Pipe, Class III
17	Each	603-CB003	18" Reinforced Concrete End Section
4	Each	603-CB004	24" Reinforced Concrete End Section
2	Each	603-CB005	30" Reinforced Concrete End Section
6	Each	603-CB006	36" Reinforced Concrete End Section
2	Each	603-CB008	48" Reinforced Concrete End Section
2	Each	603-CB009	54" Reinforced Concrete End Section
16	Linear Feet	603-CE028	58" x 36" Concrete Arch Pipe, Class A III
1	Each	603-CF007	58" x 36" Concrete Arch Pipe End Section
869	Pounds	604-A001	Castings
325	Linear Feet	606-B001	Guard Rail, Class A, Type 1
4	Each	606-D022	Guard Rail, Bridge End Section, Type I
4	Each	606-E007	Guard Rail, Terminal End Section, Non-Flared
14,287	Linear Feet	607-B018	60" Type I Chain Link Fence, Class II
829	Each	607-P1008	Line Post, 7' x 1 1/2" Galvanized Steel
166	Each	607-P1022	Line Post, 10' x 1 1/2" Galvanized Steel

110	Each	607-P1031	Line Post, 9' x 1 1/2" Galvanized Steel
1,358	Square Yard	608-A001	Concrete Sidewalk, Without Reinforcement
808	Linear Feet	609-D004	Combination Concrete Curb and Gutter Type 2 Modified
3,527	Linear Feet	609-D012	Combination Concrete Curb and Gutter Type 3A Modified
63	Square Yard	616-A001	Concrete Median and/or Island Pavement, 10-inch
1,050	Square Yard	616-A004	Concrete Median and/or Island Pavement, 4-inch
21	Each	617-A001	Right-of-Way Marker
1	Lump Sum	618-A001	Maintenance of Traffic
17,994	Linear Feet	619-A1003	Temporary Traffic Stripe, Continuous White, Paint
6,966	Linear Feet	619-A2003	Temporary Traffic Stripe, Continuous Yellow, Paint
5,616	Linear Feet	619-A3004	Temporary Traffic Stripe, Skip White, Paint
24,798	Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint
622	Square Feet	619-A6003	Temporary Traffic Stripe, Legend, Paint
881	Linear Feet	619-A6004	Temporary Traffic Stripe, Legend, Paint
81	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
888	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
18	Linear Feet	619-G4001	Barricades, Type III, Double Faced
288	Linear Feet	619-G4005	Barricades, Type III, Single Faced
207	Each	619-G5001	Free Standing Plastic Drums
6	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
1	Each	621-A001	Field Laboratory
5,336	Linear Feet	626-A002	6" Thermoplastic Double Drop Traffic Stripe, Skip White
2,252	Linear Feet	626-B001	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
16,689	Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White
1,534	Linear Feet	626-E002	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
7,043	Linear Feet	626-F002	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
12,163	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
9,055	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
741	Square Feet	626-H001	Thermoplastic Double Drop Legend, White

931	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
495	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
356	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
191	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
350	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
747	Square Feet	630-B002	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
68	Linear Feet	630-C002	Steel U-Section Posts, 2.0 lb/ft
294	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
52	Linear Feet	630-D004	Structural Steel Beams, W10 x 26
37	Linear Feet	630-D006	Structural Steel Beams, W6 x 12
87	Linear Feet	630-D007	Structural Steel Beams, W6 x 15
170	Linear Feet	630-D008	Structural Steel Beams, W6 x 9
189	Pounds	630-E001	Structural Steel Angles & Bars, 3 1/2" x 3 1/2" x 1/4" Angles
184	Pounds	630-E002	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
90	Pounds	630-E003	Structural Steel Angles & Bars, 4" x 4" x 5/16" Angles
393	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
22	Each	630-F006	Delineators, Guard Rail, White
98	Each	630-F010	Delineators, Post Mounted, Double White
15	Each	630-F011	Delineators, Post Mounted, Double Yellow
56	Each	630-F012	Delineators, Post Mounted, Single White
14	Each	630-F013	Delineators, Post Mounted, Single Yellow
8	Each	630-G004	Type 3 Object Markers, OM-3R or OM-3L
4	Each	630-G008	Type 2 Object Markers, OM2-2
70	Linear Feet	630-K001	Welded & Seamless Steel Pipe Posts, 3 1/2"
45	Linear Feet	630-K002	Welded & Seamless Steel Pipe Posts, 3"
151	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
8	Each	635-A059	Traffic Signal Head, Type 1
2	Each	635-A061	Traffic Signal Head, Type 2
1	Each	635-A065	Traffic Signal Head, Type 2 FYA
4	Each	635-A073	Traffic Signal Head, Type 4

8	Each	635-A076	Traffic Signal Head, Type 6
1	Lump Sum	699-A001	Roadway Construction Stakes
15,320	Square Yard	815-A001	Loose Riprap, Size 100
26,449	Square Yard	815-E001	Geotextile under Riprap
190	Ton	815-F002	Sediment Control Stone
20	Pounds	907-250-A001	Polyacrylamide (PAM)
567	Linear Feet	907-253-A001	Coir Fiber Baffle
160	Square Feet	907-608-C001	Detectable Warning Panels
2	Each	907-619-E3001	Changeable Message Sign
10	Each	907-630-O004	Remove and Reset Sign, All Sizes
2	Each	907-632-A010	Solid State Traffic Cabinet Assembly, Type IV Cabinet, Type 1 Controller
2	Each	907-632-J001	Power Service Pedestal
2	Each	907-633-A001	Uninterruptable Power Supply
1	Each	907-634-A082	Traffic Signal Equipment Pole, Type II, 17' Shaft, 40' Arm
1	Each	907-634-A083	Traffic Signal Equipment Pole, Type II, 17' Shaft, 45' Arm
1	Each	907-634-A086	Traffic Signal Equipment Pole, Type II, 17' Shaft, 50' Arm
1	Each	907-634-A088	Traffic Signal Equipment Pole, Type II, 17' Shaft, 60' Arm
1	Each	907-634-A124	Traffic Signal Equipment Pole, Type II, 30' Shaft, 40' Arm
1	Each	907-634-A129	Traffic Signal Equipment Pole, Type II, 30' Shaft, 60' Arm
2	Each	907-634-A545	Traffic Signal Equipment Pole, Type VI, 8' Shaft
17	Cubic Yard	907-634-C001	Pole Foundations, Class "B" Concrete
1,451	Linear Feet	907-636-B014	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 5 Conductor
1,286	Linear Feet	907-636-B016	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 8 Conductor
306	Linear Feet	907-636-B028	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 8, 3 Conductor Power Cable
102	Linear Feet	907-636-C009	Electric Cable, Aerial Supported, IMSA 20-1, AWG 14, 8 Conductor
6	Each	907-637-A002	Pullbox Enclosure, Type 2
4	Each	907-637-A003	Pullbox Enclosure, Type 3
100	Linear Feet	907-637-C009	Traffic Signal Conduit, Underground, Rolled Pipe, 2"
426	Linear Feet	907-637-C028	Traffic Signal Conduit, Underground, Type 4, 2"
72	Linear Feet	907-637-C030	Traffic Signal Conduit, Underground, Type 4, 3"

134	Linear Feet	907-637-D002	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2"
633	Linear Feet	907-637-D003	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
4	Each	907-641-A002	Signal Stop Bar Radar Vehicle Detection Sensor, Type 2
4	Each	907-641-B002	Signal Advanced Radar Vehicle Detection Sensor, Type 2
1,601	Linear Feet	907-641-D001	Radar Vehicle Detection Cable
8	Each	907-645-B001	Accessible Pedestrian Detection Assembly
2	Each	907-650-A002	On Street Video Equipment, Fixed Type
2	Each	907-650-A003	On Street Video Equipment, PTZ Type
13	Square Feet	907-653-A001	Traffic Sign
12	Square Feet	907-653-B001	Street Name Sign
1,155	Linear Feet	907-661-B002	Fiber Optic Drop Cable, 12 SM
2	Each	907-663-A002	Network Switch, Type B
229	Linear Feet	907-663-D001	Category 6 Cable, Installed in Conduit
720	Hours	907-906001	Trainees

ALTERNATE GROUP AA NUMBER 1

148	Ton	304-F001	3/4" and Down Crushed Stone Base
-----	-----	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

148	Ton	304-F002	Size 610 Crushed Stone Base
-----	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

148	Ton	304-F003	Size 825B Crushed Stone Base
-----	-----	----------	------------------------------

CALL No. 11

Remove & Replace OGFC Lift on I-55 from 0.5 miles South of SR 6 to 1.8 Miles North of SR 35, known as Federal Aid Project No. IM-0055-01(116) / 108097301 in Panola County.

PROJECT COMPLETION: 54 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

2,370	Linear Feet	202-B240	Removal of Traffic Stripe
177,000	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
1	Lump Sum	618-A001	Maintenance of Traffic
10	Square Feet	618-B001	Additional Construction Signs
20	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
24	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
24	Mile	619-A3001	Temporary Traffic Stripe, Skip White
22,200	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1	Lump Sum	620-A001	Mobilization
12	Mile	626-A001	6" Thermoplastic Double Drop Traffic Stripe, Skip White
10	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
12	Mile	626-F001	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
11,100	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
1,850	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
8,510	Ton	907-402-A002	Open Graded Friction Course, 9.5-mm Mixture
10,700	Gallon	907-402-B001	Bituminous Tack Coat

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Contractors may request permission to bid online at <http://shopmdot.ms.gov> at no cost. Upon approval, contractors shall be eligible to submit a bid using Bid Express at <http://bidx.com>. Specimen proposals may be viewed and downloaded online at no cost at <http://mdot.ms.gov> or purchased online at <http://shopmdot.ms.gov> at a cost of Ten Dollars (\$10.00) per proposal plus a small convenience fee. Cash or checks will not be accepted as payment.

Plans must be purchased online at <https://shopmdot.ms.gov>. Costs of plans will be on a cost per sheet basis plus a small convenience fee. You can contact the MDOT Plans Print Shop at Telephone No. (601) 359-7460 or e-mail at plans@mdot.state.ms.us. Plans will be shipped on receipt of payment. Cash or checks will not be accepted as payment.

Bid bond, signed or countersigned by a Mississippi Resident Agent or qualified non-resident agent, with Power of Attorney attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

MELINDA L. MCGRATH, P.E.
EXECUTIVE DIRECTOR