Proposal & Plan Sales Will Begin on March 2, 2020



MISSISSIPPI DEPARTMENT OF TRANSPORTATION

Notice to Contractors

Letting Date For March - March 24, 2020

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

NOTICE TO CONTRACTORS

LETTING DATE FOR MARCH - Tuesday, March 24, 2020

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List is available online at mdot.ms.gov

PROPOSAL AND PLAN SALES WILL BEGIN ON MARCH 2, 2020

Proposals must be purchased online at: https://shopmdot.ms.gov
For Information Please Contact:
Contract Administration Division

Jackson, MS

Telephone: (601) 359-7700

Plans must be purchased online at: https://shopmdot.ms.gov For Information Please Contact: MDOT Plans Print Shop Jackson, MS Telephone: (601) 359-7460


Telephone: (601) 359-7460 e-mail: plans@mdot.state.ms.us

Electronic bids will be received by the Mississippi Transportation Commission at 10:00 o'clock A.M., Tuesday, March 24, 2020; from the Bid Express Service and shortly thereafter, bids will be publicly read in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

LIST OF CONTRACTS FOR MARCH

| CALL | CONTRACT | COUNTY |
|------|---|--|
| 01 | NH-0002-06(028)/107680301 | LEE |
| 02 | NHPP-0006-01(097)/107903301 & NHPP- 0006-01(097)/107903302 | DESOTO, MARSHALL |
| 03 | NH-0014-02(077)/107618301 | MARION |
| 04 | BR-0015-02(116)/107177301 | COVINGTON |
| 05 | BR-0055-04(102)/107214301 | TATE |
| 06 | NH-0056-02(038)/107780301 | OKTIBBEHA |
| 07 | BR-0060-03(020)/105333301 | MARSHALL |
| 08 | NH-0072-03(024)/107767301 | YAZOO |
| 09 | NH-0099-01(011)/107723301 | WASHINGTON |
| 10 | MP-3000-00(126)/306831301 | DISTRICT 3 |
| 11 | MRP-7425-01(001)/306683302 | ADAMS |
| 12 | BWO-9021-25(013)/503341301 | HINDS |
| | 01 02 03 04 05 06 07 08 09 10 | 01 NH-0002-06(028)/107680301 02 NHPP-0006-01(097)/107903301 & NHPP- 0006-01(097)/107903302 03 NH-0014-02(077)/107618301 04 BR-0015-02(116)/107177301 05 BR-0055-04(102)/107214301 06 NH-0056-02(038)/107780301 07 BR-0060-03(020)/105333301 08 NH-0072-03(024)/107767301 09 NH-0099-01(011)/107723301 10 MP-3000-00(126)/306831301 11 MRP-7425-01(001)/306683302 |

^{*} No plans except Standard Drawings



Mill & Overlay approximately 23 miles of US 45 North of Brewer Road Bridge to Euclatubba Road, known as Federal Aid Project No. NH-0002-06(028) / 107680301 in Lee County.

PROJECT COMPLETION: 192 Working Days

| 2,100 | Square Yard | 202-B007 | Removal of Asphalt Pavement, All Depths |
|---------|-----------------|-----------|---|
| 40 | Square Yard | 202-B059 | Removal of Concrete Median & Island Pavement, All Depths |
| 1,210 | Square Yard | 202-B067 | Removal of Concrete Pavement Punchouts, 8" Depth |
| 140 | Linear Feet | 202-B089 | Removal of Curb &/or Curb and Gutter, All Types |
| 19,650 | Linear Feet | 202-B240 | Removal of Traffic Stripe |
| 25 | Cubic Yard | 203-EX020 | Borrow Excavation, AH, FME, Class B9 |
| 2,050 | Cubic Yard | 203-G001 | Excess Excavation, FM, AH |
| 22 | Cubic Yard | 206-A001 | Structure Excavation |
| 6,500 | Square Yard | 209-A001 | Geotextile Stabilization, Type III |
| 120 | Square Yard | 216-A001 | Solid Sodding |
| 1 | Thousand Gallon | 219-A001 | Watering |
| 28 | Cubic Yard | 221-A001 | Concrete Paved Ditch |
| 35,500 | Cubic Yard | 304-A003 | Granular Material, LVM, Class 3, Group D |
| 8,370 | Ton | 403-A013 | 9.5-mm, HT, Asphalt Pavement |
| 11,500 | Ton | 403-A015 | 9.5-mm, ST, Asphalt Pavement |
| 22,700 | Ton | 403-D003 | 19-mm, HT, Asphalt Pavement, Polymer Modified |
| 50,000 | Ton | 403-D007 | 9.5-mm, HT, Asphalt Pavement, Polymer Modified |
| 290,000 | Linear Feet | 403-S002 | Joint Sealant |
| 820,000 | Square Yard | 406-A002 | Cold Milling of Bituminous Pavement, All Depths |
| 70,165 | Gallon | 407-A001 | Asphalt for Tack Coat |
| 71 | Mile | 423-A001 | Rumble Strips, Ground In |
| 1,210 | Square Yard | 503-A001 | 8" and Variable Continuously Reinforced Concrete Pavement, Broom Finish |
| 980 | Linear Feet | 503-B001 | Saw Cut, Longitudinal Joints |
| 480 | Linear Feet | 503-C004 | Saw Cut, 3-inch |
| | | | |

| 3,480 | Linear Feet 50 | 03-C010 | Saw Cut, Full Depth |
|--------|-----------------|---------|--|
| 6 | Cubic Yard 50 | 03-D001 | Concrete for Base Repair |
| 480 | Each 50 | 03-E002 | Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted |
| 1 | Cubic Yard 66 | 01-B001 | Class "B" Structural Concrete, Minor Structures |
| 55 | Pounds 60 | 02-A001 | Reinforcing Steel |
| 72 | Linear Feet 603 | 3-CA011 | 18" Reinforced Concrete Pipe, Class III |
| 1 | Each 603 | 3-CB003 | 18" Reinforced Concrete End Section |
| 244 | Pounds 60 | 04-A001 | Castings |
| 200 | Pounds 60 | 04-B001 | Gratings |
| 9,700 | Linear Feet 60 | 05-O002 | 4" Perforated Sewer Pipe for Underdrains, SDR 23.5 |
| 1,500 | Linear Feet 60 | 05-P002 | 4" Non-perforated Sewer Pipe for Underdrains, SDR 23.5 |
| 450 | Cubic Yard 60 | 05-W001 | Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM |
| 185 | Linear Feet 60 | 09-D003 | Combination Concrete Curb and Gutter Type 2 |
| 65 | Square Yard 6 | 16-A001 | Concrete Median and/or Island Pavement, 10-inch |
| 105 | Square Yard 6 | 16-A004 | Concrete Median and/or Island Pavement, 4-inch |
| 1 | Lump Sum 6 | 18-A001 | Maintenance of Traffic |
| 1 | Square Feet 6 | 18-B001 | Additional Construction Signs |
| 55 | Mile 619 | 9-A1001 | Temporary Traffic Stripe, Continuous White |
| 54 | Mile 619 | 9-A2001 | Temporary Traffic Stripe, Continuous Yellow |
| 48 | Mile 619 | 9-A3001 | Temporary Traffic Stripe, Skip White |
| 90,000 | Linear Feet 619 | 9-A5001 | Temporary Traffic Stripe, Detail |
| 2,600 | Linear Feet 619 | 9-A6002 | Temporary Traffic Stripe, Legend |
| 1 | Lump Sum 62 | 20-A001 | Mobilization |
| 1 | Mile 62 | 26-A001 | 6" Thermoplastic Double Drop Traffic Stripe, Skip White |
| 36 | Mile 62 | 26-A004 | 6" Thermoplastic Traffic Stripe, Skip White |
| 1 | Mile 62 | 26-B002 | 6" Thermoplastic Double Drop Traffic Stripe, Continuous White |
| 42 | Mile 62 | 26-B004 | 6" Thermoplastic Traffic Stripe, Continuous White |
| 1 | Mile 62 | 26-E001 | 6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow |
| 42 | Mile 62 | 26-E004 | 6" Thermoplastic Traffic Stripe, Continuous Yellow |
| 75,000 | Linear Feet 62 | 26-G002 | Thermoplastic Detail Stripe, White |
| | | | |

| 14,735 | Linear Feet | 626-G003 | Thermoplastic Detail Stripe, Yellow |
|----------------|-------------------------|------------------------------|--|
| 1,980 | Linear Feet | 626-G004 | Thermoplastic Double Drop Detail Stripe, White |
| 17 | Square Feet | 626-H001 | Thermoplastic Double Drop Legend, White |
| 1,300 | Square Feet | 626-H004 | Thermoplastic Legend, White |
| 2,200 | Linear Feet | 626-H005 | Thermoplastic Legend, White |
| 25 | Each | 627-J001 | Two-Way Clear Reflective High Performance Raised Markers |
| 9,800 | Each | 627-K001 | Red-Clear Reflective High Performance Raised Markers |
| 545 | Each | 627-L001 | Two-Way Yellow Reflective High Performance Raised Markers |
| 45 | Each | 630-F003 | Delineators, Flexible Post Mounted, Crossover, Type II |
| 20 | Ton | 815-A002 | Loose Riprap, Size 100 |
| 11,500 | Square Yard | 907-416-A001 | High Friction Surface Treatment |
| 2 | Each | 907-619-E3001 | Changeable Message Sign |
| 1 | Each | 907-687-A001 | Traffic Recorder Classification Permanent System |
| 720 | Hours | 907-906001 | Trainees |
| | | | ALTERNATE GROUP AA NUMBER 1 |
| 750 | Cubic Yard | 304-H001 | 3/4" and Down Crushed Stone Base, LVM |
| | | | ALTERNATE GROUP AA NUMBER 2 |
| 750 | Cubic Yard | 304-H002 | Size 610 Crushed Stone Base, LVM |
| | | | ALTERNATE GROUP AA NUMBER 3 |
| 750 | Cubic Yard | 304-H003 | Size 825B Crushed Stone Base, LVM |
| | | | ALTERNATE GROUP BB NUMBER 1 |
| 8,904 | | | |
| | Linear Feet | 907-624-A002 | 6" Inverted Profile Thermoplastic Traffic Stripe, Skip White |
| 8,700 | Linear Feet Linear Feet | | 6" Inverted Profile Thermoplastic Traffic Stripe, Skip White 6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White |
| · | | 907-624-B002 | |
| · | Linear Feet | 907-624-B002 | 6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White |
| 8,700 | Linear Feet | 907-624-B002 | 6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White 6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow |
| 8,700 8,904 | Linear Feet Linear Feet | 907-624-B002 907-624-D002 | 6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White 6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow ALTERNATE GROUP BB NUMBER 2 |

Bridge Preservation along I-22, Bridge Nos. 6.8A, 6.8B, 9.5B, 10.4, 27.1A, 27.1B, 31.2A, & 31.2B, known as Federal Aid Project Nos. NHPP-0006-01(097) / 107903301 & NHPP-0006-01(097) / 107903302 in Desoto & Marshall Counties.

PROJECT COMPLETION: 434 Working Days

| | | | Bridge items |
|--------|-------------|---------------|---|
| 484 | Linear Feet | 202-B037 | Removal of Bridge Railing |
| 2,946 | Square Yard | 202-B083 | Removal of Concrete Slope Paving |
| 66 | Linear Feet | 202-B169 | Removal of Joint Material |
| 242 | Square Yard | 203-1002 | Site Grading |
| 18,890 | Square Feet | 802-A001 | Permanent Steel Sheet Piling |
| 484 | Linear Feet | 813-A002 | Concrete Railing, 32" |
| 326 | Cubic Yard | 815-D001 | Concrete Slope Paving |
| 7,830 | Square Yard | 907-202-B001 | Removal of Bridge Deck, Hydrodemolition |
| 7,830 | Square Yard | 907-417-A001 | Polymer Cement Surface System |
| 86,400 | Pounds | 907-420-A001 | Undersealing |
| 620 | Cubic Yard | 907-804-0001 | Bridge Deck Overlay Concrete |
| 494 | Linear Feet | 907-808-A002 | Joint Repair |
| 2,046 | Linear Feet | 907-808-A003 | Joint Repair Without Epoxy |
| 1,029 | Linear Feet | 907-823-A001 | Preformed Joint Seal, Type I |
| 241 | Linear Feet | 907-823-A002 | Preformed Joint Seal, Type II |
| 2,058 | Linear Feet | 907-823-B001 | Saw Cut, Type I |
| 415 | Linear Feet | 907-823-B002 | Saw Cut, Type II |
| 6,433 | Square Feet | 907-824-PP003 | Bridge Repair, Removal of Bridge Deck, Per Plans |
| 138 | Square Feet | 907-824-PP003 | Bridge Repair, Removal of Form Work, Per Plans |
| 168 | Cubic Feet | 907-824-PP005 | Bridge Repair, Epoxy Repair, Per Plans |
| 18 | Cubic Feet | 907-824-PP005 | Bridge Repair, Repair Mortar Patch for FRP, Per Plans |
| 28 | Each | 907-824-PP006 | Bridge Repair, Cap Cleaning, Per Plans |
| 188 | Each | 907-824-PP006 | Bridge Repair, Detail A Bearing Replacements, Per Plans |
| 24 | Each | 907-824-PP006 | Bridge Repair, Detail B Bearing Replacements, Per Plans |
| 46 | Each | 907-824-PP006 | Bridge Repair, Detail C Bearing Replacements, Per Plans |

| 3,354 | Linear Feet | 907-824-PP008 | Bridge Repair, Class 2, Spray Finish, Per Plans |
|--------|-------------|---------------|--|
| 265 | Linear Feet | 907-824-PP008 | Bridge Repair, Detail A FRP Wrap, Per Plans |
| 69 | Linear Feet | 907-824-PP008 | Bridge Repair, Detail B FRP Wrap, Per Plans |
| 6 | Linear Feet | 907-824-PP008 | Bridge Repair, Detail C FRP Wrap, Per Plans |
| 84 | Linear Feet | 907-824-PP008 | Bridge Repair, Endwall Repair, Per Plans |
| 51 | Linear Feet | 907-824-PP008 | Bridge Repair, Epoxy Crack Injection, Per Plans |
| 604 | Linear Feet | 907-824-PP008 | Bridge Repair, Full Depth Endwall Removal, Per Plans |
| 604 | Linear Feet | 907-824-PP008 | Bridge Repair, Full Depth Endwall Replacement, Per Plans |
| 186 | Linear Feet | 907-824-PP008 | Bridge Repair, Partial Depth Endwall Removal, Per Plans |
| 242 | Square Yard | 907-832-PP004 | Bridge Concrete Mat |
| | | | Roadway Items |
| 160 | Square Yard | 202-B007 | Removal of Asphalt Pavement, All Depths |
| 961 | Square Yard | 202-B029 | Removal of Bridge End Pavement |
| 2,440 | Linear Feet | 202-B136 | Removal of Guard Rail |
| 21,526 | Linear Feet | 202-B240 | Removal of Traffic Stripe |
| 200 | Linear Feet | 234-A001 | Temporary Silt Fence |
| 200 | Linear Feet | 237-A001 | Wattles, 12" |
| 200 | Each | 246-A002 | Sandbags |
| 200 | Ton | 304-B002 | Granular Material, Class 3, Group D |
| 180 | Ton | 403-A015 | 9.5-mm, ST, Asphalt Pavement |
| 450 | Ton | 405-A002 | Stone Matrix Asphalt, 9.5 mm Mixture |
| 7,200 | Square Yard | 406-A002 | Cold Milling of Bituminous Pavement, All Depths |
| 544 | Gallon | 407-A001 | Asphalt for Tack Coat |
| 538 | Linear Feet | 413-E001 | Sawing and Sealing Transverse Joints in Asphalt Pavement |
| 1,133 | Square Yard | 502-A001 | Reinforced Cement Concrete Bridge End Pavement |
| 478 | Linear Feet | 503-C010 | Saw Cut, Full Depth |
| 1,650 | Linear Feet | 606-B001 | Guard Rail, Class A, Type 1 |
| 4 | Each | 606-D019 | Guard Rail, Bridge End Section, Type H |
| 8 | Each | 606-D022 | Guard Rail, Bridge End Section, Type I |
| 12 | Each | 606-E005 | Guard Rail, Terminal End Section, Flared |

| 1,200 | Cubic Yard | 612-A001 | Flowable Fill, Excavatable |
|--------|-------------|---------------|--|
| 160 | Linear Feet | 615-A002 | Concrete Bridge End Barrier, 33.5" |
| 1 | Lump Sum | 618-A001 | Maintenance of Traffic |
| 10,223 | Linear Feet | 619-A1002 | Temporary Traffic Stripe, Continuous White |
| 7,886 | Linear Feet | 619-A2002 | Temporary Traffic Stripe, Continuous Yellow |
| 64 | Square Feet | 619-D1001 | Standard Roadside Construction Signs, Less than 10 Square Feet |
| 497 | Square Feet | 619-D2001 | Standard Roadside Construction Signs, 10 Square Feet or More |
| 3,020 | Linear Feet | 619-F1001 | Concrete Median Barrier, Precast |
| 3,020 | Linear Feet | 619-F2001 | Remove and Reset Concrete Median Barrier, Precast |
| 36 | Each | 619-F3001 | Delineators, Guard Rail, White |
| 36 | Each | 619-F3002 | Delineators, Guard Rail, Yellow |
| 6 | Linear Feet | 619-G4001 | Barricades, Type III, Double Faced |
| 144 | Linear Feet | 619-G4005 | Barricades, Type III, Single Faced |
| 8 | Each | 619-G7001 | Warning Lights, Type "B" |
| 1 | Lump Sum | 620-A001 | Mobilization |
| 9,676 | Linear Feet | 626-A002 | 6" Thermoplastic Double Drop Traffic Stripe, Skip White |
| 10,286 | Linear Feet | 626-C001 | 6" Thermoplastic Double Drop Edge Stripe, Continuous White |
| 610 | Linear Feet | 626-E002 | 6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow |
| 9,676 | Linear Feet | 626-F002 | 6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow |
| 244 | Each | 627-K001 | Red-Clear Reflective High Performance Raised Markers |
| 8 | Each | 627-L001 | Two-Way Yellow Reflective High Performance Raised Markers |
| 6 | Each | 630-G003 | Type 3 Object Markers, OM-3L, Post Mounted |
| 6 | Each | 630-G007 | Type 3 Object Markers, OM-3R, Post Mounted |
| 4 | Each | 907-619-E3001 | Changeable Message Sign |
| 720 | Hours | 907-906001 | Trainees |

Scrub Seal & Thin Lift on US 98 from Walthall CL East to JCT SR 35S, known as Federal Aid Project No. NH-0014-02(077) / 107618301 in Marion County.

PROJECT COMPLETION: 90 Working Days

| | | | Roadway Items |
|--------|----------------------|----|--|
| 10,807 | Cubic Yard 304-A06 | 80 | Granular Material, LVM, Class 6, Group D |
| 2,000 | Ton 403-B0 | 11 | 9.5-mm, MT, Asphalt Pavement, Leveling |
| 23,693 | Square Yard 406-D00 | 01 | Fine Milling of Bituminous Pavement, All Depths |
| 23,173 | Gallon 407-A00 | 01 | Asphalt for Tack Coat |
| 34 | Mile 423-A00 | 01 | Rumble Strips, Ground In |
| 1 | Lump Sum 618-A00 | 01 | Maintenance of Traffic |
| 1 | Square Feet 618-B00 | 01 | Additional Construction Signs |
| 47 | Mile 619-A100 | 01 | Temporary Traffic Stripe, Continuous White |
| 41 | Mile 619-A200 | 01 | Temporary Traffic Stripe, Continuous Yellow |
| 43 | Mile 619-A300 | 01 | Temporary Traffic Stripe, Skip White |
| 57,152 | Linear Feet 619-A500 | 01 | Temporary Traffic Stripe, Detail |
| 682 | Square Feet 619-A600 | 01 | Temporary Traffic Stripe, Legend |
| 2,528 | Linear Feet 619-A600 | 02 | Temporary Traffic Stripe, Legend |
| 1 | Lump Sum 620-A00 | 01 | Mobilization |
| 20 | Mile 626-A00 | 01 | 6" Thermoplastic Double Drop Traffic Stripe, Skip White |
| 24 | Mile 626-C00 | 02 | 6" Thermoplastic Double Drop Edge Stripe, Continuous White |
| 6 | Mile 626-E00 | 01 | 6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow |
| 16 | Mile 626-F00 | 01 | 6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow |
| 39,143 | Linear Feet 626-G00 | 02 | Thermoplastic Detail Stripe, White |
| 18,009 | Linear Feet 626-G00 | 03 | Thermoplastic Detail Stripe, Yellow |
| 682 | Square Feet 626-H00 | 04 | Thermoplastic Legend, White |
| 3,608 | Linear Feet 626-H00 | 05 | Thermoplastic Legend, White |
| 1,743 | Each 627-H00 | 01 | Chip Seal Reflective Raised Markers |
| 770 | Each 627-J00 | 01 | Two-Way Clear Reflective High Performance Raised Markers |
| 2,075 | Each 627-K00 | 01 | Red-Clear Reflective High Performance Raised Markers |

| 2,142 | Each | 627-L001 | Two-Way Yellow Reflective High Performance Raised Markers |
|---------|-------------|--------------|---|
| 80 | Each | 630-F002 | Delineators, Flexible Post Mounted, Crossover, Type I, Yellow |
| 10 | Each | 630-F003 | Delineators, Flexible Post Mounted, Crossover, Type II |
| 24,027 | Ton | 907-411-A001 | Ultra Thin Asphalt Pavement |
| 278,811 | Square Yard | 907-414-A001 | Scrub Seal |

Bridge Preservation on US 84 at Okatoma Creek, Bridge Nos. 122.8A and 122.8B, known as Federal Aid Project No. BR-0015-02(116) / 107177301 in Covington County.

PROJECT COMPLETION: 93 Working Days

| 6 165 | Cubic Yard | | |
|--------|-------------|---------------|--|
| 0,100 | | 203-EX041 | Borrow Excavation, AH, LVM, Class B9-6 |
| 15,226 | Cubic Yard | 203-G001 | Excess Excavation, FM, AH |
| 902 | Square Yard | 217-A001 | Ditch Liner |
| 1 | Acre | 225-A001 | Grassing |
| 1 | Ton | 225-B001 | Agricultural Limestone |
| 1 | Acre | 226-A001 | Temporary Grassing |
| 2,405 | Linear Feet | 234-A001 | Temporary Silt Fence |
| 650 | Linear Feet | 234-F001 | Turbidity Barrier |
| 812 | Linear Feet | 237-A002 | Wattles, 20" |
| 30 | Linear Feet | 603-ALT006 | 24" Type A Alternate Pipe |
| 36 | Linear Feet | 603-ALT009 | 30" Type A Alternate Pipe |
| 1 | Each | 607-G089 | Gate, 12' x 52" Galvanized Metal |
| 2 | Each | 607-Z001 | Concrete Anchors |
| 1 | Lump Sum | 618-A001 | Maintenance of Traffic |
| 1 | Square Feet | 618-B001 | Additional Construction Signs |
| 1 | Lump Sum | 620-A001 | Mobilization |
| 1 | Lump Sum | 699-A001 | Roadway Construction Stakes |
| 3 | Each | 907-619-E3001 | Changeable Message Sign |
| | | | ALTERNATE GROUP AA NUMBER 1 |
| 902 | Ton | 304-F001 | 3/4" and Down Crushed Stone Base |
| | | | ALTERNATE GROUP AA NUMBER 2 |
| 902 | Ton | 304-F002 | Size 610 Crushed Stone Base |
| | | | ALTERNATE GROUP AA NUMBER 3 |
| 902 | Ton | 304-F003 | Size 825B Crushed Stone Base |
| | | | Bridge Items |
| 22,700 | Ton | 815-A009 | Loose Riprap, Size 500 |

9,661 Square Yard 815-E001 Geotextile under Riprap

8 Linear Feet 907-824-PP008 Bridge Repair, FRP Wrap

Bridge Replacement on I-55 Replace Twin Bridges over Hickhala Creek and Relief Bridge, Bridge Nos. 266.8 A&B and 267.6 A&B, known as Federal Aid Project No. BR-0055-04(102) / 107214301 in Tate County.

PROJECT COMPLETION: 401 Working Days

| 1 | Lump Sum | 201-A001 | Clearing and Grubbing |
|---------|-----------------|-----------|---|
| 1 | Lump Sum | 202-A001 | Removal of Obstructions |
| 3,083 | Square Yard | 202-B007 | Removal of Asphalt Pavement, All Depths |
| 2,909 | Linear Feet | 202-B039 | Removal of Cable Barrier |
| 2 | Each | 202-B040 | Removal of Cable Barrier Terminal Section |
| 80 | Each | 202-B058 | Removal of Concrete Lug Anchor |
| 44,396 | Square Yard | 202-B069 | Removal of Concrete Pavement w/ Variable Depth Overlay |
| 3,140 | Linear Feet | 202-B121 | Removal of Edge Drain |
| 157 | Each | 202-B122 | Removal of Edge Drain Outlet |
| 5 | Each | 202-B129 | Removal of Flared End Section, All Sizes |
| 1,715 | Linear Feet | 202-B158 | Removal of Guard Rail, Including Rails, Posts and Terminal Ends |
| 5 | Each | 202-B165 | Removal of Inlets, All Sizes |
| 19 | Linear Feet | 202-B191 | Removal of Pipe, 8" And Above |
| 100 | Square Yard | 202-B229 | Removal of Soil Cement, All Depths |
| 1,120 | Linear Feet | 202-B240 | Removal of Traffic Stripe |
| 85,851 | Cubic Yard | 203-A001 | Unclassified Excavation, FM, AH |
| 324,011 | Cubic Yard | 203-EX020 | Borrow Excavation, AH, FME, Class B9 |
| 520 | Cubic Yard | 206-A001 | Structure Excavation |
| 17 | Cubic Yard | 206-B001 | Select Material for Undercuts, Contractor Furnished, FM |
| 119,402 | Square Yard | 209-A005 | Geotextile Stabilization, Type V, Non-Woven |
| 27,792 | Cubic Yard | 211-B001 | Topsoil for Slope Treatment, Contractor Furnished |
| 23 | Ton | 213-C001 | Superphosphate |
| 244 | Square Yard | 216-A001 | Solid Sodding |
| 3,262 | Square Yard | 217-A001 | Ditch Liner |
| 5 | Thousand Gallon | 219-A001 | Watering |

| 46 | Acre | 220-A001 | Insect Pest Control |
|--------|-------------|----------|--|
| 32 | Cubic Yard | 221-A001 | Concrete Paved Ditch |
| 92 | Acre | 223-A001 | Mowing |
| 1,769 | Square Yard | 224-A001 | Soil Reinforcing Mat |
| 46 | Acre | 225-A001 | Grassing |
| 138 | Ton | 225-B001 | Agricultural Limestone |
| 92 | Ton | 225-C001 | Mulch, Vegetative Mulch |
| 46 | Acre | 226-A001 | Temporary Grassing |
| 20,300 | Linear Feet | 234-A001 | Temporary Silt Fence |
| 5 | Each | 234-D001 | Inlet Siltation Guard |
| 5 | Each | 234-E001 | Reset Inlet Siltation Guard |
| 4,650 | Linear Feet | 234-F001 | Turbidity Barrier |
| 18,950 | Linear Feet | 237-A002 | Wattles, 20" |
| 11,220 | Linear Feet | 239-A001 | Temporary Slope Drains |
| 800 | Linear Feet | 245-A001 | Silt Dike |
| 8,400 | Each | 246-B001 | Rockbags |
| 2,300 | Ton | 249-A001 | Riprap for Erosion Control |
| 1,150 | Cubic Yard | 249-B001 | Remove and Reset Riprap |
| 37,370 | Ton | 304-B002 | Granular Material, Class 3, Group D |
| 36,480 | Square Yard | 307-C004 | 6" Soil-Lime-Water Mixing, Class C |
| 492 | Ton | 307-D001 | Lime |
| 9,120 | Gallon | 307-S001 | Bituminous Curing Seal |
| 309 | Ton | 308-A001 | Cement |
| 36,480 | Square Yard | 308-B003 | Soil-Cement-Water Mixing, Optional Mixers, Design Soil |
| 9,120 | Gallon | 308-S001 | Bituminous Curing Seal |
| 5,498 | Ton | 403-A001 | 12.5-mm, HT, Asphalt Pavement |
| 8,250 | Ton | 403-A004 | 19-mm, HT, Asphalt Pavement |
| 8,301 | Ton | 403-A006 | 19-mm, ST, Asphalt Pavement |
| 259 | Ton | 403-A013 | 9.5-mm, HT, Asphalt Pavement |
| 6 | Mile | 403-S001 | Joint Sealant |

| 5,106 | Ton | 405-A001 | Stone Matrix Asphalt, 12.5 mm Mixture |
|--------|-------------|------------|--|
| 3,818 | Ton | 405-A002 | Stone Matrix Asphalt, 9.5 mm Mixture |
| 21,523 | Square Yard | 406-A002 | Cold Milling of Bituminous Pavement, All Depths |
| 60,060 | Square Yard | 406-D001 | Fine Milling of Bituminous Pavement, All Depths |
| 14,706 | Gallon | 407-A001 | Asphalt for Tack Coat |
| 359 | Linear Feet | 413-E001 | Sawing and Sealing Transverse Joints in Asphalt Pavement |
| 7 | Mile | 423-A001 | Rumble Strips, Ground In |
| 772 | Square Yard | 502-A001 | Reinforced Cement Concrete Bridge End Pavement |
| 2,173 | Linear Feet | 503-C010 | Saw Cut, Full Depth |
| 50 | Cubic Yard | 601-A001 | Class "B" Structural Concrete |
| 20 | Cubic Yard | 601-B001 | Class "B" Structural Concrete, Minor Structures |
| 12 | Cubic Yard | 601-B002 | Class "C" Structural Concrete, Minor Structures |
| 9,428 | Pounds | 602-A001 | Reinforcing Steel |
| 8 | Linear Feet | 603-A001 | 10" Steel Pipe, Jacked or Bored, Wall Thickness 0.250" |
| 1,444 | Linear Feet | 603-ALT003 | 18" Type A Alternate Pipe |
| 544 | Linear Feet | 603-CA011 | 18" Reinforced Concrete Pipe, Class III |
| 528 | Linear Feet | 603-CA026 | 24" Reinforced Concrete Pipe, Class III |
| 5 | Each | 603-CB003 | 18" Reinforced Concrete End Section |
| 2,500 | Pounds | 604-B001 | Gratings |
| 214 | Square Yard | 605-AA001 | Geotextile for Subsurface Drainage, Type III |
| 384 | Linear Feet | 605-O002 | 4" Perforated Sewer Pipe for Underdrains, SDR 23.5 |
| 48 | Linear Feet | 605-P002 | 4" Non-perforated Sewer Pipe for Underdrains, SDR 23.5 |
| 15 | Cubic Yard | 605-W001 | Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM |
| 46,597 | Cubic Yard | 605-X005 | Filter Material for Filter Beds, Type C |
| 1,400 | Linear Feet | 606-B001 | Guard Rail, Class A, Type 1 |
| 8 | Each | 606-D022 | Guard Rail, Bridge End Section, Type I |
| 8 | Each | 606-E005 | Guard Rail, Terminal End Section, Flared |
| 562 | Linear Feet | 607-A001 | 31.5" Type"A" Woven Wire Fence, w/ Barbed Wire as Shown |
| 8,998 | Linear Feet | 607-A002 | 60" Type "A" Woven Wire Fence, w/ Barbed Wire as Shown |

| 150 | Linear Feet | 607-E001 | Barbed Wire Fence, Single Strand |
|--------|-------------|-----------|--|
| 9 | Each | 607-G087 | Gate, 12' x 52" Aluminum |
| 4 | Each | 607-G126 | Gate, 3' x 52" Chain Link |
| 562 | Each | 607-P1011 | Line Post, 7' x 4" Timber |
| 112 | Each | 607-P1019 | Line Post, 9' x 4" Timber |
| 2 | Each | 607-P1022 | Line Post, 10' x 1 1/2" Galvanized Steel |
| 75 | Each | 607-P1025 | Line Post, 10' x 4" Timber |
| 116 | Each | 607-P2009 | Brace Post, 8' x 6" Timber |
| 23 | Each | 607-P2015 | Brace Post, 10' x 6" Timber |
| 15 | Each | 607-P2019 | Brace Post, 12' x 6" Timber |
| 13 | Each | 607-P3006 | Gate Post, 8' x 6" Timber |
| 185 | Each | 607-Z001 | Concrete Anchors |
| 2 | Each | 610-B001 | Cable Barrier Terminal Section |
| 95 | Cubic Yard | 612-A001 | Flowable Fill, Excavatable |
| 160 | Linear Feet | 615-A024 | Concrete Bridge End Barrier, 37.5" |
| 16 | Each | 617-B001 | Permanent Easement Marker |
| 1 | Lump Sum | 618-A001 | Maintenance of Traffic |
| 14 | Mile | 619-A1001 | Temporary Traffic Stripe, Continuous White |
| 5,222 | Linear Feet | 619-A1005 | Temporary Traffic Stripe, Continuous White, Type 1 Tape |
| 13 | Mile | 619-A2001 | Temporary Traffic Stripe, Continuous Yellow |
| 5,222 | Linear Feet | 619-A2006 | Temporary Traffic Stripe, Continuous Yellow, Type 1 Tape |
| 10 | Mile | 619-A3001 | Temporary Traffic Stripe, Skip White |
| 5,222 | Linear Feet | 619-A3006 | Temporary Traffic Stripe, Skip White, Type 1 Tape |
| 75 | Square Feet | 619-D1001 | Standard Roadside Construction Signs, Less than 10 Square Feet |
| 960 | Square Feet | 619-D2001 | Standard Roadside Construction Signs, 10 Square Feet or More |
| 168 | Square Feet | 619-D4001 | Directional Signs |
| 17,617 | Linear Feet | 619-F1001 | Concrete Median Barrier, Precast |
| 11,398 | Linear Feet | 619-F2001 | Remove and Reset Concrete Median Barrier, Precast |
| 72 | Linear Feet | 619-G4005 | Barricades, Type III, Single Faced |
| 23 | Each | 619-G5001 | Free Standing Plastic Drums |

| 30,400 | Ton | 304-F001 | ALTERNATE GROUP AA NUMBER 1 3/4" and Down Crushed Stone Base |
|--------|-------------|--------------|---|
| 1,040 | Hours | 907-906001 | Trainees |
| | Each | | Changeable Message Sign |
| | Gallon | 907-402-B001 | |
| 2,715 | | 907-402-A002 | Open Graded Friction Course, 9.5-mm Mixture |
| | Lump Sum | 699-A001 | Roadway Construction Stakes |
| 128 | Linear Feet | 630-K003 | Welded & Seamless Steel Pipe Posts, 4" |
| 8 | Each | 630-G007 | Type 3 Object Markers, OM-3R, Post Mounted |
| 8 | Each | 630-G003 | Type 3 Object Markers, OM-3L, Post Mounted |
| 56 | Each | 630-F007 | |
| 56 | Each | 630-F006 | Delineators, Guard Rail, White |
| 123 | Pounds | 630-E004 | Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar |
| 129 | Pounds | 630-E003 | Structural Steel Angles & Bars, 4" x 4" x 5/16" Angles |
| 89 | Pounds | 630-E001 | Structural Steel Angles & Bars, 3 1/2" x 3 1/2" x 1/4" Angles |
| 82 | Linear Feet | 630-D009 | Structural Steel Beams, W8 x 18 |
| 117 | Linear Feet | 630-D005 | Structural Steel Beams, W12 x 26 |
| 183 | Linear Feet | 630-C003 | Steel U-Section Posts, 3.0 lb/ft |
| 33 | Linear Feet | 630-C002 | Steel U-Section Posts, 2.0 lb/ft |
| 527 | Square Feet | 630-B002 | Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted |
| 136 | Square Feet | 630-A003 | Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness |
| 43 | Square Feet | 630-A001 | Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness |
| 318 | Each | 627-K001 | Red-Clear Reflective High Performance Raised Markers |
| 4 | Mile | 626-F001 | 6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow |
| 4 | Mile | 626-C002 | 6" Thermoplastic Double Drop Edge Stripe, Continuous White |
| 4 | Mile | 626-A001 | 6" Thermoplastic Double Drop Traffic Stripe, Skip White |
| 1 | Lump Sum | 620-A001 | Mobilization |
| 4 | Each | 619-J2004 | Impact Attenuator, 60 MPH, Replacement Package |
| 4 | Each | 619-J1004 | Impact Attenuator, 60 MPH |
| 22 | Each | 619-G7001 | Warning Lights, Type "B" |
| | | | |

ALTERNATE GROUP AA NUMBER 2

| 30,400 | Ton | 304-F002 | Size 610 Crushed Stone Base |
|-----------|-------------|--------------|---|
| | | | ALTERNATE GROUP AA NUMBER 3 |
| 30,400 | Ton | 304-F003 | Size 825B Crushed Stone Base |
| | | | ALTERNATE GROUP BB NUMBER 1 |
| 186 | Cubic Yard | 605-W002 | Filter Material for Combination Storm Drain and/or Underdrains,Type B, FM |
| | | | ALTERNATE GROUP BB NUMBER 2 |
| 186 | Cubic Yard | 605-W003 | Filter Material for Combination Storm Drain and/or Underdrains,Type C, FM |
| | | | Bridge Items |
| 12,566 | Square Yard | 501-K001 | Transverse Grooving |
| 59,854 | Square Feet | 802-C001 | Temporary Steel Sheet Piling |
| 9,900 | Linear Feet | 803-D007 | HP 14 x 89 Steel Piling |
| 1,500 | Linear Feet | 803-K013 | Drilled Shaft, 96" Diameter |
| 1 | Each | 803-L008 | Test Shaft, 96" Diameter |
| 132 | Linear Feet | 803-M011 | Trial Shaft, 96" Diameter |
| 120 | Linear Feet | 803-N001 | Exploration |
| 720 | Linear Feet | 803-0014 | Permanent Casing, 96" Diameter |
| 6,150 | Linear Feet | 803-P003 | 30" Steel Pipe Piling, Wall Thickness 0.500" |
| 11,120 | Linear Feet | 804-C192 | 100' Prestressed Concrete Beam, Type FIB-36 |
| 1,172,402 | Pounds | 805-A001 | Reinforcement |
| 18,168 | Pounds | 805-C001 | Reinforcement, Corrosion Resistant |
| 4,278,900 | Pounds | 810-A007 | Structural Steel, A 709, Grade 50W |
| 40 | Each | 811-D001 | Disc Bearing Device |
| 5,976 | Linear Feet | 813-A004 | Concrete Railing, 36" |
| 12,390 | Ton | 815-A002 | Loose Riprap, Size 100 |
| 18,001 | Ton | 815-A007 | Loose Riprap, Size 300 |
| 21,609 | Square Yard | 815-E001 | Geotextile under Riprap |
| 70 | Ton | 815-F002 | Sediment Control Stone |
| 6 | Each | 907-803-B001 | Conventional Static Pile Load Test |
| 8 | Each | 907-803-1003 | PDA Test Pile, HP Steel Pile |
| 4 | Each | 907-803-1004 | PDA Test Pile, Steel Pipe Pile |

| 6 | Each | 907-803-J001 | Pile Restrike |
|-------|------------|--------------|----------------------------|
| 2,034 | Cubic Yard | 907-804-A001 | Bridge Concrete, Class BDX |
| 1,688 | Cubic Yard | 907-804-A002 | Bridge Concrete, Class AA |
| 1,740 | Cubic Yard | 907-804-A004 | Bridge Concrete, Class BD |

Mill & Overlay SR 25 from Winston County Line to 1/2 Mile South of Watt Hill, known as Federal Aid Project No. NH-0056-02(038) / 107780301 in Oktibbeha County.

PROJECT COMPLETION: Flexible

| | | | Rodaway Remo |
|---------|-------------|-----------|--|
| 50 | Square Yard | 202-B007 | Removal of Asphalt Pavement, All Depths |
| 24 | Each | 202-B138 | Removal of Guard Rail Bridge End Section |
| 4,200 | Linear Feet | 202-B150 | Removal of Guard Rail Including Post, Blockouts & Hardware |
| 24 | Each | 202-B152 | Removal of Guard Rail Terminal End Section |
| 9,000 | Linear Feet | 202-B240 | Removal of Traffic Stripe |
| 50 | Cubic Yard | 203-G002 | Excess Excavation, LVM, AH |
| 6,000 | Cubic Yard | 304-A003 | Granular Material, LVM, Class 3, Group D |
| 21,000 | Ton | 403-A014 | 9.5-mm, MT, Asphalt Pavement |
| 244,000 | Square Yard | 406-D001 | Fine Milling of Bituminous Pavement, All Depths |
| 12,500 | Gallon | 407-A001 | Asphalt for Tack Coat |
| 26 | Mile | 423-A001 | Rumble Strips, Ground In |
| 4,200 | Linear Feet | 606-B001 | Guard Rail, Class A, Type 1 |
| 24 | Each | 606-D020 | Guard Rail, Bridge End Section, Type H, Metal Post |
| 24 | Each | 606-E001 | Guard Rail, Terminal End Section |
| 1 | Lump Sum | 618-A001 | Maintenance of Traffic |
| 1 | Square Feet | 618-B001 | Additional Construction Signs |
| 24 | Mile | 619-A1001 | Temporary Traffic Stripe, Continuous White |
| 20 | Mile | 619-A2001 | Temporary Traffic Stripe, Continuous Yellow |
| 26 | Mile | 619-A3001 | Temporary Traffic Stripe, Skip White |
| 60,000 | Linear Feet | 619-A5001 | Temporary Traffic Stripe, Detail |
| 10,000 | Linear Feet | 619-A6002 | Temporary Traffic Stripe, Legend |
| 168 | Each | 619-F3001 | Delineators, Guard Rail, White |
| 168 | Each | 619-F3002 | Delineators, Guard Rail, Yellow |
| 1 | Lump Sum | 620-A001 | Mobilization |
| 13 | Mile | 626-A004 | 6" Thermoplastic Traffic Stripe, Skip White |

| 12 | Mile | 626-C004 | 6" Thermoplastic Edge Stripe, Continuous White |
|--------|-------------------------|------------------------------|--|
| 10 | Mile | 626-F003 | 6" Thermoplastic Edge Stripe, Continuous Yellow |
| 13,000 | Linear Feet | 626-G002 | Thermoplastic Detail Stripe, White |
| 17,000 | Linear Feet | 626-G003 | Thermoplastic Detail Stripe, Yellow |
| 5,000 | Linear Feet | 626-H005 | Thermoplastic Legend, White |
| 450 | Each | 627-J001 | Two-Way Clear Reflective High Performance Raised Markers |
| 1,500 | Each | 627-K001 | Red-Clear Reflective High Performance Raised Markers |
| 110 | Each | 627-L001 | Two-Way Yellow Reflective High Performance Raised Markers |
| | | | ALTERNATE GROUP AA NUMBER 1 |
| 4,000 | Lincar Foot | 907-624-4002 | 6" Inverted Profile Thermoplastic Traffic Stripe, Skip White |
| | Linear Feet | 307 024 71002 | o inverted Frome memoplastic tranic stripe, skip write |
| 4,000 | Linear Feet | | 6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White |
| , | | 907-624-B002 | |
| , | Linear Feet | 907-624-B002 | 6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White |
| 4,000 | Linear Feet | 907-624-B002 | 6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White 6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow |
| 4,000 | Linear Feet Linear Feet | 907-624-B002 907-624-D002 | 6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White 6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow ALTERNATE GROUP AA NUMBER 2 |

Bridge Replacement on SR 4 over the BNSF Railway & MS Central Railroad Company, Bridge No. 75.3, known as Federal Aid Project No. BR-0060-03(020) / 105333301 in Marshall County.

PROJECT COMPLETION: 204 Working Days

| | | | Roduway items |
|--------|-----------------|-----------|---|
| 1 | Acre | 201-B001 | Clearing and Grubbing |
| 1 | Lump Sum | 202-A001 | Removal of Obstructions |
| 6,024 | Square Yard | 202-B007 | Removal of Asphalt Pavement, All Depths |
| 802 | Linear Feet | 202-B050 | Removal of Concrete Combination Curb & Gutter |
| 421 | Square Yard | 202-B052 | Removal of Concrete Driveways, All Depths |
| 461 | Square Yard | 202-B080 | Removal of Concrete Sidewalk |
| 6 | Each | 202-B165 | Removal of Inlets, All Sizes |
| 767 | Linear Feet | 202-B191 | Removal of Pipe, 8" And Above |
| 16 | Each | 202-B215 | Removal of Sign Including Post & Footing |
| 12,417 | Cubic Yard | 203-A001 | Unclassified Excavation, FM, AH |
| 7,944 | Cubic Yard | 203-EX020 | Borrow Excavation, AH, FME, Class B9 |
| 500 | Cubic Yard | 203-G001 | Excess Excavation, FM, AH |
| 848 | Cubic Yard | 206-A001 | Structure Excavation |
| 7,763 | Square Yard | 209-A005 | Geotextile Stabilization, Type V, Non-Woven |
| 3,543 | Cubic Yard | 211-B001 | Topsoil for Slope Treatment, Contractor Furnished |
| 4 | Ton | 213-C001 | Superphosphate |
| 1,018 | Square Yard | 216-A001 | Solid Sodding |
| 10 | Square Yard | 217-A001 | Ditch Liner |
| 453 | Thousand Gallon | 219-A001 | Watering |
| 4 | Acre | 220-A001 | Insect Pest Control |
| 30 | Cubic Yard | 221-A001 | Concrete Paved Ditch |
| 7 | Acre | 223-A001 | Mowing |
| 1,200 | Square Yard | 224-A001 | Soil Reinforcing Mat |
| 7 | Acre | 225-A001 | Grassing |
| 4 | Ton | 225-B001 | Agricultural Limestone |

| 15 | Ton | 225-C001 | Mulch, Vegetative Mulch |
|-------|-------------|------------|--|
| 7 | Acre | 226-A001 | Temporary Grassing |
| 2,500 | Linear Feet | 234-A001 | Temporary Silt Fence |
| 2,728 | Linear Feet | 237-A002 | Wattles, 20" |
| 800 | Linear Feet | 239-A001 | Temporary Slope Drains |
| 1,300 | Linear Feet | 246-A001 | Sandbags |
| 100 | Ton | 249-A001 | Riprap for Erosion Control |
| 3,610 | Ton | 304-B002 | Granular Material, Class 3, Group D |
| 1,047 | Ton | 403-A003 | 12.5-mm, ST, Asphalt Pavement |
| 1,178 | Ton | 403-A006 | 19-mm, ST, Asphalt Pavement |
| 768 | Ton | 403-A015 | 9.5-mm, ST, Asphalt Pavement |
| 854 | Gallon | 407-A001 | Asphalt for Tack Coat |
| 70 | Linear Feet | 413-E001 | Sawing and Sealing Transverse Joints in Asphalt Pavement |
| 149 | Square Yard | 502-A001 | Reinforced Cement Concrete Bridge End Pavement |
| 60 | Linear Feet | 503-C010 | Saw Cut, Full Depth |
| 44 | Cubic Yard | 601-B001 | Class "B" Structural Concrete, Minor Structures |
| 2 | Cubic Yard | 601-B002 | Class "C" Structural Concrete, Minor Structures |
| 3,198 | Pounds | 602-A001 | Reinforcing Steel |
| 528 | Linear Feet | 603-ALT003 | 18" Type A Alternate Pipe |
| 936 | Linear Feet | 603-CA011 | 18" Reinforced Concrete Pipe, Class III |
| 792 | Linear Feet | 603-CA026 | 24" Reinforced Concrete Pipe, Class III |
| 4 | Each | 603-CB003 | 18" Reinforced Concrete End Section |
| 2 | Each | 603-CB004 | 24" Reinforced Concrete End Section |
| 40 | Linear Feet | 603-CE002 | 22" x 13" Concrete Arch Pipe, Class A III |
| 64 | Linear Feet | 603-CE008 | 29" x 18" Concrete Arch Pipe, Class A III |
| 32 | Linear Feet | 603-CE028 | 58" x 36" Concrete Arch Pipe, Class A III |
| 2 | Each | 603-CF002 | 22" x 13" Concrete Arch Pipe End Section |
| 2 | Each | 603-CF003 | 29" x 18" Concrete Arch Pipe End Section |
| 2 | Each | 603-CF007 | 58" x 36" Concrete Arch Pipe End Section |
| 1,027 | Pounds | 604-A001 | Castings |

| 36 | Square Yard | 605-AA003 | Geotextile for Subsurface Drainage, Type V, Non-Woven |
|-------|-------------|-----------|--|
| 64 | Linear Feet | 605-O003 | 4" Perforated Sewer Pipe for Underdrains, SDR 35 |
| 52 | Linear Feet | 605-P003 | 4" Non-perforated Sewer Pipe for Underdrains, SDR 35 |
| 2 | Cubic Yard | 605-W001 | Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM |
| 175 | Linear Feet | 606-B001 | Guard Rail, Class A, Type 1 |
| 4 | Each | 606-D022 | Guard Rail, Bridge End Section, Type I |
| 4 | Each | 606-E007 | Guard Rail, Terminal End Section, Non-Flared |
| 1,010 | Square Yard | 608-B001 | Concrete Sidewalk, With Reinforcement |
| 78 | Linear Feet | 609-D001 | Combination Concrete Curb and Gutter Type 1 |
| 1,314 | Linear Feet | 609-D012 | Combination Concrete Curb and Gutter Type 3A Modified |
| 24 | Cubic Yard | 612-B001 | Flowable Fill, Non-Excavatable |
| 7 | Each | 613-D005 | Adjustment of Manhole |
| 600 | Square Yard | 614-A001 | Concrete Driveway, Without Reinforcement |
| 253 | Square Yard | 614-B001 | Concrete Driveway, With Reinforcement |
| 40 | Linear Feet | 615-A002 | Concrete Bridge End Barrier, 33.5" |
| 48 | Each | 617-A001 | Right-of-Way Marker |
| 1 | Lump Sum | 618-A001 | Maintenance of Traffic |
| 5,291 | Linear Feet | 619-A1003 | Temporary Traffic Stripe, Continuous White, Paint |
| 5,822 | Linear Feet | 619-A2003 | Temporary Traffic Stripe, Continuous Yellow, Paint |
| 349 | Linear Feet | 619-A5002 | Temporary Traffic Stripe, Detail, Paint |
| 311 | Linear Feet | 619-A6004 | Temporary Traffic Stripe, Legend, Paint |
| 221 | Square Feet | 619-D1001 | Standard Roadside Construction Signs, Less than 10 Square Feet |
| 224 | Square Feet | 619-D2001 | Standard Roadside Construction Signs, 10 Square Feet or More |
| 12 | Linear Feet | 619-G4001 | Barricades, Type III, Double Faced |
| 72 | Linear Feet | 619-G4005 | Barricades, Type III, Single Faced |
| 60 | Each | 619-G5001 | Free Standing Plastic Drums |
| 3 | Each | 619-G7001 | Warning Lights, Type "B" |
| 1 | Lump Sum | 620-A001 | Mobilization |
| 5,291 | Linear Feet | 626-C001 | 6" Thermoplastic Double Drop Edge Stripe, Continuous White |

| 5,822 | Linear Feet | 626-E002 | 6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow |
|-----------------------------|--|--|--|
| 349 | Linear Feet | 626-G004 | Thermoplastic Double Drop Detail Stripe, White |
| 311 | Linear Feet | 626-H002 | Thermoplastic Double Drop Legend, White |
| 63 | Each | 627-L001 | Two-Way Yellow Reflective High Performance Raised Markers |
| 25 | Square Feet | 630-A001 | Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness |
| 27 | Square Feet | 630-A003 | Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness |
| 97 | Linear Feet | 630-C003 | Steel U-Section Posts, 3.0 lb/ft |
| 22 | Each | 630-F006 | Delineators, Guard Rail, White |
| 22 | Each | 630-F007 | Delineators, Guard Rail, Yellow |
| 4 | Each | 630-G005 | Type 3 Object Markers, OM-3R or OM-3L, Post Mounted |
| 1 | Lump Sum | 699-A001 | Roadway Construction Stakes |
| 25 | Ton | 815-A007 | Loose Riprap, Size 300 |
| 67 | Square Yard | 815-E001 | Geotextile under Riprap |
| 12 | Ton | 815-F002 | Sediment Control Stone |
| 4 | Each | 907-619-E3001 | Changeable Message Sign |
| 1 | Lump Sum | 907-899-A001 | Railway-Highway Provisions |
| | | | ALTERNATE GROUP AA NUMBER 1 |
| | | | |
| 7,513 | Ton | 304-F001 | 3/4" and Down Crushed Stone Base |
| 7,513 | Ton | 304-F001 | 3/4" and Down Crushed Stone Base ALTERNATE GROUP AA NUMBER 2 |
| 7,513 7,513 | | | |
| | | | ALTERNATE GROUP AA NUMBER 2 |
| | Ton | 304-F002 | ALTERNATE GROUP AA NUMBER 2 Size 610 Crushed Stone Base |
| 7,513 | Ton | 304-F002 | ALTERNATE GROUP AA NUMBER 2 Size 610 Crushed Stone Base ALTERNATE GROUP AA NUMBER 3 |
| 7,513 7,513 | Ton | 304-F002 304-F003 | ALTERNATE GROUP AA NUMBER 2 Size 610 Crushed Stone Base ALTERNATE GROUP AA NUMBER 3 Size 825B Crushed Stone Base |
| 7,513 7,513 16 | Ton Cubic Yard | 304-F002 304-F003 | ALTERNATE GROUP AA NUMBER 2 Size 610 Crushed Stone Base ALTERNATE GROUP AA NUMBER 3 Size 825B Crushed Stone Base ALTERNATE GROUP BB NUMBER 1 |
| 7,513 7,513 16 | Ton Ton | 304-F002 304-F003 605-W002 | ALTERNATE GROUP AA NUMBER 2 Size 610 Crushed Stone Base ALTERNATE GROUP AA NUMBER 3 Size 825B Crushed Stone Base ALTERNATE GROUP BB NUMBER 1 Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM |
| 7,513 7,513 16 | Ton Cubic Yard | 304-F002 304-F003 605-W002 | ALTERNATE GROUP AA NUMBER 2 Size 610 Crushed Stone Base ALTERNATE GROUP AA NUMBER 3 Size 825B Crushed Stone Base ALTERNATE GROUP BB NUMBER 1 Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM ALTERNATE GROUP BB NUMBER 2 |
| 7,513 7,513 16 | Ton Cubic Yard | 304-F002 304-F003 605-W002 605-W003 | ALTERNATE GROUP AA NUMBER 2 Size 610 Crushed Stone Base ALTERNATE GROUP AA NUMBER 3 Size 825B Crushed Stone Base ALTERNATE GROUP BB NUMBER 1 Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM ALTERNATE GROUP BB NUMBER 2 Filter Material for Combination Storm Drain and/or Underdrains, Type C, FM |
| 7,513 7,513 16 16 | Ton Cubic Yard Cubic Yard | 304-F002 304-F003 605-W002 605-W003 | ALTERNATE GROUP AA NUMBER 2 Size 610 Crushed Stone Base ALTERNATE GROUP AA NUMBER 3 Size 825B Crushed Stone Base ALTERNATE GROUP BB NUMBER 1 Filter Material for Combination Storm Drain and/or Underdrains,Type B, FM ALTERNATE GROUP BB NUMBER 2 Filter Material for Combination Storm Drain and/or Underdrains,Type C, FM Bridge Items |
| 7,513 7,513 16 16 853 2,625 | Ton Cubic Yard Cubic Yard Square Yard | 304-F002 304-F003 605-W002 605-W003 501-K001 803-D007 | ALTERNATE GROUP AA NUMBER 2 Size 610 Crushed Stone Base ALTERNATE GROUP AA NUMBER 3 Size 825B Crushed Stone Base ALTERNATE GROUP BB NUMBER 1 Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM ALTERNATE GROUP BB NUMBER 2 Filter Material for Combination Storm Drain and/or Underdrains, Type C, FM Bridge Items Transverse Grooving |

| 902 | Linear Feet | 804-C095 | 65' Prestressed Concrete Beam, Type IV |
|--------|-------------|--------------|--|
| 97,542 | Pounds | 805-A001 | Reinforcement |
| 484 | Linear Feet | 813-A002 | Concrete Railing, 32" |
| 480 | Linear Feet | 813-B001 | Concrete-Steel Railing |
| 95 | Cubic Yard | 815-D001 | Concrete Slope Paving |
| 1 | Each | 907-803-B001 | Conventional Static Pile Load Test |
| 1 | Each | 907-803-1003 | PDA Test Pile, HP Steel Pile |
| 1 | Each | 907-803-1004 | PDA Test Pile, Steel Pipe Pile |
| 2 | Each | 907-803-J001 | Pile Restrike |
| 226 | Cubic Yard | 907-804-A002 | Bridge Concrete, Class AA |
| 336 | Cubic Yard | 907-804-A004 | Bridge Concrete, Class BD |

Mill & Overlay US 49 West from US 49 to Carter Road, known as Federal Aid Project No. NH-0072-03(024) / 107767301 in Yazoo County.

PROJECT COMPLETION: 90 Working Days

| | | | Roduway items |
|--------|-------------|-----------|--|
| 490 | Square Yard | 202-B007 | Removal of Asphalt Pavement, All Depths |
| 80 | Linear Feet | 202-B060 | Removal of Concrete Median Barrier |
| 470 | Linear Feet | 202-B136 | Removal of Guard Rail |
| 30 | Square Yard | 202-B201 | Removal of Reinforced Concrete Pavement, 9" & Variable Depth |
| 24,500 | Linear Feet | 202-B240 | Removal of Traffic Stripe |
| 80 | Cubic Yard | 203-G001 | Excess Excavation, FM, AH |
| 9,200 | Ton | 304-B004 | Granular Material, Class 5, Group D |
| 525 | Ton | 403-A005 | 19-mm, MT, Asphalt Pavement |
| 16,000 | Ton | 403-A014 | 9.5-mm, MT, Asphalt Pavement |
| 1,000 | Ton | 403-A015 | 9.5-mm, ST, Asphalt Pavement |
| 3,000 | Ton | 406-A001 | Cold Milling of Bituminous Pavement, All Depths |
| 9,700 | Gallon | 407-A001 | Asphalt for Tack Coat |
| 1,080 | Square Feet | 412-A001 | Pre-Grinding |
| 13 | Mile | 423-A001 | Rumble Strips, Ground In |
| 350 | Linear Feet | 606-B002 | Guard Rail, Class A, Type 1, 'W' Beam |
| 2 | Each | 606-D001 | Guard Rail, Bridge End Section |
| 2 | Each | 606-E001 | Guard Rail, Terminal End Section |
| 205 | Linear Feet | 615-A009 | Concrete Type I Cast-in-Place Median Barrier |
| 1 | Lump Sum | 618-A001 | Maintenance of Traffic |
| 1 | Square Feet | 618-B001 | Additional Construction Signs |
| 12 | Mile | 619-A1001 | Temporary Traffic Stripe, Continuous White |
| 12 | Mile | 619-A2001 | Temporary Traffic Stripe, Continuous Yellow |
| 8 | Mile | 619-A3001 | Temporary Traffic Stripe, Skip White |
| 12,000 | Linear Feet | 619-A5001 | Temporary Traffic Stripe, Detail White |
| 2,000 | Linear Feet | 619-A5001 | Temporary Traffic Stripe, Detail Yellow |

| 300 | Linear Feet | 619-A6002 | Temporary Traffic Stripe, Legend |
|--------|-------------|---------------|--|
| 24 | Linear Feet | 619-G4008 | Barricades, Type III, Single Faced, Red/White |
| 50 | Each | 619-G5001 | Free Standing Plastic Drums |
| 25 | Each | 619-G7001 | Warning Lights, Type "B" |
| 1 | Lump Sum | 620-A001 | Mobilization |
| 8 | Mile | 626-A001 | 6" Thermoplastic Double Drop Traffic Stripe, Skip White |
| 12 | Mile | 626-B002 | 6" Thermoplastic Double Drop Traffic Stripe, Continuous White |
| 12 | Mile | 626-E001 | 6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow |
| 18,000 | Linear Feet | 626-G004 | Thermoplastic Double Drop Detail Stripe, White |
| 11,500 | Linear Feet | 626-G005 | Thermoplastic Double Drop Detail Stripe, Yellow |
| 500 | Linear Feet | 626-H002 | Thermoplastic Double Drop Legend, White |
| 80 | Each | 627-J001 | Two-Way Clear Reflective High Performance Raised Markers |
| 1,500 | Each | 627-K001 | Red-Clear Reflective High Performance Raised Markers |
| 200 | Each | 627-L001 | Two-Way Yellow Reflective High Performance Raised Markers |
| 20 | Each | 630-F002 | Delineators, Flexible Post Mounted, Crossover, Type I, Yellow |
| 14 | Each | 630-F006 | Delineators, Guard Rail, White |
| 2 | Each | 630-G007 | Type 3 Object Markers, OM-3R, Post Mounted |
| 1 | Lump Sum | 699-A001 | Roadway Construction Stakes |
| 1,300 | Gallon | 907-410-C005 | Asphalt for Fog Seal, Grade LD-7 or CHPF-1 |
| 2,000 | Square Yard | 907-424-A001 | Roadbed Reclamation with Cement |
| 35 | Ton | 907-424-B001 | Cement |
| 2 | Each | 907-619-E3001 | Changeable Message Sign |
| | | | ALTERNATE GROUP AA NUMBER 1 |
| 80 | Cubic Yard | 304-G001 | Size 3/4" and Down Crushed Stone Base, AEA |
| | | | ALTERNATE GROUP AA NUMBER 2 |
| 80 | Cubic Yard | 304-G002 | Size 610 Crushed Stone Base, AEA |
| 90 | Cubic Yard | 204 C002 | ALTERNATE GROUP AA NUMBER 3 |
| 60 | Cubic ratu | 304-9003 | Size 825B Crushed Stone Base, AEA ALTERNATE GROUP BB NUMBER 1 |
| 8,000 | Linear Feet | 907-624-A002 | 6" Inverted Profile Thermoplastic Traffic Stripe, Skip White |
| 11,200 | Linear Feet | | 6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White |
| | | | |

| 11,200 | Linear Feet | 907-624-D002 | 6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow |
|--------|-------------|--------------|---|
| | | | ALTERNATE GROUP BB NUMBER 2 |
| 8,000 | Linear Feet | 628-G001 | 6" High Performance Cold Plastic Traffic Stripe, Skip White |
| 11,200 | Linear Feet | 628-H001 | 6" High Performance Cold Plastic Traffic Stripe, Continuous White |
| 11,200 | Linear Feet | 628-J001 | 6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow |

Mill & Overlay approximately 5 miles of US 82 From Hughes Street to Woodlawn Drive, known as Federal Aid Project No. NH-0099-01(011) / 107723301 in Washington County.

PROJECT COMPLETION: APRIL 10, 2021

| | | | Roadway Items |
|--------|-------------|----------|--|
| 240 | Square Yard | 202-B007 | Removal of Asphalt Pavement, All Depths |
| 400 | Square Yard | 202-B075 | Removal of Concrete Pavement, Conventional Reinforcement, All Depths |
| 40 | Linear Feet | 202-B088 | Removal of Curb & Gutter, All Types |
| 200 | Linear Feet | 202-B150 | Removal of Guard Rail Including Post, Blockouts & Hardware |
| 2,400 | Linear Feet | 202-B240 | Removal of Traffic Stripe |
| 200 | Cubic Yard | 203-G001 | Excess Excavation, FM, AH |
| 1,700 | Ton | 403-A008 | 25-mm, MT, Asphalt Pavement |
| 14,000 | Ton | 403-D007 | 9.5-mm, HT, Asphalt Pavement, Polymer Modified |
| 4,000 | Ton | 406-A001 | Cold Milling of Bituminous Pavement, All Depths |
| 14,133 | Gallon | 407-A001 | Asphalt for Tack Coat |
| 2,880 | Square Feet | 412-A001 | Pre-Grinding |
| 7,500 | Linear Feet | 413-D002 | Cleaning and Filling Joints |
| 96 | Linear Feet | 501-1001 | Joint Filler, Wooden Board |
| 400 | Square Yard | 503-A002 | 8" and Variable Jointed Concrete Pavement |
| 300 | Linear Feet | 503-B001 | Saw Cut, Longitudinal Joints |
| 72 | Linear Feet | 503-C010 | Saw Cut, Full Depth |
| 125 | Each | 503-E002 | Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted |
| 96 | Each | 503-F001 | 1 1/4" Smooth Dowel Bars, Drilled & Epoxied or Grouted |
| 100 | Linear Feet | 606-B001 | Guard Rail, Class A, Type 1 |
| 4 | Each | 606-E007 | Guard Rail, Terminal End Section, Non-Flared |
| 12 | Each | 613-D003 | Adjustment of Inlet |
| 20 | Each | 613-D005 | Adjustment of Manhole |
| 17 | Each | 613-D011 | Adjustment of Water Valve |
| 1 | Lump Sum | 618-A001 | Maintenance of Traffic |
| 1 | Square Feet | 618-B001 | Additional Construction Signs |

| 7 | Mile | 619-A1004 | Temporary Traffic Stripe, Continuous White, Paint |
|--------|-------------|-----------|---|
| 7 | Mile | 619-A2004 | Temporary Traffic Stripe, Continuous Yellow, Paint |
| 7 | Mile | 619-A3003 | Temporary Traffic Stripe, Skip White, Paint |
| 5 | Mile | 619-A4004 | Temporary Traffic Stripe, Skip Yellow, Paint |
| 9,920 | Linear Feet | 619-A5002 | Temporary Traffic Stripe, Detail, Paint White |
| 6,886 | Linear Feet | 619-A5002 | Temporary Traffic Stripe, Detail, Paint Yellow |
| 3,010 | Square Feet | 619-A6003 | Temporary Traffic Stripe, Legend, Paint |
| 18,528 | Linear Feet | 619-A6004 | Temporary Traffic Stripe, Legend, Paint |
| 1 | Lump Sum | 620-A001 | Mobilization |
| 7 | Mile | 626-A004 | 6" Thermoplastic Traffic Stripe, Skip White |
| 7 | Mile | 626-C004 | 6" Thermoplastic Edge Stripe, Continuous White |
| 6 | Mile | 626-D003 | 6" Thermoplastic Traffic Stripe, Skip Yellow |
| 7 | Mile | 626-E004 | 6" Thermoplastic Traffic Stripe, Continuous Yellow |
| 11,713 | Linear Feet | 626-G002 | Thermoplastic Detail Stripe, White |
| 9,116 | Linear Feet | 626-G003 | Thermoplastic Detail Stripe, Yellow |
| 3,226 | Square Feet | 626-H004 | Thermoplastic Legend, White |
| 19,104 | Linear Feet | 626-H005 | Thermoplastic Legend, White |
| 1,042 | Each | 627-K001 | Red-Clear Reflective High Performance Raised Markers |
| 2,841 | Each | 627-L001 | Two-Way Yellow Reflective High Performance Raised Markers |
| 16 | Each | 630-F006 | Delineators, Guard Rail, White |
| | | | ALTERNATE GROUP AA NUMBER 1 |
| 580 | Ton | 304-F001 | 3/4" and Down Crushed Stone Base |
| | | | ALTERNATE GROUP AA NUMBER 2 |
| 580 | Ton | 304-F002 | Size 610 Crushed Stone Base |
| | | | ALTERNATE GROUP AA NUMBER 3 |
| 580 | Ton | 304-F003 | Size 825B Crushed Stone Base |

Installation of Raised Pavement Markers on Various Routes throughout the District, known as State Project No. MP-3000-00(126) / 306831301 in District 3.

PROJECT COMPLETION: 54 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change Roadway Items

1 Lump Sum 618-A001 Maintenance of Traffic

23,396 Each 627-K001 Red-Clear Reflective High Performance Raised Markers

19,130 Each 627-L001 Two-Way Yellow Reflective High Performance Raised Markers

Sign Truss & Sign Panels Replacement on SR 425 at Glenwood Drive, known as State Project No. MRP-7425-01(001) / 306683302 in Adams County.

PROJECT COMPLETION: JANUARY 15, 2021

| 2 | Each | 202-B130 | Removal of Footing |
|-----|-------------|---------------|---|
| 1 | Lump Sum | 618-A001 | Maintenance of Traffic |
| 1 | Square Feet | 618-B001 | Additional Construction Signs |
| 1 | Lump Sum | 620-A001 | Mobilization |
| 285 | Square Feet | 630-B003 | Interstate Directional Signs, Bolted Extruded Aluminum Panels, Overhead Mounted |
| 1 | Lump Sum | 630-1003 | Metal Overhead Sign Supports, Assembly No. 1, Contractor Designed |
| 2 | Each | 907-619-E3001 | Changeable Message Sign |

Work Necessary for the Installation of Condensing Units on the MDOT Administration Building in Jackson, known as State Project No. BWO-9021-25(013) / 503341301 in Hinds County.

PROJECT COMPLETION: SEPTEMBER 30, 2020

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change Building Items

1 Lump Sum 1520-A001 Installation of Condensing Units

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Contractors may request permission to bid online at http://shopmdot.ms.gov at no cost. Upon approval, contractors shall be eligible to submit a bid using Bid Express at http://bidx.com. Specimen proposals may be viewed and downloaded online at no cost at http://mdot.ms.gov or purchased online at http://shopmdot.ms.gov at a cost of Ten Dollars (\$10.00) per proposal plus a small convenience fee. Cash or checks will not be accepted as payment.

Plans must be purchased online at https://shopmdot.ms.gov. Costs of plans will be on a cost per sheet basis plus a small convenience fee. You can contact the MDOT Plans Print Shop at Telephone No. (601) 359-7460 or e-mail at plans@mdot.state.ms.us. Plans will be shipped on receipt of payment. Cash or checks will not be accepted as payment.

Bid bond, signed or countersigned by a Mississippi Resident Agent or qualified non-resident agent, with Power of Attorney attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

MELINDA L. MCGRATH, P.E. EXECUTIVE DIRECTOR