

Proposal & Plan Sales Will Begin on March 19, 2020



**MISSISSIPPI DEPARTMENT OF
TRANSPORTATION**

Notice to Contractors

Letting Date For April - April 28, 2020

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

NOTICE TO CONTRACTORS

LETTING DATE FOR APRIL - Tuesday, April 28, 2020

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List is available online at mdot.ms.gov

PROPOSAL AND PLAN SALES WILL BEGIN ON MARCH 19, 2020

Proposals must be purchased online at:
<https://shopmdot.ms.gov>
For Information Please Contact:
Contract Administration Division
Jackson, MS
Telephone: (601) 359-7700

Plans must be purchased online at:
<https://shopmdot.ms.gov>
For Information Please Contact:
MDOT Plans Print Shop
Jackson, MS
Telephone: (601) 359-7460
e-mail: plans@mdot.state.ms.us

Electronic bids will be received by the Mississippi Transportation Commission at 10:00 o'clock A.M., Tuesday, April 28, 2020; from the Bid Express Service and shortly thereafter, bids will be publicly read in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

* No plans except Standard Drawings

LIST OF CONTRACTS FOR APRIL

CALL	CONTRACT	COUNTY
01	BR-0020-01(248)/107878301	HINDS
* 02	IM-0020-01(250)/108098302	RANKIN
03	BR-0023-02(058)/103334301 & BR-0008-05(038)/105343301	TALLAHATCHIE, ATTALA
* 04	STP-0020-01(247)/107787301	WARREN
05	IM-0055-03(094)/107824301	MONTGOMERY
* 06	STP-0437-00(029)/107966301	NEWTON
07	BR-0060-03(020)/105333301	MARSHALL
* 08	NH-1681-00(019)/107634301	MADISON
* 09	STP-9999-02(377)/108400301 & STP-9999-02(377)/108400302	ATTALA, COAHOMA
* 10	MP-1000-00(092)/306953301	DISTRICT 1
11	MP-1278-48(014)/306954301	MONROE
12	MP-1371-29(005)/306967301	ITAWAMBA
* 13	MP-2035-54(004)/307008301	PANOLA
* 14	MP-3017-26(014)/306960301	HOLMES
* 15	MP-3051-26(010)/307112301 & MP-3302-26(001)/307112302	HOLMES
* 16	MP-5432-82(005)/307113301	YAZOO

	17	MP-5000-00(116)/307044301	DISTRICT 5
*	18	MP-5039-38(009)/306927301	LAUDERDALE
*	19	MP-5467-25(005)/306926301	HINDS
*	20	MP-6043-23(008)/306991301	HANCOCK
*	21	MP-6049-24(022)/307117301	HARRISON
*	22	MP-6145-12(004)/307114301	CLARKE
*	23	MP-6198-56(002)/307115301 & MP-6198-20(005)/307116301	GREENE, PERRY

CALL No. 01

Bridge Preservation on I-20 over Meridian Speedway, Bridge No. 31.5, known as Federal Aid Project No. BR-0020-01(248) / 107878301 in Hinds County.

PROJECT COMPLETION: 132 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Bridge Items

48	Square Yard	501-K001	Transverse Grooving
246	Linear Feet	503-C001	Saw Cut, 1-inch
2,716	Pounds	805-A001	Reinforcement
18,693	Pounds	810-A006	Structural Steel, A 709, Grade 50
28	Linear Feet	813-A002	Concrete Railing, 32"
24	Cubic Yard	907-804-A002	Bridge Concrete, Class AA
70,445	Square Feet	907-824-PP003	Bridge Repair, Crack Sealant
1	Lump Sum	907-824-PP004	Bridge Repair, Cleaning of Bridge
90	Linear Feet	907-824-PP008	Bridge Repair, Removal of Existing Finger Joint

Roadway Items

1,954	Linear Feet	202-B240	Removal of Traffic Stripe
5,379	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
1	Lump Sum	618-A001	Maintenance of Traffic
8,236	Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
2,134	Linear Feet	619-A1005	Temporary Traffic Stripe, Continuous White, Type 1 Tape
8,236	Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow
2,134	Linear Feet	619-A2006	Temporary Traffic Stripe, Continuous Yellow, Type 1 Tape
6,504	Linear Feet	619-A3002	Temporary Traffic Stripe, Skip White
37	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
312	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
1,153	Linear Feet	619-F1001	Concrete Median Barrier, Precast
1,153	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
24	Linear Feet	619-G4005	Barricades, Type III, Single Faced
32	Each	619-G5001	Free Standing Plastic Drums

2	Each	619-G7001	Warning Lights, Type "B"
1	Each	619-J1004	Impact Attenuator, 60 MPH
1	Each	619-J2004	Impact Attenuator, 60 MPH, Replacement Package
1	Lump Sum	620-A001	Mobilization
3,406	Linear Feet	626-A002	6" Thermoplastic Double Drop Traffic Stripe, Skip White
3,406	Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White
3,406	Linear Feet	626-F002	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
85	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1	Lump Sum	699-A001	Roadway Construction Stakes
253	Ton	907-402-A002	Open Graded Friction Course, 9.5-mm Mixture
646	Gallon	907-402-B001	Bituminous Tack Coat
1	Lump Sum	907-618-Q002	Traffic Queue Protection
2	Each	907-619-E3001	Changeable Message Sign

CALL No. 02

Remove & Replace OGFC on I-20 From Pearson Rd to Crossgates, known as Federal Aid Project No. IM-0020-01(250)/108098302 in Rankin County.

PROJECT COMPLETION: 94 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

8 Acre	201-D002	Random Clearing
2,205 Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
240 Ton	403-D001	12.5-mm, HT, Asphalt Pavement, Polymer Modified
291,627 Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
1,770 Gallon	407-A001	Asphalt for Tack Coat
192 Linear Feet	413-D003	Cleaning and Filling Joints in PCC Pavement
288 Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
1,661 Linear Feet	606-B002	Guard Rail, Class A, Type 1, 'W' Beam
3 Each	606-C003	Guard Rail, Cable Anchor, Type 1
5 Each	606-D022	Guard Rail, Bridge End Section, Type I
8 Each	606-E007	Guard Rail, Terminal End Section, Non-Flared
1 Lump Sum	618-A001	Maintenance of Traffic
24 Mile	619-A1001	Temporary Traffic Stripe, Continuous White
23 Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
46 Mile	619-A3001	Temporary Traffic Stripe, Skip White
17,300 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
550 Square Feet	619-A6001	Temporary Traffic Stripe, Legend
144 Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
48 Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
136 Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
72 Linear Feet	619-G4005	Barricades, Type III, Single Faced
1 Lump Sum	620-A001	Mobilization
23 Mile	626-A001	6" Thermoplastic Double Drop Traffic Stripe, Skip White
12 Mile	626-B002	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
12 Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow

8,650	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
275	Square Feet	626-H001	Thermoplastic Double Drop Legend, White
96	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
2,092	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
35	Each	630-F006	Delineators, Guard Rail, White
32	Each	630-F007	Delineators, Guard Rail, Yellow
13,423	Ton	907-402-A002	Open Graded Friction Course, 9.5-mm Mixture
34,750	Gallon	907-402-B001	Bituminous Tack Coat
69	Gallon	907-410-D001	Asphalt for Rejuvenating Fog Seal, Grade CMS-1PF
500	Linear Feet	907-413-A001	Joint Sealer Material, Mastic Patching Material
59,550	Linear Feet	907-413-D001	Cleaning and Filling Joints and Cracks

CALL No. 03

Bridge Replacements on SR 35 from Leake County Line to Kosciusko, Bridge Nos. 150.5 & 152.0, and US 49 across Hopson Bayou, Bridge No. 295.3, known as Federal Aid Project Nos. BR-0023-02(058) / 103334301 & BR-0008-05(038) / 105343301 in Attala & Tallahatchie Counties.

PROJECT COMPLETION: Contractor Determined

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Bridge Items

4,022	Square Yard	501-K001	Transverse Grooving
7,335	Linear Feet	803-D005	HP 14 x 117 Steel Piling
1,440	Linear Feet	803-P001	24" Steel Pipe Piling, Wall Thickness 0.500"
825	Linear Feet	803-P003	30" Steel Pipe Piling, Wall Thickness 0.500"
1,968	Linear Feet	804-C024	110' Prestressed Concrete Beam, Type BT-54
954	Linear Feet	804-C121	80' Prestressed Concrete Beam, Type III
1,789	Linear Feet	804-C165	100' Prestressed Concrete Beam, Type BT-54
803	Linear Feet	804-C187	115' Prestressed Concrete Beam, Type BT-54
365,720	Pounds	805-A001	Reinforcement
1,823	Linear Feet	813-A002	Concrete Railing, 32"
6,874	Ton	815-A007	Loose Riprap, Size 300
6,345	Square Yard	815-E001	Geotextile under Riprap
2	Each	907-803-B001	Conventional Static Pile Load Test
4	Each	907-803-I003	PDA Test Pile, HP Steel Pile
3	Each	907-803-I004	PDA Test Pile, Steel Pipe Pile
6	Each	907-803-J001	Pile Restrike
428	Cubic Yard	907-804-A002	Bridge Concrete, Class AA
1,213	Cubic Yard	907-804-A004	Bridge Concrete, Class BD
672	Square Yard	907-832-PP003	Concrete Mat

Roadway Items

1	Lump Sum	201-A001	Clearing and Grubbing
1	Acre	201-B001	Clearing and Grubbing
1	Lump Sum	202-A001	Removal of Obstructions
14,508	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths

2,181	Square Yard	202-B069	Removal of Concrete Pavement w/ Variable Depth Overlay
115	Linear Feet	202-B088	Removal of Curb & Gutter, All Types
608	Linear Feet	202-B150	Removal of Guard Rail Including Post, Blockouts & Hardware
1,220	Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
80	Linear Feet	202-B191	Removal of Pipe, 8" And Above
1,441	Linear Feet	202-B240	Removal of Traffic Stripe
1	Mile	202-B241	Removal of Traffic Stripe
8,500	Cubic Yard	203-A001	Unclassified Excavation, FM, AH
34,914	Cubic Yard	203-EX020	Borrow Excavation, AH, FME, Class B9
17,549	Cubic Yard	203-EX021	Borrow Excavation, AH, FME, Class B9-6
1,158	Cubic Yard	203-F001	Channel Excavation, FM
37,325	Cubic Yard	203-G001	Excess Excavation, FM, AH
65	Cubic Yard	206-A001	Structure Excavation
24	Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
8,717	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
9	Ton	213-C001	Superphosphate
240	Square Yard	216-A001	Solid Sodding
690	Square Yard	217-A001	Ditch Liner
5	Thousand Gallon	219-A001	Watering
9	Acre	220-A001	Insect Pest Control
28	Cubic Yard	221-A001	Concrete Paved Ditch
23	Acre	223-A001	Mowing
1,426	Square Yard	224-A001	Soil Reinforcing Mat
20	Acre	225-A001	Grassing
34	Ton	225-B001	Agricultural Limestone
38	Ton	225-C001	Mulch, Vegetative Mulch
20	Acre	226-A001	Temporary Grassing
9,340	Linear Feet	234-A001	Temporary Silt Fence
70	Each	235-A001	Temporary Erosion Checks
450	Linear Feet	237-A002	Wattles, 20"

150	Linear Feet	245-A001	Silt Dike
450	Each	246-A002	Sandbags
1	Each	247-A001	Temporary Stream Diversion
322	Ton	249-A001	Riprap for Erosion Control
13,632	Ton	304-B002	Granular Material, Class 3, Group D
1,900	Ton	403-A002	12.5-mm, MT, Asphalt Pavement
376	Ton	403-A003	12.5-mm, ST, Asphalt Pavement
686	Ton	403-A005	19-mm, MT, Asphalt Pavement
2,137	Ton	403-A006	19-mm, ST, Asphalt Pavement
2,210	Ton	403-A014	9.5-mm, MT, Asphalt Pavement
372	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
317	Ton	403-B002	12.5-mm, MT, Asphalt Pavement, Leveling
4,458	Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
4,744	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
3,173	Gallon	407-A001	Asphalt for Tack Coat
297	Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
1	Mile	423-A001	Rumble Strips, Ground In
641	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
100	Linear Feet	503-C010	Saw Cut, Full Depth
63	Cubic Yard	601-A001	Class "B" Structural Concrete
1	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
9,196	Pounds	602-A001	Reinforcing Steel
264	Linear Feet	603-ALT003	18" Type A Alternate Pipe
48	Linear Feet	603-ALT006	24" Type A Alternate Pipe
48	Linear Feet	603-CA026	24" Reinforced Concrete Pipe, Class III
1	Each	603-CB004	24" Reinforced Concrete End Section
212	Square Yard	605-AA001	Geotextile for Subsurface Drainage, Type III
108	Linear Feet	605-O002	4" Perforated Sewer Pipe for Underdrains, SDR 23.5
10	Linear Feet	605-P002	4" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
216	Linear Feet	605-T001	4" Perforated Pipe for Underdrains

72	Linear Feet	605-U001	4" Non-perforated Pipe for Underdrains
14	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
825	Linear Feet	606-B001	Guard Rail, Class A, Type 1
12	Each	606-D022	Guard Rail, Bridge End Section, Type I
12	Each	606-E005	Guard Rail, Terminal End Section, Flared
339	Linear Feet	609-B002	Concrete Curb, Header
255	Linear Feet	609-D004	Combination Concrete Curb and Gutter Type 2 Modified
120	Linear Feet	615-A002	Concrete Bridge End Barrier, 33.5"
148	Square Yard	616-A001	Concrete Median and/or Island Pavement, 10-inch
34	Each	617-A001	Right-of-Way Marker
1	Lump Sum	618-A001	Maintenance of Traffic
1	Lump Sum	618-C001	Construction and Removal of Detour Bridge
6,710	Linear Feet	618-E001	Detour Bridge Piling
1	Lump Sum	618-F001	Detour Bridge PDA Test Pile
11,412	Linear Feet	619-A1003	Temporary Traffic Stripe, Continuous White, Paint
10,458	Linear Feet	619-A1005	Temporary Traffic Stripe, Continuous White, Type 1 Tape
5,532	Linear Feet	619-A2003	Temporary Traffic Stripe, Continuous Yellow, Paint
11,404	Linear Feet	619-A2006	Temporary Traffic Stripe, Continuous Yellow, Type 1 Tape
5,850	Linear Feet	619-A2008	Temporary Traffic Stripe, Continuous Yellow, Type 1 or 2 Tape
3,400	Linear Feet	619-A4003	Temporary Traffic Stripe, Skip Yellow, Paint
5,298	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
5,000	Linear Feet	619-A5003	Temporary Traffic Stripe, Detail, Type 1 Tape
486	Linear Feet	619-A6004	Temporary Traffic Stripe, Legend, Paint
137	Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
225	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
933	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
32	Each	619-F3001	Delineators, Guard Rail, White
48	Linear Feet	619-G4001	Barricades, Type III, Double Faced
216	Linear Feet	619-G4005	Barricades, Type III, Single Faced
141	Each	619-G5001	Free Standing Plastic Drums

11	Each	619-G7001	Warning Lights, Type "B"
300	Linear Feet	619-K1001	Installation and Removal of Guard Rail, Type I, Class A
12	Each	619-K2001	Installation and Removal of Guard Rail, Bridge End Section
12	Each	619-K4001	Installation and Removal of Guardrail, Terminal End Section
1	Lump Sum	620-A001	Mobilization
1	Each	621-A001	Field Laboratory
6,680	Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White
1	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
3,340	Linear Feet	626-D002	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
1	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
800	Linear Feet	626-E002	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
437	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
210	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
292	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
90	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
61	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
27	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
135	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
56	Each	630-F006	Delineators, Guard Rail, White
12	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
15	Linear Feet	630-K002	Welded & Seamless Steel Pipe Posts, 3"
1	Lump Sum	699-A001	Roadway Construction Stakes
1,040	Hours	907-906001	Trainees

ALTERNATE GROUP AA NUMBER 1

3,950	Ton	304-F001	3/4" and Down Crushed Stone Base
-------	-----	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

3,950	Ton	304-F002	Size 610 Crushed Stone Base
-------	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

3,950	Ton	304-F003	Size 825B Crushed Stone Base
-------	-----	----------	------------------------------

ALTERNATE GROUP BB NUMBER 1

208 Cubic Yard

605-W002 Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM

ALTERNATE GROUP BB NUMBER 2

208 Cubic Yard

605-W003 Filter Material for Combination Storm Drain and/or Underdrains, Type C, FM

CALL No. 04

Overhead Sign Truss Replacement on I-20 in Vicksburg, known as Federal Aid Project No. STP-0020-01(247) / 107787301 in Warren County.

PROJECT COMPLETION: MAY 18, 2021

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

2	Each	202-B130	Removal of Footing
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
1	Lump Sum	620-A001	Mobilization
462	Square Feet	630-B003	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Overhead Mounted
1	Lump Sum	630-I003	Metal Overhead Sign Supports, Assembly No. 1, Contractor Designed
6	Each	907-619-E3001	Changeable Message Sign

CALL No. 05

Mill & Overlay approximately 12 miles of I-55 from Carroll County Line to 2.5 miles South of Carroll County, known as Federal Aid Project No. IM-0055-03(094) / 107824301 in Montgomery County.

PROJECT COMPLETION: 173 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	201-A001	Clearing and Grubbing
4	Acre	201-D002	Random Clearing
600	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
600	Square Yard	202-B045	Removal of Cement Treated Base, All Depths
990	Linear Feet	202-B051	Removal of Concrete Curb
450	Linear Feet	202-B060	Removal of Concrete Median Barrier
122	Square Yard	202-B067	Removal of Concrete Pavement Punchouts, 8" Depth
32,550	Linear Feet	202-B150	Removal of Guard Rail Including Post, Blockouts & Hardware
69	Each	202-B152	Removal of Guard Rail Terminal End Section
3,500	Linear Feet	202-B240	Removal of Traffic Stripe
4,063	Cubic Yard	203-A001	Unclassified Excavation, FM, AH
3,000	Cubic Yard	203-EX020	Borrow Excavation, AH, FME, Class B9
1,905	Cubic Yard	203-G001	Excess Excavation, FM, AH
4,277	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
2	Ton	213-C001	Superphosphate
2	Acre	220-A001	Insect Pest Control
8	Acre	223-A001	Mowing
4	Acre	225-A001	Grassing
8	Ton	225-B001	Agricultural Limestone
8	Ton	225-C001	Mulch, Vegetative Mulch
4	Acre	226-A001	Temporary Grassing
3,500	Linear Feet	234-A001	Temporary Silt Fence
100	Linear Feet	237-A002	Wattles, 20"
14,450	Ton	304-B002	Granular Material, Class 3, Group D
403	Ton	403-A001	12.5-mm, HT, Asphalt Pavement

806 Ton	403-A003	12.5-mm, ST, Asphalt Pavement
932 Ton	403-A006	19-mm, ST, Asphalt Pavement
878 Ton	403-A013	9.5-mm, HT, Asphalt Pavement
11,842 Ton	403-A015	9.5-mm, ST, Asphalt Pavement
47 Mile	403-S001	Joint Sealant
45,350 Ton	405-A001	Stone Matrix Asphalt, 12.5 mm Mixture
34,010 Ton	405-A002	Stone Matrix Asphalt, 9.5 mm Mixture
528,900 Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
118,700 Gallon	407-A001	Asphalt for Tack Coat
450 Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
47 Mile	423-A001	Rumble Strips, Ground In
702 Square Yard	501-A002	8" Reinforced Cement Concrete Pavement, Broom Finish
125 Square Yard	501-B001	10" Plain Cement Concrete Pavement, Broom Finish
50 Linear Feet	501-D001	Expansion Joints, With Dowels
265 Each	501-G001	Dowels, Drilled and Installed
3,000 Linear Feet	503-C010	Saw Cut, Full Depth
375 Each	503-E002	Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted
5 Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
1,500 Pounds	602-A001	Reinforcing Steel
32 Linear Feet	603-CA011	18" Reinforced Concrete Pipe, Class III
1 Each	603-CB003	18" Reinforced Concrete End Section
15 Square Yard	605-AA002	Geotextile for Subsurface Drainage, Type V
27 Linear Feet	605-O002	4" Perforated Sewer Pipe for Underdrains, SDR 23.5
14 Linear Feet	605-P002	4" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
1 Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
40 Each	606-A003	Guard Posts
32,540 Linear Feet	606-B001	Guard Rail, Class A, Type 1
63 Each	606-C003	Guard Rail, Cable Anchor, Type 1
12 Each	606-D005	Guard Rail, Bridge End Section, Type A
4 Each	606-D022	Guard Rail, Bridge End Section, Type I

69	Each	606-E005	Guard Rail, Terminal End Section, Flared
520	Linear Feet	609-D004	Combination Concrete Curb and Gutter Type 2 Modified
150	Linear Feet	609-D007	Combination Concrete Curb and Gutter Type 3 Modified
408	Linear Feet	615-A003	Concrete Bridge End Barrier, 42"
1,155	Square Yard	616-A001	Concrete Median and/or Island Pavement, 10-inch
1	Lump Sum	618-A001	Maintenance of Traffic
96	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
96	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
96	Mile	619-A3001	Temporary Traffic Stripe, Skip White
22,400	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
88	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
664	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
2,000	Linear Feet	619-F1001	Concrete Median Barrier, Precast
2,000	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
36	Linear Feet	619-G4001	Barricades, Type III, Double Faced
192	Linear Feet	619-G4005	Barricades, Type III, Single Faced
50	Each	619-G5001	Free Standing Plastic Drums
50	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
24	Mile	626-A001	6" Thermoplastic Double Drop Traffic Stripe, Skip White
24	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
24	Mile	626-F001	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
5,900	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
2,210	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
45	Linear Feet	630-D005	Structural Steel Beams, W12 x 26
48	Linear Feet	630-D009	Structural Steel Beams, W8 x 18
140	Pounds	630-E001	Structural Steel Angles & Bars, 3 1/2" x 3 1/2" x 1/4" Angles
494	Each	630-F006	Delineators, Guard Rail, White
379	Each	630-F007	Delineators, Guard Rail, Yellow

110	Each	630-F010	Delineators, Post Mounted, Double White
52	Each	630-F011	Delineators, Post Mounted, Double Yellow
30	Each	630-F012	Delineators, Post Mounted, Single White
14	Each	630-F013	Delineators, Post Mounted, Single Yellow
1	Lump Sum	699-A001	Roadway Construction Stakes
25	Ton	815-F002	Sediment Control Stone
18,071	Ton	907-402-A002	Open Graded Friction Course, 9.5-mm Mixture
29,089	Gallon	907-402-B001	Bituminous Tack Coat
6	Each	907-619-E3001	Changeable Message Sign
2	Each	907-630-O004	Remove and Reset Sign, All Sizes
3	Each	907-683-G1002	Renovation of High Mast Lighting Assembly, Type 130-8-S
1	Each	907-683-G1003	Renovation of High Mast Lighting Assembly, Type 100-6-S
1	Each	907-683-G1004	Renovation of High Mast Lighting Assembly, Type 100-4-S
1	Each	907-683-G1005	Renovation of High Mast Lighting Assembly, Type 130-6-S
3	Each	907-683-G1006	Renovation of High Mast Lighting Assembly, Type 130-4-S
2	Each	907-683-H1002	Renovation of Low Mast Lighting Assembly, Type 40-1-10-255
4	Each	907-683-H1003	Renovation of Low Mast Lighting Assembly, Type 40-1-20-255
9	Each	907-683-H1006	Renovation of Low Mast Lighting Assembly, Type 40-2-10-255
720	Hours	907-906001	Trainees

ALTERNATE GROUP AA NUMBER 1

2,600	Ton	304-F001	3/4" and Down Crushed Stone Base
-------	-----	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

2,600	Ton	304-F002	Size 610 Crushed Stone Base
-------	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

2,600	Ton	304-F003	Size 825B Crushed Stone Base
-------	-----	----------	------------------------------

CALL No. 06

Mill & Overlay approximately 1.3 miles of SR 492 from Scott County Line to End of Bridges, known as Federal Aid Project No. STP-0437-00(029) / 107966301 in Newton County.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1,493	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
222	Square Yard	202-B009	Removal of Asphalt Pavement, Failed Areas
12	Each	202-B138	Removal of Guard Rail Bridge End Section
1,425	Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
1,482	Linear Feet	202-B240	Removal of Traffic Stripe
100	Cubic Yard	203-G002	Excess Excavation, LVM, AH
243	Cubic Yard	304-E003	Granular Material, LVM, Crushed Stone
3,850	Ton	403-A003	12.5-mm, ST, Asphalt Pavement
1,300	Ton	403-A006	19-mm, ST, Asphalt Pavement
45	Ton	403-B006	19-mm, ST, Asphalt Pavement, Leveling
700	Ton	403-C003	19-mm, ST, Asphalt Pavement, Trench Widening
8,470	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
1,150	Gallon	407-A001	Asphalt for Tack Coat
2	Mile	423-A001	Rumble Strips, Ground In
275	Linear Feet	503-C010	Saw Cut, Full Depth
975	Linear Feet	606-B003	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
12	Each	606-D019	Guard Rail, Bridge End Section, Type H
12	Each	606-E007	Guard Rail, Terminal End Section, Non-Flared
1	Lump Sum	618-A001	Maintenance of Traffic
6	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
2	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
5	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
1,708	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
236	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
99	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet

52	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
6	Each	619-D3001	Remove and Reset Signs, All Sizes
66	Each	619-F3001	Delineators, Guard Rail, White
24	Linear Feet	619-G4001	Barricades, Type III, Double Faced
1	Lump Sum	620-A001	Mobilization
3	Mile	626-B002	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
2	Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
1	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
624	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
230	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
118	Square Feet	626-H001	Thermoplastic Double Drop Legend, White
77	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
136	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
6	Each	630-G003	Type 3 Object Markers, OM-3L, Post Mounted
6	Each	630-G007	Type 3 Object Markers, OM-3R, Post Mounted
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
1,356	Linear Feet	907-808-A002	Joint Repair
640	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
38	Linear Feet	907-823-A002	Preformed Joint Seal, Type II
1,280	Linear Feet	907-823-B001	Saw Cut, Type I
76	Linear Feet	907-823-B002	Saw Cut, Type II

CALL No. 07

Bridge Replacement on SR 4 over the BNSF Railway & MS Central Railroad Company, Bridge No. 75.3, known as Federal Aid Project No. BR-0060-03(020) / 105333301 in Marshall County.

PROJECT COMPLETION: 204 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1 Acre	201-B001	Clearing and Grubbing
1 Lump Sum	202-A001	Removal of Obstructions
6,024 Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
802 Linear Feet	202-B050	Removal of Concrete Combination Curb & Gutter
421 Square Yard	202-B052	Removal of Concrete Driveways, All Depths
461 Square Yard	202-B080	Removal of Concrete Sidewalk
6 Each	202-B165	Removal of Inlets, All Sizes
767 Linear Feet	202-B191	Removal of Pipe, 8" And Above
16 Each	202-B215	Removal of Sign Including Post & Footing
12,417 Cubic Yard	203-A001	Unclassified Excavation, FM, AH
7,944 Cubic Yard	203-EX020	Borrow Excavation, AH, FME, Class B9
500 Cubic Yard	203-G001	Excess Excavation, FM, AH
848 Cubic Yard	206-A001	Structure Excavation
7,763 Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
3,543 Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
4 Ton	213-C001	Superphosphate
1,018 Square Yard	216-A001	Solid Sodding
10 Square Yard	217-A001	Ditch Liner
453 Thousand Gallon	219-A001	Watering
4 Acre	220-A001	Insect Pest Control
30 Cubic Yard	221-A001	Concrete Paved Ditch
7 Acre	223-A001	Mowing
1,200 Square Yard	224-A001	Soil Reinforcing Mat
7 Acre	225-A001	Grassing
4 Ton	225-B001	Agricultural Limestone

15 Ton	225-C001	Mulch, Vegetative Mulch
7 Acre	226-A001	Temporary Grassing
2,500 Linear Feet	234-A001	Temporary Silt Fence
2,728 Linear Feet	237-A002	Wattles, 20"
800 Linear Feet	239-A001	Temporary Slope Drains
1,300 Linear Feet	246-A001	Sandbags
100 Ton	249-A001	Riprap for Erosion Control
3,610 Ton	304-B002	Granular Material, Class 3, Group D
1,047 Ton	403-A003	12.5-mm, ST, Asphalt Pavement
1,178 Ton	403-A006	19-mm, ST, Asphalt Pavement
768 Ton	403-A015	9.5-mm, ST, Asphalt Pavement
854 Gallon	407-A001	Asphalt for Tack Coat
70 Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
149 Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
60 Linear Feet	503-C010	Saw Cut, Full Depth
44 Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
2 Cubic Yard	601-B002	Class "C" Structural Concrete, Minor Structures
3,198 Pounds	602-A001	Reinforcing Steel
528 Linear Feet	603-ALT003	18" Type A Alternate Pipe
936 Linear Feet	603-CA011	18" Reinforced Concrete Pipe, Class III
792 Linear Feet	603-CA026	24" Reinforced Concrete Pipe, Class III
4 Each	603-CB003	18" Reinforced Concrete End Section
2 Each	603-CB004	24" Reinforced Concrete End Section
40 Linear Feet	603-CE002	22" x 13" Concrete Arch Pipe, Class A III
64 Linear Feet	603-CE008	29" x 18" Concrete Arch Pipe, Class A III
32 Linear Feet	603-CE028	58" x 36" Concrete Arch Pipe, Class A III
2 Each	603-CF002	22" x 13" Concrete Arch Pipe End Section
2 Each	603-CF003	29" x 18" Concrete Arch Pipe End Section
2 Each	603-CF007	58" x 36" Concrete Arch Pipe End Section
1,027 Pounds	604-A001	Castings

36	Square Yard	605-AA003	Geotextile for Subsurface Drainage, Type V, Non-Woven
64	Linear Feet	605-O003	4" Perforated Sewer Pipe for Underdrains, SDR 35
52	Linear Feet	605-P003	4" Non-perforated Sewer Pipe for Underdrains, SDR 35
2	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
175	Linear Feet	606-B001	Guard Rail, Class A, Type 1
4	Each	606-D022	Guard Rail, Bridge End Section, Type I
4	Each	606-E007	Guard Rail, Terminal End Section, Non-Flared
1,010	Square Yard	608-B001	Concrete Sidewalk, With Reinforcement
78	Linear Feet	609-D001	Combination Concrete Curb and Gutter Type 1
1,314	Linear Feet	609-D012	Combination Concrete Curb and Gutter Type 3A Modified
24	Cubic Yard	612-B001	Flowable Fill, Non-Excavatable
7	Each	613-D005	Adjustment of Manhole
600	Square Yard	614-A001	Concrete Driveway, Without Reinforcement
253	Square Yard	614-B001	Concrete Driveway, With Reinforcement
40	Linear Feet	615-A002	Concrete Bridge End Barrier, 33.5"
48	Each	617-A001	Right-of-Way Marker
1	Lump Sum	618-A001	Maintenance of Traffic
5,291	Linear Feet	619-A1003	Temporary Traffic Stripe, Continuous White, Paint
5,822	Linear Feet	619-A2003	Temporary Traffic Stripe, Continuous Yellow, Paint
349	Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint
311	Linear Feet	619-A6004	Temporary Traffic Stripe, Legend, Paint
221	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
224	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
12	Linear Feet	619-G4001	Barricades, Type III, Double Faced
72	Linear Feet	619-G4005	Barricades, Type III, Single Faced
60	Each	619-G5001	Free Standing Plastic Drums
3	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
5,291	Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White

5,822	Linear Feet	626-E002	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
349	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
311	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
63	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
25	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
27	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
97	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
22	Each	630-F006	Delineators, Guard Rail, White
22	Each	630-F007	Delineators, Guard Rail, Yellow
4	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
1	Lump Sum	699-A001	Roadway Construction Stakes
25	Ton	815-A007	Loose Riprap, Size 300
67	Square Yard	815-E001	Geotextile under Riprap
12	Ton	815-F002	Sediment Control Stone
4	Each	907-619-E3001	Changeable Message Sign
1	Lump Sum	907-899-A001	Railway-Highway Provisions

ALTERNATE GROUP AA NUMBER 1

7,513	Ton	304-F001	3/4" and Down Crushed Stone Base
-------	-----	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

7,513	Ton	304-F002	Size 610 Crushed Stone Base
-------	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

7,513	Ton	304-F003	Size 825B Crushed Stone Base
-------	-----	----------	------------------------------

ALTERNATE GROUP BB NUMBER 1

16	Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
----	------------	----------	--

ALTERNATE GROUP BB NUMBER 2

16	Cubic Yard	605-W003	Filter Material for Combination Storm Drain and/or Underdrains, Type C, FM
----	------------	----------	--

Bridge Items

853	Square Yard	501-K001	Transverse Grooving
2,625	Linear Feet	803-D007	HP 14 x 89 Steel Piling
845	Linear Feet	803-P003	30" Steel Pipe Piling, Wall Thickness 0.500"
764	Linear Feet	804-C026	110' Prestressed Concrete Beam, Type IV

902	Linear Feet	804-C095	65' Prestressed Concrete Beam, Type IV
97,542	Pounds	805-A001	Reinforcement
484	Linear Feet	813-A002	Concrete Railing, 32"
480	Linear Feet	813-B001	Concrete-Steel Railing
95	Cubic Yard	815-D001	Concrete Slope Paving
1	Each	907-803-B001	Conventional Static Pile Load Test
1	Each	907-803-I003	PDA Test Pile, HP Steel Pile
1	Each	907-803-I004	PDA Test Pile, Steel Pipe Pile
2	Each	907-803-J001	Pile Restrike
226	Cubic Yard	907-804-A002	Bridge Concrete, Class AA
336	Cubic Yard	907-804-A004	Bridge Concrete, Class BD

CALL No. 08

Mill & Overlay approximately 2.5 miles of US 51 from Dinkins St to SR 16 W, known as Federal Aid Project No. NH-1681-00(019) / 107634301 in Madison County.

PROJECT COMPLETION: 84 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

810	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
810	Square Yard	202-B073	Removal of Concrete Pavement, All Depths
179	Square Yard	202-B080	Removal of Concrete Sidewalk
139	Linear Feet	202-B092	Removal of Curb, All Types
535	Cubic Yard	203-G001	Excess Excavation, FM, AH
100	Ton	304-B003	Granular Material, Class 5, Group C
75	Ton	310-B001	Size I Stabilizer Aggregate, Coarse
8,800	Ton	403-A002	12.5-mm, MT, Asphalt Pavement
74,600	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
3,450	Gallon	407-A001	Asphalt for Tack Coat
22,275	Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
1,620	Linear Feet	503-C010	Saw Cut, Full Depth
205	Square Yard	608-B001	Concrete Sidewalk, With Reinforcement
139	Linear Feet	609-D001	Combination Concrete Curb and Gutter Type 1
100	Linear Feet	609-E001	Bituminous Curb
15	Square Yard	616-B002	Bituminous Median and/or Island Pavement,
1	Lump Sum	618-A001	Maintenance of Traffic
8	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
10	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
1	Mile	619-A4004	Temporary Traffic Stripe, Skip Yellow, Paint
31,450	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,640	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
10,400	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
16	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
448	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More

24	Linear Feet	619-G4001	Barricades, Type III, Double Faced
1	Lump Sum	620-A001	Mobilization
4	Mile	626-B002	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
1	Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
4	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
6,900	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
8,900	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
410	Square Feet	626-H004	Thermoplastic Legend, White
2,600	Linear Feet	626-H005	Thermoplastic Legend, White
730	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
80	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
620	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
180	Square Feet	907-608-C001	Detectable Warning Panels
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
2	Each	907-632-D001	Solid State Traffic Actuated Controller, Type 1
13	Each	907-641-A002	Signal Stop Bar Radar Vehicle Detection Sensor, Type 2
970	Linear Feet	907-641-D001	Radar Vehicle Detection Cable

CALL No. 09

Bridge Joint Repairs on SR 12 & SR 14 (Bridges Nos. 103.9, 110.5, 110.2, 107.4, 117.9, 113.3, 119.5, 119.2, 101.6, 115.5, 114.6, 96.4), & on US 61 (Bridges Nos. 253.3, 253.3B, 258.3A, 258.3B, 256.8A, 256.8B, 258.4A, & 258.4B), known as Federal Aid Project Nos. STP-9999-02(377) / 108400301 & STP-9999-02(377) / 108400302 in Attala & Coahoma Counties.

PROJECT COMPLETION: 53 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	618-A001	Maintenance of Traffic
2	Square Feet	618-B001	Additional Construction Signs
1	Lump Sum	620-A001	Mobilization

Bridge Items

9,044	Linear Feet	907-808-A002	Joint Repair , Without Epoxy
4,598	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
9,044	Linear Feet	907-823-B001	Saw Cut, Type I

CALL No. 10

Installation of Raised Pavement Markers on Various Routes throughout the District, known as State Project No. MP-1000-00(092) / 306953301 in District 1.

PROJECT COMPLETION: 87 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

1	Lump Sum	618-A001	Maintenance of Traffic
55,063	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
40,716	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers

CALL No. 11

Mill & Overlay approximately 6 miles of US 278 from SR 8 to Alabama State Line, known as State Project No. MP-1278-48(014) / 306954301 in Monroe County.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

12	Each	202-B152	Removal of Guard Rail Terminal End Section
3,500	Linear Feet	202-B240	Removal of Traffic Stripe
200	Each	202-B260	Removal of and Replacement of Blockouts
1,600	Cubic Yard	304-A003	Granular Material, LVM, Class 3, Group D
13,500	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
3,800	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
375	Square Yard	406-E002	Fine Milling of Concrete Pavement, All Depths
10,600	Gallon	407-A001	Asphalt for Tack Coat
13	Mile	423-A001	Rumble Strips, Ground In
12	Each	606-E005	Guard Rail, Terminal End Section, Flared
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
25	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
7	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
11	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
1,250	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,300	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
13	Mile	626-C004	6" Thermoplastic Edge Stripe, Continuous White
6	Mile	626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
4	Mile	626-F003	6" Thermoplastic Edge Stripe, Continuous Yellow
1,700	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
900	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
5,000	Linear Feet	626-H005	Thermoplastic Legend, White
300	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers

850	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
78	Each	630-F006	Delineators, Guard Rail, White
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips

ALTERNATE GROUP AA NUMBER 1

3,000	Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
1,500	Linear Feet	907-624-C001	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow

ALTERNATE GROUP AA NUMBER 2

3,000	Linear Feet	628-H001	6" High Performance Cold Plastic Traffic Stripe, Continuous White
1,500	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow

CALL No. 12

Scrub Seal & Overlay approximately 7 miles of SR 371 from Monroe County Line to Lee County Line, known as State Project No. MP-1371-29(005) / 306967301 in Itawamba County.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

2,222	Cubic Yard	304-A003	Granular Material, LVM, Class 3, Group D
4,500	Ton	406-A001	Cold Milling of Bituminous Pavement, All Depths
10,000	Gallon	407-A001	Asphalt for Tack Coat
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
31	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
11	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
13	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
7,632	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
2,974	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
13	Mile	626-C004	6" Thermoplastic Edge Stripe, Continuous White
7	Mile	626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
6	Mile	626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
3,820	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
1,990	Linear Feet	626-H005	Thermoplastic Legend, White
530	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
470	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
7,600	Ton	907-411-A001	Ultra Thin Asphalt Pavement
125,000	Square Yard	907-414-A001	Scrub Seal
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
ALTERNATE GROUP AA NUMBER 1			
20	Cubic Yard	304-H001	3/4" and Down Crushed Stone Base, LVM
ALTERNATE GROUP AA NUMBER 2			
20	Cubic Yard	304-H002	Size 610 Crushed Stone Base, LVM

ALTERNATE GROUP AA NUMBER 3

20 Cubic Yard

304-H003 Size 825B Crushed Stone Base, LVM

CALL No. 13

Mill & Overlay approximately 10.7 miles of SR 35 from US 51 to Government Reservoir Boundary, known as State Project No. MP-2035-54(004) / 307008301 in Panola County.

PROJECT COMPLETION: 67 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

573	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
2,656	Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
2,493	Linear Feet	202-B240	Removal of Traffic Stripe
190	Cubic Yard	203-G001	Excess Excavation, FM, AH
9,950	Ton	304-B002	Granular Material, Class 3, Group D
400	Ton	403-A006	19-mm, ST, Asphalt Pavement
16,800	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
9,810	Ton	403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
14,700	Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
36,250	Gallon	407-A001	Asphalt for Tack Coat
390	Linear Feet	503-C010	Saw Cut, Full Depth
1,768	Linear Feet	606-B002	Guard Rail, Class A, Type 1, 'W' Beam
16	Each	606-D019	Guard Rail, Bridge End Section, Type H
16	Each	606-E001	Guard Rail, Terminal End Section
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
42	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
13	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
20	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
14,227	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,050	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
2,326	Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White
22	Mile	626-C004	6" Thermoplastic Edge Stripe, Continuous White
1,163	Linear Feet	626-D002	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow

10 Mile	626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
7 Mile	626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
10,132 Linear Feet	626-G002	Thermoplastic Detail Stripe, White
6,253 Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
5,518 Linear Feet	626-H005	Thermoplastic Legend, White
1,105 Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,018 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
112 Each	630-F006	Delineators, Guard Rail, White
66 Linear Feet	907-619-B001	Temporary Portable Rumble Strips

ALTERNATE GROUP AA NUMBER 1

190 Ton	304-F001	3/4" and Down Crushed Stone Base
---------	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

190 Ton	304-F002	Size 610 Crushed Stone Base
---------	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

190 Ton	304-F003	Size 825B Crushed Stone Base
---------	----------	------------------------------

CALL No. 14

Mill & Overlay approximately 13 miles of SR 17 from SR 12 (North of Lexington) to the Carroll County Line, known as State Project No. MP-3017-26(014) / 306960301 in Holmes County.

PROJECT COMPLETION: 43 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

3,200 Ton	304-B002	Granular Material, Class 3, Group D
12,773 Ton	403-A015	9.5-mm, ST, Asphalt Pavement
2,869 Ton	403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
754 Ton	406-A001	Cold Milling of Bituminous Pavement, All Depths
9,675 Gallon	407-A001	Asphalt for Tack Coat
1 Lump Sum	618-A001	Maintenance of Traffic
1 Square Feet	618-B001	Additional Construction Signs
20 Mile	619-A1001	Temporary Traffic Stripe, Continuous White
19 Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
4 Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
100 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
300 Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1 Lump Sum	620-A001	Mobilization
23 Mile	626-B002	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
4 Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
19 Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
1,249 Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
548 Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
872 Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
305 Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,141 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
66 Linear Feet	907-619-B001	Temporary Portable Rumble Strips

CALL No. 15

Overlay approximately 10.7 miles of U.S. 51 from 1.1 Miles N of SR 17 to 0.26 Miles S of Aldy Rd, known as State Project No. MP-3051-26(010) / 307112301 and SR 424 From End Of State Maintenance To U.S. 51, known as State Project No. MP-3302-26(001) / 307112302 in Holmes County.

PROJECT COMPLETION: 68 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

795	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
795	Square Yard	202-B073	Removal of Concrete Pavement, All Depths
100	Cubic Yard	203-G001	Excess Excavation, FM, AH
5,364	Ton	304-B004	Granular Material, Class 5, Group D
220	Ton	403-A006	19-mm, ST, Asphalt Pavement
14,860	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
261	Ton	403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
424	Ton	406-A001	Cold Milling of Bituminous Pavement, All Depths
9,300	Gallon	407-A001	Asphalt for Tack Coat
37,374	Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
22	Mile	423-A001	Rumble Strips, Ground In
3	Each	613-D005	Adjustment of Manhole
1	Lump Sum	618-A001	Maintenance of Traffic
2	Square Feet	618-B001	Additional Construction Signs
24	Mile	619-A1004	Temporary Traffic Stripe, Continuous White, Paint
10	Mile	619-A2004	Temporary Traffic Stripe, Continuous Yellow, Paint
9	Mile	619-A4004	Temporary Traffic Stripe, Skip Yellow, Paint
2,621	Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint
996	Linear Feet	619-A6004	Temporary Traffic Stripe, Legend, Paint
1	Lump Sum	620-A001	Mobilization
24	Mile	626-B002	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
9	Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
10	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
2,067	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White

554	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
2,408	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
206	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,000	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
ALTERNATE GROUP AA NUMBER 1			
216	Ton	304-F001	3/4" and Down Crushed Stone Base
ALTERNATE GROUP AA NUMBER 2			
216	Ton	304-F002	Size 610 Crushed Stone Base
ALTERNATE GROUP AA NUMBER 3			
216	Ton	304-F003	Size 825B Crushed Stone Base
ALTERNATE GROUP BB NUMBER 1			
980	Linear Feet	628-H001	6" High Performance Cold Plastic Traffic Stripe, Continuous White
219	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
761	Linear Feet	628-J001	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
ALTERNATE GROUP BB NUMBER 2			
980	Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
219	Linear Feet	907-624-C001	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow
761	Linear Feet	907-624-D002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

CALL No. 16

Mill & Overlay approximately 14 miles of SR 432 from SR 433 to I-55, known as State Project No. MP-3432-82(005) / 307113301 in Yazoo County.

PROJECT COMPLETION: 41 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

6,714 Ton	304-B004	Granular Material, Class 5, Group D
14,251 Ton	403-A015	9.5-mm, ST, Asphalt Pavement
300 Ton	403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
499 Ton	406-A001	Cold Milling of Bituminous Pavement, All Depths
8,700 Gallon	407-A001	Asphalt for Tack Coat
1 Lump Sum	618-A001	Maintenance of Traffic
1 Square Feet	618-B001	Additional Construction Signs
27 Mile	619-A1004	Temporary Traffic Stripe, Continuous White, Paint
17 Mile	619-A2004	Temporary Traffic Stripe, Continuous Yellow, Paint
7 Mile	619-A4004	Temporary Traffic Stripe, Skip Yellow, Paint
2,165 Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint
309 Linear Feet	619-A6004	Temporary Traffic Stripe, Legend, Paint
1 Lump Sum	620-A001	Mobilization
27 Mile	626-B002	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
7 Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
17 Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
1,687 Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
478 Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
952 Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
201 Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,250 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
66 Linear Feet	907-619-B001	Temporary Portable Rumble Strips
ALTERNATE GROUP AA NUMBER 1		
1,282 Linear Feet	628-H001	6" High Performance Cold Plastic Traffic Stripe, Continuous White
641 Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow

321 Linear Feet 628-J001 6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

ALTERNATE GROUP AA NUMBER 2

1,282 Linear Feet 907-624-B002 6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White

641 Linear Feet 907-624-C001 6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow

321 Linear Feet 907-624-D002 6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

CALL No. 17

Installation of Raised Pavement Markers on Various Routes throughout the District, known as State Project No. MP-5000-00(116) / 307044301 in District 5.

PROJECT COMPLETION: AUGUST 03, 2020

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

1	Lump Sum	618-A001	Maintenance of Traffic
1	Lump Sum	620-A001	Mobilization
8,807	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
11,361	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
27,050	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers

CALL No. 18

Mill & Overlay approximately 3 miles of SR 39 from End of 4-Lane to Kemper County Line, known as State Project No. MP-5039-38(009) / 306927301 in Lauderdale County.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

248	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
16	Cubic Yard	203-G001	Excess Excavation, FM, AH
275	Ton	304-D002	Granular Material, Crushed Stone
40	Ton	310-B001	Size I Stabilizer Aggregate, Coarse
5,674	Ton	403-A002	12.5-mm, MT, Asphalt Pavement
84	Ton	403-B002	12.5-mm, MT, Asphalt Pavement, Leveling
50,430	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
3,783	Gallon	407-A001	Asphalt for Tack Coat
6	Mile	423-A001	Rumble Strips, Ground In
276	Linear Feet	503-C010	Saw Cut, Full Depth
1	Lump Sum	618-A001	Maintenance of Traffic
13	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
18	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
2	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
3,200	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
2,508	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
239	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
116	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
24	Linear Feet	619-G4001	Barricades, Type III, Double Faced
1	Lump Sum	620-A001	Mobilization
7	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
1	Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
6	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
1,200	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
2,000	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow

850	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
217	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
333	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips

CALL No. 19

Mill & Overlay approximately 2 miles of SR 467 from SR 22 to Utica Street in Edwards, known as State Project No. MP-5467-25(005) / 306926301 in Hinds County.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1,094	Square Yard	202-B009	Removal of Asphalt Pavement, Failed Areas
162	Square Yard	202-B069	Removal of Concrete Pavement w/ Variable Depth Overlay
100	Cubic Yard	203-G001	Excess Excavation, FM, AH
150	Cubic Yard	304-E003	Granular Material, LVM, Crushed Stone
4,350	Ton	403-A003	12.5-mm, ST, Asphalt Pavement
500	Ton	403-B003	12.5-mm, ST, Asphalt Pavement, Leveling
36,581	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
3,658	Gallon	407-A001	Asphalt for Tack Coat
5,484	Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
201	Linear Feet	503-B001	Saw Cut, Longitudinal Joints
2,830	Linear Feet	503-C010	Saw Cut, Full Depth
1	Lump Sum	613-A001	Adjustment of Castings, Gratings & Utility Appurtenances
1	Lump Sum	618-A001	Maintenance of Traffic
8	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
12	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
8,400	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
2,400	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
185	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
388	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
24	Linear Feet	619-G4001	Barricades, Type III, Double Faced
1	Lump Sum	620-A001	Mobilization
4	Mile	626-B002	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
4	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
2,800	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
1,400	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow

1,200	Square Feet	626-H001	Thermoplastic Double Drop Legend, White
276	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
222	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
1	Lump Sum	907-899-A001	Railway-Highway Provisions

CALL No. 20

Overlay approximately 4.2 miles of SR 43 from End of 4-lane to SR 603, known as State Project No. MP-6043-23(008) / 306991301 in Hancock County.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

300	Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
1,950	Linear Feet	202-B240	Removal of Traffic Stripe
1,100	Ton	304-F003	Size 825B Crushed Stone Base
5,000	Ton	403-A014	9.5-mm, MT, Asphalt Pavement
1,200	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
4,000	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
4,000	Gallon	407-A001	Asphalt for Tack Coat
4	Mile	423-A001	Rumble Strips, Ground In
226	Linear Feet	606-B003	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
1	Each	606-D013	Guard Rail, Bridge End Section, Type E
1	Each	606-D015	Guard Rail, Bridge End Section, Type F
2	Each	606-E005	Guard Rail, Terminal End Section, Flared
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
14	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
8	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
5	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
1,000	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1	Lump Sum	620-A001	Mobilization
7	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
3	Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
4	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
3,000	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
1,500	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
406	Square Feet	626-H004	Thermoplastic Legend, White

1,200	Linear Feet	626-H005	Thermoplastic Legend, White
300	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
30	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
800	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
20	Each	630-F006	Delineators, Guard Rail, White
3,000	Ton	907-411-A001	Ultra Thin Asphalt Pavement
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
20	Linear Feet	907-637-C009	Traffic Signal Conduit, Underground, Rolled Pipe, 2"
972	Linear Feet	907-640-A001	Vehicle Loop Assemblies

ALTERNATE GROUP AA NUMBER 1

975	Linear Feet	628-H001	6" High Performance Cold Plastic Traffic Stripe, Continuous White
975	Linear Feet	628-J001	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

ALTERNATE GROUP AA NUMBER 2

975	Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
975	Linear Feet	907-624-D002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

CALL No. 21

Mill & Overlay approximately 1 mile of US 49 North & Southbound Lanes from US 90 to 28th Street, known as State Project No. MP-6049-24(022) / 307117301 in Harrison County.

PROJECT COMPLETION: 26 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

10 Cubic Yard	304-H003	Size 825B Crushed Stone Base, LVM
6,000 Ton	403-A001	12.5-mm, HT, Asphalt Pavement
10 Ton	403-A004	19-mm, HT, Asphalt Pavement
50,000 Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
2,500 Gallon	407-A001	Asphalt for Tack Coat
3,000 Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
1 Lump Sum	618-A001	Maintenance of Traffic
10 Square Feet	618-B001	Additional Construction Signs
3 Mile	619-A1001	Temporary Traffic Stripe, Continuous White
2 Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
3 Mile	619-A3001	Temporary Traffic Stripe, Skip White
1,800 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
280 Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1 Lump Sum	620-A001	Mobilization
2 Mile	626-A004	6" Thermoplastic Traffic Stripe, Skip White
2 Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
2 Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
16,600 Linear Feet	626-G002	Thermoplastic Detail Stripe, White
4,000 Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
4,020 Square Feet	626-H004	Thermoplastic Legend, White
17,400 Linear Feet	626-H005	Thermoplastic Legend, White
1,350 Each	627-K001	Red-Clear Reflective High Performance Raised Markers
210 Linear Feet	907-640-A001	Vehicle Loop Assemblies

CALL No. 22

Overlay approximately 3 miles of SR 145 from South end of the Railroad Bridge to North of SR 513 through Quitman, known as State Project No. MP-6145-12(004) / 307114301 in Clarke County.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

540	Square Yard	202-B188	Removal of Pavement, All Types and Depths
4,400	Linear Feet	202-B240	Removal of Traffic Stripe
700	Ton	304-F003	Size 825B Crushed Stone Base
100	Ton	403-A005	19-mm, MT, Asphalt Pavement
2,295	Ton	403-A014	9.5-mm, MT, Asphalt Pavement
17,425	Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
33,600	Gallon	407-A001	Asphalt for Tack Coat
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
6	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
5	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
2	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
5,000	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,000	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
3	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
1	Mile	626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
6	Mile	626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
4,000	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
14,700	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
656	Square Feet	626-H004	Thermoplastic Legend, White
1,000	Linear Feet	626-H005	Thermoplastic Legend, White
750	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
155	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,710	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers

20	Each	630-F006	Delineators, Guard Rail, White
4	Each	630-F007	Delineators, Guard Rail, Yellow
4	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
2	Each	630-G006	Type 3 Object Markers, OM-3R or OM-3L, 2 Markers Per Post, Post Mounted
2,330	Ton	907-411-A001	Ultra Thin Asphalt Pavement
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
2	Each	907-632-B001	Remove and Replace Existing Traffic Signal Cabinet Assembly, Type I Cabinet, Type 1 Controller
2,268	Linear Feet	907-640-A001	Vehicle Loop Assemblies

ALTERNATE GROUP AA NUMBER 1

2,150	Linear Feet	628-H001	6" High Performance Cold Plastic Traffic Stripe, Continuous White
2,150	Linear Feet	628-J001	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

ALTERNATE GROUP AA NUMBER 2

2,150	Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
2,150	Linear Feet	907-624-D002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

CALL No. 23

Level & Overlay approximately 5 miles of SR 198 from US 98 to US 98 in Perry County, & Overlay approximately 2 miles of SR 198 from US 98 to SR 57 through McLain, known as State Project Nos. MP-6198-56(002) / 307115301 & MP-6198-20(005) / 307116301 in Perry & Greene Counties.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

330	Linear Feet	202-B150	Removal of Guard Rail Including Post, Blockouts & Hardware
860	Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
1,315	Square Yard	202-B188	Removal of Pavement, All Types and Depths
750	Linear Feet	202-B240	Removal of Traffic Stripe
2,325	Ton	304-F003	Size 825B Crushed Stone Base
236	Ton	403-A005	19-mm, MT, Asphalt Pavement
14,370	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
15,610	Gallon	407-A001	Asphalt for Tack Coat
7	Mile	423-A001	Rumble Strips, Ground In
180	Linear Feet	606-B002	Guard Rail, Class A, Type 1, 'W' Beam
560	Linear Feet	606-B003	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
12	Each	606-E001	Guard Rail, Terminal End Section
1	Lump Sum	618-A001	Maintenance of Traffic
2	Square Feet	618-B001	Additional Construction Signs
24	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
15	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
7	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
6,320	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
230	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
3,138	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
12	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
4	Mile	626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
11	Mile	626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow

6,960	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
2,400	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
230	Square Feet	626-H004	Thermoplastic Legend, White
3,138	Linear Feet	626-H005	Thermoplastic Legend, White
735	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
40	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
870	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
10	Each	627-P001	Two-Way Blue Reflective High Performance Raised Markers
96	Each	630-F006	Delineators, Guard Rail, White
60	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
9,550	Ton	907-411-A001	Ultra Thin Asphalt Pavement
1,330	Ton	907-411-A001	Ultra Thin Asphalt Pavement Leveling
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
1	Lump Sum	907-899-A001	Railway-Highway Provisions

ALTERNATE GROUP AA NUMBER 1

640	Linear Feet	628-H001	6" High Performance Cold Plastic Traffic Stripe, Continuous White
110	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow

ALTERNATE GROUP AA NUMBER 2

640	Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
110	Linear Feet	907-624-C001	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Contractors may request permission to bid online at <http://shopmdot.ms.gov> at no cost. Upon approval, contractors shall be eligible to submit a bid using Bid Express at <http://bidx.com>. Specimen proposals may be viewed and downloaded online at no cost at <http://mdot.ms.gov> or purchased online at <http://shopmdot.ms.gov> at a cost of Ten Dollars (\$10.00) per proposal plus a small convenience fee. Cash or checks will not be accepted as payment.

Plans must be purchased online at <https://shopmdot.ms.gov>. Costs of plans will be on a cost per sheet basis plus a small convenience fee. You can contact the MDOT Plans Print Shop at Telephone No. (601) 359-7460 or e-mail at plans@mdot.state.ms.us. Plans will be shipped on receipt of payment. Cash or checks will not be accepted as payment.

Bid bond, signed or countersigned by a Mississippi Resident Agent or qualified non-resident agent, with Power of Attorney attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

MELINDA L. MCGRATH, P.E.
EXECUTIVE DIRECTOR