

Proposal & Plan Sales Will Begin on July 6, 2020



**MISSISSIPPI DEPARTMENT OF
TRANSPORTATION**

Notice to Contractors

Letting Date For July - July 28, 2020

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

NOTICE TO CONTRACTORS

LETTING DATE FOR JULY - Tuesday, July 28, 2020

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List is available online at mdot.ms.gov

PROPOSAL AND PLAN SALES WILL BEGIN ON JULY 6, 2020

Proposals must be purchased online at:
<https://shopmdot.ms.gov>
For Information Please Contact:
Contract Administration Division
Jackson, MS
Telephone: (601) 359-7700

Plans must be purchased online at:
<https://shopmdot.ms.gov>
For Information Please Contact:
MDOT Plans Print Shop
Jackson, MS
Telephone: (601) 359-7460
e-mail: plans@mdot.state.ms.us

Electronic bids will be received by the Mississippi Transportation Commission at 10:00 o'clock A.M., Tuesday, July 28, 2020; from the Bid Express Service and shortly thereafter, bids will be publicly read in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

* No plans except Standard Drawings

LIST OF CONTRACTS FOR JULY

CALL	CONTRACT	COUNTY
01	STP-0045-01(016)/108423301	SCOTT
02	IM-0059-01(125)/107825301 & IM-0059-01(126)/107825302	FORREST, LAMAR
* 03	STP-9999-07(375)/108404301 & STP-9999-07(375)/108404302 & STP-9999-07(375)/108404303	JEFFERSON DAVIS, MARION, SIMPSON
* 04	MP-2035-54(004)/307008301	PANOLA
* 05	MP-2330-81(003)/307009301	YALOBUSHA
* 06	MP-6026-66(012)/306994301	STONE
* 07	MP-6043-23(008)/306991301	HANCOCK
08	MP-7051-57(017)/301990301	PIKE

Electronic bids will be received by the Mississippi Transportation Commission at 10:00 o'clock A.M., Tuesday, August 25, 2020; from the Bid Express Service and shortly thereafter, bids will be publicly read in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

* No plans except Standard Drawings

LIST OF CONTRACTS FOR AUGUST

CALL	CONTRACT	COUNTY
01	BR-9371-01(001)/107505301	HARRISON

CALL No. 01

Bridge Repairs on SR 21 over North Canal and Tuscolameta Creek (Bridge Nos. 13.2 & 13.7), known as Federal Aid Project No. STP-0045-01(016) / 108423301 in Scott County.

PROJECT COMPLETION: 143 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

350	Linear Feet	234-F001	Turbidity Barrier
1	Lump Sum	618-A001	Maintenance of Traffic
16	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
128	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
24	Linear Feet	619-G4001	Barricades, Type III, Double Faced
1	Lump Sum	620-A001	Mobilization

Bridge Items

5,708	Ton	815-A007	Loose Riprap, Size 300
4,737	Square Yard	815-E001	Geotextile under Riprap
5,000	Pounds	907-420-A001	Undersealing
810	Linear Feet	907-808-A003	Joint Repair Without Epoxy
243	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
162	Linear Feet	907-823-A002	Preformed Joint Seal, Type II
324	Linear Feet	907-823-B002	Saw Cut, Type II
10	Square Feet	907-824-PP003	Bridge Repair, Epoxy Repair
1	Lump Sum	907-824-PP004	Bridge Repair, Bank Reshaping
13	Each	907-824-PP006	Bridge Repair, Cap Cleaning
12	Each	907-824-PP006	Bridge Repair, Detail A
24	Each	907-824-PP006	Bridge Repair, Detail B Bearing Replacement
12	Each	907-824-PP006	Bridge Repair, Detail C Bearing Replacement
960	Linear Feet	907-824-PP008	Bridge Repair, Class 2 Spray Finish
717	Linear Feet	907-824-PP008	Bridge Repair, Pile Encasement
960	Linear Feet	907-824-PP008	Bridge Repair, Railing Cleaning
1	Lump Sum	907-845-A001	Coating Existing Structural Steel

CALL No. 02

Mill & Overlay approximately 7 miles on I-59 from US 98 East Bypass to the Forrest & Lamar County Line, known as Federal Aid Project No. IM-0059-01(0125) / 107825301 and IM-0059-01(126) / 107825302 in Forrest & Lamar Counties.

PROJECT COMPLETION: 119 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

26	Acre	201-D002	Random Clearing
42	Square Yard	202-B068	Removal of Concrete Pavement Punchouts, 9" Depth
9,540	Linear Feet	202-B136	Removal of Guard Rail
5,670	Linear Feet	202-B240	Removal of Traffic Stripe
3,573	Ton	403-A013	9.5-mm, HT, Asphalt Pavement
13,444	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
31	Mile	403-S001	Joint Sealant
26,760	Ton	405-A001	Stone Matrix Asphalt, 12.5 mm Mixture
20,424	Ton	405-A002	Stone Matrix Asphalt, 9.5 mm Mixture
278,578	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
33,802	Gallon	407-A001	Asphalt for Tack Coat
1,152	Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
30	Mile	423-A001	Rumble Strips, Ground In
36	Linear Feet	501-D001	Expansion Joints, With Dowels
42	Square Yard	503-A003	9" and Variable Reinforced Concrete Pavement, Broom Finish
31	Linear Feet	503-B001	Saw Cut, Longitudinal Joints
48	Linear Feet	503-C010	Saw Cut, Full Depth
2	Cubic Yard	503-D001	Concrete for Base Repair
15	Each	503-E002	Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted
48	Each	503-F002	1" Smooth Dowel Bars, Drilled & Epoxied or Grouted
5,181	Linear Feet	606-B003	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
9	Each	606-C001	Guard Rail, Cable Anchor Type 1, Metal Post
4	Each	606-D005	Guard Rail, Bridge End Section, Type A
4	Each	606-D019	Guard Rail, Bridge End Section, Type H
15	Each	606-D022	Guard Rail, Bridge End Section, Type I

25	Each	606-E005	Guard Rail, Terminal End Section, Flared
2	Each	606-E007	Guard Rail, Terminal End Section, Non-Flared
1,544	Linear Feet	615-A005	Concrete Pier Protection Barrier, 32"
1,578	Linear Feet	615-A007	Concrete Pier Protection Barrier, 54"
1	Lump Sum	618-A001	Maintenance of Traffic
53	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
50	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
46	Mile	619-A3001	Temporary Traffic Stripe, Skip White
72	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
248	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
1,375	Linear Feet	619-F1001	Concrete Median Barrier, Precast
2,775	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
48	Linear Feet	619-G4005	Barricades, Type III, Single Faced
3	Each	619-J1005	Impact Attenuator, 70 MPH
2	Each	619-J2005	Impact Attenuator, 70 MPH, Replacement Package
9	Each	619-J3001	Remove and Reset Impact Attenuator
1	Lump Sum	620-A001	Mobilization
16	Mile	626-A001	6" Thermoplastic Double Drop Traffic Stripe, Skip White
1,529	Linear Feet	626-B001	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
14	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
17	Mile	626-F001	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
20,233	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
154	Square Feet	626-H001	Thermoplastic Double Drop Legend, White
2,729	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
112	Each	630-F006	Delineators, Guard Rail, White
91	Each	630-F007	Delineators, Guard Rail, Yellow
8	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
12,096	Ton	907-402-A002	Open Graded Friction Course, 9.5-mm Mixture
18,326	Gallon	907-402-B001	Bituminous Tack Coat
7,000	Pounds	907-420-A002	Undersealing Concrete Pavement

1 Cubic Yard 907-824-PP007 Bridge Repair, ELASTOMERIC CONCRETE
520 Hours 907-906001 Trainees

ALTERNATE GROUP AA NUMBER 1

7,122 Ton 304-F001 3/4" and Down Crushed Stone Base

ALTERNATE GROUP AA NUMBER 2

7,122 Ton 304-F002 Size 610 Crushed Stone Base

ALTERNATE GROUP AA NUMBER 3

7,122 Ton 304-F003 Size 825B Crushed Stone Base

ALTERNATE GROUP BB NUMBER 1

420 Linear Feet 907-624-A002 6" Inverted Profile Thermoplastic Traffic Stripe, Skip White

2,564 Linear Feet 907-624-B002 6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White

2,488 Linear Feet 907-624-D002 6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

513 Linear Feet 907-624-E001 Inverted Profile Thermoplastic Detail Traffic Stripe, White

ALTERNATE GROUP BB NUMBER 2

420 Linear Feet 628-G001 6" High Performance Cold Plastic Traffic Stripe, Skip White

2,564 Linear Feet 628-H001 6" High Performance Cold Plastic Traffic Stripe, Continuous White

2,488 Linear Feet 628-J001 6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

513 Linear Feet 628-K001 High Performance Cold Plastic Detail Stripe, White

CALL No. 03

Bridge Joint Repairs on Various Routes in District 7, known as Federal Aid Project Nos. STP-9999-07(375) / 108404301, 108404302, & 108404303 in Jefferson Davis, Marion, and Simpson Counties.

PROJECT COMPLETION: 88 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	618-A001	Maintenance of Traffic
3	Square Feet	618-B001	Additional Construction Signs
1	Lump Sum	620-A001	Mobilization
1	Lump Sum	907-899-A001	Railway-Highway Provisions

Bridge Items

830	Linear Feet	202-B169	Removal of Joint Material
88	Linear Feet	907-808-A002	Joint Repair
11,490	Linear Feet	907-808-A003	Joint Repair Without Epoxy
6,100	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
104	Linear Feet	907-823-A002	Preformed Joint Seal, Type II
12,200	Linear Feet	907-823-B001	Saw Cut, Type I
208	Linear Feet	907-823-B002	Saw Cut, Type II
48	Each	907-824-PP006	Bridge Repair, Cap Cleaning
4	Cubic Yard	907-824-PP007	Bridge Repair, Elastomeric Concrete

CALL No. 04

Mill & Overlay approximately 10.7 miles of SR 35 from US 51 to Government Reservoir Boundary, known as State Project No. MP-2035-54(004) / 307008301 in Panola County.

PROJECT COMPLETION: 76 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

573	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
2,656	Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
2,493	Linear Feet	202-B240	Removal of Traffic Stripe
190	Cubic Yard	203-G001	Excess Excavation, FM, AH
9,950	Ton	304-B002	Granular Material, Class 3, Group D
400	Ton	403-A006	19-mm, ST, Asphalt Pavement
16,800	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
9,810	Ton	403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
14,700	Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
36,250	Gallon	407-A001	Asphalt for Tack Coat
390	Linear Feet	503-C010	Saw Cut, Full Depth
1,768	Linear Feet	606-B002	Guard Rail, Class A, Type 1, 'W' Beam
16	Each	606-D019	Guard Rail, Bridge End Section, Type H
16	Each	606-E001	Guard Rail, Terminal End Section
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
42	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
13	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
20	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
14,227	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,050	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
2,326	Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White
22	Mile	626-C004	6" Thermoplastic Edge Stripe, Continuous White
1,163	Linear Feet	626-D002	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow

10 Mile	626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
7 Mile	626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
10,132 Linear Feet	626-G002	Thermoplastic Detail Stripe, White
6,253 Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
5,518 Linear Feet	626-H005	Thermoplastic Legend, White
1,105 Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,018 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
112 Each	630-F006	Delineators, Guard Rail, White
66 Linear Feet	907-619-B001	Temporary Portable Rumble Strips

ALTERNATE GROUP AA NUMBER 1

190 Ton	304-F001	3/4" and Down Crushed Stone Base
---------	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

190 Ton	304-F002	Size 610 Crushed Stone Base
---------	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

190 Ton	304-F003	Size 825B Crushed Stone Base
---------	----------	------------------------------

CALL No. 05

Full Depth Reclamation & Overlay of approximately 5 miles of SR 330 beginning at I-55, East to the Whitten Plant Research Facility, known as State Project No. MP-2330-81(003) / 307009301 in Yalobusha County.

PROJECT COMPLETION: 75 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

2,325 Ton	304-B002	Granular Material, Class 3, Group D
6,425 Ton	403-A015	9.5-mm, ST, Asphalt Pavement
5,200 Ton	403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
1,900 Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
11,200 Gallon	407-A001	Asphalt for Tack Coat
31,300 Gallon	410-A002	Asphalt for Surface Treatment, Grade CRS-2P
560 Cubic Yard	410-B004	Seal Aggregate Cover Material, Size 89, Limestone
1 Lump Sum	618-A001	Maintenance of Traffic
1 Square Feet	618-B001	Additional Construction Signs
20 Mile	619-A1001	Temporary Traffic Stripe, Continuous White
14 Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
6 Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
5,000 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1 Lump Sum	620-A001	Mobilization
10 Mile	626-C004	6" Thermoplastic Edge Stripe, Continuous White
3 Mile	626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
7 Mile	626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
1,450 Linear Feet	626-G002	Thermoplastic Detail Stripe, White
1,050 Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
880 Linear Feet	626-H005	Thermoplastic Legend, White
32 Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
475 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1 Lump Sum	699-A001	Roadway Construction Stakes
70,933 Square Yard	907-424-A001	Roadbed Reclamation with Cement
1,350 Ton	907-424-B001	Cement

2 Each

907-619-E3001 Changeable Message Sign

CALL No. 06

Overlay approximately 11 miles of SR 26 from the Pearl River County Line East to Fairgrounds Street, known as State Project No. MP-6026-66(012) / 306994301 in Stone County.

PROJECT COMPLETION: 91 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

485	Station	201-D001	Random Clearing
2,440	Linear Feet	202-B240	Removal of Traffic Stripe
89	Cubic Yard	206-A001	Structure Excavation
450	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
2,900	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
11,100	Gallon	407-A001	Asphalt for Tack Coat
22	Mile	423-A001	Rumble Strips, Ground In
31	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
72	Linear Feet	603-CA012	18" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
32	Linear Feet	603-CA027	24" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
44	Linear Feet	603-CA041	30" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
48	Linear Feet	603-CA056	36" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
8	Linear Feet	603-CA067	42" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
18	Each	603-CB003	18" Reinforced Concrete End Section
8	Each	603-CB004	24" Reinforced Concrete End Section
11	Each	603-CB005	30" Reinforced Concrete End Section
12	Each	603-CB006	36" Reinforced Concrete End Section
2	Each	603-CB007	42" Reinforced Concrete End Section
1	Lump Sum	618-A001	Maintenance of Traffic
10	Square Feet	618-B001	Additional Construction Signs
44	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
30	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
9	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
1,300	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
28	Each	619-F3001	Delineators, Guard Rail, White

1	Lump Sum	620-A001	Mobilization
22	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
9	Mile	626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
8	Mile	626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
2,720	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
2,725	Linear Feet	626-H005	Thermoplastic Legend, White
155	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,000	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
64	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
14,800	Ton	907-411-A001	Ultra Thin Asphalt Pavement
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
ALTERNATE GROUP AA NUMBER 1			
7,400	Ton	304-F001	3/4" and Down Crushed Stone Base
ALTERNATE GROUP AA NUMBER 2			
7,400	Ton	304-F002	Size 610 Crushed Stone Base
ALTERNATE GROUP AA NUMBER 3			
7,400	Ton	304-F003	Size 825B Crushed Stone Base
ALTERNATE GROUP BB NUMBER 1			
1,220	Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
1,220	Linear Feet	907-624-D002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow
ALTERNATE GROUP BB NUMBER 2			
1,220	Linear Feet	628-H001	6" High Performance Cold Plastic Traffic Stripe, Continuous White
1,220	Linear Feet	628-J001	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

CALL No. 07

Overlay approximately 4 miles of SR 43 from End of 4-lane to SR 603, known as State Project No. MP-6043-23(008) / 306991301 in Hancock County.

PROJECT COMPLETION: 27 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

14	Linear Feet	202-B153	Removal of Guard Rail, Double Faced Rail Including Hardware, Post & Rail
300	Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
1,950	Linear Feet	202-B240	Removal of Traffic Stripe
5,000	Ton	403-A014	9.5-mm, MT, Asphalt Pavement
1,200	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
4,000	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
4,000	Gallon	407-A001	Asphalt for Tack Coat
4	Mile	423-A001	Rumble Strips, Ground In
226	Linear Feet	606-B003	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
1	Each	606-D013	Guard Rail, Bridge End Section, Type E
1	Each	606-D015	Guard Rail, Bridge End Section, Type F
2	Each	606-E005	Guard Rail, Terminal End Section, Flared
1	Lump Sum	618-A001	Maintenance of Traffic
10	Square Feet	618-B001	Additional Construction Signs
14	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
8	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
5	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
1,000	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1	Lump Sum	620-A001	Mobilization
7	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
3	Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
4	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
3,000	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
1,500	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
406	Square Feet	626-H004	Thermoplastic Legend, White

1,200	Linear Feet	626-H005	Thermoplastic Legend, White
300	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
30	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
800	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
20	Each	630-F006	Delineators, Guard Rail, White
14	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
3,000	Ton	907-411-A001	Ultra Thin Asphalt Pavement
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
2	Each	907-637-A001	Pullbox Enclosure, Type 1
20	Linear Feet	907-637-C009	Traffic Signal Conduit, Underground, Rolled Pipe, 2"
20	Linear Feet	907-637-C017	Traffic Signal Conduit, Underground, Type 1, 2"
972	Linear Feet	907-640-A001	Vehicle Loop Assemblies

ALTERNATE GROUP AA NUMBER 1

975	Linear Feet	628-H001	6" High Performance Cold Plastic Traffic Stripe, Continuous White
975	Linear Feet	628-J001	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

ALTERNATE GROUP AA NUMBER 2

975	Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
975	Linear Feet	907-624-D002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

ALTERNATE GROUP BB NUMBER 1

1,100	Ton	304-F001	3/4" and Down Crushed Stone Base
-------	-----	----------	----------------------------------

ALTERNATE GROUP BB NUMBER 2

1,100	Ton	304-F002	Size 610 Crushed Stone Base
-------	-----	----------	-----------------------------

ALTERNATE GROUP BB NUMBER 3

1,100	Ton	304-F003	Size 825B Crushed Stone Base
-------	-----	----------	------------------------------

CALL No. 08

Traffic Signal Installation and Mill & Overlay approximately 5 miles of US 51 from Junction US 98E N to Junction US 98 W, known as State Project No. MP-7051-57(017) / 301990301 in Pike County.

PROJECT COMPLETION: JUNE 25, 2021

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

519	Linear Feet	202-B240	Removal of Traffic Stripe
488	Cubic Yard	304-A011	Granular Material, LVM, Class 9, Group C
9,811	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
150	Ton	403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
118,925	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
8,919	Gallon	407-A001	Asphalt for Tack Coat
10	Each	613-D006	Adjustment of Manhole Cover and Water Valve
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
16	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
18	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
10	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
41,483	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
3,242	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
15,580	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
8	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
5	Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
9	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
299	Linear Feet	626-G001	Thermoplastic Detail Stripe, Blue-ADA
11,623	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
17,271	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
1,621	Square Feet	626-H004	Thermoplastic Legend, White
15,208	Linear Feet	626-H005	Thermoplastic Legend, White
1,665	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers

43	Each	627-P001	Two-Way Blue Reflective High Performance Raised Markers
16	Each	635-A059	Traffic Signal Head, Type 1
2	Each	635-A070	Traffic Signal Head, Type 3
6	Each	635-A076	Traffic Signal Head, Type 6
1	Each	635-A078	Traffic Signal Head, Type 7
1	Each	635-A079	Traffic Signal Head, Type 7R
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
7	Each	907-626-H001	Thermoplastic Legend, Blue-ADA Handicap Symbol
1	Each	907-632-A004	Solid State Traffic Cabinet Assembly, Type II Cabinet, Type 1 Controller
3	Each	907-632-D001	Solid State Traffic Actuated Controller, Type 1
3	Each	907-634-G001	Traffic Signal Equipment Pole Mast Arm Extension 15' Camera Arm
400	Linear Feet	907-636-C009	Electric Cable, Aerial Supported, IMSA 20-1, AWG 14, 8 Conductor
5	Each	907-637-A002	Pullbox Enclosure, Type 2
310	Linear Feet	907-637-D002	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2"
15	Each	907-643-A004	Video Vehicle Detection Sensor, Type 1A
1,270	Linear Feet	907-643-B001	Video Vehicle Detection Cable
6	Each	907-645-A001	Standard Pedestrian Detection Assembly
ALTERNATE GROUP AA NUMBER 1			
346	Linear Feet	907-624-B003	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White, High Contrast
173	Linear Feet	907-624-D001	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow, High Contrast
ALTERNATE GROUP AA NUMBER 2			
346	Linear Feet	628-H001	6" High Performance Cold Plastic Traffic Stripe, Continuous White
173	Linear Feet	628-J001	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

CALL No. 01

Bascule Bridge Rehabilitation on SR 605 over Industrial Waterway (Bridge No. 3.5), known as Federal Aid Project No. BR-9371-01(001) / 107505301 in Harrison County.

PROJECT COMPLETION: 344 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

288	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
288	Square Yard	202-B013	Removal of Base
324	Linear Feet	202-B050	Removal of Concrete Combination Curb & Gutter
2	Mile	202-B241	Removal of Traffic Stripe
96	Cubic Yard	203-EX017	Borrow Excavation, AH, FME, Class B7
1	Ton	213-C001	Superphosphate
216	Square Yard	216-A001	Solid Sodding
4	Thousand Gallon	219-A001	Watering
4	Each	230-B022	Tree Planting, Crape Myrtle
95	Ton	403-A005	19-mm, MT, Asphalt Pavement
17	Gallon	407-A001	Asphalt for Tack Coat
10	Linear Feet	503-C010	Saw Cut, Full Depth
324	Linear Feet	609-D008	Combination Concrete Curb and Gutter Type 3A
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
10,194	Linear Feet	619-A1007	Temporary Traffic Stripe, Continuous White, Type 1 or 2 Tape
10,112	Linear Feet	619-A2008	Temporary Traffic Stripe, Continuous Yellow, Type 1 or 2 Tape
40	Each	619-C6001	Red-Clear Reflective High Performance Raised Marker
220	Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
2	Each	619-E1001	Flashing Arrow Panel, Type C
2,182	Linear Feet	619-F1001	Concrete Median Barrier, Precast
160	Linear Feet	619-F1002	Portable Median Barrier
1,881	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
160	Linear Feet	619-F2002	Remove and Reset Portable Median Barrier

228	Linear Feet	619-G4005	Barricades, Type III, Single Faced
87	Each	619-G5001	Free Standing Plastic Drums
20	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	619-H1001	Traffic Signals
2	Each	619-J1001	Impact Attenuator, 40 MPH
1	Each	619-J2001	Impact Attenuator, 40 MPH, Replacement Package
2	Each	619-J3001	Remove and Reset Impact Attenuator
1	Lump Sum	620-A001	Mobilization
3,109	Linear Feet	626-A002	6" Thermoplastic Double Drop Traffic Stripe, Skip White
3,078	Linear Feet	626-B001	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
3,018	Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White
923	Linear Feet	626-D002	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
1,562	Linear Feet	626-E002	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
1,306	Linear Feet	626-F002	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
814	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
300	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
280	Square Feet	626-H001	Thermoplastic Double Drop Legend, White
165	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
116	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
108	Square Feet	628-L002	High Performance Cold Plastic Legend, White
20	Each	907-619-E3001	Changeable Message Sign
720	Hours	907-906001	Trainees
ALTERNATE GROUP AA NUMBER 1			
130	Ton	304-F001	3/4" and Down Crushed Stone Base
ALTERNATE GROUP AA NUMBER 2			
130	Ton	304-F002	Size 610 Crushed Stone Base
ALTERNATE GROUP AA NUMBER 3			
130	Ton	304-F003	Size 825B Crushed Stone Base
ALTERNATE GROUP BB NUMBER 1			
2,867	Linear Feet	907-624-A002	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White
5,733	Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White

2,867 Linear Feet 907-624-D002 6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

ALTERNATE GROUP BB NUMBER 2

2,867 Linear Feet 628-G001 6" High Performance Cold Plastic Traffic Stripe, Skip White

5,733 Linear Feet 628-H001 6" High Performance Cold Plastic Traffic Stripe, Continuous White

2,867 Linear Feet 628-J001 6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

Bridge Items

500 Linear Feet 413-C001 Cleaning and Sealing Cracks

2,543 Pounds 602-A001 Reinforcing Steel

78 Linear Feet 607-B035 96" Type I Chain Link Fence, Class I

342 Linear Feet 803-C003 16" x 16" Prestressed Concrete Piling

5,618 Pounds 810-A006 Structural Steel, A 709, Grade 50

16 Square Feet 812-A001 Steel Grid Floor, Open Type

1 Lump Sum 814-A001 Painting of Metal Structures

1 Lump Sum 907-258-PP006 Building Amenities,

16 Cubic Yard 907-804-A002 Bridge Concrete, Class AA

1 Lump Sum 907-824-PP004 Bridge Repair, Add Generator Access

1 Lump Sum 907-824-PP004 Bridge Repair, Bird Deterrent

1 Lump Sum 907-824-PP004 Bridge Repair, Concrete Repair

1 Lump Sum 907-824-PP004 Bridge Repair, Fender System

1 Lump Sum 907-824-PP004 Bridge Repair, Remove & Replace Live Load Uplift Bearings

1 Lump Sum 907-824-PP004 Bridge Repair, Remove & Replace Warning Gates

1 Lump Sum 907-824-PP004 Bridge Repair, Steel Crack Repair

1 Lump Sum 907-850-A001 Mechanical Work

1 Lump Sum 907-851-A001 Span Balancing

1 Lump Sum 907-853-A001 Electrical Work

1 Lump Sum 907-854-A001 Electrical Service

1 Lump Sum 907-855-A001 Auxiliary Electrical Equipment

1 Lump Sum 907-856-A001 Control Console

1 Lump Sum 907-857-A001 Motor Control Center

1 Lump Sum 907-858-A001 PLC Cabinet and Programming

1	Lump Sum	907-859-A001	Span Drives and Motors
1	Lump Sum	907-860-A001	Limits and Sensors
1	Lump Sum	907-861-A001	Submarine Cables
1	Lump Sum	907-862-A001	Lightning and Surge Protection
1	Lump Sum	907-863-A001	Training, Manuals, and Spare Parts

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Contractors may request permission to bid online at <http://shopmdot.ms.gov> at no cost. Upon approval, contractors shall be eligible to submit a bid using Bid Express at <http://bidx.com>. Specimen proposals may be viewed and downloaded online at no cost at <http://mdot.ms.gov> or purchased online at <http://shopmdot.ms.gov> at a cost of Ten Dollars (\$10.00) per proposal plus a small convenience fee. Cash or checks will not be accepted as payment.

Plans must be purchased online at <https://shopmdot.ms.gov>. Costs of plans will be on a cost per sheet basis plus a small convenience fee. You can contact the MDOT Plans Print Shop at Telephone No. (601) 359-7460 or e-mail at plans@mdot.state.ms.us. Plans will be shipped on receipt of payment. Cash or checks will not be accepted as payment.

Bid bond, signed or countersigned by a Mississippi Resident Agent or qualified non-resident agent, with Power of Attorney attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

MELINDA L. MCGRATH, P.E.
EXECUTIVE DIRECTOR