

## SECTION 905 -- PROPOSAL (CONTINUED)

I (We) hereby certify by digital signature and electronic submission via Bid Express of the Section 905 proposal below, that all certifications, disclosures and affidavits incorporated herein are deemed to be duly executed in the aggregate, fully enforceable and binding upon delivery of the bid proposal. I (We) further acknowledge that this certification shall not extend to the bid bond or alternate security which must be separately executed for the benefit of the Commission. This signature does not cure deficiencies in any required certifications, disclosures and/or affidavits. I (We) also acknowledge the right of the Commission to require full and final execution on any certification, disclosure or affidavit contained in the proposal at the Commission's election upon award. Failure to so execute at the Commission's request within the time allowed in the Standard Specifications for execution of all contract documents will result in forfeiture of the bid bond or alternate security.

Bidder acknowledges receipt of and has added to and made a part of the proposal and contract documents the following addendum (addenda):

ADDENDUM NO.	<u>  1  </u>	DATED	<u>  10/7/2020  </u>	ADDENDUM NO.	_____	DATED	_____
ADDENDUM NO.	_____	DATED	_____	ADDENDUM NO.	_____	DATED	_____
ADDENDUM NO.	_____	DATED	_____	ADDENDUM NO.	_____	DATED	_____

Number	Description
1	Revised Table of Contents; Added NTB No. 2732; Revised Bid Items; Amendment EBSx Download Required.

TOTAL ADDENDA:   1    
 (Must agree with total addenda issued prior to opening of bids)

Respectfully Submitted,

DATE \_\_\_\_\_

\_\_\_\_\_  
 Contractor

BY \_\_\_\_\_  
 Signature

TITLE \_\_\_\_\_

ADDRESS \_\_\_\_\_

CITY, STATE, ZIP \_\_\_\_\_

PHONE \_\_\_\_\_

FAX \_\_\_\_\_

E-MAIL \_\_\_\_\_

(To be filled in if a corporation)

Our corporation is chartered under the Laws of the State of \_\_\_\_\_ and the names, titles and business addresses of the executives are as follows:

_____ President	_____ Address
_____ Secretary	_____ Address
_____ Treasurer	_____ Address

The following is my (our) itemized proposal.

STP-0026-01(080)/ 101649302000

Neshoba County(ies)

Revised 01/26/2016

**MISSISSIPPI DEPARTMENT OF TRANSPORTATION  
TABLE OF CONTENTS**

**PROJECT: STP-0026-01(080)/101649302 - Neshoba**

Section 901 - Advertisement

Section 904 - Notice to Bidders

#1	Governing Specification
#2	Status of ROW, w/ Attachments
#3	Final Cleanup
#4	National Emission Standards for Hazardous Air Pollutants (NESHAP) Asbestos
# 6	Storm Water Discharge Associated with Construction Activity (> 5 Acres)
#9	Federal Bridge Formula
#113	Tack Coat
#114	Right-of-Way Plat
#296	Reduced Speed Limit Signs
#445	Mississippi Agent or Qualified Nonresident Agent
#446	Traffic on Milled Surface in Urban Areas
#516	Errata and Modifications to the 2017 Standard Specifications
#757	Additional Erosion Control Requirements
#977	DUNS Requirement For Federal Funded Projects
#1226	Material Storage Under Bridges
#1241	Fuel and Material Adjustments
#1434	Erosion Control Plan
#2172	App for Storm Water Reports
#2206	MASH Compliant Devices
#2207	Reflective Sheeting for Signs
#2273	Mississippi Special Fuel Tax Law
#2611	Disadvantaged Business Enterprise In Federal-Aid Highway Construction, w/ Supplement
#2672	Stream Crossings
#2725	Contract Time
#2726	Specialty Items
#2727	Placement of Fill Material in Federally Regulated Areas
#2728	Restricted Area
#2729	Removal of Obstructions
#2730	Substitution for Jacked or Bored Concrete Pipe
#2731	Underground Utilities
#2732	Disturbed Area
#2782	DBE Pre-Bid Meeting

906	Required Federal Contract Provisions -- FHWA 1273, w/Supplements
-----	--

Section 907 - Special Provisions

907-102-2	Bidding Requirements and Conditions
907-107-2	Contractor's Erosion Control Plan
907-109-1	Measurement and Payment
907-253-1	Coir Fiber Baffle
907-701-2	Hydraulic Cement

**PROJECT: STP-0026-01(080)/101649302 - Neshoba**

907-702-4	Bituminous Materials
907-703-1	Gradation
907-705-1	Stone Riprap
907-707-2	Joint Material
907-708-3	Reinforced Concrete Pipe
907-711-2	Plain Steel Wire
907-720-2	Acceptance Procedure for Glass Beads
907-721-2	Materials for Signs

Section 905 - Proposal, Proposal Bid Items, Combination Bid Proposal

Certification of Performance - Prior Federal-Aid Contracts

Certification Regarding Non-Collusion, Debarment and Suspension

SAM.GOV Registration and DUNS Number

Section 902 - Contract Form

Section 903 - Contract Bond Forms

Form -- OCR-485

(REVISIONS TO THE ABOVE WILL BE INDICATED ON THE SECOND SHEET  
OF SECTION 905 AS ADDENDA)

10/07/2020 01:26 PM

## MISSISSIPPI DEPARTMENT OF TRANSPORTATION

**SECTION 904 - NOTICE TO BIDDERS NO. 2732**

**CODE: (SP)**

**DATE: 10/7/2020**

**SUBJECT: Disturbed Area**

**PROJECT: STP-0026-01(080) / 101649302 – Neshoba County**

Bidders are advised of Notice to Bidders No. 757 and Special Provision No. 907-107-2 that limit the maximum total acreage that can be disturbed at one time to 19 acres. However, if the Contractor provides a schedule for earthwork activity by means of a haul-mass diagram, narrative description of the phasing for the haul-mass diagram (including proposed acreages for each phase that includes anticipated locations for multiple crews) and any proposed commitments to help maintain embankment stability during each phase, the expansion of the 19-acre limit will be considered for a maximum disturbed acreage of no more than sixty (60) acres. A written request with supporting documentation shall be submitted to the Project Engineer who will review the request before submitting it to Construction Division for approval. MDOT reserves the right to decrease the acreage requested by the Contractor based on the Contractor's erosion control performance and the complexity of the project.

Time associated with the submittal, review, and approval/denial of this change will run concurrent with the 60 days set aside in Special Provision No. 907-107-2 for the approval of the Contractor's Erosion Control Plan.

Grade, Pave 2 Lanes of SR 19 from Tucker to Philadelphia, known as Federal Aid Project No. STP-0026-01(080) / 101649302 in Neshoba County.

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
<b>Roadway Items</b>					
0010	201-A001		1	Lump Sum	Clearing and Grubbing
0020	201-B001		6	Acre	Clearing and Grubbing
0030	202-A001		1	Lump Sum	Removal of Obstructions
0040	202-B004		10,536	Square Yard	Removal of Asphalt Driveways, All Depths
0050	202-B007		48,565	Square Yard	Removal of Asphalt Pavement, All Depths
0060	202-B009		838	Square Yard	Removal of Asphalt Pavement, Failed Areas
0070	202-B018		9	Each	Removal of Box Culvert
0080	202-B052		2,873	Square Yard	Removal of Concrete Driveways, All Depths
0090	202-B080		86	Square Yard	Removal of Concrete Sidewalk
0100	202-B088		1,842	Linear Feet	Removal of Curb & Gutter, All Types
0110	202-B125		3	Each	Removal of Fence Gate, All Types, All Sizes
0120	202-B126		27,113	Linear Feet	Removal of Fence, All Types
0130	202-B158		469	Linear Feet	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
0140	202-B164		8	Each	Removal of Inlet and Junction Box, All Types & Sizes
0150	202-B168		306	Square Yard	Removal of Island Pavement, All Types
0160	202-B191		4,637	Linear Feet	Removal of Pipe, 8" And Above
0170	202-B215		46	Each	Removal of Sign Including Post & Footing
0180	202-B240		7,700	Linear Feet	Removal of Traffic Stripe
0190	203-A001	(E)	581,501	Cubic Yard	Unclassified Excavation, FM, AH
0200	203-D002	(E)	1,000	Cubic Yard	Muck Excavation, LVM
0210	203-EX008	(E)	5,308	Cubic Yard	Borrow Excavation, AH, FME, Class B15
0220	203-EX010	(E)	206,839	Cubic Yard	Borrow Excavation, AH, FME, Class B17
0230	203-G001	(E)	16,936	Cubic Yard	Excess Excavation, FM, AH
0240	206-A001	(S)	25,667	Cubic Yard	Structure Excavation
0250	206-B001	(E)	1,070	Cubic Yard	Select Material for Undercuts, Contractor Furnished, FM
0260	209-A005		49,122	Square Yard	Geotextile Stabilization, Type V, Non-Woven
0270	211-B001	(E)	32,947	Cubic Yard	Topsoil for Slope Treatment, Contractor Furnished
0280	213-C001		62	Ton	Superphosphate
0290	216-A001		9,049	Square Yard	Solid Sodding
0300	217-A001		8,135	Square Yard	Ditch Liner
0310	219-A001		181	Thousand Gallon	Watering [\$20.00]
0320	221-A001	(S)	1,199	Cubic Yard	Concrete Paved Ditch
0330	223-A001		738	Acre	Mowing [\$50.00]

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
0340	224-A001		9,052	Square Yard	Soil Reinforcing Mat
0350	225-A001		123	Acre	Grassing
0360	225-B001		62	Ton	Agricultural Limestone
0370	225-C001		246	Ton	Mulch, Vegetative Mulch
0380	226-A001		123	Acre	Temporary Grassing
0390	234-A001		101,643	Linear Feet	Temporary Silt Fence
0400	234-C001		8,000	Linear Feet	Super Silt Fence
0410	234-D001		30	Each	Inlet Siltation Guard
0420	234-E001		30	Each	Reset Inlet Siltation Guard
0430	236-A008		8	Each	Silt Basin, Type D
0440	237-A002		8,800	Linear Feet	Wattles, 20"
0450	239-A001		4,650	Linear Feet	Temporary Slope Drains
0460	245-A001		3,800	Linear Feet	Silt Dike
0470	246-B002		4,700	Linear Feet	Rockbags
0480	247-A001		21	Each	Temporary Stream Diversion
0490	249-A001		6,000	Ton	Riprap for Erosion Control
0500	249-B001		2,000	Cubic Yard	Remove and Reset Riprap
0510	304-A011	(GY)	70,580	Cubic Yard	Granular Material, LVM, Class 9, Group C
0520	304-D002	(GT)	38,230	Ton	Granular Material, Crushed Stone
0530	307-B003	(M)	110,161	Square Yard	6" Soil-Lime-Water Mixing, Class B
0540	307-D001		1,488	Ton	Lime
0550	307-S001	(A3)	27,541	Gallon	Bituminous Curing Seal
0560	308-A001		2,883	Ton	Cement
0570	308-B002	(M)	110,161	Square Yard	Soil-Cement-Water Mixing, Optional Mixers, Base
0580	308-B003	(M)	167,669	Square Yard	Soil-Cement-Water Mixing, Optional Mixers, Design Soil
0590	308-S001	(A3)	69,459	Gallon	Bituminous Curing Seal
0600	403-A002	(BA1)	20,980	Ton	12.5-mm, MT, Asphalt Pavement
0610	403-A005	(BA1)	31,282	Ton	19-mm, MT, Asphalt Pavement
0620	403-A014	(BA1)	18,165	Ton	9.5-mm, MT, Asphalt Pavement
0630	403-B002	(BA1)	566	Ton	12.5-mm, MT, Asphalt Pavement, Leveling
0640	403-C002	(BA1)	562	Ton	19-mm, MT, Asphalt Pavement, Trench Widening
0650	406-D001		42,499	Square Yard	Fine Milling of Bituminous Pavement, All Depths
0660	407-A001	(A2)	30,302	Gallon	Asphalt for Tack Coat

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
0670	423-A001		13	Mile	Rumble Strips, Ground In
0680	503-C010		10,130	Linear Feet	Saw Cut, Full Depth
0690	601-A001	(S)	4,637	Cubic Yard	Class "B" Structural Concrete
0700	601-B001	(S)	66	Cubic Yard	Class "B" Structural Concrete, Minor Structures
0710	602-A001	(S)	820,208	Pounds	Reinforcing Steel
0720	603-ALT003	(S)	3,384	Linear Feet	18" Type A Alternate Pipe
0730	603-ALT005	(S)	336	Linear Feet	22" x 13" Type A Alternate Pipe
0740	603-ALT006	(S)	472	Linear Feet	24" Type A Alternate Pipe
0750	603-ALT008	(S)	40	Linear Feet	29" x 18" Type A Alternate Pipe
0760	603-ALT009	(S)	160	Linear Feet	30" Type A Alternate Pipe
0770	603-ALT011	(S)	72	Linear Feet	36" Type A Alternate Pipe
0780	603-ALT013	(S)	128	Linear Feet	36" x 23" Type A Alternate Pipe
0790	603-ALT014	(S)	72	Linear Feet	42" Type A Alternate Pipe
0800	603-ALT016	(S)	272	Linear Feet	48" Type A Alternate Pipe
0810	603-CA011	(S)	1,104	Linear Feet	18" Reinforced Concrete Pipe, Class III
0820	603-CA014	(S)	320	Linear Feet	18" Reinforced Concrete Pipe, Class IV, Class B Bedding
0830	603-CA019	(S)	40	Linear Feet	18" Reinforced Concrete Pipe, Class V
0840	603-CA022	(S)	104	Linear Feet	18" Reinforced Concrete Pipe, Class V, Jacked or Bored
0850	603-CA026	(S)	2,056	Linear Feet	24" Reinforced Concrete Pipe, Class III
0860	603-CA040	(S)	1,264	Linear Feet	30" Reinforced Concrete Pipe, Class III
0870	603-CA055	(S)	704	Linear Feet	36" Reinforced Concrete Pipe, Class III
0880	603-CA072	(S)	192	Linear Feet	42" Reinforced Concrete Pipe, Class V
0890	603-CA075	(S)	120	Linear Feet	42" Reinforced Concrete Pipe, Class V, Jacked or Bored
0900	603-CA094	(S)	208	Linear Feet	54" Reinforced Concrete Pipe, Class V
0910	603-CA097	(S)	176	Linear Feet	54" Reinforced Concrete Pipe, Class V, Jacked or Bored
0920	603-CB003	(S)	14	Each	18" Reinforced Concrete End Section
0930	603-CB004	(S)	28	Each	24" Reinforced Concrete End Section
0940	603-CB005	(S)	10	Each	30" Reinforced Concrete End Section
0950	603-CB006	(S)	8	Each	36" Reinforced Concrete End Section
0960	603-CB007	(S)	2	Each	42" Reinforced Concrete End Section
0970	603-CB009	(S)	2	Each	54" Reinforced Concrete End Section
0980	603-CE002	(S)	48	Linear Feet	22" x 13" Concrete Arch Pipe, Class A III
0990	603-CE008	(S)	496	Linear Feet	29" x 18" Concrete Arch Pipe, Class A III
1000	603-CE013	(S)	336	Linear Feet	36" x 23" Concrete Arch Pipe, Class A III

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
1010	603-CE018	(S)	360	Linear Feet	44" x 27" Concrete Arch Pipe, Class A III
1020	603-CE023	(S)	328	Linear Feet	51" x 31" Concrete Arch Pipe, Class A III
1030	603-CE028	(S)	112	Linear Feet	58" x 36" Concrete Arch Pipe, Class A III
1040	603-CE034	(S)	216	Linear Feet	65" x 40" Concrete Arch Pipe, Class A III
1050	603-CE039	(S)	264	Linear Feet	73" x 45" Concrete Arch Pipe, Class A III
1060	603-CF002	(S)	4	Each	22" x 13" Concrete Arch Pipe End Section
1070	603-CF003	(S)	10	Each	29" x 18" Concrete Arch Pipe End Section
1080	603-CF004	(S)	7	Each	36" x 23" Concrete Arch Pipe End Section
1090	603-CF005	(S)	5	Each	44" x 27" Concrete Arch Pipe End Section
1100	603-CF006	(S)	3	Each	51" x 31" Concrete Arch Pipe End Section
1110	603-CF007	(S)	2	Each	58" x 36" Concrete Arch Pipe End Section
1120	603-CF008	(S)	1	Each	65" x 40" Concrete Arch Pipe End Section
1130	603-CF009	(S)	1	Each	73" x 45" Concrete Arch Pipe End Section
1140	603-SB027	(S)	1	Each	24" Branch Connections, Stub into Box Bridge
1150	603-SB028	(S)	2	Each	24" Branch Connections, Stub into Box Culvert
1160	603-SB035	(S)	1	Each	30" Branch Connections, Stub into Box Bridge
1170	604-B001		8,450	Pounds	Gratings
1180	605-AA002	(S)	380	Square Yard	Geotextile for Subsurface Drainage, Type V
1190	605-T001	(S)	500	Linear Feet	4" Perforated Pipe for Underdrains
1200	605-U001	(S)	150	Linear Feet	4" Non-perforated Pipe for Underdrains
1210	605-W001	(GY)	35	Cubic Yard	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
1220	605-W002	(GY)	35	Cubic Yard	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
1230	609-D003	(S)	539	Linear Feet	Combination Concrete Curb and Gutter Type 2
1240	609-D004	(S)	6,559	Linear Feet	Combination Concrete Curb and Gutter Type 2 Modified
1250	609-D008	(S)	263	Linear Feet	Combination Concrete Curb and Gutter Type 3A
1260	612-B001		119	Cubic Yard	Flowable Fill, Non-Excavatable
1270	614-B001	(S)	1,970	Square Yard	Concrete Driveway, With Reinforcement
1280	616-A001	(S)	149	Square Yard	Concrete Median and/or Island Pavement, 10-inch
1290	616-A004	(S)	1,603	Square Yard	Concrete Median and/or Island Pavement, 4-inch
1300	617-A001		324	Each	Right-of-Way Marker
1310	618-A001		1	Lump Sum	Maintenance of Traffic
1320	619-A1004		19	Mile	Temporary Traffic Stripe, Continuous White, Paint
1330	619-A2004		21	Mile	Temporary Traffic Stripe, Continuous Yellow, Paint



Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
1340	619-A3001		9	Mile	Temporary Traffic Stripe, Skip White
1350	619-A5002		70,136	Linear Feet	Temporary Traffic Stripe, Detail, Paint
1360	619-A6004		3,124	Linear Feet	Temporary Traffic Stripe, Legend, Paint
1370	619-C7001		376	Each	Two-Way Yellow Reflective High Performance Raised Marker
1380	619-D1001		873	Square Feet	Standard Roadside Construction Signs, Less than 10 Square Feet
1390	619-D2001		1,670	Square Feet	Standard Roadside Construction Signs, 10 Square Feet or More
1400	619-E1001		4	Each	Flashing Arrow Panel, Type C
1410	619-F1001		400	Linear Feet	Concrete Median Barrier, Precast
1420	619-F2001		400	Linear Feet	Remove and Reset Concrete Median Barrier, Precast
1430	619-G4001		2,250	Linear Feet	Barricades, Type III, Double Faced
1440	619-G4003		130	Linear Feet	Barricades, Type III, Double Faced, Permanent, Red/White
1450	619-G5001		1,000	Each	Free Standing Plastic Drums
1460	619-G7001		6	Each	Warning Lights, Type "B"
1470	619-J1002		4	Each	Impact Attenuator, 45 MPH
1480	619-J2002		4	Each	Impact Attenuator, 45 MPH, Replacement Package
1490	619-J3001		4	Each	Remove and Reset Impact Attenuator
1500	620-A001		1	Lump Sum	Mobilization
1510	621-A001		1	Each	Field Laboratory
1520	626-A001		9	Mile	6" Thermoplastic Double Drop Traffic Stripe, Skip White
1530	626-C002		8	Mile	6" Thermoplastic Double Drop Edge Stripe, Continuous White
1540	626-E001		4	Mile	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
1550	626-F001		6	Mile	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
1560	626-G004		49,998	Linear Feet	Thermoplastic Double Drop Detail Stripe, White
1570	626-G005		23,292	Linear Feet	Thermoplastic Double Drop Detail Stripe, Yellow
1580	626-H001		2,405	Square Feet	Thermoplastic Double Drop Legend, White
1590	626-H002		2,548	Linear Feet	Thermoplastic Double Drop Legend, White
1600	627-J001		545	Each	Two-Way Clear Reflective High Performance Raised Markers
1610	627-K001		1,345	Each	Red-Clear Reflective High Performance Raised Markers
1620	627-L001		929	Each	Two-Way Yellow Reflective High Performance Raised Markers
1630	630-A001		318	Square Feet	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
1640	630-A003		581	Square Feet	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
1650	630-A005		297	Square Feet	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
1660	630-C003		1,110	Linear Feet	Steel U-Section Posts, 3.0 lb/ft
1670	630-E004		766	Pounds	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
1680	630-F002		44	Each	Delineators, Flexible Post Mounted, Crossover, Type I, Yellow
1690	630-K003		548	Linear Feet	Welded & Seamless Steel Pipe Posts, 4"
1700	699-A001		1	Lump Sum	Roadway Construction Stakes
1710	815-A002	(S)	6,470	Ton	Loose Riprap, Size 100
1720	815-A007	(S)	4,048	Ton	Loose Riprap, Size 300
1730	815-E001	(S)	9,704	Square Yard	Geotextile under Riprap
1740	815-F002	(S)	1,303	Ton	Sediment Control Stone
1750	907-253-A001		942	Linear Feet	Coir Fiber Baffle
<b>ALTERNATE GROUP AA NUMBER 1</b>					
1760	304-F001	(GT)	25,554	Ton	3/4" and Down Crushed Stone Base
<b>ALTERNATE GROUP AA NUMBER 2</b>					
1770	304-F002	(GT)	25,554	Ton	Size 610 Crushed Stone Base
<b>ALTERNATE GROUP AA NUMBER 3</b>					
1780	304-F003	(GT)	25,554	Ton	Size 825B Crushed Stone Base