

Proposal & Plan Sales Will Begin on October 5, 2020



**MISSISSIPPI DEPARTMENT OF
TRANSPORTATION**

Notice to Contractors

Letting Date For October - October 27, 2020

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

NOTICE TO CONTRACTORS

LETTING DATE FOR OCTOBER - Tuesday, October 27, 2020

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List is available online at mdot.ms.gov

PROPOSAL AND PLAN SALES WILL BEGIN ON OCTOBER 5, 2020

Proposals must be purchased online at:
<https://shopmdot.ms.gov>
For Information Please Contact:
Contract Administration Division
Jackson, MS
Telephone: (601) 359-7700

Plans must be purchased online at:
<https://shopmdot.ms.gov>
For Information Please Contact:
MDOT Plans Print Shop
Jackson, MS
Telephone: (601) 359-7460
e-mail: plans@mdot.state.ms.us

Electronic bids will be received by the Mississippi Transportation Commission at 10:00 o'clock A.M., Tuesday, October 27, 2020; from the Bid Express Service and shortly thereafter, bids will be publicly read in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

* No plans except Standard Drawings

LIST OF CONTRACTS FOR OCTOBER

CALL	CONTRACT	COUNTY
01	STP-0026-01(080)/101649302	NESHOBA
02	STP-0019-02(059) /102168306	LAFAYETTE
03	ER-0041-02(025)/108518301	CARROLL
* 04	NH-0072-03(024)/107767301	YAZOO
* 05	SP-5021-35(002)/108577301	KEMPER
06	SP-7589-16(002)/108572301	COVINGTON

CALL No. 01

Grade, Pave 2 Lanes of SR 19 from Tucker to Philadelphia, known as Federal Aid Project No. STP-0026-01(080) / 101649302 in Neshoba County.

PROJECT COMPLETION: OCTOBER 02, 2023

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

1	Lump Sum	201-A001	Clearing and Grubbing
6	Acre	201-B001	Clearing and Grubbing
1	Lump Sum	202-A001	Removal of Obstructions
10,536	Square Yard	202-B004	Removal of Asphalt Driveways, All Depths
48,565	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
838	Square Yard	202-B009	Removal of Asphalt Pavement, Failed Areas
9	Each	202-B018	Removal of Box Culvert
2,873	Square Yard	202-B052	Removal of Concrete Driveways, All Depths
86	Square Yard	202-B080	Removal of Concrete Sidewalk
1,842	Linear Feet	202-B088	Removal of Curb & Gutter, All Types
3	Each	202-B125	Removal of Fence Gate, All Types, All Sizes
27,113	Linear Feet	202-B126	Removal of Fence, All Types
469	Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
8	Each	202-B164	Removal of Inlet and Junction Box, All Types & Sizes
306	Square Yard	202-B168	Removal of Island Pavement, All Types
4,637	Linear Feet	202-B191	Removal of Pipe, 8" And Above
46	Each	202-B215	Removal of Sign Including Post & Footing
7,700	Linear Feet	202-B240	Removal of Traffic Stripe
581,501	Cubic Yard	203-A001	Unclassified Excavation, FM, AH
1,000	Cubic Yard	203-D002	Muck Excavation, LVM
5,308	Cubic Yard	203-EX008	Borrow Excavation, AH, FME, Class B15
206,839	Cubic Yard	203-EX010	Borrow Excavation, AH, FME, Class B17
16,936	Cubic Yard	203-G001	Excess Excavation, FM, AH
25,667	Cubic Yard	206-A001	Structure Excavation

1,070	Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
49,122	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
32,947	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
62	Ton	213-C001	Superphosphate
9,049	Square Yard	216-A001	Solid Sodding
8,135	Square Yard	217-A001	Ditch Liner
181	Thousand Gallon	219-A001	Watering
1,199	Cubic Yard	221-A001	Concrete Paved Ditch
738	Acre	223-A001	Mowing
9,052	Square Yard	224-A001	Soil Reinforcing Mat
123	Acre	225-A001	Grassing
62	Ton	225-B001	Agricultural Limestone
246	Ton	225-C001	Mulch, Vegetative Mulch
123	Acre	226-A001	Temporary Grassing
101,643	Linear Feet	234-A001	Temporary Silt Fence
8,000	Linear Feet	234-C001	Super Silt Fence
30	Each	234-D001	Inlet Siltation Guard
30	Each	234-E001	Reset Inlet Siltation Guard
8	Each	236-A008	Silt Basin, Type D
8,800	Linear Feet	237-A002	Wattles, 20"
4,650	Linear Feet	239-A001	Temporary Slope Drains
3,800	Linear Feet	245-A001	Silt Dike
4,700	Linear Feet	246-B002	Rockbags
12	Each	247-A001	Temporary Stream Diversion
6,000	Ton	249-A001	Riprap for Erosion Control
2,000	Cubic Yard	249-B001	Remove and Reset Riprap
70,580	Cubic Yard	304-A011	Granular Material, LVM, Class 9, Group C
38,230	Ton	304-D002	Granular Material, Crushed Stone
110,161	Square Yard	307-B003	6" Soil-Lime-Water Mixing, Class B
1,488	Ton	307-D001	Lime

27,541	Gallon	307-S001	Bituminous Curing Seal
2,883	Ton	308-A001	Cement
110,161	Square Yard	308-B002	Soil-Cement-Water Mixing, Optional Mixers, Base
167,669	Square Yard	308-B003	Soil-Cement-Water Mixing, Optional Mixers, Design Soil
69,459	Gallon	308-S001	Bituminous Curing Seal
20,980	Ton	403-A002	12.5-mm, MT, Asphalt Pavement
31,282	Ton	403-A005	19-mm, MT, Asphalt Pavement
18,165	Ton	403-A014	9.5-mm, MT, Asphalt Pavement
566	Ton	403-B002	12.5-mm, MT, Asphalt Pavement, Leveling
562	Ton	403-C002	19-mm, MT, Asphalt Pavement, Trench Widening
42,499	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
30,302	Gallon	407-A001	Asphalt for Tack Coat
13	Mile	423-A001	Rumble Strips, Ground In
10,130	Linear Feet	503-C010	Saw Cut, Full Depth
4,637	Cubic Yard	601-A001	Class "B" Structural Concrete
66	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
820,208	Pounds	602-A001	Reinforcing Steel
3,384	Linear Feet	603-ALT003	18" Type A Alternate Pipe
336	Linear Feet	603-ALT005	22" x 13" Type A Alternate Pipe
472	Linear Feet	603-ALT006	24" Type A Alternate Pipe
40	Linear Feet	603-ALT008	29" x 18" Type A Alternate Pipe
160	Linear Feet	603-ALT009	30" Type A Alternate Pipe
72	Linear Feet	603-ALT011	36" Type A Alternate Pipe
128	Linear Feet	603-ALT013	36" x 23" Type A Alternate Pipe
72	Linear Feet	603-ALT014	42" Type A Alternate Pipe
272	Linear Feet	603-ALT016	48" Type A Alternate Pipe
1,104	Linear Feet	603-CA011	18" Reinforced Concrete Pipe, Class III
320	Linear Feet	603-CA014	18" Reinforced Concrete Pipe, Class IV, Class B Bedding
40	Linear Feet	603-CA019	18" Reinforced Concrete Pipe, Class V
104	Linear Feet	603-CA022	18" Reinforced Concrete Pipe, Class V, Jacked or Bored

2,056	Linear Feet	603-CA026	24" Reinforced Concrete Pipe, Class III
1,264	Linear Feet	603-CA040	30" Reinforced Concrete Pipe, Class III
704	Linear Feet	603-CA055	36" Reinforced Concrete Pipe, Class III
192	Linear Feet	603-CA072	42" Reinforced Concrete Pipe, Class V
120	Linear Feet	603-CA075	42" Reinforced Concrete Pipe, Class V, Jacked or Bored
208	Linear Feet	603-CA094	54" Reinforced Concrete Pipe, Class V
176	Linear Feet	603-CA097	54" Reinforced Concrete Pipe, Class V, Jacked or Bored
14	Each	603-CB003	18" Reinforced Concrete End Section
28	Each	603-CB004	24" Reinforced Concrete End Section
10	Each	603-CB005	30" Reinforced Concrete End Section
8	Each	603-CB006	36" Reinforced Concrete End Section
2	Each	603-CB007	42" Reinforced Concrete End Section
2	Each	603-CB009	54" Reinforced Concrete End Section
48	Linear Feet	603-CE002	22" x 13" Concrete Arch Pipe, Class A III
496	Linear Feet	603-CE008	29" x 18" Concrete Arch Pipe, Class A III
336	Linear Feet	603-CE013	36" x 23" Concrete Arch Pipe, Class A III
360	Linear Feet	603-CE018	44" x 27" Concrete Arch Pipe, Class A III
328	Linear Feet	603-CE023	51" x 31" Concrete Arch Pipe, Class A III
112	Linear Feet	603-CE028	58" x 36" Concrete Arch Pipe, Class A III
216	Linear Feet	603-CE034	65" x 40" Concrete Arch Pipe, Class A III
264	Linear Feet	603-CE039	73" x 45" Concrete Arch Pipe, Class A III
4	Each	603-CF002	22" x 13" Concrete Arch Pipe End Section
10	Each	603-CF003	29" x 18" Concrete Arch Pipe End Section
7	Each	603-CF004	36" x 23" Concrete Arch Pipe End Section
5	Each	603-CF005	44" x 27" Concrete Arch Pipe End Section
3	Each	603-CF006	51" x 31" Concrete Arch Pipe End Section
2	Each	603-CF007	58" x 36" Concrete Arch Pipe End Section
1	Each	603-CF008	65" x 40" Concrete Arch Pipe End Section
1	Each	603-CF009	73" x 45" Concrete Arch Pipe End Section
1	Each	603-SB027	24" Branch Connections, Stub into Box Bridge

2	Each	603-SB028	24" Branch Connections, Stub into Box Culvert
1	Each	603-SB035	30" Branch Connections, Stub into Box Bridge
8,450	Pounds	604-B001	Gratings
380	Square Yard	605-AA002	Geotextile for Subsurface Drainage, Type V
500	Linear Feet	605-T001	4" Perforated Pipe for Underdrains
150	Linear Feet	605-U001	4" Non-perforated Pipe for Underdrains
35	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
35	Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
539	Linear Feet	609-D003	Combination Concrete Curb and Gutter Type 2
6,559	Linear Feet	609-D004	Combination Concrete Curb and Gutter Type 2 Modified
263	Linear Feet	609-D008	Combination Concrete Curb and Gutter Type 3A
119	Cubic Yard	612-B001	Flowable Fill, Non-Excavatable
1,970	Square Yard	614-B001	Concrete Driveway, With Reinforcement
149	Square Yard	616-A001	Concrete Median and/or Island Pavement, 10-inch
1,603	Square Yard	616-A004	Concrete Median and/or Island Pavement, 4-inch
324	Each	617-A001	Right-of-Way Marker
1	Lump Sum	618-A001	Maintenance of Traffic
19	Mile	619-A1004	Temporary Traffic Stripe, Continuous White, Paint
21	Mile	619-A2004	Temporary Traffic Stripe, Continuous Yellow, Paint
9	Mile	619-A3001	Temporary Traffic Stripe, Skip White
70,136	Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint
3,124	Linear Feet	619-A6004	Temporary Traffic Stripe, Legend, Paint
376	Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
873	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
1,670	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
4	Each	619-E1001	Flashing Arrow Panel, Type C
400	Linear Feet	619-F1001	Concrete Median Barrier, Precast
400	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
2,250	Linear Feet	619-G4001	Barricades, Type III, Double Faced

130	Linear Feet	619-G4003	Barricades, Type III, Double Faced, Permanent, Red/White
1,000	Each	619-G5001	Free Standing Plastic Drums
6	Each	619-G7001	Warning Lights, Type "B"
4	Each	619-J1002	Impact Attenuator, 45 MPH
4	Each	619-J2002	Impact Attenuator, 45 MPH, Replacement Package
4	Each	619-J3001	Remove and Reset Impact Attenuator
1	Lump Sum	620-A001	Mobilization
1	Each	621-A001	Field Laboratory
9	Mile	626-A001	6" Thermoplastic Double Drop Traffic Stripe, Skip White
8	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
4	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
6	Mile	626-F001	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
49,998	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
23,292	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
2,405	Square Feet	626-H001	Thermoplastic Double Drop Legend, White
2,548	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
545	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,345	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
929	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
318	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
581	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
297	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
1,110	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
766	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
44	Each	630-F002	Delineators, Flexible Post Mounted, Crossover, Type I, Yellow
548	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
1	Lump Sum	699-A001	Roadway Construction Stakes
6,470	Ton	815-A002	Loose Riprap, Size 100
4,048	Ton	815-A007	Loose Riprap, Size 300
9,704	Square Yard	815-E001	Geotextile under Riprap

1,303 Ton 815-F002 Sediment Control Stone

942 Linear Feet 907-253-A001 Coir Fiber Baffle

ALTERNATE GROUP AA NUMBER 1

25,554 Ton 304-F001 3/4" and Down Crushed Stone Base

ALTERNATE GROUP AA NUMBER 2

25,554 Ton 304-F002 Size 610 Crushed Stone Base

ALTERNATE GROUP AA NUMBER 3

25,554 Ton 304-F003 Size 825B Crushed Stone Base

CALL No. 02

Intersection Improvements on SR 7 at South Lamar, known as Federal Aid Project No. STP-0019-02(059) / 102168306 in Lafayette County.

PROJECT COMPLETION: 87 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

12 Acre	201-B001	Clearing and Grubbing
1,168 Square Yard	202-B004	Removal of Asphalt Driveways, All Depths
1,767 Square Yard	202-B006	Removal of Asphalt Paved Shoulders, All Depths
3,449 Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
33 Linear Feet	202-B019	Removal of Box Culvert
622 Linear Feet	202-B050	Removal of Concrete Combination Curb & Gutter
453 Square Yard	202-B052	Removal of Concrete Driveways, All Depths
1,045 Square Yard	202-B063	Removal of Concrete Paved Ditch
2 Each	202-B129	Removal of Flared End Section, All Sizes
539 Linear Feet	202-B191	Removal of Pipe, 8" And Above
16 Each	202-B215	Removal of Sign Including Post & Footing
7,397 Linear Feet	202-B240	Removal of Traffic Stripe
25,764 Cubic Yard	203-A001	Unclassified Excavation, FM, AH
17,123 Cubic Yard	203-G001	Excess Excavation, FM, AH
733 Cubic Yard	206-A001	Structure Excavation
18,720 Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
3,291 Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
5 Ton	213-C001	Superphosphate
1,567 Square Yard	216-A001	Solid Sodding
153 Square Yard	217-A001	Ditch Liner
32 Thousand Gallon	219-A001	Watering
4 Acre	220-A001	Insect Pest Control
241 Cubic Yard	221-A001	Concrete Paved Ditch
14 Acre	223-A001	Mowing
1,219 Square Yard	224-A001	Soil Reinforcing Mat

14 Acre	225-A001	Grassing
24 Ton	225-B001	Agricultural Limestone
16 Ton	225-C001	Mulch, Vegetative Mulch
14 Acre	226-A001	Temporary Grassing
8,950 Linear Feet	234-A001	Temporary Silt Fence
3 Each	236-A008	Silt Basin, Type D
9,500 Linear Feet	237-A002	Wattles, 20"
240 Linear Feet	245-A001	Silt Dike
1,232 Each	246-B001	Rockbags
63 Ton	249-A001	Riprap for Erosion Control
32 Cubic Yard	249-B001	Remove and Reset Riprap
11,200 Ton	304-B002	Granular Material, Class 3, Group D
965 Ton	403-A002	12.5-mm, MT, Asphalt Pavement
672 Ton	403-A003	12.5-mm, ST, Asphalt Pavement
1,042 Ton	403-A005	19-mm, MT, Asphalt Pavement
1,885 Ton	403-A006	19-mm, ST, Asphalt Pavement
1,256 Ton	403-A014	9.5-mm, MT, Asphalt Pavement
560 Ton	403-A015	9.5-mm, ST, Asphalt Pavement
274 Ton	403-B005	19-mm, MT, Asphalt Pavement, Leveling
100 Ton	403-B011	9.5-mm, MT, Asphalt Pavement, Leveling
23 Ton	403-C003	19-mm, ST, Asphalt Pavement, Trench Widening
7,974 Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
3,225 Gallon	407-A001	Asphalt for Tack Coat
1 Mile	423-A001	Rumble Strips, Ground In
3,279 Linear Feet	503-C010	Saw Cut, Full Depth
3 Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
32 Linear Feet	603-ALT003	18" Type A Alternate Pipe
128 Linear Feet	603-ALT006	24" Type A Alternate Pipe
224 Linear Feet	603-ALT009	30" Type A Alternate Pipe
16 Linear Feet	603-CA011	18" Reinforced Concrete Pipe, Class III

84	Linear Feet	603-CA040	30" Reinforced Concrete Pipe, Class III
1	Each	603-CB003	18" Reinforced Concrete End Section
4	Each	603-CB005	30" Reinforced Concrete End Section
232	Linear Feet	603-CE013	36" x 23" Concrete Arch Pipe, Class A III
64	Linear Feet	603-CE028	58" x 36" Concrete Arch Pipe, Class A III
4	Each	603-CF004	36" x 23" Concrete Arch Pipe End Section
2	Each	603-CF007	58" x 36" Concrete Arch Pipe End Section
290	Linear Feet	609-D001	Combination Concrete Curb and Gutter Type 1
1,630	Linear Feet	609-D003	Combination Concrete Curb and Gutter Type 2
3	Cubic Yard	612-A001	Flowable Fill, Excavatable
104	Square Yard	614-A001	Concrete Driveway, Without Reinforcement
57	Square Yard	616-A001	Concrete Median and/or Island Pavement, 10-inch
261	Square Yard	616-A004	Concrete Median and/or Island Pavement, 4-inch
40	Each	617-A001	Right-of-Way Marker
1	Lump Sum	618-A001	Maintenance of Traffic
4	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
4	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
3,593	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
439	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
504	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
32	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
678	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
2,500	Linear Feet	619-F1001	Concrete Median Barrier, Precast
24	Linear Feet	619-G4001	Barricades, Type III, Double Faced
192	Linear Feet	619-G4005	Barricades, Type III, Single Faced
48	Each	619-G5001	Free Standing Plastic Drums
8	Each	619-G7001	Warning Lights, Type "B"
1	Each	619-J1002	Impact Attenuator, 45 MPH
1	Each	619-J2002	Impact Attenuator, 45 MPH, Replacement Package

1	Lump Sum	620-A001	Mobilization
1	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
1	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
8,497	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
8,552	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
416	Square Feet	626-H004	Thermoplastic Legend, White
460	Linear Feet	626-H005	Thermoplastic Legend, White
56	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
380	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
103	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
138	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
352	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
35	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
29	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
1	Lump Sum	699-A001	Roadway Construction Stakes
739	Ton	815-A007	Loose Riprap, Size 300
38	Square Yard	815-E001	Geotextile under Riprap
140	Ton	815-F002	Sediment Control Stone
583	Linear Feet	907-253-A001	Coir Fiber Baffle
4	Each	907-619-E3001	Changeable Message Sign

ALTERNATE GROUP AA NUMBER 1

8,350	Ton	304-F001	3/4" and Down Crushed Stone Base
-------	-----	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

8,350	Ton	304-F002	Size 610 Crushed Stone Base
-------	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

8,350	Ton	304-F003	Size 825B Crushed Stone Base
-------	-----	----------	------------------------------

CALL No. 03

Slide Repair on SR 17 approximately 12 miles South of US 82, known as Federal Aid Project No. ER-0041-02(025) / 108518301 in Carroll County.

PROJECT COMPLETION: 25 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1 Lump Sum	201-A001	Clearing and Grubbing
1 Lump Sum	202-A001	Removal of Obstructions
975 Cubic Yard	203-A001	Unclassified Excavation, FM, AH
5,500 Cubic Yard	203-EX021	Borrow Excavation, AH, FME, Class B9-6
3,800 Cubic Yard	203-G001	Excess Excavation, FM, AH
1,000 Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
445 Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
1 Acre	220-A001	Insect Pest Control
1 Acre	223-A001	Mowing
3,975 Square Yard	224-A001	Soil Reinforcing Mat
3 Ton	225-B001	Agricultural Limestone
1 Acre	227-A001	Hydroseeding
350 Linear Feet	234-A001	Temporary Silt Fence
350 Linear Feet	237-A002	Wattles, 20"
50 Ton	304-B002	Granular Material, Class 3, Group D
100 Ton	403-A003	12.5-mm, ST, Asphalt Pavement
150 Ton	403-A006	19-mm, ST, Asphalt Pavement
100 Gallon	407-A001	Asphalt for Tack Coat
1 Lump Sum	618-A001	Maintenance of Traffic
1 Square Feet	618-B001	Additional Construction Signs
1 Lump Sum	620-A001	Mobilization
500 Linear Feet	626-C003	6" Thermoplastic Edge Stripe, Continuous White
500 Linear Feet	626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
1 Lump Sum	699-A001	Roadway Construction Stakes
4 Each	907-619-E3001	Changeable Message Sign

ALTERNATE GROUP AA NUMBER 1

350 Ton 304-F001 3/4" and Down Crushed Stone Base

ALTERNATE GROUP AA NUMBER 2

350 Ton 304-F002 Size 610 Crushed Stone Base

ALTERNATE GROUP AA NUMBER 3

350 Ton 304-F003 Size 825B Crushed Stone Base

CALL No. 04

Mill & Overlay approximately 4.5 miles of US 49W from US 49 to Carter Road, known as Federal Aid Project No. NH-0072-03(024) / 107767301 in Yazoo County.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

490 Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
80 Linear Feet	202-B060	Removal of Concrete Median Barrier
470 Linear Feet	202-B136	Removal of Guard Rail
30 Square Yard	202-B201	Removal of Reinforced Concrete Pavement, 9" & Variable Depth
24,500 Linear Feet	202-B240	Removal of Traffic Stripe
80 Cubic Yard	203-G001	Excess Excavation, FM, AH
9,200 Ton	304-B004	Granular Material, Class 5, Group D
525 Ton	403-A005	19-mm, MT, Asphalt Pavement
16,000 Ton	403-A014	9.5-mm, MT, Asphalt Pavement
1,000 Ton	403-A015	9.5-mm, ST, Asphalt Pavement
3,000 Ton	406-A001	Cold Milling of Bituminous Pavement, All Depths
9,700 Gallon	407-A001	Asphalt for Tack Coat
1,080 Square Feet	412-A001	Pre-Grinding
13 Mile	423-A001	Rumble Strips, Ground In
350 Linear Feet	606-B002	Guard Rail, Class A, Type 1, 'W' Beam
2 Each	606-D001	Guard Rail, Bridge End Section
2 Each	606-E001	Guard Rail, Terminal End Section
205 Linear Feet	615-A009	Concrete Type I Cast-in-Place Median Barrier
1 Lump Sum	618-A001	Maintenance of Traffic
1 Square Feet	618-B001	Additional Construction Signs
12 Mile	619-A1001	Temporary Traffic Stripe, Continuous White
12 Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
8 Mile	619-A3001	Temporary Traffic Stripe, Skip White
12,000 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail White
2,000 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail Yellow

300	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
24	Linear Feet	619-G4008	Barricades, Type III, Single Faced, Red/White
50	Each	619-G5001	Free Standing Plastic Drums
25	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
8	Mile	626-A001	6" Thermoplastic Double Drop Traffic Stripe, Skip White
12	Mile	626-B002	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
12	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
18,000	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
11,500	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
500	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
80	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,500	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
200	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
20	Each	630-F002	Delineators, Flexible Post Mounted, Crossover, Type I, Yellow
14	Each	630-F006	Delineators, Guard Rail, White
2	Each	630-G007	Type 3 Object Markers, OM-3R, Post Mounted
1	Lump Sum	699-A001	Roadway Construction Stakes
1,300	Gallon	907-410-C005	Asphalt for Fog Seal, Grade LD-7 or CHPF-1
2,000	Square Yard	907-424-A001	Roadbed Reclamation with Cement
35	Ton	907-424-B001	Cement
2	Each	907-619-E3001	Changeable Message Sign
ALTERNATE GROUP AA NUMBER 1			
80	Cubic Yard	304-G001	Size 3/4" and Down Crushed Stone Base, AEA
ALTERNATE GROUP AA NUMBER 2			
80	Cubic Yard	304-G002	Size 610 Crushed Stone Base, AEA
ALTERNATE GROUP AA NUMBER 3			
80	Cubic Yard	304-G003	Size 825B Crushed Stone Base, AEA
ALTERNATE GROUP BB NUMBER 1			
8,000	Linear Feet	907-624-A002	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White
11,200	Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White

11,200 Linear Feet 907-624-D002 6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

ALTERNATE GROUP BB NUMBER 2

8,000 Linear Feet 628-G001 6" High Performance Cold Plastic Traffic Stripe, Skip White

11,200 Linear Feet 628-H001 6" High Performance Cold Plastic Traffic Stripe, Continuous White

11,200 Linear Feet 628-J001 6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

CALL No. 05

Scrub Seal and Overlay approximately 5.6 miles of SR 21 from the Neshoba County Line to SR 397, known as State Project No. SP-5021-35(002) / 108577301 in Kemper County.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1,301	Square Yard	202-B009	Removal of Asphalt Pavement, Failed Areas
100	Cubic Yard	203-G002	Excess Excavation, LVM, AH
2,450	Ton	304-D002	Granular Material, Crushed Stone
11,250	Ton	403-A003	12.5-mm, ST, Asphalt Pavement
289	Ton	403-B003	12.5-mm, ST, Asphalt Pavement, Leveling
7,150	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
9,320	Gallon	407-A001	Asphalt for Tack Coat
2,110	Linear Feet	503-C010	Saw Cut, Full Depth
1	Lump Sum	618-A001	Maintenance of Traffic
44	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
44	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
4	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
5,600	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,000	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
240	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
180	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
24	Linear Feet	619-G4001	Barricades, Type III, Double Faced
1	Lump Sum	620-A001	Mobilization
11	Mile	626-B002	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
1	Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
11	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
2,200	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
600	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
500	Square Feet	626-H001	Thermoplastic Double Drop Legend, White
170	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers

760 Each	627-L001 Two-Way Yellow Reflective High Performance Raised Markers
78,950 Square Yard	907-414-A001 Scrub Seal
774 Gallon	907-414-B001 Asphalt for Fog Seal
66 Linear Feet	907-619-B001 Temporary Portable Rumble Strips

CALL No. 06

Overlay approximately 11 miles of SR 589 from the Lamar County Line to US 49, known as State Project No. SP-7589-16(002)/108572301 in Covington County.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1,723	Linear Feet	202-B240	Removal of Traffic Stripe
134	Cubic Yard	203-G002	Excess Excavation, LVM, AH
4,838	Cubic Yard	304-A008	Granular Material, LVM, Class 6, Group D
43	Ton	403-A006	19-mm, ST, Asphalt Pavement
9,832	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
3,056	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
26,061	Gallon	407-A001	Asphalt for Tack Coat
288	Square Feet	412-A001	Pre-Grinding
20	Mile	423-A001	Rumble Strips, Ground In
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
50	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
23	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
20	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
3,603	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,275	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
20	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
11	Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
7	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
2,259	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
1,344	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
1,915	Linear Feet	626-H005	Thermoplastic Legend, White
384	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
938	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers

4,791 Ton 907-411-A001 Ultra Thin Asphalt Pavement

66 Linear Feet 907-619-B001 Temporary Portable Rumble Strips

ALTERNATE GROUP AA NUMBER 1

1,060 Linear Feet 907-624-B003 6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White, High Contrast

530 Linear Feet 907-624-C001 6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow

530 Linear Feet 907-624-D001 6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow, High Contrast

ALTERNATE GROUP AA NUMBER 2

1,060 Linear Feet 628-H001 6" High Performance Cold Plastic Traffic Stripe, Continuous White

530 Linear Feet 628-I002 6" High Performance Cold Plastic Traffic Stripe, Skip Yellow

530 Linear Feet 628-J001 6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Contractors may request permission to bid online at <http://shopmdot.ms.gov> at no cost. Upon approval, contractors shall be eligible to submit a bid using Bid Express at <http://bidx.com>. Specimen proposals may be viewed and downloaded online at no cost at <http://mdot.ms.gov> or purchased online at <http://shopmdot.ms.gov> at a cost of Ten Dollars (\$10.00) per proposal plus a small convenience fee. Cash or checks will not be accepted as payment.

Plans must be purchased online at <https://shopmdot.ms.gov>. Costs of plans will be on a cost per sheet basis plus a small convenience fee. You can contact the MDOT Plans Print Shop at Telephone No. (601) 359-7460 or e-mail at plans@mdot.state.ms.us. Plans will be shipped on receipt of payment. Cash or checks will not be accepted as payment.

Bid bond, signed or countersigned by a Mississippi Resident Agent or qualified non-resident agent, with Power of Attorney attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

MELINDA L. MCGRATH, P.E.
EXECUTIVE DIRECTOR