Proposal & Plan Sales Will Begin on February 1, 2021



MISSISSIPPI DEPARTMENT OF TRANSPORTATION

Notice to Contractors

Letting Date For February - February 23, 2021

MISSISSIPPI DEPARTMENT OF TRANSPORTATION NOTICE TO CONTRACTORS LETTING DATE FOR FEBRUARY - Tuesday, February 23, 2021

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List is available online at mdot.ms.gov

PROPOSAL AND PLAN SALES WILL BEGIN ON FEBRUARY 1, 2021

Proposals must be purchased online at: https://shopmdot.ms.gov For Information Please Contact: Contract Administration Division Jackson, MS Telephone: (601) 359-7700

Plans must be purchased online at: https://shopmdot.ms.gov For Information Please Contact: MDOT Plans Print Shop Jackson, MS Telephone: (601) 359-7460 e-mail: plans@mdot.state.ms.us

Electronic bids will be received by the Mississippi Transportation Commission at 10:00 o'clock A.M., Tuesday, February 23, 2021; from the Bid Express Service and shortly thereafter, bids will be publicly read in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

* No plans except Standard Drawings

| | | LIST OF CONTRACTS FOR FEBRUARY | | | | | | |
|---|------|---|------------|--|--|--|--|--|
| | CALL | CONTRACT | COUNTY | | | | | |
| * | 01 | NH-0002-03(094)/108175301 | LAUDERDALE | | | | | |
| | 02 | STP-0008-02(116)/107731301 & HSIP-0008- 02(120)/1077313011 | COVINGTON | | | | | |
| * | 03 | NHPP-0008-04(071)/108502301 | YAZOO | | | | | |
| | 04 | BR-0014-02(069)/106787301 | MARION | | | | | |
| * | 05 | NH-0017-01(015)/108252301 | PANOLA | | | | | |
| * | 06 | HSIP-0023-01(088)/108426301 | LAMAR | | | | | |
| * | 07 | STP-0041-02(024)/108251301 | CARROLL | | | | | |
| * | 08 | IM-0069-04(003)/108582301 & IM-0069- 04(004)/108583301 | DESOTO | | | | | |
| | 09 | NHPP-0055-04(110)/108458301 | PANOLA | | | | | |
| | 10 | NHPP-0472-00(019)/108283301 | NEWTON | | | | | |
| * | 11 | STP-2904-00(017)/107629301 | SCOTT | | | | | |
| | 12 | NHPP-9515-00(006)/107619301 | LINCOLN | | | | | |
| | 13 | HSIP-9999-06(368)/108014301 | DISTRICT 6 | | | | | |
| | 14 | BWO-9021-25(010)/503251301 | HINDS | | | | | |

LIST OF CONTRACTS FOR FERRILARY

Mill & Overlay approximately 11 miles of US 45 from Cotton Gin Road to the Kemper County Line, known as Federal Aid Project No. NH-0002-03(094) / 108175301 in Lauderdale County.

PROJECT COMPLETION: 128 Working Days

| | | | - |
|---------|-------------|-----------|---|
| 80 | Linear Feet | 202-B014 | Removal of Bituminous Curb |
| 3,612 | Linear Feet | 202-B158 | Removal of Guard Rail, Including Rails, Posts and Terminal Ends |
| 18 | Each | 202-B213 | Removal of Sign |
| 5 | Each | 202-B215 | Removal of Sign Including Post & Footing |
| 3,904 | Linear Feet | 202-B240 | Removal of Traffic Stripe |
| 77 | Each | 202-B264 | Removal of Trees Greater Than 10" |
| 50 | Cubic Yard | 203-G002 | Excess Excavation, LVM, AH |
| 2,449 | Ton | 304-D002 | Granular Material, Crushed Stone |
| 100 | Ton | 310-B001 | Size I Stabilizer Aggregate, Coarse |
| 9,862 | Ton | 403-A001 | 12.5-mm, HT, Asphalt Pavement |
| 39,548 | Ton | 403-D001 | 12.5-mm, HT, Asphalt Pavement, Polymer Modified |
| 445,924 | Square Yard | 406-D001 | Fine Milling of Bituminous Pavement, All Depths |
| 35,154 | Gallon | 407-A001 | Asphalt for Tack Coat |
| 30 | Linear Feet | 413-E001 | Sawing and Sealing Transverse Joints in Asphalt Pavement |
| 37 | Mile | 423-A001 | Rumble Strips, Ground In |
| 1 | Cubic Yard | 601-A001 | Class "B" Structural Concrete |
| 2,400 | Linear Feet | 606-B003 | Guard Rail, Class A, Type 1, 'W' Beam, Metal Post |
| 4 | Each | 606-D005 | Guard Rail, Bridge End Section, Type A |
| 4 | Each | 606-D012 | Guard Rail, Bridge End Section, Type D Modified |
| 4 | Each | 606-D018 | Guard Rail, Bridge End Section, Type G, Modified |
| 4 | Each | 606-D020 | Guard Rail, Bridge End Section, Type H, Metal Post |
| 15 | Each | 606-E001 | Guard Rail, Terminal End Section |
| 1 | Lump Sum | 618-A001 | Maintenance of Traffic |
| 42 | Mile | 619-A1001 | Temporary Traffic Stripe, Continuous White |
| | | | |

| 35 | Mile | 619-A2001 | Temporary Traffic Stripe, Continuous Yellow |
|--------|-------------|-----------|--|
| 44 | Mile | 619-A3001 | Temporary Traffic Stripe, Skip White |
| 18,548 | Linear Feet | 619-A5001 | Temporary Traffic Stripe, Detail |
| 3,340 | Linear Feet | 619-A6002 | Temporary Traffic Stripe, Legend |
| 32 | Square Feet | 619-D1001 | Standard Roadside Construction Signs, Less than 10 Square Feet |
| 600 | Square Feet | 619-D2001 | Standard Roadside Construction Signs, 10 Square Feet or More |
| 48 | Linear Feet | 619-G4005 | Barricades, Type III, Single Faced |
| 1 | Lump Sum | 620-A001 | Mobilization |
| 22 | Mile | 626-A001 | 6" Thermoplastic Double Drop Traffic Stripe, Skip White |
| 21 | Mile | 626-C002 | 6" Thermoplastic Double Drop Edge Stripe, Continuous White |
| 17 | Mile | 626-E001 | 6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow |
| 26,345 | Linear Feet | 626-G004 | Thermoplastic Double Drop Detail Stripe, White |
| 33,287 | Linear Feet | 626-G005 | Thermoplastic Double Drop Detail Stripe, Yellow |
| 912 | Square Feet | 626-H001 | Thermoplastic Double Drop Legend, White |
| 1,670 | Linear Feet | 626-H002 | Thermoplastic Double Drop Legend, White |
| 615 | Each | 627-J001 | Two-Way Clear Reflective High Performance Raised Markers |
| 2,500 | Each | 627-K001 | Red-Clear Reflective High Performance Raised Markers |
| 278 | Each | 627-L001 | Two-Way Yellow Reflective High Performance Raised Markers |
| 6 | Square Feet | 630-A001 | Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness |
| 130 | Square Feet | 630-A003 | Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness |
| 142 | Linear Feet | 630-C003 | Steel U-Section Posts, 3.0 lb/ft |
| 56 | Pounds | 630-E004 | Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar |
| 128 | Each | 630-F002 | Delineators, Flexible Post Mounted, Crossover, Type I, Yellow |
| 2 | Each | 630-F003 | Delineators, Flexible Post Mounted, Crossover, Type II |
| 56 | Each | 630-F006 | Delineators, Guard Rail, White |
| 56 | Each | 630-F007 | Delineators, Guard Rail, Yellow |
| 8 | Each | 630-G003 | Type 3 Object Markers, OM-3L, Post Mounted |
| 8 | Each | 630-G007 | Type 3 Object Markers, OM-3R, Post Mounted |
| 51 | Linear Feet | 630-K003 | Welded & Seamless Steel Pipe Posts, 4" |
| | | | |

Mill & Overlay approximately 8 miles on US 49 From Seminary to the US 84 Bypass, known as Federal Aid Project Nos. STP-0008-02(116) / 107731301 & HSIP-0008-02(120) / 1077313011 in Covington County.

PROJECT COMPLETION: SEPTEMBER 30, 2021

| 948 | Square Yard | 202-B007 | Removal of Asphalt Pavement, All Depths |
|---------|-----------------|-----------|--|
| 5 | Square Yard | 202-B063 | Removal of Concrete Paved Ditch |
| 2 | Each | 202-B179 | Removal of Low Mast Lighting Foundation |
| 948 | Square Yard | 202-B229 | Removal of Soil Cement, All Depths |
| 240 | Linear Feet | 202-B240 | Removal of Traffic Stripe |
| 200 | Cubic Yard | 203-EX040 | Borrow Excavation, AH, LVM, Class B9 |
| 100 | Cubic Yard | 203-G002 | Excess Excavation, LVM, AH |
| 3 | Cubic Yard | 206-A001 | Structure Excavation |
| 983 | Square Yard | 209-A005 | Geotextile Stabilization, Type V, Non-Woven |
| 2,234 | Square Yard | 216-A001 | Solid Sodding |
| 46 | Thousand Gallon | 219-A001 | Watering |
| 250 | Linear Feet | 237-A002 | Wattles, 20" |
| 125 | Each | 246-B001 | Rockbags |
| 142 | Ton | 403-A006 | 19-mm, ST, Asphalt Pavement |
| 5,083 | Ton | 403-A015 | 9.5-mm, ST, Asphalt Pavement |
| 144 | Ton | 403-C003 | 19-mm, ST, Asphalt Pavement, Trench Widening |
| 21,717 | Ton | 403-D007 | 9.5-mm, HT, Asphalt Pavement, Polymer Modified |
| 200 | Ton | 403-E004 | 9.5-mm, HT, Asphalt Pavement, Polymer Modified, Leveling |
| 315,217 | Square Yard | 406-D001 | Fine Milling of Bituminous Pavement, All Depths |
| 24,238 | Gallon | 407-A001 | Asphalt for Tack Coat |
| 31,584 | Linear Feet | 413-E001 | Sawing and Sealing Transverse Joints in Asphalt Pavement |
| 25 | Mile | 423-A001 | Rumble Strips, Ground In |
| 3,236 | Linear Feet | 503-C010 | Saw Cut, Full Depth |
| 2 | Cubic Yard | 601-B001 | Class "B" Structural Concrete, Minor Structures |
| 16 | Linear Feet | 603-CA026 | 24" Reinforced Concrete Pipe, Class III |

| 2 | Each 6 | 603-CB004 | 24" Reinforced Concrete End Section |
|--------|-------------|-----------|---|
| 253 | Linear Feet | 609-B003 | Concrete Curb, Special Design |
| 430 | Linear Feet | 609-B007 | Concrete Curb, Special Design Header, Type 2 |
| 502 | Linear Feet | 609-D004 | Combination Concrete Curb and Gutter Type 2 Modified |
| 330 | Square Yard | 616-A001 | Concrete Median and/or Island Pavement, 10-inch |
| 1 | Lump Sum | 618-A001 | Maintenance of Traffic |
| 2 | Square Feet | 618-B001 | Additional Construction Signs |
| 15 | Mile | 619-A1001 | Temporary Traffic Stripe, Continuous White |
| 13 | Mile | 619-A2001 | Temporary Traffic Stripe, Continuous Yellow |
| 16 | Mile | 619-A3001 | Temporary Traffic Stripe, Skip White |
| 69,375 | Linear Feet | 619-A5001 | Temporary Traffic Stripe, Detail |
| 3,897 | Square Feet | 619-A6001 | Temporary Traffic Stripe, Legend |
| 7,264 | Linear Feet | 619-A6002 | Temporary Traffic Stripe, Legend |
| 1 | Lump Sum | 620-A001 | Mobilization |
| 16 | Mile | 626-A001 | 6" Thermoplastic Double Drop Traffic Stripe, Skip White |
| 15 | Mile | 626-C002 | 6" Thermoplastic Double Drop Edge Stripe, Continuous White |
| 13 | Mile | 626-F001 | 6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow |
| 54,813 | Linear Feet | 626-G002 | Thermoplastic Detail Stripe, White |
| 14,562 | Linear Feet | 626-G003 | Thermoplastic Detail Stripe, Yellow |
| 3,897 | Square Feet | 626-H004 | Thermoplastic Legend, White |
| 7,264 | Linear Feet | 626-H005 | Thermoplastic Legend, White |
| 450 | Each | 627-B001 | Two-Way Clear Reflective Raised Markers |
| 3,401 | Each | 627-K001 | Red-Clear Reflective High Performance Raised Markers |
| 658 | Each | 627-L001 | Two-Way Yellow Reflective High Performance Raised Markers |
| 30 | Each | 627-P001 | Two-Way Blue Reflective High Performance Raised Markers |
| 129 | Square Feet | 630-A001 | Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness |
| 129 | Square Feet | 630-A005 | Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness |
| 33 | Linear Feet | 630-C002 | Steel U-Section Posts, 2.0 lb/ft |
| 209 | Linear Feet | 630-C003 | Steel U-Section Posts, 3.0 lb/ft |
| 219 | Pounds | 630-E004 | Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar |
| | | | |

| 59 | Linear Feet | 630-K001 | Welded & Seamless Steel Pipe Posts, 3 1/2" |
|-------|-------------|--------------|--|
| 120 | Linear Feet | 630-K002 | Welded & Seamless Steel Pipe Posts, 3" |
| 1 | Lump Sum | 647-A001 | Removal of Existing Traffic Signal Equipment |
| 6,979 | Gallon | 907-410-D001 | Asphalt for Rejuvenating Fog Seal, Grade CMS-1PF |
| 5 | Each | 907-632-D001 | Solid State Traffic Actuated Controller, Type 1 |
| 3 | Each | 907-634-B001 | Traffic Signal Equipment Pole Shaft Extension, 10' |
| 1 | Each | 907-634-F002 | Detector Pole with Foundation, 35' Pole |
| 4,503 | Linear Feet | 907-640-A001 | Vehicle Loop Assemblies |
| 2 | Each | 907-662-B002 | Radio Interconnect, Signal Control, Installed in Existing Controller Cabinet |
| 1 | Each | 907-662-C001 | Radio Interconnect, Signal Control Repeater |
| 205 | Linear Feet | 907-663-D001 | Category 6 Cable, Installed in Conduit |
| | | | ALTERNATE GROUP AA NUMBER 1 |
| 1,771 | Cubic Yard | 304-H001 | 3/4" and Down Crushed Stone Base, LVM |
| | | | ALTERNATE GROUP AA NUMBER 2 |
| 1,771 | Cubic Yard | 304-H002 | Size 610 Crushed Stone Base, LVM |
| | | | ALTERNATE GROUP AA NUMBER 3 |
| 1,771 | Cubic Yard | 304-H003 | Size 825B Crushed Stone Base, LVM |

Slide Repair on US 49 Northbound approximately 3 miles South of SR 16, known as Federal Aid Project No. NHPP-0008-04(071) / 108502301 in Yazoo County.

PROJECT COMPLETION: JUNE 27, 2021

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

| 1 | Acre | 201-B001 | Clearing and Grubbing |
|-------|-------------|-----------|---|
| 1,890 | Linear Feet | 202-B061 | Removal of Concrete Median Barrier, Precast |
| 20 | Each | 202-B199 | Removal of Raised Reflective Pavement Marker |
| 2 | Ton | 213-A001 | Agricultural Limestone |
| 1 | Acre | 225-A001 | Grassing |
| 2 | Ton | 225-C001 | Mulch, Vegetative Mulch |
| 1,000 | Linear Feet | 234-A001 | Temporary Silt Fence |
| 100 | Linear Feet | 237-A002 | Wattles, 20" |
| 100 | Each | 246-B001 | Rockbags |
| 200 | Ton | 304-B002 | Granular Material, Class 3, Group D |
| 300 | Ton | 403-A013 | 9.5-mm, HT, Asphalt Pavement |
| 200 | Ton | 403-B010 | 9.5-mm, HT, Asphalt Pavement, Leveling |
| 300 | Gallon | 407-A001 | Asphalt for Tack Coat |
| 450 | Linear Feet | 413-D002 | Cleaning and Filling Joints |
| 1 | Mile | 423-A001 | Rumble Strips, Ground In |
| 1 | Lump Sum | 618-A001 | Maintenance of Traffic |
| 1 | Square Feet | 618-B001 | Additional Construction Signs |
| 1,000 | Linear Feet | 619-A1002 | Temporary Traffic Stripe, Continuous White |
| 1,000 | Linear Feet | 619-A2002 | Temporary Traffic Stripe, Continuous Yellow |
| 1,000 | Linear Feet | 619-A3002 | Temporary Traffic Stripe, Skip White |
| 1,890 | Linear Feet | 619-F1001 | Concrete Median Barrier, Precast |
| 1 | Lump Sum | 620-A001 | Mobilization |
| 1,000 | Linear Feet | 626-A002 | 6" Thermoplastic Double Drop Traffic Stripe, Skip White |
| 1,000 | Linear Feet | 626-C001 | 6" Thermoplastic Double Drop Edge Stripe, Continuous White |
| 1,000 | Linear Feet | 626-F002 | 6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow |

| 20 | Each | 627-K001 | Red-Clear Reflective High Performance Raised Markers |
|-------|-------------|---------------|--|
| 1 | Lump Sum | 699-A001 | Roadway Construction Stakes |
| 4,545 | Linear Feet | 803-D007 | HP 14 x 89 Steel Piling |
| 1 | Each | 907-619-E3001 | Changeable Message Sign |

Bridge Preservation on SR 35 over the Pearl River (Bridge No. 19.4), known as Federal Aid Project No. BR-0014-02(069) / 106787301 in Marion County.

PROJECT COMPLETION: 125 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

| 1 | Acre 201-B00 | 1 | Clearing and Grubbing |
|---------|----------------------|---|--|
| 269 | Cubic Yard 211-B00 | 1 | Topsoil for Slope Treatment, Contractor Furnished |
| 1 | Ton 213-C00 | 1 | Superphosphate |
| 1 | Acre 220-A00 | 1 | Insect Pest Control |
| 1 | Acre 225-A00 | 1 | Grassing |
| 1 | Ton 225-B00 | 1 | Agricultural Limestone |
| 2 | Ton 225-C00 | 1 | Mulch, Vegetative Mulch |
| 1 | Acre 226-A00 | 1 | Temporary Grassing |
| 400 | Linear Feet 234-C00 | 1 | Super Silt Fence |
| 1,090 | Linear Feet 234-F00 | 1 | Turbidity Barrier |
| 500 | Linear Feet 237-A00 | 2 | Wattles, 20" |
| 500 | Each 246-B00 | 1 | Rockbags |
| 1 | Each 607-G09 | 2 | Gate, 12' x 60" Galvanized Metal |
| 2 | Each 607-P300 | 6 | Gate Post, 8' x 6" Timber |
| 2 | Each 607-Z00 | 1 | Concrete Anchors |
| 1 | Lump Sum 618-A00 | 1 | Maintenance of Traffic |
| 32 | Square Feet 619-D100 | 1 | Standard Roadside Construction Signs, Less than 10 Square Feet |
| 232 | Square Feet 619-D200 | 1 | Standard Roadside Construction Signs, 10 Square Feet or More |
| 24 | Linear Feet 619-G400 | 1 | Barricades, Type III, Double Faced |
| 2 | Each 619-G700 | 1 | Warning Lights, Type "B" |
| 1 | Lump Sum 620-A00 | 1 | Mobilization |
| 1 | Lump Sum 699-A00 | 1 | Roadway Construction Stakes |
| | | | Bridge Items |
| 11,737 | Pounds 805-A00 | 1 | Reinforcement |
| 105,492 | Pounds 810-A00 | 1 | Structural Steel |

| 10,004 | Ton | 815-A007 | Loose Riprap, Size 300 |
|--------|-------------|---------------|--|
| 621 | Square Yard | 815-E001 | Geotextile under Riprap |
| 1,820 | Linear Feet | 907-803-PP002 | 24" Steel Pipe Piling, Wall Thickness 0.500" |
| 94 | Cubic Yard | 907-804-A002 | Bridge Concrete, Class AA |

Mill & Overlay approximately 13 miles on SR 35 from Tallahatchie County Line to SR 6, known as Federal Aid Project No. NH-0017-01(015) / 108252301 in Panola County.

PROJECT COMPLETION: 77 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

| 105 | Square Yard | 202-B007 | Removal of Asphalt Pavement, All Depths |
|--------|---------------|-----------|--|
| 130 | Each | 202-B215 | Removal of Sign Including Post & Footing |
| 2,639 | Linear Feet | 202-B240 | Removal of Traffic Stripe |
| 100 | Cubic Yard | 203-G001 | Excess Excavation, FM, AH |
| 12,614 | Ton | 304-B002 | Granular Material, Class 3, Group D |
| 250 | Ton | 403-A006 | 19-mm, ST, Asphalt Pavement |
| 20,225 | Ton | 403-A015 | 9.5-mm, ST, Asphalt Pavement |
| 13,975 | Ton | 403-B012 | 9.5-mm, ST, Asphalt Pavement, Leveling |
| 5,300 | Ton | 403-C003 | 19-mm, ST, Asphalt Pavement, Trench Widening |
| 17,531 | Square Yard | 406-A002 | Cold Milling of Bituminous Pavement, All Depths |
| 45,756 | Gallon | 407-A001 | Asphalt for Tack Coat |
| 28 | Mile | 423-A001 | Rumble Strips, Ground In |
| 100 | Linear Feet | 503-C010 | Saw Cut, Full Depth |
| 1 | Lump Sum | 618-A001 | Maintenance of Traffic |
| 1 | Square Feet | 618-B001 | Additional Construction Signs |
| 54 | Mile 6 | 519-A1001 | Temporary Traffic Stripe, Continuous White |
| 25 | Mile 6 | 19-A2001 | Temporary Traffic Stripe, Continuous Yellow |
| 21 | Mile 6 | 19-A4002 | Temporary Traffic Stripe, Skip Yellow |
| 20,038 | Linear Feet 6 | 19-A5001 | Temporary Traffic Stripe, Detail |
| 6,409 | Linear Feet 6 | 19-A6002 | Temporary Traffic Stripe, Legend |
| 1 | Lump Sum | 620-A001 | Mobilization |
| 1,750 | Linear Feet | 626-C001 | 6" Thermoplastic Double Drop Edge Stripe, Continuous White |
| 27 | Mile | 626-C004 | 6" Thermoplastic Edge Stripe, Continuous White |
| 881 | Linear Feet | 626-D002 | 6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow |
| 11 | Mile | 626-D003 | 6" Thermoplastic Traffic Stripe, Skip Yellow |

| 12 | Mile | 626-E004 | 6" Thermoplastic Traffic Stripe, Continuous Yellow |
|-------|-------------|--------------|---|
| 4,585 | Linear Feet | 626-G002 | Thermoplastic Detail Stripe, White |
| 5,308 | Linear Feet | 626-G003 | Thermoplastic Detail Stripe, Yellow |
| 101 | Square Feet | 626-H004 | Thermoplastic Legend, White |
| 3,163 | Linear Feet | 626-H005 | Thermoplastic Legend, White |
| 880 | Each | 627-J001 | Two-Way Clear Reflective High Performance Raised Markers |
| 1,433 | Each | 627-L001 | Two-Way Yellow Reflective High Performance Raised Markers |
| 162 | Square Feet | 630-A001 | Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness |
| 965 | Square Feet | 630-A003 | Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness |
| 419 | Square Feet | 630-A005 | Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness |
| 135 | Linear Feet | 630-C004 | Square Tube Posts, 9.0 lb/ft |
| 2,676 | Linear Feet | 630-C005 | Square Tube Posts, 2.0 lb/ft |
| 64 | Each | 630-G004 | Type 3 Object Markers, OM-3R or OM-3L |
| 66 | Linear Feet | 907-619-B001 | Temporary Portable Rumble Strips |
| | | | ALTERNATE GROUP AA NUMBER 1 |
| 105 | Ton | 304-F001 | 3/4" and Down Crushed Stone Base |
| | | | ALTERNATE GROUP AA NUMBER 2 |
| 105 | Ton | 304-F002 | Size 610 Crushed Stone Base |
| | | | ALTERNATE GROUP AA NUMBER 3 |
| 105 | Ton | 304-F003 | Size 825B Crushed Stone Base |

Safety Improvements along SR 13 from Lumberton to the Marion County Line, known as Federal Aid Project No. HSIP-0023-01(088) / 108426301 in Lamar County.

PROJECT COMPLETION: 62 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

| 340 | Station | 201-D001 | Random Clearing |
|--------|-------------|--------------|--|
| 26 | Each | 202-B215 | Removal of Sign Including Post & Footing |
| 1,750 | Ton | 403-B012 | 9.5-mm, ST, Asphalt Pavement, Leveling |
| 2,400 | Square Yard | 406-A002 | Cold Milling of Bituminous Pavement, All Depths |
| 2,000 | Gallon | 407-A001 | Asphalt for Tack Coat |
| 5 | Mile | 423-A001 | Rumble Strips, Ground In |
| 1 | Lump Sum | 618-A001 | Maintenance of Traffic |
| 10 | Square Feet | 618-B001 | Additional Construction Signs |
| 11,900 | Linear Feet | 619-A1002 | Temporary Traffic Stripe, Continuous White |
| 23,800 | Linear Feet | 619-A2002 | Temporary Traffic Stripe, Continuous Yellow |
| 375 | Linear Feet | 619-A5001 | Temporary Traffic Stripe, Detail |
| 225 | Linear Feet | 619-A6002 | Temporary Traffic Stripe, Legend |
| 1 | Lump Sum | 620-A001 | Mobilization |
| 11,900 | Linear Feet | 626-C001 | 6" Thermoplastic Double Drop Edge Stripe, Continuous White |
| 23,800 | Linear Feet | 626-E002 | 6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow |
| 375 | Linear Feet | 626-G002 | Thermoplastic Detail Stripe, White |
| 225 | Linear Feet | 626-H005 | Thermoplastic Legend, White |
| 600 | Each | 627-J001 | Two-Way Clear Reflective High Performance Raised Markers |
| 400 | Each | 627-L001 | Two-Way Yellow Reflective High Performance Raised Markers |
| 135 | Square Feet | 630-A001 | Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness |
| 306 | Square Feet | 630-A003 | Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness |
| 1,218 | Linear Feet | 630-C003 | Steel U-Section Posts, 3.0 lb/ft |
| 1,050 | Ton | 907-411-A001 | Ultra Thin Asphalt Pavement |
| 66 | Linear Feet | 907-619-B001 | Temporary Portable Rumble Strips |
| | | | |

ALTERNATE GROUP AA NUMBER 1

| 500 | Ton | 304-D001 | Granular Material, Crushed Concrete |
|-----|-----|----------|-------------------------------------|
| | | | ALTERNATE GROUP AA NUMBER 2 |
| 500 | Ton | 304-F002 | Size 610 Crushed Stone Base |
| | | | ALTERNATE GROUP AA NUMBER 3 |
| 500 | Ton | 304-F003 | Size 825B Crushed Stone Base |

Mill & Overlay approximately 4 miles of SR 35 beginning at the Begin Maintenance Section in North Carrolton going North to the 4 Forks, known as Federal Aid Project No. STP-0041-02(024) / 108251301 in Carroll County.

PROJECT COMPLETION: 51 Working Days

| | | | - |
|--------|-------------|-----------|--|
| 618 | Square Yard | 202-B007 | Removal of Asphalt Pavement, All Depths |
| 200 | Cubic Yard | 203-G001 | Excess Excavation, FM, AH |
| 850 | Ton | 304-B002 | Granular Material, Class 3, Group D |
| 425 | Ton | 403-A006 | 19-mm, ST, Asphalt Pavement |
| 4,625 | Ton | 403-A015 | 9.5-mm, ST, Asphalt Pavement |
| 610 | Ton | 403-B012 | 9.5-mm, ST, Asphalt Pavement, Leveling |
| 1,500 | Ton | 403-C003 | 19-mm, ST, Asphalt Pavement, Trench Widening |
| 46,845 | Square Yard | 406-D001 | Fine Milling of Bituminous Pavement, All Depths |
| 4,200 | Gallon | 407-A001 | Asphalt for Tack Coat |
| 8 | Mile | 423-A001 | Rumble Strips, Ground In |
| 955 | Linear Feet | 503-C010 | Saw Cut, Full Depth |
| 1 | Lump Sum | 618-A001 | Maintenance of Traffic |
| 1 | Square Feet | 618-B001 | Additional Construction Signs |
| 22 | Mile | 619-A1001 | Temporary Traffic Stripe, Continuous White |
| 10 | Mile | 619-A2001 | Temporary Traffic Stripe, Continuous Yellow |
| 3 | Mile | 619-A4002 | Temporary Traffic Stripe, Skip Yellow |
| 968 | Linear Feet | 619-A5001 | Temporary Traffic Stripe, Detail |
| 596 | Linear Feet | 619-A6002 | Temporary Traffic Stripe, Legend |
| 1 | Lump Sum | 620-A001 | Mobilization |
| 8 | Mile | 626-C004 | 6" Thermoplastic Edge Stripe, Continuous White |
| 3 | Mile | 626-D003 | 6" Thermoplastic Traffic Stripe, Skip Yellow |
| 1 | Mile | 626-E004 | 6" Thermoplastic Traffic Stripe, Continuous Yellow |
| 300 | Linear Feet | 626-G002 | Thermoplastic Detail Stripe, White |
| 175 | Linear Feet | 626-G003 | Thermoplastic Detail Stripe, Yellow |
| 300 | Linear Feet | 626-H005 | Thermoplastic Legend, White |
| | | | |

| 66 | Each | 627-J001 | Two-Way Clear Reflective High Performance Raised Markers |
|-----|-------------|--------------|---|
| 777 | Each | 627-L001 | Two-Way Yellow Reflective High Performance Raised Markers |
| 66 | Linear Feet | 907-619-B001 | Temporary Portable Rumble Strips |
| | | | ALTERNATE GROUP AA NUMBER 1 |
| 250 | Ton | 304-F001 | 3/4" and Down Crushed Stone Base |
| | | | ALTERNATE GROUP AA NUMBER 2 |
| 250 | Ton | 304-F002 | Size 610 Crushed Stone Base |
| | | | ALTERNATE GROUP AA NUMBER 3 |
| 250 | Ton | 304-F003 | Size 825B Crushed Stone Base |

Mill & Overlay & Striping approximately 2 miles on I-69 from Concrete Section to Tennessee State Line, known as Federal Aid Project Nos. IM-0069-04(003) / 108582301 & IM-0069-04(004) / 108583301 in Desoto County.

PROJECT COMPLETION: 55 Working Days

| | | | Roadway Items |
|--------|-------------|--------------|---|
| 20 | Mile | 202-B241 | Removal of Traffic Stripe |
| 6,125 | Ton | 403-A015 | 9.5-mm, ST, Asphalt Pavement |
| 10 | Mile | 403-S001 | Joint Sealant |
| 950 | Ton | 405-A002 | Stone Matrix Asphalt, 9.5 mm Mixture |
| 85,250 | Square Yard | 406-D001 | Fine Milling of Bituminous Pavement, All Depths |
| 6,700 | Gallon | 407-A001 | Asphalt for Tack Coat |
| 10 | Mile | 423-A001 | Rumble Strips, Ground In |
| 1 | Lump Sum | 618-A001 | Maintenance of Traffic |
| 2 | Square Feet | 618-B001 | Additional Construction Signs |
| 8 | Mile | 619-A1001 | Temporary Traffic Stripe, Continuous White |
| 8 | Mile | 619-A2001 | Temporary Traffic Stripe, Continuous Yellow |
| 19 | Mile | 619-A3001 | Temporary Traffic Stripe, Skip White |
| 1 | Lump Sum | 620-A001 | Mobilization |
| 18 | Mile | 626-A001 | 6" Thermoplastic Double Drop Traffic Stripe, Skip White |
| 7 | Mile | 626-C002 | 6" Thermoplastic Double Drop Edge Stripe, Continuous White |
| 7 | Mile | 626-F001 | 6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow |
| 17,500 | Linear Feet | 626-G004 | Thermoplastic Double Drop Detail Stripe, White |
| 1,450 | Linear Feet | 626-G005 | Thermoplastic Double Drop Detail Stripe, Yellow |
| 1,300 | Square Feet | 626-H001 | Thermoplastic Double Drop Legend, White |
| 3,925 | Each | 627-K001 | Red-Clear Reflective High Performance Raised Markers |
| 775 | Each | 627-L001 | Two-Way Yellow Reflective High Performance Raised Markers |
| 550 | Ton | 907-402-A002 | Open Graded Friction Course, 9.5-mm Mixture |
| 950 | Gallon | 907-402-B001 | Bituminous Tack Coat |

Bridge Repair on I-55 over Long Creek (Bridge Nos. 237.7A & 237.7B), known as Federal Aid Project No. NHPP-0055-04(110) / 108458301 in Panola County.

PROJECT COMPLETION: 183 Working Days

| | | | Bridge Items |
|-------|-------------|---------------|---|
| 1 | Lump Sum | 202-A001 | Removal of Obstructions |
| 1,100 | Ton | 815-A007 | Loose Riprap, Size 300 |
| 537 | Square Yard | 815-E001 | Geotextile under Riprap |
| 1,000 | Pounds | 907-420-A001 | Undersealing |
| 4,368 | Square Yard | 907-202-B001 | Removal of Bridge Deck, Hydrodemolition |
| 316 | Cubic Yard | 907-804-0001 | Bridge Deck Overlay Concrete |
| 224 | Linear Feet | 907-808-A003 | Joint Repair Without Epoxy |
| 754 | Linear Feet | 907-823-A001 | Preformed Joint Seal, Type I |
| 116 | Linear Feet | 907-823-A002 | Preformed Joint Seal, Type II |
| 316 | Square Feet | 907-824-PP003 | Bridge Repair, EPOXY REPAIR, PER PLANS |
| 1,568 | Square Feet | 907-824-PP003 | Bridge Repair, REMOVAL OF BRIDGE DECK, PER PLANS |
| 20 | Each | 907-824-PP006 | Bridge Repair, BEARING PLATE REPLACEMENT & BEARING RESET, PER PLANS |
| 240 | Each | 907-824-PP006 | Bridge Repair, BEARING REPLACEMENT, PER PLANS |
| 4 | Each | 907-824-PP006 | Bridge Repair, END DIAPHRAGM REPLACEMENT, PER PLANS |
| 3 | Each | 907-824-PP006 | Bridge Repair, INTERMEDIATE DIAPHRAGM REPLACEMENT, PER PLANS |
| 8 | Each | 907-824-PP006 | Bridge Repair, MIDSPAN DIAPHRAGM REPLACEMENT, PER PLANS |
| 456 | Square Yard | 907-832-PP003 | Concrete Mat PER PLANS |
| 1 | Lump Sum | 907-845-A001 | Coating Existing Structural Steel |
| | | | Roadway Items |
| 1 | Mile | 202-B241 | Removal of Traffic Stripe |
| 103 | Ton | 403-D007 | 9.5-mm, HT, Asphalt Pavement, Polymer Modified |
| 623 | Square Yard | 406-D001 | Fine Milling of Bituminous Pavement, All Depths |
| 65 | Gallon | 407-A001 | Asphalt for Tack Coat |
| 112 | Linear Feet | 501-E001 | Expansion Joints, Without Dowels |
| 100 | Linear Feet | 606-B002 | Guard Rail, Class A, Type 1, 'W' Beam |
| | | | |

| 2 | Each | 606-D005 | Guard Rail, Bridge End Section, Type A |
|-------|-------------|---------------|---|
| 2 | Each | 606-E005 | Guard Rail, Terminal End Section, Flared |
| 1 | Lump Sum | 618-A001 | Maintenance of Traffic |
| 1 | Mile | 619-A1006 | Temporary Traffic Stripe, Continuous White, Type 1 Tape |
| 1 | Mile | 619-A2005 | Temporary Traffic Stripe, Continuous Yellow, Type 1 Tape |
| 1 | Mile | 619-A3007 | Temporary Traffic Stripe, Skip White, Type 1 or 2 Tape |
| 20 | Each | 619-C6001 | Red-Clear Reflective High Performance Raised Marker |
| 1,836 | Linear Feet | 619-F1001 | Concrete Median Barrier, Precast |
| 1,836 | Linear Feet | 619-F2001 | Remove and Reset Concrete Median Barrier, Precast |
| 7 | Each | 619-F3001 | Delineators, Guard Rail, White |
| 7 | Each | 619-F3002 | Delineators, Guard Rail, Yellow |
| 1 | Lump Sum | 620-A001 | Mobilization |
| 1 | Mile | 626-A001 | 6" Thermoplastic Double Drop Traffic Stripe, Skip White |
| 1 | Mile | 626-C002 | 6" Thermoplastic Double Drop Edge Stripe, Continuous White |
| 1 | Mile | 626-F001 | 6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow |
| 1 | Lump Sum | 699-A001 | Roadway Construction Stakes |
| 3 | Each | 907-619-E3001 | Changeable Message Sign |

Bridge Preservation on US 80 over KCS Railroad (Bridge No. 107.8), known as Federal Aid Project No. NHPP-0472-00(019) / 108283301 in Newton County.

PROJECT COMPLETION: 198 Working Days

| 570 | Square Yard | 216-A001 | Solid Sodding |
|-------|-------------|---------------|---|
| 200 | Linear Feet | 234-A001 | Temporary Silt Fence |
| 1 | Lump Sum | 618-A001 | Maintenance of Traffic |
| 16 | Square Feet | 619-D1001 | Standard Roadside Construction Signs, Less than 10 Square Feet |
| 112 | Square Feet | 619-D2001 | Standard Roadside Construction Signs, 10 Square Feet or More |
| 24 | Linear Feet | 619-G4001 | Barricades, Type III, Double Faced |
| 1 | Lump Sum | 620-A001 | Mobilization |
| 290 | Linear Feet | 626-C001 | 6" Thermoplastic Double Drop Edge Stripe, Continuous White |
| 290 | Linear Feet | 626-F002 | 6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow |
| 7 | Each | 627-L001 | Two-Way Yellow Reflective High Performance Raised Markers |
| 1 | Lump Sum | 907-899-A001 | Railway-Highway Provisions |
| | | | Bridge Items |
| 1,351 | Ton | 815-A002 | Loose Riprap, Size 100 |
| 300 | Ton | 815-A007 | Loose Riprap, Size 300 |
| 513 | Linear Feet | 907-808-A002 | Joint Repair Without Epoxy |
| 257 | Linear Feet | 907-823-A001 | Preformed Joint Seal, Type I |
| 9 | Each | 907-824-PP006 | Bridge Repair, Cap Cleaning, Per Plans |
| 10 | Each | 907-824-PP006 | Bridge Repair, End & Midspan Diaphragm Replacement, Per Plans |
| 9 | Each | 907-824-PP006 | Bridge Repair, Install Girder Support and Angles, 40 Foot Spans, Per Plans |
| 9 | Each | 907-824-PP006 | Bridge Repair, Install Girder Support Plates and Angles, 30 Foot Spans, Per Plans |
| 6 | Each | 907-824-PP006 | Bridge Repair, Install Girder Support Plates and Angles, 60 Foot Spans, Per Plans |
| 1 | Each | 907-824-PP006 | Bridge Repair, Install Girder Support Plates and Angles, Beam 60-5, Per Plans |
| 14 | Each | 907-824-PP006 | Bridge Repair, Pile Repair Plate & Encasement, Per Plans |
| 10 | Each | 907-824-PP006 | Bridge Repair, Remove Blast Plates from Span No. 3 |
| 12 | Each | 907-824-PP006 | Bridge Repair, Steel Riser & Bearing Assembly, Per Plans |
| | | | |

1 Lump Sum

907-845-A001 Coating Existing Structural Steel

Mill & Overlay approximately 5 miles on US 80 From SR 13 to West of Kalem, known as Federal Aid Project No. STP-2904-00(017) / 107629301 in Scott County.

PROJECT COMPLETION: 75 Working Days

| 330 | Square Yard | 202-B007 | Removal of Asphalt Pavement, All Depths |
|---------|-------------|-----------|---|
| 41 | Linear Feet | 202-B050 | Removal of Concrete Combination Curb & Gutter |
| 72 | Square Yard | 202-B052 | Removal of Concrete Driveways, All Depths |
| 620 | Square Yard | 202-B069 | Removal of Concrete Pavement w/ Variable Depth Overlay |
| 683 | Linear Feet | 202-B158 | Removal of Guard Rail, Including Rails, Posts and Terminal Ends |
| 586 | Linear Feet | 202-B240 | Removal of Traffic Stripe |
| 160 | Cubic Yard | 203-G002 | Excess Excavation, LVM, AH |
| 815 | Ton | 304-D002 | Granular Material, Crushed Stone |
| 16,725 | Ton | 403-A002 | 12.5-mm, MT, Asphalt Pavement |
| 1,220 | Ton | 403-B002 | 12.5-mm, MT, Asphalt Pavement, Leveling |
| 145,503 | Square Yard | 406-D001 | Fine Milling of Bituminous Pavement, All Depths |
| 14,550 | Gallon | 407-A001 | Asphalt for Tack Coat |
| 29,000 | Linear Feet | 413-E001 | Sawing and Sealing Transverse Joints in Asphalt Pavement |
| 7 | Mile | 423-A001 | Rumble Strips, Ground In |
| 2,305 | Linear Feet | 503-C010 | Saw Cut, Full Depth |
| 450 | Linear Feet | 606-B003 | Guard Rail, Class A, Type 1, 'W' Beam, Metal Post |
| 4 | Each | 606-D022 | Guard Rail, Bridge End Section, Type I |
| 4 | Each | 606-E005 | Guard Rail, Terminal End Section, Flared |
| 32 | Linear Feet | 609-D013 | Combination Concrete Curb and Gutter Type 3B |
| 77 | Square Yard | 614-B001 | Concrete Driveway, With Reinforcement |
| 1 | Lump Sum | 618-A001 | Maintenance of Traffic |
| 20 | Mile | 619-A1001 | Temporary Traffic Stripe, Continuous White |
| 18 | Mile | 619-A2001 | Temporary Traffic Stripe, Continuous Yellow |
| 2 | Mile | 619-A4002 | Temporary Traffic Stripe, Skip Yellow |
| 26,411 | Linear Feet | 619-A5001 | Temporary Traffic Stripe, Detail |

| 7,180 | Linear Feet | 619-A6002 | Temporary Traffic Stripe, Legend |
|--------|-------------|--------------|--|
| 209 | Square Feet | 619-D1001 | Standard Roadside Construction Signs, Less than 10 Square Feet |
| 452 | Square Feet | 619-D2001 | Standard Roadside Construction Signs, 10 Square Feet or More |
| 22 | Each | 619-F3001 | Delineators, Guard Rail, White |
| 24 | Linear Feet | 619-G4001 | Barricades, Type III, Double Faced |
| 1 | Lump Sum | 620-A001 | Mobilization |
| 11 | Mile | 626-B002 | 6" Thermoplastic Double Drop Traffic Stripe, Continuous White |
| 1 | Mile | 626-D001 | 6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow |
| 10 | Mile | 626-E001 | 6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow |
| 144 | Linear Feet | 626-G001 | Thermoplastic Detail Stripe, Blue-ADA |
| 14,701 | Linear Feet | 626-G004 | Thermoplastic Double Drop Detail Stripe, White |
| 12,039 | Linear Feet | 626-G005 | Thermoplastic Double Drop Detail Stripe, Yellow |
| 3,250 | Square Feet | 626-H001 | Thermoplastic Double Drop Legend, White |
| 3,528 | Linear Feet | 626-H002 | Thermoplastic Double Drop Legend, White |
| 210 | Each | 627-J001 | Two-Way Clear Reflective High Performance Raised Markers |
| 200 | Each | 627-K001 | Red-Clear Reflective High Performance Raised Markers |
| 2,400 | Each | 627-L001 | Two-Way Yellow Reflective High Performance Raised Markers |
| 41 | Square Feet | 630-A001 | Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness |
| 80 | Square Feet | 630-A003 | Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness |
| 66 | Linear Feet | 630-C003 | Steel U-Section Posts, 3.0 lb/ft |
| 16 | Each | 630-G004 | Type 3 Object Markers, OM-3R or OM-3L |
| 60 | Ton | 815-A002 | Loose Riprap, Size 100 |
| 50 | Square Yard | 815-E001 | Geotextile under Riprap |
| 66 | Linear Feet | 907-619-B001 | Temporary Portable Rumble Strips |
| 1 | Each | 907-626-H001 | Thermoplastic Legend, Blue-ADA Handicap Symbol |
| 2 | Each | 907-632-D001 | Solid State Traffic Actuated Controller, Type 1 |
| 7 | Each | 907-641-A002 | Signal Stop Bar Radar Vehicle Detection Sensor, Type 2 |
| 730 | Linear Feet | 907-641-D001 | Radar Vehicle Detection Cable |

Overlay approximately 10 miles on US 51 from US 84 to the Copiah County Line, known as Federal Aid Project No. NHPP-9515-00(006) / 107619301 in Lincoln County.

PROJECT COMPLETION: DECEMBER 20, 2021

| 150 | Cubic Yard | 203-G002 | Excess Excavation, LVM, AH |
|---------|-------------|-----------|--|
| 3,489 | Cubic Yard | 304-A008 | Granular Material, LVM, Class 6, Group D |
| 15,325 | Ton | 403-A014 | 9.5-mm, MT, Asphalt Pavement |
| 5,506 | Ton | 403-A015 | 9.5-mm, ST, Asphalt Pavement |
| 200 | Ton | 403-B011 | 9.5-mm, MT, Asphalt Pavement, Leveling |
| 4,428 | Ton | 403-B012 | 9.5-mm, ST, Asphalt Pavement, Leveling |
| 185,771 | Square Yard | 406-D001 | Fine Milling of Bituminous Pavement, All Depths |
| 26,644 | Gallon | 407-A001 | Asphalt for Tack Coat |
| 2,688 | Square Feet | 412-A001 | Pre-Grinding |
| 11 | Mile | 423-A001 | Rumble Strips, Ground In |
| 1 | Lump Sum | 618-A001 | Maintenance of Traffic |
| 1 | Square Feet | 618-B001 | Additional Construction Signs |
| 33 | Mile | 619-A1001 | Temporary Traffic Stripe, Continuous White |
| 16 | Mile | 619-A2001 | Temporary Traffic Stripe, Continuous Yellow |
| 12 | Mile | 619-A3001 | Temporary Traffic Stripe, Skip White |
| 19 | Mile | 619-A4002 | Temporary Traffic Stripe, Skip Yellow |
| 56,900 | Linear Feet | 619-A5001 | Temporary Traffic Stripe, Detail |
| 7,213 | Square Feet | 619-A6001 | Temporary Traffic Stripe, Legend |
| 4,988 | Linear Feet | 619-A6002 | Temporary Traffic Stripe, Legend |
| 1 | Lump Sum | 620-A001 | Mobilization |
| 6 | Mile | 626-A001 | 6" Thermoplastic Double Drop Traffic Stripe, Skip White |
| 16 | Mile | 626-C002 | 6" Thermoplastic Double Drop Edge Stripe, Continuous White |
| 9 | Mile | 626-D001 | 6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow |
| 8 | Mile | 626-E001 | 6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow |
| 15,254 | Linear Feet | 626-G002 | Thermoplastic Detail Stripe, White |

| 15,250 | Linear Feet | 626-G003 | Thermoplastic Detail Stripe, Yellow |
|--------|-------------|--------------|--|
| 3,555 | Square Feet | 626-H004 | Thermoplastic Legend, White |
| 3,012 | Linear Feet | 626-H005 | Thermoplastic Legend, White |
| 517 | Each | 627-J001 | Two-Way Clear Reflective High Performance Raised Markers |
| 817 | Each | 627-K001 | Red-Clear Reflective High Performance Raised Markers |
| 2,789 | Each | 627-L001 | Two-Way Yellow Reflective High Performance Raised Markers |
| 34 | Each | 627-P001 | Two-Way Blue Reflective High Performance Raised Markers |
| 2 | Each | 635-A070 | Traffic Signal Head, Type 3 |
| 3 | Each | 635-A078 | Traffic Signal Head, Type 7 |
| 66 | Linear Feet | 907-619-B001 | Temporary Portable Rumble Strips |
| 4 | Each | 907-632-C001 | Modify Existing Traffic Signal Cabinet Assembly |
| 4 | Each | 907-632-D001 | Solid State Traffic Actuated Controller, Type 1 |
| 2 | Each | 907-634-B001 | Traffic Signal Equipment Pole Shaft Extension, 10' |
| 20 | Each | 907-634-G001 | Traffic Signal Equipment Pole Mast Arm Extension |
| 40 | Linear Feet | 907-636-C008 | Electric Cable, Aerial Supported, IMSA 20-1, AWG 14, 7 Conductor |
| 45 | Linear Feet | 907-637-C028 | Traffic Signal Conduit, Underground, Type 4, 2" |
| 14 | Each | 907-643-A004 | Video Vehicle Detection Sensor, Type 1A |
| 2,580 | Linear Feet | 907-643-B001 | Video Vehicle Detection Cable |
| 6 | Each | 907-643-E001 | Multi-Sensor Vehicle Detection Sensor |
| 1,020 | Linear Feet | 907-643-F001 | Multi-Sensor Vehicle Detection Cable |
| 4 | Each | 907-662-D002 | Radio Interconnect, Broadband, Short Range |
| 5 | Each | 907-663-A001 | Network Switch, Type A |
| 585 | Linear Feet | 907-663-D001 | Category 6 Cable, Installed in Conduit |
| 1 | Lump Sum | 907-899-A001 | Railway-Highway Provisions |
| | | | ALTERNATE GROUP AA NUMBER 1 |
| 150 | Cubic Yard | 304-H001 | 3/4" and Down Crushed Stone Base, LVM |
| | | | ALTERNATE GROUP AA NUMBER 2 |
| 150 | Cubic Yard | 304-H002 | Size 610 Crushed Stone Base, LVM |
| | | | ALTERNATE GROUP AA NUMBER 3 |
| 150 | Cubic Yard | 304-H003 | Size 825B Crushed Stone Base, LVM |
| | | | |

Intersection Improvements at various locations throughout the District, known as Federal Aid Project No. HSIP-9999-06(368) / 108014301 in District 6.

PROJECT COMPLETION: 207 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

| 2 | Station | 201-C001 | Random Clearing and Grubbing |
|---------|-------------|--------------|---|
| 25,701 | Square Feet | 202-B172 | Removal of Legend, All Types |
| 26 | Each | 202-B213 | Removal of Sign |
| 794 | Each | 202-B215 | Removal of Sign Including Post & Footing |
| 12,200 | Linear Feet | 202-B240 | Removal of Traffic Stripe |
| 66 | Cubic Yard | 601-B001 | Class "B" Structural Concrete, Minor Structures |
| 1 | Lump Sum | 618-A001 | Maintenance of Traffic |
| 1 | Lump Sum | 620-A001 | Mobilization |
| 219,224 | Linear Feet | 626-A003 | 6" Thermoplastic Traffic Stripe, Skip White |
| 932,836 | Linear Feet | 626-G002 | Thermoplastic Detail Stripe, White |
| 101,965 | Linear Feet | 626-G003 | Thermoplastic Detail Stripe, Yellow |
| 19,611 | Square Feet | 626-H004 | Thermoplastic Legend, White |
| 6,090 | Linear Feet | 626-H005 | Thermoplastic Legend, White |
| 9,632 | Each | 627-J001 | Two-Way Clear Reflective High Performance Raised Markers |
| 5,785 | Each | 627-K001 | Red-Clear Reflective High Performance Raised Markers |
| 14,034 | Each | 627-L001 | Two-Way Yellow Reflective High Performance Raised Markers |
| 2,959 | Square Feet | 630-A001 | Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness |
| 12,106 | Square Feet | 630-A003 | Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness |
| 6,037 | Square Feet | 630-A005 | Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness |
| 19,185 | Linear Feet | 630-C003 | Steel U-Section Posts, 3.0 lb/ft |
| 6,725 | Linear Feet | 630-K002 | Welded & Seamless Steel Pipe Posts, 3" |
| 1,240 | Linear Feet | 630-K003 | Welded & Seamless Steel Pipe Posts, 4" |
| 57 | Each | 638-C001 | Flasher Assembly - Solar Powered |
| 888 | Square Feet | 907-630-A001 | Standard Roadside Signs, LED Enhanced |

Upgrade of Administration Building HVAC Control System & 3rd Floor Space Reallocation, known as State Project No. BWO-9021-25(010) / 503251301 in Hinds County.

PROJECT COMPLETION: JANUARY 11, 2022

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change Roadway Items

1 Lump Sum 1550-A001 Upgrade of Administration Building HVAC Control System & 3rd Floor Space Reallocation

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Contractors may request permission to bid online at <u>http://shopmdot.ms.gov</u> at no cost. Upon approval, contractors shall be eligible to submit a bid using Bid Express at <u>http://bidx.com</u>. Specimen proposals may be viewed and downloaded online at no cost at <u>http://mdot.ms.gov</u> or purchased online at <u>http://shopmdot.ms.gov</u> at a cost of Ten Dollars (\$10.00) per proposal plus a small convenience fee. <u>Cash or checks will not be accepted as payment</u>.

Plans must be purchased online at https://shopmdot.ms.gov. Costs of plans will be on a cost per sheet basis plus a small convenience fee. You can contact the MDOT Plans Print Shop at Telephone No. (601) 359-7460 or e-mail at plans@mdot.state.ms.us. Plans will be shipped on receipt of payment. Cash or checks will not be accepted as payment.

Bid bond, signed or countersigned by a Mississippi Resident Agent or qualified non-resident agent, with Power of Attorney attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

MELINDA L. MCGRATH, P.E. EXECUTIVE DIRECTOR