

SECTION 905 -- PROPOSAL (CONTINUED)

I (We) hereby certify by digital signature and electronic submission via Bid Express of the Section 905 proposal below, that all certifications, disclosures and affidavits incorporated herein are deemed to be duly executed in the aggregate, fully enforceable and binding upon delivery of the bid proposal. I (We) further acknowledge that this certification shall not extend to the bid bond or alternate security which must be separately executed for the benefit of the Commission. This signature does not cure deficiencies in any required certifications, disclosures and/or affidavits. I (We) also acknowledge the right of the Commission to require full and final execution on any certification, disclosure or affidavit contained in the proposal at the Commission's election upon award. Failure to so execute at the Commission's request within the time allowed in the Standard Specifications for execution of all contract documents will result in forfeiture of the bid bond or alternate security.

Bidder acknowledges receipt of and has added to and made a part of the proposal and contract documents the following addendum (addenda):

ADDENDUM NO.	<u> 1 </u>	DATED	<u> 5/20/2021 </u>	ADDENDUM NO.	_____	DATED	_____
ADDENDUM NO.	_____	DATED	_____	ADDENDUM NO.	_____	DATED	_____
ADDENDUM NO.	_____	DATED	_____	ADDENDUM NO.	_____	DATED	_____

Number	Description
1	Revised Bid Items; Revised or Added Plan Sheet Nos. 4, 5 & 7; Amendment EBSx Download Required.

TOTAL ADDENDA: 1
(Must agree with total addenda issued prior to opening of bids)

Respectfully Submitted,

DATE _____

Contractor

BY _____
Signature

TITLE _____

ADDRESS _____

CITY, STATE, ZIP _____

PHONE _____

FAX _____

E-MAIL _____

(To be filled in if a corporation)

Our corporation is chartered under the Laws of the State of _____ and the names, titles and business addresses of the executives are as follows:

_____ President	_____ Address
_____ Secretary	_____ Address
_____ Treasurer	_____ Address

The following is my (our) itemized proposal.
 HSIP-0009-03(068)/ 108174301000
 Washington County(ies)

Revised 01/26/2016

Intersection Improvements on US 61 at Griffin Road, Stoneville Road, Elizabeth Road & Old US 61, known as Federal Aid Project No. HSIP-0009-03(068) / 108174301 in Washington County.

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
Roadway Items					
0024	202-B188		2,976	Square Yard	Removal of Pavement, All Types and Depths
0030	202-B199		149	Each	Removal of Raised Reflective Pavement Marker
0040	202-B215		18	Each	Removal of Sign Including Post & Footing
0050	202-B241		3	Mile	Removal of Traffic Stripe
0054	203-G001	(E)	20	Cubic Yard	Excess Excavation, FM, AH
0056	203-I002		3,074	Square Yard	Site Grading
0060	213-C001		1	Ton	Superphosphate
0070	225-A001		1	Acre	Grassing
0080	225-B001		3	Ton	Agricultural Limestone
0090	225-C001		2	Ton	Mulch, Vegetative Mulch
0100	226-A001		1	Acre	Temporary Grassing
0110	234-A001		2,290	Linear Feet	Temporary Silt Fence
0120	237-A002		100	Linear Feet	Wattles, 20"
0130	503-C010		280	Linear Feet	Saw Cut, Full Depth
0140	601-A001	(S)	2	Cubic Yard	Class "B" Structural Concrete
0150	602-A001	(S)	29	Pounds	Reinforcing Steel
0160	618-A001		1	Lump Sum	Maintenance of Traffic
0170	618-B001		1	Square Feet	Additional Construction Signs [\$10.00]
0180	619-A1002		500	Linear Feet	Temporary Traffic Stripe, Continuous White
0190	619-A2002		500	Linear Feet	Temporary Traffic Stripe, Continuous Yellow
0200	620-A001		1	Lump Sum	Mobilization
0210	626-A002		3,360	Linear Feet	6" Thermoplastic Double Drop Traffic Stripe, Skip White
0220	626-C001		2,775	Linear Feet	6" Thermoplastic Double Drop Edge Stripe, Continuous White
0230	626-E002		800	Linear Feet	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
0240	626-F002		2,576	Linear Feet	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
0250	626-G004		1,730	Linear Feet	Thermoplastic Double Drop Detail Stripe, White
0260	626-G005		769	Linear Feet	Thermoplastic Double Drop Detail Stripe, Yellow
0270	626-H001		165	Square Feet	Thermoplastic Double Drop Legend, White
0280	626-H002		415	Linear Feet	Thermoplastic Double Drop Legend, White
0290	627-J001		49	Each	Two-Way Clear Reflective High Performance Raised Markers
0300	627-K001		93	Each	Red-Clear Reflective High Performance Raised Markers
0310	627-L001		7	Each	Two-Way Yellow Reflective High Performance Raised Markers

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
0320	630-A001		61	Square Feet	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
0330	630-A003		240	Square Feet	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
0340	630-B002		68	Square Feet	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
0350	630-C001		76	Linear Feet	Square Tube Posts, 4.0 lb/ft
0360	630-C002		105	Linear Feet	Steel U-Section Posts, 2.0 lb/ft
0370	630-D008		60	Linear Feet	Structural Steel Beams, W6 x 9
0380	630-E001		59	Pounds	Structural Steel Angles & Bars, 3 1/2" x 3 1/2" x 1/4" Angles
0390	630-E004		66	Pounds	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
0400	630-F003		45	Each	Delineators, Flexible Post Mounted, Crossover, Type II
0410	638-A004		3	Each	Flasher Assembly, ICWS, Watch For Traffic
0420	638-A005		2	Each	Flasher Assembly, ICWS, Watch For Entering Traffic
0430	660-A003		1	Each	Equipment Cabinet, Type B
0440	699-A001		1	Lump Sum	Roadway Construction Stakes
0450	907-630-O001		10	Each	Remove and Reset Sign Assembly
0460	907-632-J001		1	Each	Power Service Pedestal
0470	907-634-F001		4	Each	Detector Pole with Foundation, 20' Pole
0480	907-636-B014		1,754	Linear Feet	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 5 Conductor
0490	907-636-B028		60	Linear Feet	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 8, 3 Conductor
0500	907-637-A002		8	Each	Pullbox Enclosure, Type 2
0510	907-637-A003		1	Each	Pullbox Enclosure, Type 3
0520	907-637-D009		2,261	Linear Feet	Traffic Signal Conduit, Underground Drilled or Jacked, Type 4, 2"
0530	907-637-D003		465	Linear Feet	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
0540	907-641-A002		3	Each	Signal Stop Bar Radar Vehicle Detection Sensor, Type 2
0550	907-641-B002		2	Each	Signal Advanced Radar Vehicle Detection Sensor, Type 2
0560	907-641-D001		2,792	Linear Feet	Radar Vehicle Detection Cable
ALTERNATE GROUP AA NUMBER 1					
0570	304-F001	(GT)	84	Ton	3/4" and Down Crushed Stone Base
ALTERNATE GROUP AA NUMBER 2					
0580	304-F002	(GT)	84	Ton	Size 610 Crushed Stone Base
ALTERNATE GROUP AA NUMBER 3					
0590	304-F003	(GT)	84	Ton	Size 825B Crushed Stone Base


ADDENDUM

STATE	PROJECT NO.
MISS	HSIP-0009-03(068)

SUMMARY OF QUANTITIES (SHEET 1)

PAY ITEM NO.	PAY ITEM	UNIT	WASHINGTON : 108174-301000	
			Prelim	Final
202-B188	Removal of Pavement, All Types and Depths	SY	2,976	
202-B199	Removal of Raised Reflective Pavement Marker	EA	149	
202-B215	Removal of Sign Including Post & Footing	EA	18	
202-B241	Removal of Traffic Stripe	MI	3	
203-G001	Excess Excavation, FM, AH	CY	20	
203-I002	Site Grading	SY	3,074	
213-C001	Superphosphate	TON	1	
225-A001	Grassing	ACRE	1	
225-B001	Agricultural Limestone	TON	3	
225-C001	Mulch, Vegetative Mulch	TON	2	
226-A001	Temporary Grassing	ACRE	1	
234-A001	Temporary Silt Fence	LF	2,290	
237-A002	Wattles, 20"	LF	100	
304-F001	3/4" and Down Crushed Stone Base	TON	84	
304-F002	OR Size 610 Crushed Stone Base	TON	84	
304-F003	OR Size 825B Crushed Stone Base	TON	84	
503-C010	Saw Cut, Full Depth	LF	280	
601-A001	Class "B" Structural Concrete	CY	2	
602-A001	Reinforcing Steel	LBS	29	
618-A001	Maintenance of Traffic	LS	1	
618-B001	Additional Construction Signs	SF	1	
619-A1002	Temporary Traffic Stripe, Continuous White	LF	500	
619-A2002	Temporary Traffic Stripe, Continuous Yellow	LF	500	
620-A001	Mobilization	LS	1	
626-A002	6" Thermoplastic Double Drop Traffic Stripe, Skip White	LF	3,360	
626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White	LF	2,775	
626-E002	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow	LF	800	
626-F002	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow	LF	2,576	
626-G004	Thermoplastic Double Drop Detail Stripe, White	LF	1,730	
626-G005	Thermoplastic Double Drop Detail Stripe, Yellow	LF	769	
626-H001	Thermoplastic Double Drop Legend, White	SF	165	
626-H002	Thermoplastic Double Drop Legend, White	LF	415	
627-J001	Two-Way Clear Reflective High Performance Raised Markers	EA	49	
627-K001	Red-Clear Reflective High Performance Raised Markers	EA	93	
627-L001	Two-Way Yellow Reflective High Performance Raised Markers	EA	7	
630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness	SF	61	

- ① THE CONTRACTOR SHALL BE RESPONSIBLE FOR REMOVAL AND OR DISPOSAL OF SIGNS THAT ARE CALLED OUT ON THE PLANS.
- ② FOR THE CONSTRUCTION OF SIGN FOUNDATION.
- ③ INCLUDES TRAFFIC CONTROL ITEMS THAT MEETS MUTCD AND MDOT REQUIREMENTS.
- ④ ESTIMATED QUANTITY. ACTUAL QUANTITY AND PLACEMENT TO BE AS DIRECTED BY THE ENGINEER.
- ⑤ CONSTRUCTION OF 12" THICK SHOULDER NEAR ELIZABETH ROAD AND STONEVILLE ROAD. INCLUDES A 20% INCREASE FROM CALCULATED QUANTITY.

MISSISSIPPI DEPARTMENT OF TRANSPORTATION	
SUMMARY OF QUANTITIES	
	
Working Number	SQ-1
PROJ NO: HSIP-0009-03(068)	COUNTY: WASHINGTON
FILENAME: SQ	Sheet Number
Design Team BUCHART.HORN	Checked JD
Date 05/18/21	4

Revision	
----------	--


ADDENDUM

STATE	PROJECT NO.
MISS	HSIP-0009-03(068)

SUMMARY OF QUANTITIES (SHEET 2)


PAY ITEM NO.	PAY ITEM	UNIT	WASHINGTON : 108174-301000	
			Prelim	Final
630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness	SF	240	
630-B002	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted	SF	68	
630-C001	Square Tube Posts, 4.0 lb/ft	LF	76	①
630-C002	Steel U-Section Posts, 2.0 lb/ft	LF	105	①
630-D008	Structural Steel Beams, W6 x 9	LF	60	
630-E001	Structural Steel Angles & Bars, 3 1/2" x 3 1/2" x 1/4" Angles	LBS	59	
630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar	LBS	66	
630-F003	Delineators, Flexible Post Mounted, Crossover, Type II	EA	45	
907-630-O001	Remove and Reset Sign Assembly	EA	10	②
907-632-J001	Power Service Pedestal	EA	1	
907-634-F001	Detector Pole with Foundation, 20' Pole	EA	4	
907-636-B014	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 5 Conductor	LF	1,754	
907-636-B028	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 8, 3 Conductor	LF	60	
907-637-A002	Pullbox Enclosure, Type 2	EA	8	
907-637-A003	Pullbox Enclosure, Type 3	EA	1	
907-637-D003	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"	LF	465	
907-637-D009	Traffic Signal Conduit, Underground Drilled or Jacked, Type 4, 2"	LF	2,261	
638-A004	Flasher Assembly, ICWS, Watch For Traffic	EA	3	③
638-A005	Flasher Assembly, ICWS, Watch For Entering Traffic	EA	2	③
907-641-A002	Signal Stop Bar Radar Vehicle Detection Sensor, Type 2	EA	3	④
907-641-B002	Signal Advanced Radar Vehicle Detection Sensor, Type 2	EA	2	④
907-641-D001	Radar Vehicle Detection Cable	LF	2,792	
660-A003	Equipment Cabinet, Type B	EA	1	⑤
699-A001	Roadway Construction Stakes	LS	1	

- ① COST OF SIGN POST REFLECTIVE PANEL (RED AND/OR YELLOW) ARE TO BE ABSORBED IN THIS PAY ITEM.
- ② ESTIMATED QUANTITY. ACTUAL QUANTITY AND PLACEMENT TO BE AS DIRECTED BY THE ENGINEER.
- ③ INCLUDES AMBER BEACON, SOLAR POWERED PANEL, THE SIGN(S), THE POST, THE POST BASE AND FOUNDATION, SIGN SUPPORTS, SOLID STATE FLASHER UNIT(S), FLASHER PANEL, AND APPLICABLE CONDUIT AND WIRING ON THE POST ITSELF, STUBBED OUT TO THE FIRST PULLBOX, AND ALL INCIDENTALS NECESSARY TO COMPLETE THE WORK.
- ④ TO BE INSTALLED AND PROGRAMMED PER MANUFACTURER'S RECOMMENDATION. SEE NOTE 24 ON TSD-1 SHEET.
- ⑤ TO BE USED FOR 4-PHASE CABINET LOCATED AS PER PLANS.

MISSISSIPPI DEPARTMENT OF TRANSPORTATION	
SUMMARY OF QUANTITIES	
	Working Number SQ-2
PROJ NO: HSIP-0009-03(068) COUNTY: WASHINGTON	
Revision	Date
FILENAME: SQ	Sheet Number 5
Design Team: BUCHART-HORN	Checked: JD Date: 05/18/21

STATE	PROJECT NO.
MISS.	HSIP-0009-03(068)

ADDENDUM



REMOVAL ITEMS	UNITS	SYMBOL	TOTALS
ASPHALT REMOVAL	SQ. YD.		476
CONCRETE REMOVAL	SQ. YD.		2,500

MISSISSIPPI DEPARTMENT OF TRANSPORTATION
REMOVAL SHEET

COUNTY: WASHINGTON
 PROJ. NUM.: HSIP-0009-03(068)
 FILENAME: REM-1_SH.DGN
 DESIGN TEAM: bucharf, horne, checked

WORKING NUMBER: REM-1
 SHEET NUMBER: 7

DATE: 12/9/20

