

**SECTION 905 -- PROPOSAL (CONTINUED)**

I (We) hereby certify by digital signature and electronic submission via Bid Express of the Section 905 proposal below, that all certifications, disclosures and affidavits incorporated herein are deemed to be duly executed in the aggregate, fully enforceable and binding upon delivery of the bid proposal. I (We) further acknowledge that this certification shall not extend to the bid bond or alternate security which must be separately executed for the benefit of the Commission. This signature does not cure deficiencies in any required certifications, disclosures and/or affidavits. I (We) also acknowledge the right of the Commission to require full and final execution on any certification, disclosure or affidavit contained in the proposal at the Commission's election upon award. Failure to so execute at the Commission's request within the time allowed in the Standard Specifications for execution of all contract documents will result in forfeiture of the bid bond or alternate security.

Bidder acknowledges receipt of and has added to and made a part of the proposal and contract documents the following addendum (addenda):

ADDENDUM NO. <u>1</u>	DATED <u>5/20/2021</u>	ADDENDUM NO. _____	DATED _____
ADDENDUM NO. <u>2</u>	DATED <u>5/20/2021</u>	ADDENDUM NO. _____	DATED _____
ADDENDUM NO. _____	DATED _____	ADDENDUM NO. _____	DATED _____

Number	Description
1	Revised Bid Items; Revised or Added Plan Sheet Nos. 4, 5 & 7; Amendment EBSx Download Required.
2	Revised or Added Plan Sheet No. 2, 4, 5 & 7; Amendment EBSs Download Required.

TOTAL ADDENDA: 2  
(Must agree with total addenda issued prior to opening of bids)

Respectfully Submitted,

DATE \_\_\_\_\_

\_\_\_\_\_  
Contractor

BY \_\_\_\_\_  
Signature

TITLE \_\_\_\_\_

ADDRESS \_\_\_\_\_

CITY, STATE, ZIP \_\_\_\_\_

PHONE \_\_\_\_\_

FAX \_\_\_\_\_

E-MAIL \_\_\_\_\_

(To be filled in if a corporation)

Our corporation is chartered under the Laws of the State of \_\_\_\_\_ and the names, titles and business addresses of the executives are as follows:

\_\_\_\_\_  
President Address

\_\_\_\_\_  
Secretary Address

\_\_\_\_\_  
Treasurer Address

The following is my (our) itemized proposal.  
HSIP-0009-03(068)/ 108174301000  
Washington County(ies)

Revised 01/26/2016

**ADDENDUM**

STATE PROJECT NO.  
MISS. HSP-0009-03(068)

WKG. NO. SH. NO.

DESCRIPTION OF SHEET

TITLE SHEET (1)	1
DETAILED INDEX & GENERAL NOTES (2)	
DETAILED INDEX	DI-1
GENERAL NOTES	GN-1
QUANTITY SHEETS (3)	
SUMMARY OF QUANTITIES	SQ-1
SUMMARY OF QUANTITIES	SQ-2
ESTIMATED QUANTITIES - ROADSIDE SIGNS	EQ-1
SPECIAL DESIGN SHEETS (9)	
REMOVAL SHEET - ELIZABETH ROAD	REM-1
INTERSECTION DETAIL	ID-1
INTERSECTION CONFLICT WARNING SYSTEM	ICWS-1
INTERSECTION CONFLICT WARNING SYSTEM	ICWS-2
PAVEMENT MARKING DETAIL	PMD-1
CONSTRUCTION SIGNING PLAN	DCS-1
TRAFFIC CONTROL PLAN	TC-1
EROSION CONTROL PLAN	EC-1
VEGETATION SCHEDULE	VS-1
PERMANENT SIGNS (3)	
PERMANENT SIGNING PLAN	PSP-1
SIGN SUPPORT HARDWARE - 2.5" SQUARE POST	TSS-1
SIGN SUPPORT HARDWARE - 2.0" SQUARE POST	TSS-2
TRAFFIC SIGNAL SHEETS (7)	
TRAFFIC SIGNAL GENERAL NOTES	TSD-1
CONTROLLER CABINET AND POWER SERVICE DETAILS	TSD-6
POWER SERVICE PEDESTAL	TSD-7
PULL BOX AND TRENCHING DETAILS	TSD-8
WATCH FOR APPROACHING VEHICLES ASSEMBLY	TSD-19H
CABINET DETAILS - TYPE B AND C	CAB-1
POLE MOUNTED RDS DETAIL	RDS-1
STANDARD DRAWINGS - ROADWAY SHEETS (45)	
PAVEMENT MARKING (4)	
PAVEMENT MARKING DETAILS FOR 2-LANE & 4-LANE DIVIDED ROADWAYS	PM-1
PAVEMENT MARKING LEGEND DETAILS	PM-5
PAVEMENT MARKING LEGEND DETAILS	PM-6
TYPICAL PAVEMENT MARKING DETAIL FOR MEDIAN CROSSEVERS	PM-9
EROSION CONTROL (23)	
TYPICAL TEMPORARY EROSION /SEDIMENT CONTROL APPLICATIONS	EC-1
DETAILS OF SEDIMENT BARRIER APPLICATIONS	EC-2
DETAILS OF SILT FENCE INSTALLATION	EC-3
DITCH CHECK STRUCTURES, TYPICAL APPLICATIONS AND DETAILS	EC-4
TEMPORARY EROSION, SEDIMENT, AND WATER POLLUTION CONTROL MEASURES (SILT FENCE AND HAY BALE DITCH CHECK)	EC-5
DETAILS OF EROSION CONTROL WATTLE DITCH CHECK	EC-6
DETAILS OF EROSION CONTROL SILT DIKE DITCH CHECK	EC-7
ROCK DITCH CHECK	EC-8
ROCK FILTER DAM	EC-9
ROCK DITCH CHECK WITH SUMP EXCAVATION AND ROCK FILTER DAM	EC-10
TYPICAL APPLICATIONS AND DETAILS FOR INLET CONSTRUCTION	EC-11
INLET PROTECTION DETAILS FOR SEDIMENT CONTROL STONE ON GRADES AND SAGS	EC-12
INLET PROTECTION DETAILS OF WATTLES	EC-13
INLET PROTECTION DETAILS OF MANUFACTURED INLET PROTECTION DEVICE	EC-14
INLET PROTECTION DETAILS OF SANDBAGS	EC-15
STABILIZED CONSTRUCTION ENTRANCE	EC-16
TEMPORARY STREAM DIVERSION	EC-18
TEMPORARY STREAM DIVERSION (BOX EXTENSION)	EC-19
FLOATING TURBIDITY CURTAIN	EC-20
DETAILS OF EROSION CONTROL SANDBAG DITCH CHECK	EC-21
SEDIMENT RETENTION BARRIER	EC-22
DETAILS OF TYPICAL DITCH TREATMENTS	DT-1
EROSION CONTROL BLANKET	ECB-1
SIGNING (11)	
STANDARD ROADSIDE SIGNS	SN-3A
STANDARD ROADSIDE SIGNS	SN-3B
STANDARD ROADSIDE SIGN ASSEMBLY INSTALLATION	SN-4
STANDARD ROADSIDE SIGN ASSEMBLY INSTALLATION	SN-4A
STANDARD ROADSIDE SIGN ASSEMBLY INSTALLATION	SN-4B

STANDARD DRAWINGS - ROADWAY SHEETS (CONT.)	
TYPICAL INSTALLATION OF GROUND MOUNTED DIRECTIONAL SIGNS	SN-5
BREAKAWAY SIGN SUPPORTS	SN-6
BREAKAWAY SIGN SUPPORTS	SN-6A
BREAKAWAY SIGN SUPPORTS	SN-6B
SIGN FACE CONST AND ATTACHMENT OF GROUND MOUNTED DIRECTIONAL SIGNS TO STEEL BEAMS	SN-7
TYPICAL CROSSEVER DELINEATION	SN-8B
TRAFFIC CONTROL PLANS (7)	
TRAFFIC CONTROL PLAN WITH FLAGGER	TCP-1
TRAFFIC CONTROL PLAN FOR POSTED SPEED LIMIT OF 65 OR 70 MPH (INTERSTATES AND OTHER 4-LANE DIVIDED HIGHWAYS)	TCP-4
(MEDIAN LANE OR OUTSIDE LANE CLOSURE) (EXTENDED PERIOD)	
TRAFFIC CONTROL PLAN FOR POSTED SPEED LIMIT OF 65 OR 70 MPH (INTERSTATES AND OTHER 4-LANE DIVIDED HIGHWAYS)	TCP-5
(MEDIAN LANE OR OUTSIDE LANE CLOSURE) (WORK DAY ONLY)	
HIGHWAY SIGN AND BARRICADE DETAILS FOR CONSTRUCTION PROJECTS	TCP-8
TRAFFIC CONTROL PLAN MOBILE OPERATIONS MULTILANE ROADS AND TWO-LANE ROADS	TCP-9
LOCATION OF RIB-3 SIGNS (SPEEDING FINES DOUBLED)	TCP-15
TRAFFIC CONTROL DETAILS DRUM PLACEMENT AND SHOULDER CLOSURE	TCP-16
TOTAL SHEETS	70

GPS CONTROL NOTES

HORIZONTAL DATUM: NAD 83(2011) MS WEST ZONE (US SURVEY FEET)  
 HORIZONTAL MONUMENT NORTH EAST  
 LELAND 2 AZ MK 1,424,783.25 2,126,756.42  
 (PID DK0414)  
 VERTICAL DATUM: NAVD 88 (US SURVEY FEET)  
 VERTICAL MONUMENT ELEVATION  
 LELAND 2 AZ MK 122.33  
 (PID DK0414)  
 ALL AZIMUTHS AND DISTANCES ARE GRID VALUES, US SURVEY FEET  
 CONVERSION VALUES PROJECT AVERAGE  
 GROUND TO GRID (COMBINED) FACTOR 1.00000  
 GRID TO GEODETIC AZIMUTH -0°18'23.4"

PS & E PLANS: 03/09/2021
FMS CON. # 108174301000
REVISIONS
DATE SHEET NO. BY
3/22/21 1, 2, 3, 11 & 15 GSM
5/20/21 4, 5 & 7 GSM



MISSISSIPPI DEPARTMENT OF TRANSPORTATION  
**DETAILED INDEX**

COUNTY: WASHINGTON  
 PROJ. NUM.: HSP-0009-03(068)  
 WORKING NUMBER DI-1  
 SHEET NUMBER 2

DATE 3/23/21  
 REVISION ADED VS-1 & REV. TOTAL SHEETS  
 DATE 3/23/21  
 REVISION ADED PS&E DATE  
 DATE 3/23/21  
 REVISION ADED PS&E DATE

FILENAME: DI\_SH.DGN  
 DESIGN TEAM: chartf, horrrchecked  
 JD DATE 12/9/20

**ADDENDUM**

STATE	PROJECT NO.
MISS	HSIP-0009-03(068)

**SUMMARY OF QUANTITIES (SHEET 1)**

PAY ITEM NO.	PAY ITEM	UNIT	WASHINGTON : 108174-301000	
			Prelim	Final
202-B188	Removal of Pavement, All Types and Depths	SY	2,976	
202-B199	Removal of Raised Reflective Pavement Marker	EA	149	
202-B215	Removal of Sign Including Post & Footing	EA	18	
202-B241	Removal of Traffic Stripe	MI	3	
203-G001	Excess Excavation, FM, AH	CY	20	
203-I002	Site Grading	SY	3,074	
213-C001	Superphosphate	TON	1	
225-A001	Grassing	ACRE	1	
225-B001	Agricultural Limestone	TON	3	
225-C001	Mulch, Vegetative Mulch	TON	2	
226-A001	Temporary Grassing	ACRE	1	
234-A001	Temporary Silt Fence	LF	2,290	
237-A002	Wattles, 20"	LF	100	
304-F001	3/4" and Down Crushed Stone Base	TON	84	
304-F002	OR Size 610 Crushed Stone Base	TON	84	
304-F003	Size 825B Crushed Stone Base	TON	84	
503-C010	Saw Cut, Full Depth	LF	280	
601-A001	Class "B" Structural Concrete	CY	2	
602-A001	Reinforcing Steel	LBS	29	
618-A001	Maintenance of Traffic	LS	1	
618-B001	Additional Construction Signs	SF	1	
619-A1002	Temporary Traffic Stripe, Continuous White	LF	500	
619-A2002	Temporary Traffic Stripe, Continuous Yellow	LF	500	
620-A001	Mobilization	LS	1	
626-A002	6" Thermoplastic Double Drop Traffic Stripe, Skip White	LF	3,360	
626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White	LF	2,775	
626-E002	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow	LF	800	
626-F002	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow	LF	2,576	
626-G004	Thermoplastic Double Drop Detail Stripe, White	LF	1,730	
626-G005	Thermoplastic Double Drop Detail Stripe, Yellow	LF	769	
626-H001	Thermoplastic Double Drop Legend, White	SF	165	
626-H002	Thermoplastic Double Drop Legend, White	LF	415	
627-J001	Two-Way Clear Reflective High Performance Raised Markers	EA	49	
627-K001	Red-Clear Reflective High Performance Raised Markers	EA	93	
627-L001	Two-Way Yellow Reflective High Performance Raised Markers	EA	7	

- ① THE CONTRACTOR SHALL BE RESPONSIBLE FOR REMOVAL AND OR DISPOSAL OF SIGNS THAT ARE CALLED OUT ON THE PLANS.
- ② FOR THE CONSTRUCTION OF SIGN FOUNDATION.
- ③ INCLUDES TRAFFIC CONTROL ITEMS THAT MEETS MUTCD AND MDTOT REQUIREMENTS.
- ④ ESTIMATED QUANTITY. ACTUAL QUANTITY AND PLACEMENT TO BE AS DIRECTED BY THE ENGINEER.
- ⑤ CONSTRUCTION OF 12" THICK SHOULDER NEAR ELIZABETH ROAD AND STONEVILLE ROAD. INCLUDES A 20% INCREASE FROM CALCULATED QUANTITY.



05/20/2021

MISSISSIPPI DEPARTMENT OF TRANSPORTATION SUMMARY OF QUANTITIES	Working Number <b>SQ-1</b>
PROJ NO: HSIP-0009-03(068) COUNTY: WASHINGTON	Sheet Number <b>4</b>
FILENAME: SQ	Design Team: BUCHART.HORN Checked: JD Date: 05/20/21



Date	Revision
05/20/2021	Rev. Qty. 304-F003 & 503-C010.
05/20/2021	637-C028, Add 202-B188, 203-637-C028, Add 202-B188, 203-637-C028, Add 202-B073 & 907-637-C028.

**ADDENDUM**

STATE	PROJECT NO.
MISS	HSIP-0009-03(068)

PAY ITEM NO.	PAY ITEM	UNIT	WASHINGTON : 108174-301000	
			Prelim	Final
630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness	SF	61	
630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness	SF	240	
630-B002	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted	SF	68	
630-C001	Square Tube Posts, 4.0 lb/ft	LF	76	
630-C002	Steel U-Section Posts, 2.0 lb/ft	LF	105	
630-D008	Structural Steel Beams, W6 x 9	LF	60	
630-E001	Structural Steel Angles & Bars, 3 1/2" x 3 1/2" x 3 1/2" x 1/4" Angles	LBS	59	
630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar	LBS	66	
630-F003	Delineators, Flexible Post Mounted, Crossover, Type II	EA	45	
907-630-O001	Remove and Reset Sign Assembly	EA	10	
907-632-J001	Power Service Pedestal	EA	1	
907-634-F001	Detector Pole with Foundation, 20' Pole	EA	4	
907-636-B014	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 5 Conductor	LF	1,754	
907-636-B028	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 8, 3 Conductor	LF	60	
907-637-A002	Pullbox Enclosure, Type 2	EA	8	
907-637-A003	Pullbox Enclosure, Type 3	EA	1	
907-637-D003	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"	LF	465	
907-637-D009	Traffic Signal Conduit, Underground Drilled or Jacked, Type 4, 2"	LF	2,261	
638-A004	Flasher Assembly, ICWS, Watch For Traffic	EA	3	
638-A005	Flasher Assembly, ICWS, Watch For Entering Traffic	EA	2	
907-641-A002	Signal Stop Bar Radar Vehicle Detection Sensor, Type 2	EA	3	
907-641-B002	Signal Advanced Radar Vehicle Detection Sensor, Type 2	EA	2	
907-641-D001	Radar Vehicle Detection Cable	LF	2,792	
660-A003	Equipment Cabinet, Type B	EA	1	
699-A001	Roadway Construction Stakes	LS	1	

- ① COST OF SIGN POST REFLECTIVE PANEL (RED AND/OR YELLOW) ARE TO BE ABSORBED IN THIS PAY ITEM.
- ② ESTIMATED QUANTITY. ACTUAL QUANTITY AND PLACEMENT TO BE AS DIRECTED BY THE ENGINEER.
- ③ INCLUDES AMBER BEACON, SOLAR POWERED PANEL, THE SIGN(S), THE POST, THE POST BASE AND FOUNDATION, SIGN SUPPORTS, SOLID STATE FLASHER UNIT(S), FLASHER PANEL, AND APPLICABLE CONDUIT AND WIRING ON THE POST ITSELF, STUBBED OUT TO THE FIRST PULLBOX, AND ALL INCIDENTALS NECESSARY TO COMPLETE THE WORK.
- ④ TO BE INSTALLED AND PROGRAMMED PER MANUFACTURER'S RECOMMENDATION. SEE NOTE 24 ON TSD-1 SHEET.
- ⑤ TO BE USED FOR 4-PHASE CABINET LOCATED AS PER PLANS.



MISSISSIPPI DEPARTMENT OF TRANSPORTATION SUMMARY OF QUANTITIES	
Rev. 05/20/2021 Delete 202-B007, 202-B073 & 907-637-C028, Add 202-B188, 203-G001, 203-I002 & 907-637-D009, Rev. Qty. 304-F003 & 503-C010.	Revision
05/20/2021	Date
PROJ NO: HSIP-0009-03(068) COUNTY: WASHINGTON	Working Number SQ-2
FILENAME: SQ	Sheet Number 5
Design Team: BUCHART, HORN	Checked: JD
	Date: 05/20/21


FMS CON:108174/301000

**ADDENDUM**

STATE	PROJECT NO.
MISS.	HSIP-0009-03(068)



05/20/2021



▲ SAW CUT (130 L.F.)  
CONSTRUCT 4 FT. SHOULDER  
(39 TON)

▲ SAW CUT (150 L.F.)  
CONSTRUCT 4 FT.  
SHOULDER (45 TON)

REMOVAL ITEMS	UNITS	SYMBOL	TOTALS	
			SQ. YD.	476
ASPHALT REMOVAL				476
CONCRETE REMOVAL				2,500

DATE	REVISION	BY
5/20/21	REV. SAW CUT, ASPHALT & REM. QTY.	GSM

MISSISSIPPI DEPARTMENT OF TRANSPORTATION  
**REMOVAL SHEET**

COUNTY: WASHINGTON  
PROJ. NUM.: HSIP-0009-03(068)  
FILENAME: REM-1\_SH.DGN  
DESIGN TEAM: Buchart, Horrocks

WORKING NUMBER  
**REM-1**  
SHEET NUMBER  
**7**

