

SECTION 905 -- PROPOSAL (CONTINUED)

I (We) hereby certify by digital signature and electronic submission via Bid Express of the Section 905 proposal below, that all certifications, disclosures and affidavits incorporated herein are deemed to be duly executed in the aggregate, fully enforceable and binding upon delivery of the bid proposal. I (We) further acknowledge that this certification shall not extend to the bid bond or alternate security which must be separately executed for the benefit of the Commission. This signature does not cure deficiencies in any required certifications, disclosures and/or affidavits. I (We) also acknowledge the right of the Commission to require full and final execution on any certification, disclosure or affidavit contained in the proposal at the Commission's election upon award. Failure to so execute at the Commission's request within the time allowed in the Standard Specifications for execution of all contract documents will result in forfeiture of the bid bond or alternate security.

Bidder acknowledges receipt of and has added to and made a part of the proposal and contract documents the following addendum (addenda):

| | | | |
|-----------------------|------------------------|--------------------|-------------|
| ADDENDUM NO. <u>1</u> | DATED <u>7/19/2021</u> | ADDENDUM NO. _____ | DATED _____ |
| ADDENDUM NO. <u>2</u> | DATED <u>7/22/2021</u> | ADDENDUM NO. _____ | DATED _____ |
| ADDENDUM NO. _____ | DATED _____ | ADDENDUM NO. _____ | DATED _____ |

| Number | Description |
|--------|---|
| 1 | Revised Table of Contents; Revised NTB Nos. 3447 & 3450; Added Supplement to SP 907-663-5; Revised Bid Items; Revised or Added Plan Sheet Nos. 2-4, 6, 18-31.2, 38 & 194; Amendment EBSx Download Required. |
| 2 | Revised Table of Contents; Revised NTB No. 3450; Added NTB No. 3516; Revised Bid Items; Amendment EBSx Download Rquired. |

TOTAL ADDENDA: 2
(Must agree with total addenda issued prior to opening of bids)

Respectfully Submitted,

DATE _____

Contractor

BY _____
Signature

TITLE _____

ADDRESS _____

CITY, STATE, ZIP _____

PHONE _____

FAX _____

E-MAIL _____

(To be filled in if a corporation)

Our corporation is chartered under the Laws of the State of _____ and the names, titles and business addresses of the executives are as follows:

President Address

Secretary Address

Treasurer Address

The following is my (our) itemized proposal.

IM-0059-01(121)/ 107579301000 & IM-0059-02(110)/ 107579302000

Forrest & Jones County(ies)

Revised 01/26/2016

**MISSISSIPPI DEPARTMENT OF TRANSPORTATION
TABLE OF CONTENTS**

**PROJECT: IM-0059-01(121)/107579301 - Forrest
IM-0059-02(110)/107579302 - Jones**

Section 901 - Advertisement

Section 904 - Notice to Bidders

| | |
|-------|---|
| #1 | Governing Specification, w/ Supplement |
| #2 | Status of ROW, w/ Attachments |
| #6 | Storm Water Discharge Associated with Construction Activity (> 5 Acres) |
| #9 | Federal Bridge Formula |
| #15 | Non-Use of Precast Drainage Units |
| #113 | Tack Coat |
| #115 | Standard Drawings |
| #296 | Reduced Speed Limit Signs |
| #445 | Mississippi Agent or Qualified Nonresident Agent |
| #516 | Errata and Modifications to the 2017 Standard Specifications |
| #757 | Additional Erosion Control Requirements |
| #977 | DUNS Requirement For Federal Funded Projects |
| #1225 | Early Notice to Proceed |
| #1226 | Material Storage Under Bridges |
| #1241 | Fuel and Material Adjustments |
| #1434 | Erosion Control Plan |
| #1963 | Guardrail Pads |
| #2172 | App for Storm Water Reports |
| #2206 | MASH Compliant Devices |
| #2273 | Mississippi Special Fuel Tax Law |
| #2611 | Disadvantaged Business Enterprise In Federal-Aid Highway Construction, w/ Supplement |
| #2782 | DBE Pre-Bid Meeting |
| #2783 | General ITS Requirements |
| #2812 | Traffic Signal and ITS Components |
| #2954 | Reflective Sheeting for Signs |
| #3446 | Contract Time |
| #3447 | Specialty Items |
| #3448 | A+C Bidding |
| #3449 | Liquidated Damages |
| #3450 | Pay Item Corrections |
| #3451 | Traffic Control Sheets |
| #3515 | Additional Milling Requirements |
| #3516 | Jacked or Bored Steel Pipe |
| 906 | Required Federal Contract Provisions -- FHWA 1273, w/Supplements |

Section 907 - Special Provisions

| | |
|-----------|-------------------------------------|
| 907-102-2 | Bidding Requirements and Conditions |
| 907-105-1 | Authority of the Engineer |
| 907-108-4 | Subletting of Contract |

PROJECT: IM-0059-01(121)/107579301 - Forrest
IM-0059-02(110)/107579302 - Jones

| | |
|------------|--|
| 907-109-3 | Measurement and Payment |
| 907-240-1 | Interlocking Flexible Block Erosion Control System |
| 907-402-4 | Open Graded Friction Course (OGFC) |
| 907-416-2 | High Friction Surface Treatment |
| 907-507-1 | Rubblizing Existing Concrete Pavement |
| 907-618-8 | Work Zone Law Enforcement |
| 907-618-10 | Service Patrol |
| 907-619-5 | Traffic Control for Construction Zones |
| 907-619-9 | Portable Smart Zone Systems (SWZS) |
| 907-624-1 | Inverted Profile Thermoplastic Traffic Stripe |
| 907-626-1 | 40-mil Thermoplastic Markings |
| 907-630-1 | Remove and Reset Signs |
| 907-631-1 | Traffic Signal Systems - General |
| 907-632-1 | Traffic Signal Cabinet Assemblies |
| 907-634-4 | Traffic Signal and ITS Equipment Poles |
| 907-636-3 | Electrical Cable |
| 907-637-3 | Traffic Signal Conduit and Pull Boxes |
| 907-650-4 | On-Street Video Equipment |
| 907-661-6 | Fiber Optic Cable (OSP) |
| 907-663-5 | Networking Equipment, w/ Supplement |
| 907-687-3 | Traffic Recorder Classification System |
| 907-701-3 | Hydraulic Cement |
| 907-702-4 | Bituminous Materials |
| 907-703-1 | Gradation |
| 907-705-1 | Stone Riprap |
| 907-707-2 | Joint Material |
| 907-708-3 | Reinforced Concrete Pipe |
| 907-711-2 | Plain Steel Wire |
| 907-714-1 | Miscellaneous Materials |
| 907-720-2 | Acceptance Procedure for Glass Beads |
| 907-721-2 | Materials for Signs |
| 907-722-1 | Materials for Traffic Signal Installation |
| 906-8 | Training Special Provisions |

Section 905 - Proposal, Proposal Bid Items, Combination Bid Proposal
Certification of Performance - Prior Federal-Aid Contracts
Certification Regarding Non-Collusion, Debarment and Suspension
SAM.GOV Registration and DUNS Number
Section 902 - Contract Form
Section 903 - Contract Bond Forms
Form -- OCR-485

(REVISIONS TO THE ABOVE WILL BE INDICATED ON THE SECOND SHEET
OF SECTION 905 AS ADDENDA)

07/22/2021 09:10 AM

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

SECTION 904 - NOTICE TO BIDDERS NO. 3450

CODE: (SP)

DATE: 06/17/2021

SUBJECT: Pay Item Corrections

**PROJECT: IM-0059-01(121) / 107579301 & IM-0059-02(110) / 107579302
Forrest & Jones Counties**

The Bidder's attention is called to the Summary of Quantities in the Contract Plans.

Pay Item 907-618-M1002, Service Patrol, 8,000 Hours, was inadvertently omitted from the plans.

Pay Item 907-618-M2001, Work Zone Law Enforcement, 2,000 Hours, was inadvertently omitted from the plans.

Pay Item 247-A001, Temporary Stream Diversion, 20 Each, was inadvertently omitted from the plans.

Pay Item 603-CA053, 30" RCP, Class V, Jacked or Bored, 88 LF and Pay Item 603-CA065, 36" RCP, Class V, Jacked or Bored, 280 LF, was deleted.

Pay Item 603-A046, 30" Steel Pipe, Jacked or Bored, 88 LF and Pay Item 603-A047, 36" Steel Pipe, Jacked or Bored, 280 LF, was added.

The Bid Sheets are correct.

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

SECTION 904 - NOTICE TO BIDDERS NO. 3516

CODE: (SP)

DATE: 7/20/2021

SUBJECT: Jacked or Bored Steel Pipe

**PROJECT: IM-0059-01(121) / 107579301 & IM-0059-02(110) / 107579302
Forrest & Jones Counties**

Bidders are hereby advised that prior to installation, the Contractor will be required to submit, for approval, design calculations stamped by a registered Professional Engineer with the following criteria considered at a minimum: PH, Resistivity, Corrosion, Wall Thicknesses, Dead and Live Loads.

Pavement Restoration approximately 14 miles on I-59 from the Lamar County Line to the Jones County Line & from the Forrest County Line to 0.3 miles South of Moselle, known as Federal Aid Project Nos. IM-0059-01(121) / 107579301 & IM-0059-02(110) / 107579302 in Forrest & Jones Counties.

| Line No. | Item Code | Adj Code | Quantity | Units | Description [Fixed Unit Price] |
|----------------------|-----------|----------|----------|-----------------|---|
| Roadway Items | | | | | |
| 0010 | 201-B001 | | 90 | Acre | Clearing and Grubbing |
| 0020 | 202-B007 | | 259,794 | Square Yard | Removal of Asphalt Pavement, All Depths |
| 0030 | 202-B039 | | 12,762 | Linear Feet | Removal of Cable Barrier |
| 0040 | 202-B040 | | 12 | Each | Removal of Cable Barrier Terminal Section |
| 0050 | 202-B060 | | 208 | Linear Feet | Removal of Concrete Median Barrier |
| 0060 | 202-B063 | | 4,000 | Square Yard | Removal of Concrete Paved Ditch |
| 0070 | 202-B073 | | 58,540 | Square Yard | Removal of Concrete Pavement, All Depths |
| 0080 | 202-B126 | | 2,000 | Linear Feet | Removal of Fence, All Types |
| 0090 | 202-B136 | | 17,652 | Linear Feet | Removal of Guard Rail |
| 0100 | 202-B191 | | 22 | Linear Feet | Removal of Pipe, 8" And Above |
| 0110 | 202-B215 | | 234 | Each | Removal of Sign Including Post & Footing |
| 0120 | 202-B219 | | 65 | Each | Removal of Sign, Ground Mounted with Posts |
| 0130 | 202-B220 | | 2 | Each | Removal of Sign, Overhead Mounted Including Panels, Trust, and Footings |
| 0140 | 202-B226 | | 318,333 | Square Yard | Removal of Soil Cement Treated Base, All Depths |
| 0150 | 202-B241 | | 203 | Mile | Removal of Traffic Stripe |
| 0160 | 203-A001 | (E) | 166,999 | Cubic Yard | Unclassified Excavation, FM, AH |
| 0170 | 203-EX017 | (E) | 132,991 | Cubic Yard | Borrow Excavation, AH, FME, Class B7 |
| 0180 | 206-A001 | (S) | 571 | Cubic Yard | Structure Excavation |
| 0190 | 206-B001 | (E) | 361 | Cubic Yard | Select Material for Undercuts, Contractor Furnished, FM |
| 0200 | 209-A005 | | 300,929 | Square Yard | Geotextile Stabilization, Type V, Non-Woven |
| 0210 | 211-B001 | (E) | 10,000 | Cubic Yard | Topsoil for Slope Treatment, Contractor Furnished |
| 0220 | 213-C001 | | 105 | Ton | Superphosphate |
| 0230 | 216-A001 | | 49,428 | Square Yard | Solid Sodding |
| 0240 | 217-A001 | | 38,580 | Square Yard | Ditch Liner |
| 0250 | 219-A001 | | 320 | Thousand Gallon | Watering [\$20.00] |
| 0260 | 220-A001 | | 296 | Acre | Insect Pest Control [\$30.00] |
| 0270 | 221-A001 | (S) | 2,026 | Cubic Yard | Concrete Paved Ditch |
| 0280 | 223-A001 | | 414 | Acre | Mowing [\$50.00] |
| 0290 | 224-A001 | | 3,868 | Square Yard | Soil Reinforcing Mat |
| 0300 | 225-A001 | | 296 | Acre | Grassing |
| 0310 | 225-B001 | | 592 | Ton | Agricultural Limestone |
| 0320 | 225-C001 | | 592 | Ton | Mulch, Vegetative Mulch |

| Line No. | Item Code | Adj Code | Quantity | Units | Description [Fixed Unit Price] |
|----------|-----------|----------|----------|-------------|--|
| 0330 | 226-A001 | | 296 | Acre | Temporary Grassing |
| 0340 | 227-A001 | | 40 | Acre | Hydroseeding |
| 0350 | 234-A001 | | 105,700 | Linear Feet | Temporary Silt Fence |
| 0360 | 234-D001 | | 15 | Each | Inlet Siltation Guard |
| 0370 | 234-E001 | | 15 | Each | Reset Inlet Siltation Guard |
| 0380 | 236-A008 | | 35 | Each | Silt Basin, Type D |
| 0390 | 237-A002 | | 5,500 | Linear Feet | Wattles, 20" |
| 0400 | 246-B001 | | 310 | Each | Rockbags |
| 0402 | 247-A001 | | 20 | Each | Temporary Stream Diversion |
| 0410 | 249-A001 | | 2,840 | Ton | Riprap for Erosion Control |
| 0420 | 403-A001 | (BA1) | 19,650 | Ton | 12.5-mm, HT, Asphalt Pavement |
| 0430 | 403-A004 | (BA1) | 121,266 | Ton | 19-mm, HT, Asphalt Pavement |
| 0440 | 403-A006 | (BA1) | 13,642 | Ton | 19-mm, ST, Asphalt Pavement |
| 0450 | 403-A013 | (BA1) | 3,825 | Ton | 9.5-mm, HT, Asphalt Pavement |
| 0460 | 403-A015 | (BA1) | 16,485 | Ton | 9.5-mm, ST, Asphalt Pavement |
| 0470 | 403-S001 | | 54 | Mile | Joint Sealant |
| 0480 | 405-A001 | (BA1) | 55,689 | Ton | Stone Matrix Asphalt, 12.5 mm Mixture |
| 0490 | 405-A002 | (BA1) | 41,767 | Ton | Stone Matrix Asphalt, 9.5 mm Mixture |
| 0500 | 406-A002 | | 76,637 | Square Yard | Cold Milling of Bituminous Pavement, All Depths |
| 0510 | 407-A001 | (A2) | 191,977 | Gallon | Asphalt for Tack Coat |
| 0520 | 413-E001 | | 31,680 | Linear Feet | Sawing and Sealing Transverse Joints in Asphalt Pavement |
| 0530 | 423-A001 | | 50 | Mile | Rumble Strips, Ground In |
| 0540 | 503-C010 | | 16,390 | Linear Feet | Saw Cut, Full Depth |
| 0550 | 601-A001 | (S) | 828 | Cubic Yard | Class "B" Structural Concrete |
| 0560 | 601-B001 | (S) | 154 | Cubic Yard | Class "B" Structural Concrete, Minor Structures |
| 0570 | 602-A001 | (S) | 102,879 | Pounds | Reinforcing Steel |
| 0572 | 603-A046 | (S) | 88 | Linear Feet | 30" Steel Pipe, Jacked or Bored |
| 0574 | 603-A047 | (S) | 280 | Linear Feet | 36" Steel Pipe, Jacked or Bored |
| 0580 | 603-CA012 | (S) | 296 | Linear Feet | 18" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets |
| 0590 | 603-CA027 | (S) | 1,456 | Linear Feet | 24" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets |
| 0600 | 603-CA041 | (S) | 152 | Linear Feet | 30" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets |
| 0620 | 603-CA056 | (S) | 232 | Linear Feet | 36" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets |
| 0640 | 603-CA067 | (S) | 80 | Linear Feet | 42" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets |
| 0650 | 603-CA077 | (S) | 24 | Linear Feet | 48" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets |

| Line No. | Item Code | Adj Code | Quantity | Units | Description [Fixed Unit Price] |
|----------|-----------|----------|----------|-------------|--|
| 0660 | 603-CA088 | (S) | 128 | Linear Feet | 54" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets |
| 0670 | 603-CA100 | (S) | 56 | Linear Feet | 60" Reinforced Concrete Pipe, Class III, Rubber Type Gasket |
| 0680 | 603-CB003 | (S) | 28 | Each | 18" Reinforced Concrete End Section |
| 0690 | 603-CB004 | (S) | 28 | Each | 24" Reinforced Concrete End Section |
| 0700 | 603-CB005 | (S) | 11 | Each | 30" Reinforced Concrete End Section |
| 0710 | 603-CB006 | (S) | 9 | Each | 36" Reinforced Concrete End Section |
| 0720 | 603-CB007 | (S) | 7 | Each | 42" Reinforced Concrete End Section |
| 0730 | 603-CB008 | (S) | 3 | Each | 48" Reinforced Concrete End Section |
| 0740 | 603-CB009 | (S) | 8 | Each | 54" Reinforced Concrete End Section |
| 0750 | 603-CB010 | (S) | 4 | Each | 60" Reinforced Concrete End Section |
| 0760 | 604-B001 | | 750 | Pounds | Gratings |
| 0770 | 606-B003 | | 21,659 | Linear Feet | Guard Rail, Class A, Type 1, 'W' Beam, Metal Post |
| 0780 | 606-C001 | | 13 | Each | Guard Rail, Cable Anchor Type 1, Metal Post |
| 0790 | 606-D001 | | 58 | Each | Guard Rail, Bridge End Section |
| 0800 | 606-E005 | | 42 | Each | Guard Rail, Terminal End Section, Flared |
| 0810 | 607-A001 | | 1,700 | Linear Feet | 31.5" Type"A" Woven Wire Fence, w/ Barbed Wire as Shown |
| 0820 | 607-B019 | | 300 | Linear Feet | 60" Type II Chain Link Fence, Class I |
| 0830 | 607-P1008 | | 30 | Each | Line Post, 7' x 1 1/2" Galvanized Steel |
| 0840 | 607-P1009 | | 10 | Each | Line Post, 7' x 2 1/2" Galvanized Steel |
| 0850 | 607-P1015 | | 170 | Each | Line Post, 8' x 4" Timber |
| 0860 | 607-P2009 | | 50 | Each | Brace Post, 8' x 6" Timber |
| 0870 | 607-P2012 | | 30 | Each | Brace Post, 9' x 2 1/2" Galvanized Steel |
| 0880 | 610-A001 | | 36,867 | Linear Feet | Cable Barrier |
| 0890 | 610-B001 | | 18 | Each | Cable Barrier Terminal Section |
| 0900 | 612-B001 | | 6 | Cubic Yard | Flowable Fill, Non-Excavatable |
| 0910 | 615-A005 | (S) | 320 | Linear Feet | Concrete Pier Protection Barrier, 32" |
| 0920 | 615-A007 | (S) | 748 | Linear Feet | Concrete Pier Protection Barrier, 54" |
| 0930 | 618-A001 | | 1 | Lump Sum | Maintenance of Traffic |
| 0932 | 619-A1001 | | 18 | Mile | Temporary Traffic Stripe, Continuous White |
| 0934 | 619-A2001 | | 18 | Mile | Temporary Traffic Stripe, Continuous Yellow |
| 0936 | 619-A3001 | | 14 | Mile | Temporary Traffic Stripe, Skip White |
| 0940 | 619-C6001 | | 576 | Each | Red-Clear Reflective High Performance Raised Marker |
| 0950 | 619-D1001 | | 800 | Square Feet | Standard Roadside Construction Signs, Less than 10 Square Feet |

| Line No. | Item Code | Adj Code | Quantity | Units | Description [Fixed Unit Price] |
|----------|-----------|----------|----------|-------------|---|
| 0960 | 619-D2001 | | 3,294 | Square Feet | Standard Roadside Construction Signs, 10 Square Feet or More |
| 0970 | 619-E1001 | | 20 | Each | Flashing Arrow Panel, Type C |
| 0980 | 619-F1001 | | 8,140 | Linear Feet | Concrete Median Barrier, Precast |
| 0990 | 619-F2001 | | 54,600 | Linear Feet | Remove and Reset Concrete Median Barrier, Precast |
| 1000 | 619-F3001 | | 405 | Each | Delineators, Guard Rail, White |
| 1010 | 619-F3002 | | 287 | Each | Delineators, Guard Rail, Yellow |
| 1020 | 619-G4005 | | 600 | Linear Feet | Barricades, Type III, Single Faced |
| 1030 | 619-G4007 | | 70 | Linear Feet | Barricades, Type III, Single Faced, Permanent, Red/White |
| 1040 | 619-G5001 | | 2,014 | Each | Free Standing Plastic Drums |
| 1050 | 619-G7001 | | 200 | Each | Warning Lights, Type "B" |
| 1060 | 619-J1004 | | 32 | Each | Impact Attenuator, 60 MPH |
| 1070 | 619-J2004 | | 16 | Each | Impact Attenuator, 60 MPH, Replacement Package |
| 1080 | 619-J3001 | | 32 | Each | Remove and Reset Impact Attenuator |
| 1090 | 620-A001 | | 1 | Lump Sum | Mobilization |
| 1100 | 626-A001 | | 28 | Mile | 6" Thermoplastic Double Drop Traffic Stripe, Skip White |
| 1110 | 626-B001 | | 1,300 | Linear Feet | 6" Thermoplastic Double Drop Traffic Stripe, Continuous White |
| 1120 | 626-C002 | | 37 | Mile | 6" Thermoplastic Double Drop Edge Stripe, Continuous White |
| 1130 | 626-E002 | | 1,300 | Linear Feet | 6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow |
| 1140 | 626-F001 | | 37 | Mile | 6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow |
| 1150 | 626-G004 | | 13,206 | Linear Feet | Thermoplastic Double Drop Detail Stripe, White |
| 1160 | 626-G005 | | 3,600 | Linear Feet | Thermoplastic Double Drop Detail Stripe, Yellow |
| 1170 | 626-H002 | | 400 | Linear Feet | Thermoplastic Double Drop Legend, White |
| 1180 | 627-K001 | | 1,656 | Each | Red-Clear Reflective High Performance Raised Markers |
| 1190 | 627-L001 | | 105 | Each | Two-Way Yellow Reflective High Performance Raised Markers |
| 1200 | 630-A001 | | 342 | Square Feet | Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness |
| 1210 | 630-A003 | | 1,996 | Square Feet | Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness |
| 1220 | 630-B002 | | 5,010 | Square Feet | Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted |
| 1230 | 630-B003 | | 666 | Square Feet | Interstate Directional Signs, Bolted Extruded Aluminum Panels, Overhead Mounted |
| 1240 | 630-C002 | | 380 | Linear Feet | Steel U-Section Posts, 2.0 lb/ft |
| 1250 | 630-C003 | | 939 | Linear Feet | Steel U-Section Posts, 3.0 lb/ft |
| 1260 | 630-D003 | | 407 | Linear Feet | Structural Steel Beams, W10 x 22 |
| 1270 | 630-D007 | | 97 | Linear Feet | Structural Steel Beams, W6 x 15 |
| 1280 | 630-D008 | | 1,292 | Linear Feet | Structural Steel Beams, W6 x 9 |

| Line No. | Item Code | Adj Code | Quantity | Units | Description [Fixed Unit Price] |
|----------|---------------|----------|----------|-------------|---|
| 1290 | 630-D010 | | 890 | Linear Feet | Structural Steel Beams, W8 x 21 |
| 1300 | 630-E001 | | 965 | Pounds | Structural Steel Angles & Bars, 3 1/2" x 3 1/2" x 1/4" Angles |
| 1310 | 630-E002 | | 910 | Pounds | Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles |
| 1320 | 630-E003 | | 574 | Pounds | Structural Steel Angles & Bars, 4" x 4" x 5/16" Angles |
| 1330 | 630-E004 | | 2,299 | Pounds | Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar |
| 1340 | 630-F010 | | 87 | Each | Delineators, Post Mounted, Double White |
| 1350 | 630-F010 | | 33 | Each | Delineators, Post Mounted, Double White Shur-tite Shur Flex Delineator |
| 1360 | 630-F011 | | 14 | Each | Delineators, Post Mounted, Double Yellow |
| 1370 | 630-F011 | | 9 | Each | Delineators, Post Mounted, Double Yellow Shur-tite Shur Flex Delineator |
| 1380 | 630-F012 | | 179 | Each | Delineators, Post Mounted, Single White |
| 1390 | 630-F012 | | 100 | Each | Delineators, Post Mounted, Single White Shur-tite Shur Flex Delineator |
| 1400 | 630-F013 | | 91 | Each | Delineators, Post Mounted, Single Yellow |
| 1410 | 630-F013 | | 75 | Each | Delineators, Post Mounted, Single Yellow Shur-tite Shur Flex Delineator |
| 1420 | 630-H001 | | 40 | Each | Treated Timber Posts |
| 1430 | 630-I003 | | 1 | Lump Sum | Metal Overhead Sign Supports, Assembly No. 1, Contractor Designed |
| 1440 | 630-I015 | | 1 | Lump Sum | Metal Overhead Sign Supports, Assembly No. 2, Contractor Designed |
| 1450 | 630-I020 | | 1 | Lump Sum | Metal Overhead Sign Supports, Assembly No. 3, Contractor Designed |
| 1460 | 630-K001 | | 539 | Linear Feet | Welded & Seamless Steel Pipe Posts, 3 1/2" |
| 1470 | 630-K003 | | 950 | Linear Feet | Welded & Seamless Steel Pipe Posts, 4" |
| 1480 | 630-K004 | | 197 | Linear Feet | Welded & Seamless Steel Pipe Posts, 5" |
| 1490 | 660-A003 | | 4 | Each | Equipment Cabinet, Type B |
| 1500 | 660-A004 | | 1 | Each | Equipment Cabinet, Type C |
| 1510 | 699-A001 | | 1 | Lump Sum | Roadway Construction Stakes |
| 1520 | 815-A007 | (S) | 2,522 | Ton | Loose Riprap, Size 300 |
| 1530 | 815-E001 | (S) | 2,400 | Square Yard | Geotextile under Riprap |
| 1540 | 907-240-A001 | | 7,472 | Square Yard | Interlocking Flexible Block Erosion Control System |
| 1550 | 907-402-A002 | (BA1) | 24,002 | Ton | Open Graded Friction Course, 9.5-mm Mixture |
| 1560 | 907-402-B001 | (A3) | 34,819 | Gallon | Bituminous Tack Coat |
| 1570 | 907-416-A001 | | 9,600 | Square Yard | High Friction Surface Treatment |
| 1580 | 907-507-A001 | | 314,438 | Square Yard | Rubblizing Existing Concrete Pavement |
| 1582 | 907-507-B001 | | 500 | Cubic Yard | Filler Aggregate |
| 1590 | 907-618-M1002 | | 8,000 | Hours | Service Patrol |
| 1600 | 907-618-M2001 | | 2,000 | Hours | Work Zone Law Enforcement [\$60.00] |
| 1610 | 907-619-E3001 | | 62 | Each | Changeable Message Sign |

| Line No. | Item Code | Adj Code | Quantity | Units | Description [Fixed Unit Price] |
|------------------------------------|---------------|----------|----------|-------------|--|
| 1620 | 907-619-M1002 | | 9 | Each | Smart Work Zone, Portable Queue Trailer |
| 1630 | 907-619-M1003 | | 2 | Each | Smart Work Zone, Portable Camera Trailer |
| 1640 | 907-619-M1004 | | 2 | Each | Smart Work Zone, Portable Message Board Trailer |
| 1650 | 907-619-M2001 | | 54 | Each | Smart Work Zone, Portable Queue Trailer, Operational Month |
| 1660 | 907-619-M2002 | | 12 | Each | Smart Work Zone, Portable Camera Trailer, Operational Month |
| 1670 | 907-619-M2003 | | 12 | Each | Smart Work Zone, Portable Message Board Trailer, Operational Month |
| 1680 | 907-619-M3002 | | 6 | Each | Smart Work Zone, System Monitoring, Operational Month |
| 1690 | 907-626-U002 | | 4 | Mile | 4" Thermoplastic Traffic Stripe, Skip White, 40-mil min. |
| 1700 | 907-626-V002 | | 117 | Mile | 4" Thermoplastic Traffic Stripe, Continuous White, 40-mil min. |
| 1710 | 907-626-X002 | | 117 | Mile | 4" Thermoplastic Traffic Stripe, Continuous Yellow, 40-mil min. |
| 1720 | 907-630-O004 | | 100 | Each | Remove and Reset Sign, All Sizes |
| 1730 | 907-632-J001 | | 4 | Each | Power Service Pedestal |
| 1740 | 907-634-E001 | | 4 | Each | Camera Pole with Foundation, 50' Pole |
| 1750 | 907-636-B035 | | 1,005 | Linear Feet | Electric Cable, Underground in Conduit, THHN, AWG #1, 3 Conductor |
| 1760 | 907-636-B042 | | 1,750 | Linear Feet | Electric Cable, Underground in Conduit, THHN, AWG #2, 3 Conductor |
| 1770 | 907-636-B060 | | 2,325 | Linear Feet | Electric Cable, Underground in Conduit, THHN, AWG 1/0, 3 Conductor |
| 1780 | 907-637-A002 | | 21 | Each | Pullbox Enclosure, Type 2 |
| 1790 | 907-637-A004 | | 27 | Each | Pullbox Enclosure, Type 4 |
| 1800 | 907-637-A005 | | 27 | Each | Pullbox Enclosure, Type 5 |
| 1810 | 907-637-I001 | | 44,580 | Linear Feet | Traffic Signal Conduit Bank, Underground, Drilled or Jacked, Rolled Pipe, 2 @ 2" |
| 1820 | 907-637-I002 | | 2,495 | Linear Feet | Traffic Signal Conduit Bank, Underground, Drilled or Jacked, Rolled Pipe, 2" |
| 1830 | 907-637-I003 | | 2,275 | Linear Feet | Traffic Signal Conduit Bank, Underground, Drilled or Jacked, Rolled Pipe, 3 @ 2" |
| 1840 | 907-637-K001 | | 1,190 | Linear Feet | Traffic Signal Conduit Bank, Aerial Supported, Type 1, 2 @ 2" |
| 1850 | 907-650-A002 | | 8 | Each | On Street Video Equipment, Fixed Type |
| 1860 | 907-650-A003 | | 4 | Each | On Street Video Equipment, PTZ Type |
| 1870 | 907-661-A004 | | 53,085 | Linear Feet | Fiber Optic Cable, 72 SM |
| 1880 | 907-661-B002 | | 1,340 | Linear Feet | Fiber Optic Drop Cable, 12 SM |
| 1890 | 907-663-A001 | | 4 | Each | Network Switch, Type A |
| 1900 | 907-687-A001 | | 1 | Each | Traffic Recorder Classification Permanent System |
| 1910 | 907-906001 | | 1,040 | Hours | Trainees [\$5.00] |
| ALTERNATE GROUP AA NUMBER 1 | | | | | |
| 1920 | 304-F001 | (GT) | 178,382 | Ton | 3/4" and Down Crushed Stone Base |
| ALTERNATE GROUP AA NUMBER 2 | | | | | |

| Line No. | Item Code | Adj Code | Quantity | Units | Description [Fixed Unit Price] |
|------------------------------------|--------------|----------|----------|-------------|---|
| 1930 | 304-F002 | (GT) | 178,382 | Ton | Size 610 Crushed Stone Base |
| ALTERNATE GROUP AA NUMBER 3 | | | | | |
| 1940 | 304-F003 | (GT) | 178,382 | Ton | Size 825B Crushed Stone Base |
| ALTERNATE GROUP BB NUMBER 1 | | | | | |
| 1950 | 907-624-A002 | | 1,661 | Linear Feet | 6" Inverted Profile Thermoplastic Traffic Stripe, Skip White |
| 1960 | 907-624-B002 | | 5,368 | Linear Feet | 6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White |
| 1970 | 907-624-D002 | | 5,368 | Linear Feet | 6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow |
| ALTERNATE GROUP BB NUMBER 2 | | | | | |
| 1980 | 628-G001 | | 1,661 | Linear Feet | 6" High Performance Cold Plastic Traffic Stripe, Skip White |
| 1990 | 628-H001 | | 5,368 | Linear Feet | 6" High Performance Cold Plastic Traffic Stripe, Continuous White |
| 2000 | 628-J001 | | 5,368 | Linear Feet | 6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow |
| ALTERNATE GROUP CC NUMBER 1 | | | | | |
| 2010 | 907-624-E003 | | 836 | Linear Feet | Inverted Profile Thermoplastic Detail Traffic Stripe, Yellow |
| ALTERNATE GROUP CC NUMBER 2 | | | | | |
| 2020 | 628-K002 | | 836 | Linear Feet | High Performance Cold Plastic Detail Stripe, Yellow |