

SECTION 905 -- PROPOSAL (CONTINUED)

I (We) hereby certify by digital signature and electronic submission via Bid Express of the Section 905 proposal below, that all certifications, disclosures and affidavits incorporated herein are deemed to be duly executed in the aggregate, fully enforceable and binding upon delivery of the bid proposal. I (We) further acknowledge that this certification shall not extend to the bid bond or alternate security which must be separately executed for the benefit of the Commission. This signature does not cure deficiencies in any required certifications, disclosures and/or affidavits. I (We) also acknowledge the right of the Commission to require full and final execution on any certification, disclosure or affidavit contained in the proposal at the Commission's election upon award. Failure to so execute at the Commission's request within the time allowed in the Standard Specifications for execution of all contract documents will result in forfeiture of the bid bond or alternate security.

Bidder acknowledges receipt of and has added to and made a part of the proposal and contract documents the following addendum (addenda):

| | | | |
|---------------------------|----------------------------|--------------------|-------------|
| ADDENDUM NO. <u> 1 </u> | DATED <u> 7/22/2021 </u> | ADDENDUM NO. _____ | DATED _____ |
| ADDENDUM NO. _____ | DATED _____ | ADDENDUM NO. _____ | DATED _____ |
| ADDENDUM NO. _____ | DATED _____ | ADDENDUM NO. _____ | DATED _____ |

| Number | Description |
|--------|---|
| 1 | Revised Notice To Bidders No. 3511; Revised Bid Items; Revised Progress Schedule; Amendment EBSx Download Required. |

TOTAL ADDENDA: 1
(Must agree with total addenda issued prior to opening of bids)

Respectfully Submitted,

DATE _____

Contractor

BY _____
Signature

TITLE _____

ADDRESS _____

CITY, STATE, ZIP _____

PHONE _____

FAX _____

E-MAIL _____

(To be filled in if a corporation)

Our corporation is chartered under the Laws of the State of _____ and the names, titles and business addresses of the executives are as follows:

President Address

Secretary Address

Treasurer Address

The following is my (our) itemized proposal.

MP-5022-45(008)/ 307477301000

Madison County(ies)

Revised 01/26/2016

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

SECTION 904 - NOTICE TO BIDDERS NO. 3511

CODE: (SP)

DATE: 7/22/2021

SUBJECT: Contract Time

PROJECT: MP-5022-45(008) / 307477/301 -- Madison County

The completion of work to be performed by the Contractor for this project will not be a specified date but shall be when all allowable working days are assessed, or any extension thereto as provided in Subsection 108.06. It is anticipated that the Notice of Award will be issued no later than August 10, 2021 and the date for Notice to Proceed / Beginning of Contract Time will be September 9, 2021.

Should the Contractor request a Notice to Proceed earlier than September 9, 2021 and it is agreeable with the Department for an early Notice to Proceed, the requested date will become the new Notice to Proceed date. Regardless of whether or not an early Notice to Proceed is granted, contract time will start at the original Notice to Proceed date.

All requests for an early Notice to Proceed shall be sent to the Project Engineer who will forward it to the Contract Administration Division.

115 Working Days have been allowed for the completion of work on this project.

Mill & Overlay approximately 9 miles on SR 22 from SR 463 to the Beginning of the 5 Lane Section, known as State Project No. MP-5022-45(008) / 307477301 in Madison County.

| Line No. | Item Code | Adj Code | Quantity | Units | Description [Fixed Unit Price] |
|----------------------|-----------|----------|----------|-------------|---|
| Roadway Items | | | | | |
| 0010 | 202-B003 | | 627 | Linear Feet | Removal of Asphalt Curb |
| 0020 | 202-B009 | | 6,376 | Square Yard | Removal of Asphalt Pavement, Failed Areas |
| 0030 | 202-B158 | | 2,000 | Linear Feet | Removal of Guard Rail, Including Rails, Posts and Terminal Ends |
| 0040 | 202-B240 | | 736 | Linear Feet | Removal of Traffic Stripe |
| 0050 | 203-EX021 | (E) | 917 | Cubic Yard | Borrow Excavation, AH, FME, Class B9-6 |
| 0060 | 203-G001 | (E) | 2,000 | Cubic Yard | Excess Excavation, FM, AH |
| 0070 | 217-A001 | | 400 | Square Yard | Ditch Liner |
| 0080 | 225-A001 | | 1 | Acre | Grassing |
| 0090 | 225-B001 | | 2 | Ton | Agricultural Limestone |
| 0100 | 225-C001 | | 2 | Ton | Mulch, Vegetative Mulch |
| 0110 | 226-A001 | | 1 | Acre | Temporary Grassing |
| 0120 | 234-C001 | | 1,500 | Linear Feet | Super Silt Fence |
| 0130 | 237-A002 | | 1,500 | Linear Feet | Wattles, 20" |
| 0140 | 304-D002 | (GT) | 2,052 | Ton | Granular Material, Crushed Stone |
| 0150 | 310-B001 | (GT) | 10 | Ton | Size I Stabilizer Aggregate, Coarse |
| 0160 | 403-A014 | (BA1) | 14,393 | Ton | 9.5-mm, MT, Asphalt Pavement |
| 0170 | 403-B002 | (BA1) | 11,510 | Ton | 12.5-mm, MT, Asphalt Pavement, Leveling |
| 0180 | 406-D001 | | 181,074 | Square Yard | Fine Milling of Bituminous Pavement, All Depths |
| 0190 | 407-A001 | (A2) | 14,083 | Gallon | Asphalt for Tack Coat |
| 0200 | 423-A001 | | 18 | Mile | Rumble Strips, Ground In |
| 0210 | 503-C010 | | 5,622 | Linear Feet | Saw Cut, Full Depth |
| 0220 | 601-B001 | (S) | 3 | Cubic Yard | Class "B" Structural Concrete, Minor Structures |
| 0230 | 606-B009 | | 1,720 | Linear Feet | Guard Rail, Class A, Type 1, Metal Post |
| 0240 | 606-D005 | | 8 | Each | Guard Rail, Bridge End Section, Type A |
| 0250 | 606-E007 | | 24 | Each | Guard Rail, Terminal End Section, Non-Flared |
| 0260 | 606-G002 | | 8 | Each | Special Sections, Guard Rail Bridge End Connector |
| 0270 | 618-A001 | | 1 | Lump Sum | Maintenance of Traffic |
| 0280 | 619-A1001 | | 57 | Mile | Temporary Traffic Stripe, Continuous White |
| 0290 | 619-A2001 | | 42 | Mile | Temporary Traffic Stripe, Continuous Yellow |
| 0300 | 619-A4002 | | 12 | Mile | Temporary Traffic Stripe, Skip Yellow |
| 0310 | 619-A5001 | | 86,160 | Linear Feet | Temporary Traffic Stripe, Detail |
| 0320 | 619-A6001 | | 422 | Square Feet | Temporary Traffic Stripe, Legend |

| Line No. | Item Code | Adj Code | Quantity | Units | Description [Fixed Unit Price] |
|----------|---------------|----------|----------|-------------|--|
| 0330 | 619-A6002 | | 3,312 | Linear Feet | Temporary Traffic Stripe, Legend |
| 0340 | 619-D1001 | | 737 | Square Feet | Standard Roadside Construction Signs, Less than 10 Square Feet |
| 0350 | 619-D2001 | | 404 | Square Feet | Standard Roadside Construction Signs, 10 Square Feet or More |
| 0360 | 619-G4001 | | 24 | Linear Feet | Barricades, Type III, Double Faced |
| 0370 | 620-A001 | | 1 | Lump Sum | Mobilization |
| 0380 | 626-B002 | | 19 | Mile | 6" Thermoplastic Double Drop Traffic Stripe, Continuous White |
| 0390 | 626-D001 | | 4 | Mile | 6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow |
| 0400 | 626-E001 | | 14 | Mile | 6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow |
| 0410 | 626-G004 | | 10,500 | Linear Feet | Thermoplastic Double Drop Detail Stripe, White |
| 0420 | 626-G005 | | 18,220 | Linear Feet | Thermoplastic Double Drop Detail Stripe, Yellow |
| 0430 | 626-H001 | | 422 | Square Feet | Thermoplastic Double Drop Legend, White |
| 0440 | 626-H002 | | 1,656 | Linear Feet | Thermoplastic Double Drop Legend, White |
| 0450 | 627-J001 | | 371 | Each | Two-Way Clear Reflective High Performance Raised Markers |
| 0460 | 627-K001 | | 160 | Each | Red-Clear Reflective High Performance Raised Markers |
| 0470 | 627-L001 | | 1,520 | Each | Two-Way Yellow Reflective High Performance Raised Markers |
| 0480 | 630-A003 | | 8 | Square Feet | Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness |
| 0490 | 630-C003 | | 198 | Linear Feet | Steel U-Section Posts, 3.0 lb/ft |
| 0500 | 630-F006 | | 125 | Each | Delineators, Guard Rail, White |
| 0510 | 630-G005 | | 14 | Each | Type 3 Object Markers, OM-3R or OM-3L, Post Mounted |
| 0520 | 907-619-B001 | | 132 | Linear Feet | Temporary Portable Rumble Strips |
| 0530 | 907-619-H2001 | | 3 | Each | Traffic Signal, Portable, Type 1 |
| 0540 | 907-808-A002 | (S) | 200 | Linear Feet | Joint Repair |
| 0550 | 907-823-A001 | | 100 | Linear Feet | Preformed Joint Seal, Type I |
| 0560 | 907-823-B001 | | 200 | Linear Feet | Saw Cut, Type I |

