

SECTION 905 -- PROPOSAL (CONTINUED)

I (We) hereby certify by digital signature and electronic submission via Bid Express of the Section 905 proposal below, that all certifications, disclosures and affidavits incorporated herein are deemed to be duly executed in the aggregate, fully enforceable and binding upon delivery of the bid proposal. I (We) further acknowledge that this certification shall not extend to the bid bond or alternate security which must be separately executed for the benefit of the Commission. This signature does not cure deficiencies in any required certifications, disclosures and/or affidavits. I (We) also acknowledge the right of the Commission to require full and final execution on any certification, disclosure or affidavit contained in the proposal at the Commission's election upon award. Failure to so execute at the Commission's request within the time allowed in the Standard Specifications for execution of all contract documents will result in forfeiture of the bid bond or alternate security.

Bidder acknowledges receipt of and has added to and made a part of the proposal and contract documents the following addendum (addenda):

ADDENDUM NO. <u> 1 </u>	DATED <u> 9/23/2021 </u>	ADDENDUM NO. _____	DATED _____
ADDENDUM NO. _____	DATED _____	ADDENDUM NO. _____	DATED _____
ADDENDUM NO. _____	DATED _____	ADDENDUM NO. _____	DATED _____

Number	Description
1	Revised Table of Contents; Added Notice To Bidders No. 3595; Revised Bid Items; Amendment EBSx Download Required.

TOTAL ADDENDA: 1
(Must agree with total addenda issued prior to opening of bids)

Respectfully Submitted,

DATE _____

Contractor

BY _____
Signature

TITLE _____

ADDRESS _____

CITY, STATE, ZIP _____

PHONE _____

FAX _____

E-MAIL _____

(To be filled in if a corporation)

Our corporation is chartered under the Laws of the State of _____ and the names, titles and business addresses of the executives are as follows:

_____ President	_____ Address
_____ Secretary	_____ Address
_____ Treasurer	_____ Address

The following is my (our) itemized proposal.
STBG-9999-01(401)/ 108811301000
District 1 County(ies)
Revised 01/26/2016

**MISSISSIPPI DEPARTMENT OF TRANSPORTATION
TABLE OF CONTENTS**

PROJECT: STBG-9999-01(401)/108811301 - District 1

Section 901 - Advertisement

Section 904 - Notice to Bidders

#1	Governing Specification, w/ Supplement
#2	Status of ROW, w/ Attachments
#9	Federal Bridge Formula
#296	Reduced Speed Limit Signs
#445	Mississippi Agent or Qualified Nonresident Agent
#516	Errata and Modifications to the 2017 Standard Specifications
#977	DUNS Requirement For Federal Funded Projects
#1225	Early Notice to Proceed
#1226	Material Storage Under Bridges
#1241	Fuel and Material Adjustments
#2206	MASH Compliant Devices
#2273	Mississippi Special Fuel Tax Law
#2611	Disadvantaged Business Enterprise In Federal-Aid Highway Construction, w/ Supplement
#2782	DBE Pre-Bid Meeting
#2954	Reflective Sheeting for Signs
#3117	Standard Drawings
#3593	Contract Time
#3594	Scope of Work
#3595	Additional Construction Requirements
906	Required Federal Contract Provisions -- FHWA 1273, w/Supplements

Section 907 - Special Provisions

907-102-2	Bidding Requirements and Conditions
907-105-1	Authority of the Engineer
907-108-4	Subletting of Contract
907-109-3	Measurement and Payment
907-701-3	Hydraulic Cement
907-702-4	Bituminous Materials
907-703-1	Gradation
907-705-1	Stone Riprap
907-707-2	Joint Material
907-711-2	Plain Steel Wire
907-714-2	Miscellaneous Materials
907-720-2	Acceptance Procedure for Glass Beads
907-721-2	Materials for Signs

Section 905 - Proposal, Proposal Bid Items, Combination Bid Proposal

Certification of Performance - Prior Federal-Aid Contracts

Certification Regarding Non-Collusion, Debarment and Suspension

SAM.GOV Registration and DUNS Number

PROJECT: STBG-9999-01(401)/108811301 - District 1

Section 902 - Contract Form

Section 903 - Contract Bond Forms

Form -- OCR-485

Progress Schedule

(REVISIONS TO THE ABOVE WILL BE INDICATED ON THE SECOND SHEET
OF SECTION 905 AS ADDENDA)

09/22/2021 03:17 PM

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

SECTION 904 - NOTICE TO BIDDERS NO. 3595

CODE: (SP)

DATE: 9/23/2021

SUBJECT: Additional Construction Requirements

PROJECT: STBG-9999-01(401) / 108811301 – Districtwide

Bidders are hereby advised that the attached sheets include details regarding 2.0” and 2.5” Square Tube Posts.

Bidders are also advised that Direct-Applied Legend, Border and/or Shields are to be used on all signs. Digitally produced Sign Copy, Shields, Legend, Symbols or Images will not be allowed.

The Bidder is further advised that any Notes on the County Summary of Quantities sheets or anywhere else within Notice to Bidders No. 3594, Scope of Work, stating “Signs and Posts that are removed are to become the property of the contractor” are in error. The following is a summary regarding existing signs, posts and footings.

- All Standard Roadside Signs that are removed will be taken to the District 1 Headquarters in Tupelo, or stockpiled at a location designated by the Engineer, and remain property of the Department.
- All existing Roadway Directional Signs that are removed will become the property of the Contractor. **Temporary storage at MDOT Maintenance Yards will not be allowed.**
- All posts and footings for Roadway Directional Signs and Standard Roadside Signs that are removed will become the property of the Contractor. **Temporary storage at MDOT Maintenance Yards will not be allowed.**

The Bidder is also advised that any references to Steel U-Section Posts in the Contract are in error. Any references in the Contract to Steel U-Section Posts, 2.0 lb/ft shall be understood to mean Square Tube Posts, 2.0 lb/ft. The updated quantities regarding pay item no. 630-C002 and pay item no. 630-C005 are shown in the table below. The Bid Sheets are correct.

Pay Item No.	Description	Original Quantity	Revised Quantity
630-C002	Steel U-Section Posts, 2.0 lb/ft	3,150 LF	0 LF
630-C005	Square Tube Posts, 2.0 lb/ft	0 LF	3,150 LF



SIGN POSTS

POST CAP


EXTRUDED PANEL SIGN CLAMP

FLAT PANEL SIGN CLAMP


FLAT PANEL SIGN BRACE




MATERIALS: 1.4" WIDE x 11ga. TYPE 304, #2B FINISHED STAINLESS STEEL BRACKET. INCLUDES STAINLESS STEEL BRACKET, STAINLESS STEEL WASHER, NYLON WASHER, FLANGE BOLT AND SEPARATED FLANGED NUT. ONE CLAMP REQUIRED FOR EACH BRACE TO POST JUNCTION.



MATERIALS: 1.4" WIDE x 11ga. TYPE 304, #2B FINISHED STAINLESS STEEL BRACKET. INCLUDES STAINLESS STEEL BRACKET, STAINLESS STEEL WASHER, NYLON WASHER, FLANGE BOLT AND SEPARATED FLANGED NUT. ONE CLAMP REQUIRED FOR EACH BRACE TO POST JUNCTION.




MADE OF: 16GA PREGALVANIZED STEEL WITH AN ID CAPABLE OF FITTING INTO THE INSIDE OF A 2-1/2" SQUARE STEEL POST WITHOUT ANY FASTENERS. A CAST ALUMINUM PRECISION FIT CAP MAY ALSO BE USED.




example slip base assembly (detailed below)

SIGN DRIVE RIVET w/WASHER




3/8\"/>

2-1/2" SQUARE POST RECEIVER




RECEIVER TO BE CAST FROM DUCTILE IRON PER ASTM A536 CLASS 65-45-12. GALVANIZED PER ASTM A153.

POST LOCKING WEDGE




LOCKING WEDGE FORGED PER ASTM A153. GALVANIZED PER ASTM A153.

SURFACE MOUNT BASE



A572 SLIP PLATE WELDED TO A500 GRADE B TUBE PER ASTM A153. GALVANIZED PER ASTM A153.

UNIBASE ANCHOR STUB



3/8\"/>

Notice To Bidders No. 5955


	1/2"x3/8" GRADE 8 DOUBLE HEX BOLT. GALVANIZED PER ASTM B888 (3 EACH PER KIT)
	5/8" U.S.S. FLAT WASHER ANS B 18.22.14 (6 EACH PER KIT)
	1-3/4" SQUARE x 3/16" THICK TEFLON COATED, HARDENED SLIP WASHER (3 EACH PER KIT)
	1/2" GALVANIZED B WEDGE W/ FLANGE NUT (3 EACH PER KIT)

SLIP BASE MATCH PLATE HARDWARE KIT

BY	DATE
REVISION	DATE
PRELIMINARY	
NOT FOR CONSTRUCTION	
MISSISSIPPI DEPARTMENT OF TRANSPORTATION	
SIGN SUPPORT HARDWARE	
2.5" SQUARE POST	
PROJECT NUMBER	SS-1
CONTRACT NUMBER	
FILE NUMBER	JSS-1.DGN
DESIGN TEAM	DATE
CHECKED	
DRAWN	
CHECKED	
DATE	
SCALE	
\$ P C \$	


- NOTES:**
- A. CONCRETE FOOTING MUST BE 12" DIAMETER x 48" DEEP.
 - B. BRASS SHIMS MAY BE USED BETWEEN SLIP PLATES TO LEVEL THE UPPER SLIP PLANE.
 - C. SIGN BRACE CLAMPS ALLOW SIGN BRACE TO BE ADJUSTED UP, DOWN, LEFT OR RIGHT IN ORDER TO ACHIEVE PERFECT POSITION OF SIGN PANEL.

SLIP PLATE DIMENSION




FMS CON: _____
 PROJECT NO: _____
 STATE: _____
 MISS.: _____


SOIL INSTALLATION



SEE OMNI SLEEVE DETAIL



OMNI SLEEVE DETAIL



OMNI SLEEVE INSTALLATION TOP VIEW

MATERIALS: PERFORATED SQUARE STEEL TUBE Post and Anchor (PSST): Must be ASTM A1011, Grade 50 steel, with an average minimum yield strength after cold-forming must be 60,000 psi. It must be corner welded, scarfed after welding, then zinc coated after scarfing. It must be coated with a chromate conversion coating and a clear organic polymer topcoat. Its interior and exterior will be galvanized. It must have 7/16" holes spaced 1" apart along the centerline of each of its four sides.
POST must be 2" x 14ga x appropriate length.
ANCHOR must be 2-1/4" x 12ga x 36".
OMNI SLEEVE must be: 2-1/2" x 12ga x 18" and contain four 4" x 12" x 10ga ASTM A569 steel fins welded to each of the four corner edges of the square sleeve with 4" flat end of each fin positioned 5" down from one end, and must be galvanized. A medium corner bolt must be used to secure the assembly.

MISSISSIPPI DEPARTMENT OF TRANSPORTATION	
SIGN SUPPORT HARDWARE	
BY	DATE
REVISION	DATE
2.0" SQUARE POST	
PROJ. NO. :	ISS-2
COUNTY :	ISS-2.DGN
FILENAME :	ISS-2.DGN
DESIGN TEAM	CHECKED
DATE	DATE
NO. OF NUMBER	NO. OF NUMBER
ISS-2	ISS-2
PRICE	PRICE
\$PC\$	\$PC\$

Sign Replacements on various routes throughout the District, known as Federal Aid Project No. STBG-9999-01(401) / 108811301 in District 1.

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
Roadway Items					
0010	618-A001		1	Lump Sum	Maintenance of Traffic
0020	620-A001		1	Lump Sum	Mobilization
0030	630-A001		1,872	Square Feet	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
0040	630-A003		2,960	Square Feet	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
0050	630-A005		4,507	Square Feet	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
0060	630-B002		58	Square Feet	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
0070	630-C001		2,818	Linear Feet	Square Tube Posts, 4.0 lb/ft
0080	630-C005		3,150	Linear Feet	Square Tube Posts, 2.0 lb/ft
0090	907-630-PP002		1,842	Square Feet	Roadside Directional Signs, Sheet Aluminum, 0.125" Thickness, Ground Mounted