

Proposal & Plan Sales Will Begin on September 6, 2021



**MISSISSIPPI DEPARTMENT OF
TRANSPORTATION**

Notice to Contractors

Letting Date For September - September 28, 2021

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

NOTICE TO CONTRACTORS

LETTING DATE FOR SEPTEMBER - Tuesday, September 28, 2021

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List is available online at mdot.ms.gov

PROPOSAL AND PLAN SALES WILL BEGIN ON SEPTEMBER 6, 2021

Proposals must be purchased online at:
<https://shopmdot.ms.gov>
For Information Please Contact:
Contract Administration Division
Jackson, MS
Telephone: (601) 359-7700

Plans must be purchased online at:
<https://shopmdot.ms.gov>
For Information Please Contact:
MDOT Plans Print Shop
Jackson, MS
Telephone: (601) 359-7460
e-mail: plans@mdot.state.ms.us

Electronic bids will be received by the Mississippi Transportation Commission at 10:00 o'clock A.M., Tuesday, September 28, 2021; from the Bid Express Service and shortly thereafter, bids will be publicly read in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

* No plans except Standard Drawings

LIST OF CONTRACTS FOR SEPTEMBER

CALL	CONTRACT	COUNTY
*	01 NH-0026-01(083)/108605301	LAUDERDALE
	02 IM-0055-01(104)/106391301	COPIAH
	03 BR-0070-02(015)/102624303	QUITMAN
	04 HSIP-0110-01(030)/108488301	HARRISON
	05 BR-0447-00(022)/100589304	LAUDERDALE
	06 STP-0622-00(028)/108285301	WASHINGTON
	07 BR-2841-00(012)/1024263020 & BR-2841-00(012)/1024263021	LEE
*	08 STBG-9999-01(401)/108811301	DISTRICT 1
*	09 STBG-9999-03(386)/1086203031 & STBG-9999-03(386)/1086203032	BOLIVAR, WARREN
*	10 SP-0009-02(085)/108211301	SHARKEY
*	11 SP-0179-00(022)/108887301 & SP-0168-00(013)/108888301 & SP-0168-00(013)/108888302	AMITE, PIKE
*	12 MP-2007-42(009)/307475301	LEFLORE
*	13 MP-6000-00(394)/307796301	DISTRICT 6
*	14 SP-8627-00(001)/108886301	MARION

CALL No. 01

Mill & Overlay approximately 3 miles on SR 19 from I-59 to North Hills St., known as Federal Aid Project No. NH-0026-01(083) / 108605301 in Lauderdale County.

PROJECT COMPLETION: 129 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

1,910	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
1,138	Linear Feet	202-B150	Removal of Guard Rail Including Post, Blockouts & Hardware
3,042	Linear Feet	202-B240	Removal of Traffic Stripe
100	Cubic Yard	203-EX041	Borrow Excavation, AH, LVM, Class B9-6
100	Cubic Yard	203-G002	Excess Excavation, LVM, AH
80	Ton	249-A001	Riprap for Erosion Control
100	Ton	304-D002	Granular Material, Crushed Stone
18,128	Ton	403-A002	12.5-mm, MT, Asphalt Pavement
1,508	Ton	403-B002	12.5-mm, MT, Asphalt Pavement, Leveling
158,262	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
16,017	Gallon	407-A001	Asphalt for Tack Coat
1,600	Linear Feet	503-C010	Saw Cut, Full Depth
625	Linear Feet	606-B003	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
5	Each	606-D020	Guard Rail, Bridge End Section, Type H, Metal Post
5	Each	606-E005	Guard Rail, Terminal End Section, Flared
2	Each	606-E007	Guard Rail, Terminal End Section, Non-Flared
1	Lump Sum	618-A001	Maintenance of Traffic
11	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
14	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
13	Mile	619-A3001	Temporary Traffic Stripe, Skip White
7	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
33,037	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
15,456	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
24	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet

734	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
14	Each	619-F4001	Snap-Back Delineator
36	Linear Feet	619-G4005	Barricades, Type III, Single Faced
1	Lump Sum	620-A001	Mobilization
7	Mile	626-A001	6" Thermoplastic Double Drop Traffic Stripe, Skip White
6	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
4	Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
7	Mile	626-F001	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
25,257	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
7,780	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
4,156	Square Feet	626-H001	Thermoplastic Double Drop Legend, White
7,728	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
1,368	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
2,365	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
85	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
32	Each	630-F006	Delineators, Guard Rail, White
7	Each	630-F007	Delineators, Guard Rail, Yellow
8	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
2	Each	635-A076	Traffic Signal Head, Type 6
1	Each	635-A078	Traffic Signal Head, Type 7
85	Square Yard	815-E001	Geotextile under Riprap
50	Ton	815-F002	Sediment Control Stone
7	Each	907-632-D001	Solid State Traffic Actuated Controller, Type 1
31	Each	907-641-A002	Signal Stop Bar Radar Vehicle Detection Sensor, Type 2
2	Each	907-641-B002	Signal Advanced Radar Vehicle Detection Sensor, Type 2
4,640	Linear Feet	907-641-D001	Radar Vehicle Detection Cable
2	Each	907-645-B001	Accessible Pedestrian Detection Assembly
1	Lump Sum	907-899-A001	Railway-Highway Provisions

CALL No. 02

Mill & Overlay approximately 11 miles on I-55 from the Lincoln County Line to Hazlehurst, known as Federal Aid Project No. IM-0055-01(104) / 106391301 in Copiah County.

PROJECT COMPLETION: 245 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

77 Acre	201-D002	Random Clearing
2,103 Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
1,240 Square Yard	202-B074	Removal of Concrete Pavement, Continuous Reinforcement, All Depths
80 Square Yard	202-B075	Removal of Concrete Pavement, Conventional Reinforcement, All Depths
21,314 Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
8,000 Linear Feet	202-B240	Removal of Traffic Stripe
100 Cubic Yard	203-G001	Excess Excavation, FM, AH
119 Acre	223-A001	Mowing
119 Acre	225-A001	Grassing
60 Ton	225-B001	Agricultural Limestone
208 Ton	225-C001	Mulch, Vegetative Mulch
10,809 Linear Feet	234-A001	Temporary Silt Fence
4,610 Linear Feet	237-A002	Wattles, 20"
698 Each	246-B001	Rockbags
10,572 Ton	304-B004	Granular Material, Class 5, Group D
13,000 Ton	403-A006	19-mm, ST, Asphalt Pavement
3,200 Ton	403-A013	9.5-mm, HT, Asphalt Pavement
12,500 Ton	403-A015	9.5-mm, ST, Asphalt Pavement
45 Mile	403-S001	Joint Sealant
32,500 Ton	405-A002	Stone Matrix Asphalt, 9.5 mm Mixture
12,400 Ton	406-A001	Cold Milling of Bituminous Pavement, All Depths
58,000 Gallon	407-A001	Asphalt for Tack Coat
46 Mile	413-B002	Cleaning and Sealing Joints
96 Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
42 Mile	423-A001	Rumble Strips, Ground In

36	Linear Feet	501-E001	Expansion Joints, Without Dowels
208	Linear Feet	501-I001	Joint Filler, Wooden Board
80	Square Yard	503-A001	8" and Variable Continuously Reinforced Concrete Pavement, Broom Finish
1,240	Square Yard	503-A002	8" and Variable Jointed Concrete Pavement
1,172	Linear Feet	503-B001	Saw Cut, Longitudinal Joints
920	Linear Feet	503-C010	Saw Cut, Full Depth
100	Cubic Yard	503-D001	Concrete for Base Repair
1,451	Each	503-E002	Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted
646	Each	503-F001	1 1/4" Smooth Dowel Bars, Drilled & Epoxied or Grouted
876	Linear Feet	508-A001	Silicone Sealed Joints
15,539	Linear Feet	606-B001	Guard Rail, Class A, Type 1
750	Linear Feet	606-B010	Guard Rail, Class A, Type 1, Thrie Beam
188	Linear Feet	606-B013	Guard Rail, Class A, Type 1, Thrie Beam, Transition Section
51	Each	606-C003	Guard Rail, Cable Anchor, Type 1
16	Each	606-D006	Guard Rail, Bridge End Section, Type A Modified
15	Each	606-D010	Guard Rail, Bridge End Section, Type C Modified
78	Each	606-E005	Guard Rail, Terminal End Section, Flared
12	Each	606-E007	Guard Rail, Terminal End Section, Non-Flared
16	Each	606-G001	Special Sections, Bridge Connector
25	Cubic Yard	612-A001	Flowable Fill, Excavatable
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
44	Mile	619-A1004	Temporary Traffic Stripe, Continuous White, Paint
1,000	Linear Feet	619-A1005	Temporary Traffic Stripe, Continuous White, Type 1 Tape
45	Mile	619-A2004	Temporary Traffic Stripe, Continuous Yellow, Paint
45	Mile	619-A3003	Temporary Traffic Stripe, Skip White, Paint
20,000	Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint
1,000	Linear Feet	619-A6004	Temporary Traffic Stripe, Legend, Paint
1	Lump Sum	620-A001	Mobilization
24	Mile	626-A001	6" Thermoplastic Double Drop Traffic Stripe, Skip White

26	Mile	626-B002	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
27	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
16,100	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
1,300	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
1,600	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
2,200	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
125	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
440	Each	630-F006	Delineators, Guard Rail, White
210	Each	630-F007	Delineators, Guard Rail, Yellow
32	Each	630-G004	Type 3 Object Markers, OM-3R or OM-3L
1	Lump Sum	699-A001	Roadway Construction Stakes
17,900	Ton	907-402-A002	Open Graded Friction Course, 9.5-mm Mixture
18,000	Gallon	907-402-B001	Bituminous Tack Coat
5,000	Pounds	907-420-A002	Undersealing Concrete Pavement
520	Hours	907-618-M2001	Work Zone Law Enforcement
4	Each	907-619-E3001	Changeable Message Sign
720	Hours	907-906001	Trainees
ALTERNATE GROUP AA NUMBER 1			
100	Ton	304-F001	3/4" and Down Crushed Stone Base
ALTERNATE GROUP AA NUMBER 2			
100	Ton	304-F002	Size 610 Crushed Stone Base
ALTERNATE GROUP AA NUMBER 3			
100	Ton	304-F003	Size 825B Crushed Stone Base
Bridge Items			
704	Linear Feet	907-824-PP008	Bridge Repair, Endwall Repair

CALL No. 03

Bridge Replacements on SR 6 through Marks (Bridge Nos. 31.3, 32.1, 33.2 & 33.5), known as Federal Aid Project No. BR-0070-02(015) / 102624303 in Quitman County.

PROJECT COMPLETION: 482 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	201-A001	Clearing and Grubbing
5	Acre	201-B001	Clearing and Grubbing
1	Lump Sum	202-A001	Removal of Obstructions
53	Linear Feet	202-B019	Removal of Box Culvert
124	Linear Feet	202-B037	Removal of Bridge Railing
24,153	Square Yard	202-B069	Removal of Concrete Pavement w/ Variable Depth Overlay
2,576	Linear Feet	202-B150	Removal of Guard Rail Including Post, Blockouts & Hardware
1	Each	202-B165	Removal of Inlets, All Sizes
399	Linear Feet	202-B191	Removal of Pipe, 8" And Above
4,453	Linear Feet	202-B240	Removal of Traffic Stripe
59,207	Cubic Yard	203-A001	Unclassified Excavation, FM, AH
163,420	Cubic Yard	203-EX020	Borrow Excavation, AH, FME, Class B9
86,747	Cubic Yard	203-G001	Excess Excavation, FM, AH
1,234	Cubic Yard	206-A001	Structure Excavation
537	Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
51,870	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
8,346	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
16	Ton	213-C001	Superphosphate
1,452	Square Yard	216-A001	Solid Sodding
358	Square Yard	217-A001	Ditch Liner
29	Thousand Gallon	219-A001	Watering
31	Acre	220-A001	Insect Pest Control
247	Cubic Yard	221-A001	Concrete Paved Ditch
62	Acre	223-A001	Mowing
1,069	Square Yard	224-A001	Soil Reinforcing Mat

31 Acre	225-A001	Grassing
93 Ton	225-B001	Agricultural Limestone
62 Ton	225-C001	Mulch, Vegetative Mulch
31 Acre	226-A001	Temporary Grassing
23,200 Linear Feet	234-A001	Temporary Silt Fence
8,100 Linear Feet	234-C001	Super Silt Fence
1 Each	234-D001	Inlet Siltation Guard
1 Each	234-E001	Reset Inlet Siltation Guard
1,030 Linear Feet	234-F001	Turbidity Barrier
1 Each	236-A008	Silt Basin, Type D
31,800 Linear Feet	237-A002	Wattles, 20"
4,520 Linear Feet	239-A001	Temporary Slope Drains
200 Linear Feet	245-A001	Silt Dike
900 Each	246-B001	Rockbags
3 Each	247-A001	Temporary Stream Diversion
4,420 Ton	249-A001	Riprap for Erosion Control
2,940 Cubic Yard	249-B001	Remove and Reset Riprap
15,150 Ton	304-B002	Granular Material, Class 3, Group D
2,535 Ton	403-A002	12.5-mm, MT, Asphalt Pavement
2,852 Ton	403-A005	19-mm, MT, Asphalt Pavement
3,644 Ton	403-A006	19-mm, ST, Asphalt Pavement
3,732 Ton	403-A014	9.5-mm, MT, Asphalt Pavement
476 Ton	403-A015	9.5-mm, ST, Asphalt Pavement
158 Ton	403-B002	12.5-mm, MT, Asphalt Pavement, Leveling
32 Ton	403-C003	19-mm, ST, Asphalt Pavement, Trench Widening
21,765 Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
8,722 Gallon	407-A001	Asphalt for Tack Coat
188 Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
5 Mile	423-A001	Rumble Strips, Ground In
404 Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement

120	Linear Feet	503-C010	Saw Cut, Full Depth
782	Cubic Yard	601-A001	Class "B" Structural Concrete
3	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
141,093	Pounds	602-A001	Reinforcing Steel
292	Linear Feet	603-ALT003	18" Type A Alternate Pipe
144	Linear Feet	603-ALT006	24" Type A Alternate Pipe
32	Linear Feet	603-ALT008	29" x 18" Type A Alternate Pipe
72	Linear Feet	603-ALT009	30" Type A Alternate Pipe
104	Linear Feet	603-ALT016	48" Type A Alternate Pipe
112	Linear Feet	603-CA040	30" Reinforced Concrete Pipe, Class III
2	Each	603-CB004	24" Reinforced Concrete End Section
4	Each	603-CB005	30" Reinforced Concrete End Section
2	Each	603-CB008	48" Reinforced Concrete End Section
2	Each	603-CF003	29" x 18" Concrete Arch Pipe End Section
250	Pounds	604-B001	Gratings
107	Square Yard	605-AA001	Geotextile for Subsurface Drainage, Type III
192	Linear Feet	605-O002	4" Perforated Sewer Pipe for Underdrains, SDR 23.5
24	Linear Feet	605-P002	4" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
7	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
650	Linear Feet	606-B001	Guard Rail, Class A, Type 1
8	Each	606-D022	Guard Rail, Bridge End Section, Type I
8	Each	606-E005	Guard Rail, Terminal End Section, Flared
337	Linear Feet	609-D003	Combination Concrete Curb and Gutter Type 2
254	Cubic Yard	612-A001	Flowable Fill, Excavatable
128	Square Yard	614-A003	Concrete Driveway, Without Reinforcement, 6-inch Thickness
80	Linear Feet	615-A004	Concrete Bridge End Barrier, 43.5"
44	Each	617-A001	Right-of-Way Marker
1	Lump Sum	618-A001	Maintenance of Traffic
9	Mile	619-A1001	Temporary Traffic Stripe, Continuous White

2,660	Linear Feet	619-A1005	Temporary Traffic Stripe, Continuous White, Type 1 Tape
9	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
1,160	Linear Feet	619-A2006	Temporary Traffic Stripe, Continuous Yellow, Type 1 Tape
2	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
4,757	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
484	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
96	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
887	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
24	Linear Feet	619-G4001	Barricades, Type III, Double Faced
384	Linear Feet	619-G4005	Barricades, Type III, Single Faced
74	Each	619-G5001	Free Standing Plastic Drums
16	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
5	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
2	Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
2	Mile	626-F001	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
4,346	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
167	Square Feet	626-H004	Thermoplastic Legend, White
292	Linear Feet	626-H005	Thermoplastic Legend, White
283	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
218	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
398	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
885	Linear Feet	630-C001	Square Tube Posts, 4.0 lb/ft
40	Linear Feet	630-C1001	Square Post Inner Sleeve
190	Pounds	630-E005	Structural Steel Angles & Bars, Aluminum Unistrut
44	Each	630-F006	Delineators, Guard Rail, White
4	Each	630-G003	Type 3 Object Markers, OM-3L, Post Mounted
4	Each	630-G007	Type 3 Object Markers, OM-3R, Post Mounted
1	Lump Sum	699-A001	Roadway Construction Stakes
649	Ton	815-A007	Loose Riprap, Size 300

775	Square Yard	815-E001	Geotextile under Riprap
593	Ton	815-F002	Sediment Control Stone
2	Each	907-207-A001	Settlement Plate
175	Linear Feet	907-253-A001	Coir Fiber Baffle
18,728	Square Yard	907-832-PP003	Concrete Mat
1	Lump Sum	907-899-A001	Railway-Highway Provisions
1,040	Hours	907-906001	Trainees
ALTERNATE GROUP AA NUMBER 1			
17,800	Ton	304-F001	3/4" and Down Crushed Stone Base
ALTERNATE GROUP AA NUMBER 2			
17,800	Ton	304-F002	Size 610 Crushed Stone Base
ALTERNATE GROUP AA NUMBER 3			
17,800	Ton	304-F003	Size 825B Crushed Stone Base
ALTERNATE GROUP BB NUMBER 1			
97	Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
ALTERNATE GROUP BB NUMBER 2			
97	Cubic Yard	605-W003	Filter Material for Combination Storm Drain and/or Underdrains, Type C, FM
Bridge Items			
5,891	Square Yard	501-K001	Transverse Grooving
520	Linear Feet	803-K014	Drilled Shaft, 84" Diameter
1	Each	803-L009	Test Shaft, 84" Diameter
145	Linear Feet	803-M012	Trial Shaft, 84" Diameter
40	Linear Feet	803-N001	Exploration
100	Linear Feet	803-O028	Temporary Casing, 84" Diameter
3,715	Linear Feet	803-P001	24" Steel Pipe Piling, Wall Thickness 0.500"
1,040	Linear Feet	803-P009	30" Steel Pipe Piling, Wall Thickness 0.625"
2,625	Linear Feet	804-C186	110' Prestressed Concrete Beam, Type FIB-45
837	Linear Feet	804-C196	140' Prestressed Concrete Beam, Type FIB-63
616,381	Pounds	805-A001	Reinforcement
3,390	Pounds	805-C001	Reinforcement, Corrosion Resistant
1,130,893	Pounds	810-A007	Structural Steel, A 709, Grade 50W

1,189,625 Pounds	810-A008	Structural Steel, A 709, Grade HPS 70W
20 Each	811-D001	Disc Bearing Device
2,674 Linear Feet	813-A003	Concrete Railing, 42"
1,741 Ton	815-A007	Loose Riprap, Size 300
3,763 Square Yard	815-E001	Geotextile under Riprap
2 Each	907-803-B001	Conventional Static Pile Load Test
6 Each	907-803-I004	PDA Test Pile, Steel Pipe Pile
4 Each	907-803-J001	Pile Restrike
509 Cubic Yard	907-804-A001	Bridge Concrete, Class BDx
580 Cubic Yard	907-804-A002	Bridge Concrete, Class AA
1,002 Cubic Yard	907-804-A004	Bridge Concrete, Class BD
94 Linear Feet	907-823-A001	Preformed Joint Seal, Type I
94 Linear Feet	907-823-A002	Preformed Joint Seal, Type II
94 Linear Feet	907-827-A002	7" Modular Bridge Joint System

CALL No. 04

Safety Improvements on I-110 Southbound at US 90 Westbound, known as Federal Aid Project No. HSIP-0110-01(030) / 108488301 in Harrison County.

PROJECT COMPLETION: 70 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

227	Linear Feet	202-B060	Removal of Concrete Median Barrier
250	Square Yard	202-B083	Removal of Concrete Slope Paving
1	Each	202-B215	Removal of Sign Including Post & Footing
5,765	Linear Feet	202-B240	Removal of Traffic Stripe
80	Cubic Yard	203-EX037	Borrow Excavation, AH, LVM, Class B7
227	Linear Feet	503-C010	Saw Cut, Full Depth
94	Cubic Yard	601-A001	Class "B" Structural Concrete
10,005	Pounds	602-A001	Reinforcing Steel
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
540	Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
1	Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow
1	Each	619-E1001	Flashing Arrow Panel, Type C
1,155	Linear Feet	619-F1006	Portable Median Barrier, Less Than or Equal to 45 MPH
1	Lump Sum	620-A001	Mobilization
773	Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White
884	Linear Feet	626-F002	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
4,660	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
77	Square Feet	626-H004	Thermoplastic Legend, White
240	Linear Feet	626-H005	Thermoplastic Legend, White
337	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
4	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
8	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness, Overhead Mounted
16	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
968	Square Feet	630-B003	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Overhead Mounted

55	Linear Feet	630-C001	Square Tube Posts, 4.0 lb/ft
80	Linear Feet	630-C002	Steel U-Section Posts, 2.0 lb/ft
139	Linear Feet	630-D008	Structural Steel Beams, W6 x 9
1	Lump Sum	699-A001	Roadway Construction Stakes
560	Square Yard	907-240-A001	Interlocking Flexible Block Erosion Control System
2,207	Square Yard	907-416-A001	High Friction Surface Treatment
1	Each	907-619-E3001	Changeable Message Sign
45	Square Feet	907-630-A001	Standard Roadside Signs, LED Enhanced
1	Each	907-630-O001	Remove and Reset Sign Assembly
1	Each	907-632-A001	Solid State Traffic Cabinet Assembly, Type I Cabinet, Type 1 Controller
545	Linear Feet	907-636-B006	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 12, 4 Conductor
75	Linear Feet	907-636-B028	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 8, 3 Conductor
805	Linear Feet	907-636-D003	Electric Cable, Aerial Supported in Conduit, IMSA 20-1, AWG 12, 4 Conductor
2	Each	907-637-A002	Pullbox Enclosure, Type 2
1	Each	907-637-A003	Pullbox Enclosure, Type 3
170	Linear Feet	907-637-C028	Traffic Signal Conduit, Underground, Type 4, 2"
400	Linear Feet	907-637-D003	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
510	Linear Feet	907-637-F005	Traffic Signal Conduit, Aerial Supported, Type 1, 2"
1	Each	907-641-B002	Signal Advanced Radar Vehicle Detection Sensor, Type 2
350	Linear Feet	907-641-D001	Radar Vehicle Detection Cable

ALTERNATE GROUP AA NUMBER 1

3,257	Linear Feet	628-H001	6" High Performance Cold Plastic Traffic Stripe, Continuous White
3,257	Linear Feet	628-J001	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
10,837	Linear Feet	628-K001	High Performance Cold Plastic Detail Stripe, White

ALTERNATE GROUP AA NUMBER 2

3,257	Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
3,257	Linear Feet	907-624-D002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow
10,837	Linear Feet	907-624-E002	Inverted Profile Thermoplastic Detail Traffic Stripe, White, High Contrast

CALL No. 05

Bridge Replacements on SR 493 (Bridge Nos. 6.2 & 6.4), known as Federal Project No. BR-0447-00(022) / 100589304 in
Lauderdale County.

PROJECT COMPLETION: 145 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

5 Acre	201-B001	Clearing and Grubbing
200 Square Yard	202-B004	Removal of Asphalt Driveways, All Depths
3,200 Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
2 Each	202-B023	Removal of Bridge
40 Square Yard	202-B052	Removal of Concrete Driveways, All Depths
270 Linear Feet	202-B136	Removal of Guard Rail
187 Linear Feet	202-B191	Removal of Pipe, 8" And Above
6 Each	202-B215	Removal of Sign Including Post & Footing
500 Linear Feet	202-B240	Removal of Traffic Stripe
249 Cubic Yard	203-A001	Unclassified Excavation, FM, AH
22,732 Cubic Yard	203-EX010	Borrow Excavation, AH, FME, Class B17
7,464 Cubic Yard	203-G001	Excess Excavation, FM, AH
3,600 Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
1,500 Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
4 Ton	213-C001	Superphosphate
75 Square Yard	216-A001	Solid Sodding
250 Square Yard	217-A001	Ditch Liner
2 Thousand Gallon	219-A001	Watering
7 Acre	220-A001	Insect Pest Control
11 Cubic Yard	221-A001	Concrete Paved Ditch
13 Acre	223-A001	Mowing
7 Acre	225-A001	Grassing
4 Ton	225-B001	Agricultural Limestone
13 Ton	225-C001	Mulch, Vegetative Mulch
7 Acre	226-A001	Temporary Grassing

3,500	Linear Feet	234-A001	Temporary Silt Fence
862	Linear Feet	234-C001	Super Silt Fence
200	Linear Feet	234-F001	Turbidity Barrier
2,000	Linear Feet	237-A002	Wattles, 20"
400	Linear Feet	239-A001	Temporary Slope Drains
200	Linear Feet	245-A001	Silt Dike
150	Linear Feet	246-B002	Rockbags
500	Ton	249-A001	Riprap for Erosion Control
350	Cubic Yard	249-B001	Remove and Reset Riprap
1,000	Ton	304-B003	Granular Material, Class 5, Group C
769	Ton	403-A002	12.5-mm, MT, Asphalt Pavement
1,664	Ton	403-A005	19-mm, MT, Asphalt Pavement
200	Ton	403-B002	12.5-mm, MT, Asphalt Pavement, Leveling
2,506	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
1,246	Gallon	407-A001	Asphalt for Tack Coat
184	Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
1	Mile	423-A001	Rumble Strips, Ground In
184	Linear Feet	501-E001	Expansion Joints, Without Dowels
407	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
4	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
96	Linear Feet	603-CA040	30" Reinforced Concrete Pipe, Class III
48	Linear Feet	603-CA055	36" Reinforced Concrete Pipe, Class III
4	Each	603-CB005	30" Reinforced Concrete End Section
2	Each	603-CB006	36" Reinforced Concrete End Section
40	Linear Feet	603-CE008	29" x 18" Concrete Arch Pipe, Class A III
2	Each	603-CF003	29" x 18" Concrete Arch Pipe End Section
103	Square Yard	605-AA001	Geotextile for Subsurface Drainage, Type III
201	Linear Feet	605-O002	4" Perforated Sewer Pipe for Underdrains, SDR 23.5
70	Linear Feet	605-P003	4" Non-perforated Sewer Pipe for Underdrains, SDR 35
8	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM

400	Linear Feet	606-B001	Guard Rail, Class A, Type 1
8	Each	606-D022	Guard Rail, Bridge End Section, Type I
8	Each	606-E001	Guard Rail, Terminal End Section
70	Square Yard	614-B001	Concrete Driveway, With Reinforcement
96	Linear Feet	615-A024	Concrete Bridge End Barrier, 37.5"
1	Lump Sum	618-A001	Maintenance of Traffic
5,402	Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
5,080	Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow
449	Linear Feet	619-A4001	Temporary Traffic Stripe, Skip Yellow
68	Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
26	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
332	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
72	Linear Feet	619-G4001	Barricades, Type III, Double Faced
51	Each	619-G5001	Free Standing Plastic Drums
2	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
5,402	Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White
449	Linear Feet	626-D002	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
5,080	Linear Feet	626-F002	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
68	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
18	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
15	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
62	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
32	Each	630-F006	Delineators, Guard Rail, White
8	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
1	Lump Sum	699-B001	Bridge Construction Stakes
1,155	Ton	815-A003	Loose Riprap, Size 150
2,933	Square Yard	815-E001	Geotextile under Riprap
50	Ton	815-F002	Sediment Control Stone

2 Each 907-619-E3001 Changeable Message Sign

ALTERNATE GROUP AA NUMBER 1

4,850 Ton 304-F001 3/4" and Down Crushed Stone Base

ALTERNATE GROUP AA NUMBER 2

4,850 Ton 304-F002 Size 610 Crushed Stone Base

ALTERNATE GROUP AA NUMBER 3

4,850 Ton 304-F003 Size 825B Crushed Stone Base

ALTERNATE GROUP BB NUMBER 1

160 Cubic Yard 605-W002 Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM

ALTERNATE GROUP BB NUMBER 2

160 Cubic Yard 605-W003 Filter Material for Combination Storm Drain and/or Underdrains, Type C, FM

Bridge Items

1,139 Square Yard 501-K001 Transverse Grooving

1,221 Linear Feet 803-P001 24" Steel Pipe Piling, Wall Thickness 0.500"

1,843 Linear Feet 803-P007 18" Steel Pipe Piling, Wall Thickness 0.500"

477 Linear Feet 804-C188 80' Prestressed Concrete Beam, Type FIB-36

1,184 Linear Feet 804-C210 40' Prestressed Concrete Beam, Type MFIB-25

133,389 Pounds 805-A001 Reinforcement

7,357 Pounds 805-C001 Reinforcement, Corrosion Resistant

569 Linear Feet 813-A004 Concrete Railing, 36"

2,395 Ton 815-A007 Loose Riprap, Size 300

1,430 Square Yard 815-E001 Geotextile under Riprap

2 Each 907-803-B001 Conventional Static Pile Load Test

4 Each 907-803-I004 PDA Test Pile, Steel Pipe Pile

4 Each 907-803-J001 Pile Restrike

341 Cubic Yard 907-804-A001 Bridge Concrete, Class BDX

278 Cubic Yard 907-804-A002 Bridge Concrete, Class AA

176 Linear Feet 907-823-A001 Preformed Joint Seal, Type I

CALL No. 06

Bridge Repair on SR 438 over Canal 9 (Bridge No. 1.5), known as Federal Aid Project No. STP-0622-00(028) / 108285301 in Washington County.

PROJECT COMPLETION: JUNE 24, 2022

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
1,240	Linear Feet	619-A1003	Temporary Traffic Stripe, Continuous White, Paint
620	Linear Feet	619-A4003	Temporary Traffic Stripe, Skip Yellow, Paint
1	Lump Sum	620-A001	Mobilization
1,240	Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White
620	Linear Feet	626-D002	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
4	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
5	Each	907-619-E3001	Changeable Message Sign

Bridge Items

722	Square Yard	907-202-B001	Removal of Bridge Deck, Hydrodemolition
70	Cubic Yard	907-804-O001	Bridge Deck Overlay Concrete
250	Linear Feet	907-808-A002	Joint Repair
168	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
334	Linear Feet	907-823-B001	Saw Cut, Type I
43	Square Feet	907-824-PP003	Bridge Repair, Epoxy Repair
444	Square Feet	907-824-PP003	Bridge Repair, Installation of FRP Wrap
430	Square Feet	907-824-PP003	Bridge Repair, Removal of Bridge Deck
10	Each	907-824-PP006	Bridge Repair, Bearing Replacement
6	Each	907-824-PP006	Bridge Repair, Cap Cleaning
116	Each	907-824-PP006	Bridge Repair, Installation of FRP Anchor
360	Linear Feet	907-824-PP008	Bridge Repair, Class II Spray Finish
360	Linear Feet	907-824-PP008	Bridge Repair, Rail Cleaning

CALL No. 07

Bridge Replacements (Bridge Nos. 203.5 & 204.1) & Bridge Repair (Bridge No. 203.9) on SR 245, known as Federal Aid Project No. BR-2841-00(012) / 1024263020 & 3021 in Lee County.

PROJECT COMPLETION: 207 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	201-A001	Clearing and Grubbing
1	Acre	201-B001	Clearing and Grubbing
1	Lump Sum	202-A001	Removal of Obstructions
6,904	Square Yard	202-B069	Removal of Concrete Pavement w/ Variable Depth Overlay
1,550	Linear Feet	202-B150	Removal of Guard Rail Including Post, Blockouts & Hardware
15	Each	202-B213	Removal of Sign
12,284	Cubic Yard	203-A001	Unclassified Excavation, FM, AH
36,418	Cubic Yard	203-EX020	Borrow Excavation, AH, FME, Class B9
2,000	Cubic Yard	203-G001	Excess Excavation, FM, AH
9,261	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
8,061	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
10	Ton	213-C001	Superphosphate
2,504	Square Yard	216-A001	Solid Sodding
3,811	Square Yard	217-A001	Ditch Liner
50	Thousand Gallon	219-A001	Watering
10	Acre	220-A001	Insect Pest Control
44	Cubic Yard	221-A001	Concrete Paved Ditch
40	Acre	223-A001	Mowing
20	Acre	225-A001	Grassing
10	Ton	225-B001	Agricultural Limestone
40	Ton	225-C001	Mulch, Vegetative Mulch
20	Acre	226-A001	Temporary Grassing
1,000	Linear Feet	234-A001	Temporary Silt Fence
5	Each	236-A008	Silt Basin, Type D
400	Linear Feet	237-A002	Wattles, 20"

89	Linear Feet	245-A001	Silt Dike
179	Each	246-A002	Sandbags
460	Ton	249-A001	Riprap for Erosion Control
3,030	Cubic Yard	304-A002	Granular Material, LVM, Class 3, Group C
2,377	Ton	403-A006	19-mm, ST, Asphalt Pavement
1,310	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
66	Ton	403-C003	19-mm, ST, Asphalt Pavement, Trench Widening
5,016	Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
1,241	Gallon	407-A001	Asphalt for Tack Coat
180	Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
2	Mile	423-A001	Rumble Strips, Ground In
389	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
107	Square Yard	605-AA001	Geotextile for Subsurface Drainage, Type III
192	Linear Feet	605-O002	4" Perforated Sewer Pipe for Underdrains, SDR 23.5
20	Linear Feet	605-P002	4" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
7	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
900	Linear Feet	606-B001	Guard Rail, Class A, Type 1
4	Each	606-D012	Guard Rail, Bridge End Section, Type D Modified
8	Each	606-D022	Guard Rail, Bridge End Section, Type I
8	Each	606-E005	Guard Rail, Terminal End Section, Flared
4	Each	606-E007	Guard Rail, Terminal End Section, Non-Flared
80	Linear Feet	615-A024	Concrete Bridge End Barrier, 37.5"
22	Each	617-A001	Right-of-Way Marker
1	Lump Sum	618-A001	Maintenance of Traffic
9,630	Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
750	Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow
4,815	Linear Feet	619-A4001	Temporary Traffic Stripe, Skip Yellow
127	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
474	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
126	Linear Feet	619-G4005	Barricades, Type III, Single Faced

100	Each	619-G5001	Free Standing Plastic Drums
28	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
8,790	Linear Feet	626-C003	6" Thermoplastic Edge Stripe, Continuous White
4,395	Linear Feet	626-D004	6" Thermoplastic Traffic Stripe, Skip Yellow
750	Linear Feet	626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
60	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
44	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
54	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
48	Square Feet	630-B002	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
276	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
66	Each	630-F006	Delineators, Guard Rail, White
12	Each	630-G004	Type 3 Object Markers, OM-3R or OM-3L
1	Lump Sum	699-A001	Roadway Construction Stakes
1,089	Ton	815-A002	Loose Riprap, Size 100
120	Ton	815-A007	Loose Riprap, Size 300
154	Square Yard	815-E001	Geotextile under Riprap
173	Ton	815-F002	Sediment Control Stone
623	Linear Feet	907-253-A001	Coir Fiber Baffle
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
2	Each	907-619-E3001	Changeable Message Sign

ALTERNATE GROUP AA NUMBER 1

2,031	Cubic Yard	304-G001	Size 3/4" and Down Crushed Stone Base, AEA
-------	------------	----------	--

ALTERNATE GROUP AA NUMBER 2

2,031	Cubic Yard	304-G002	Size 610 Crushed Stone Base, AEA
-------	------------	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 3

2,031	Cubic Yard	304-G003	Size 825B Crushed Stone Base, AEA
-------	------------	----------	-----------------------------------

ALTERNATE GROUP BB NUMBER 1

113	Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
-----	------------	----------	--

ALTERNATE GROUP BB NUMBER 2

113	Cubic Yard	605-W003	Filter Material for Combination Storm Drain and/or Underdrains, Type C, FM
-----	------------	----------	--

ALTERNATE GROUP CC NUMBER 1

900	Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
450	Linear Feet	907-624-C001	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow

ALTERNATE GROUP CC NUMBER 2

900	Linear Feet	628-H001	6" High Performance Cold Plastic Traffic Stripe, Continuous White
450	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow

Bridge Items

1,867	Square Yard	501-K001	Transverse Grooving
1,550	Linear Feet	803-D002	HP 12 x 53 Steel Piling
2,040	Linear Feet	803-D005	HP 14 x 117 Steel Piling
1,550	Linear Feet	803-D006	HP 14 x 73 Steel Piling
1,225	Linear Feet	803-F008	20" Pre-Formed Pile Hole
1,069	Linear Feet	804-C084	60' Prestressed Concrete Beam, Type II+2
1,429	Linear Feet	804-C121	80' Prestressed Concrete Beam, Type III
167,683	Pounds	805-A001	Reinforcement
848	Linear Feet	813-A004	Concrete Railing, 36"
5,123	Ton	815-A007	Loose Riprap, Size 300
3,036	Square Yard	815-E001	Geotextile under Riprap
122	Square Yard	907-202-B001	Removal of Bridge Deck, Hydrodemolition
2	Each	907-803-B001	Conventional Static Pile Load Test
4	Each	907-803-I003	PDA Test Pile, HP Steel Pile
4	Each	907-803-J001	Pile Restrike
237	Cubic Yard	907-804-A002	Bridge Concrete, Class AA
533	Cubic Yard	907-804-A004	Bridge Concrete, Class BD
5	Cubic Yard	907-804-O001	Bridge Deck Overlay Concrete
308	Linear Feet	907-808-A002	Joint Repair
154	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
308	Linear Feet	907-823-B001	Saw Cut, Type I
7	Cubic Feet	907-824-PP005	Bridge Repair, Epoxy Repair
4	Each	907-824-PP006	Bridge Repair, Cap Cleaning

CALL No. 08

Sign Replacements on various routes throughout the District, known as Federal Aid Project No. STBG-9999-01(401) / 108811301 in District 1.

PROJECT COMPLETION: 67 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	618-A001	Maintenance of Traffic
1	Lump Sum	620-A001	Mobilization
1,872	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
2,960	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
4,507	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
58	Square Feet	630-B002	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
2,818	Linear Feet	630-C001	Square Tube Posts, 4.0 lb/ft
3,150	Linear Feet	630-C002	Steel U-Section Posts, 2.0 lb/ft
1,842	Square Feet	907-630-PP002	Roadside Directional Signs, Sheet Aluminum, 0.125" Thickness, Ground Mounted

CALL No. 09

Bridge Repairs on US 61 (Bridge Nos. 242.3 & 247.7) & on I-20 (Bridge Nos. 17.3A & 17.3B), known as Federal Aid Project No. STBG-9999-03(386) / 1086203031 & 1086203032 in Bolivar & Warren Counties.

PROJECT COMPLETION: 134 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	618-A001	Maintenance of Traffic
2	Square Feet	618-B001	Additional Construction Signs
1	Lump Sum	620-A001	Mobilization

Bridge Items

1,672	Linear Feet	907-808-A003	Joint Repair Without Epoxy
836	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
1,672	Linear Feet	907-823-B001	Saw Cut, Type I
2	Square Feet	907-824-PP003	Bridge Repair, Epoxy Repair
84	Each	907-824-PP006	Bridge Repair, Bearing Replacement
44	Each	907-824-PP006	Bridge Repair, Cap Cleaning

CALL No. 10

Overlay approximately 20 miles on US 61 from the Issaquena County Line to Rolling Fork, known as State Project No. SP-0009-02(085) / 108211301 in Sharkey County.

PROJECT COMPLETION: 143 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

500 Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
500 Square Yard	202-B073	Removal of Concrete Pavement, All Depths
2,700 Linear Feet	202-B240	Removal of Traffic Stripe
200 Cubic Yard	203-G001	Excess Excavation, FM, AH
18,000 Ton	304-B004	Granular Material, Class 5, Group D
31,500 Ton	403-A014	9.5-mm, MT, Asphalt Pavement
500 Ton	403-B006	19-mm, ST, Asphalt Pavement, Leveling
3,000 Ton	403-B011	9.5-mm, MT, Asphalt Pavement, Leveling
3,000 Ton	406-D003	Fine Milling of Bituminous Pavement, All Depths
18,000 Gallon	407-A001	Asphalt for Tack Coat
13,128 Square Feet	412-A001	Pre-Grinding
96,000 Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
35 Mile	423-A001	Rumble Strips, Ground In
200 Linear Feet	503-B001	Saw Cut, Longitudinal Joints
225 Linear Feet	503-C010	Saw Cut, Full Depth
1 Lump Sum	618-A001	Maintenance of Traffic
1 Square Feet	618-B001	Additional Construction Signs
40 Mile	619-A1001	Temporary Traffic Stripe, Continuous White
4 Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
21 Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
5,000 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
2,000 Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1 Lump Sum	620-A001	Mobilization
37 Mile	626-B002	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
19 Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow

3 Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
15,000 Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
4,200 Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
4,200 Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
1,800 Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
2,300 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
66 Linear Feet	907-619-B001	Temporary Portable Rumble Strips

CALL No. 11

Thin Lift Overlay approximately 5 miles on SR 570 from west of Thompson Rd. to Natchez Dr. & approximately 4 miles on SR 44 from Locust St. to the Bogue Chitto River, known as State Project Nos. SP-0168-00(013) / 108888301, SP-0179-00(022) / 108887301 & SP-0168-00(013) / 108888302 in Amite & Pike Counties.

PROJECT COMPLETION: 58 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1,724	Linear Feet	202-B240	Removal of Traffic Stripe
96	Cubic Yard	203-G002	Excess Excavation, LVM, AH
3,660	Cubic Yard	304-A008	Granular Material, LVM, Class 6, Group D
26,618	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
27,737	Gallon	407-A001	Asphalt for Tack Coat
3,756	Square Feet	412-A001	Pre-Grinding
13	Mile	423-A001	Rumble Strips, Ground In
1	Lump Sum	618-A001	Maintenance of Traffic
3	Square Feet	618-B001	Additional Construction Signs
22	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
16	Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
26	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
7	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
38,840	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
845	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
9,804	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
19	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
4	Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
14	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
20,284	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
6,383	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
845	Square Feet	626-H004	Thermoplastic Legend, White
7,907	Linear Feet	626-H005	Thermoplastic Legend, White

1,265	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
116	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
2,052	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
12	Each	627-P001	Two-Way Blue Reflective High Performance Raised Markers
10,078	Ton	907-411-A001	Ultra Thin Asphalt Pavement
5,071	Ton	907-411-A001	Ultra Thin Asphalt Pavement Leveling
4,500	Pounds	907-420-A002	Undersealing Concrete Pavement
198	Linear Feet	907-619-B001	Temporary Portable Rumble Strips

ALTERNATE GROUP AA NUMBER 1

119	Cubic Yard	304-H001	3/4" and Down Crushed Stone Base, LVM
-----	------------	----------	---------------------------------------

ALTERNATE GROUP AA NUMBER 2

119	Cubic Yard	304-H002	Size 610 Crushed Stone Base, LVM
-----	------------	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 3

119	Cubic Yard	304-H003	Size 825B Crushed Stone Base, LVM
-----	------------	----------	-----------------------------------

CALL No. 12

Overlay approximately 7 miles on SR 7 from the Humphreys County Line to 2 miles south of Morgan City, known as State Project No. MP-2007-42(009) / 307475301 in Leflore County.

PROJECT COMPLETION: 97 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

2,485	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
213	Square Yard	202-B069	Removal of Concrete Pavement w/ Variable Depth Overlay
675	Linear Feet	202-B240	Removal of Traffic Stripe
100	Cubic Yard	203-G001	Excess Excavation, FM, AH
5,100	Ton	304-B002	Granular Material, Class 3, Group D
125	Ton	403-A006	19-mm, ST, Asphalt Pavement
10,900	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
775	Ton	403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
3,375	Ton	403-C003	19-mm, ST, Asphalt Pavement, Trench Widening
2,145	Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
9,540	Gallon	407-A001	Asphalt for Tack Coat
18,200	Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
16	Mile	423-A001	Rumble Strips, Ground In
580	Linear Feet	503-C010	Saw Cut, Full Depth
480	Linear Feet	609-B002	Concrete Curb, Header
500	Linear Feet	609-D008	Combination Concrete Curb and Gutter Type 3A
345	Square Yard	616-A001	Concrete Median and/or Island Pavement, 10-inch
93	Square Yard	616-A004	Concrete Median and/or Island Pavement, 4-inch
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
30	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
16	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
540	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
675	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization

540	Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White
16	Mile	626-C004	6" Thermoplastic Edge Stripe, Continuous White
294	Linear Feet	626-D002	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
8	Mile	626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
540	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
450	Linear Feet	626-H005	Thermoplastic Legend, White
89	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
518	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
51	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
170	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
8	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
1	Lump Sum	699-A001	Roadway Construction Stakes
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips

CALL No. 13

Placement of Raised Pavement Markers on various routes throughout the District, known as State Project No. MP-6000-00(394) / 307796301 in District 6.

PROJECT COMPLETION: 80 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	618-A001	Maintenance of Traffic
1	Lump Sum	620-A001	Mobilization
42,160	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
59,250	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
10,500	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers

CALL No. 14

Mill & Overlay approximately 4 miles on SR 198 from west of Lumberton Rd. to US 98, known as State Project No. SP-8627-00(001) / 108886301 in Marion County.

PROJECT COMPLETION: 98 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

181	Cubic Yard	304-A011	Granular Material, LVM, Class 9, Group C
5,870	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
100	Ton	403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
71,207	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
5,337	Gallon	407-A001	Asphalt for Tack Coat
5,918	Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
3	Mile	423-A001	Rumble Strips, Ground In
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
14	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
14	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
8,627	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
801	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
2,686	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
7	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
7	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
6,797	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
1,830	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
801	Square Feet	626-H004	Thermoplastic Legend, White
2,686	Linear Feet	626-H005	Thermoplastic Legend, White
35	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
760	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
21	Each	627-P001	Two-Way Blue Reflective High Performance Raised Markers
36	Each	630-F006	Delineators, Guard Rail, White

14	Each	635-A059	Traffic Signal Head, Type 1
4	Each	635-A065	Traffic Signal Head, Type 2 FYA
1	Lump Sum	647-A001	Removal of Existing Traffic Signal Equipment
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
2	Each	907-632-C001	Modify Existing Traffic Signal Cabinet Assembly
2	Each	907-632-D001	Solid State Traffic Actuated Controller, Type 1
1	Each	907-632-G001	Malfunction Management Unit
800	Linear Feet	907-636-C007	Electric Cable, Aerial Supported, IMSA 20-1, AWG 14, 5 Conductor
50	Linear Feet	907-637-C028	Traffic Signal Conduit, Underground, Type 4, 2"
540	Linear Feet	907-637-D002	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2"
8	Each	907-641-A002	Signal Stop Bar Radar Vehicle Detection Sensor, Type 2
1,100	Linear Feet	907-641-D001	Radar Vehicle Detection Cable

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Contractors may request permission to bid online at <http://shopmdot.ms.gov> at no cost. Upon approval, contractors shall be eligible to submit a bid using Bid Express at <http://bidx.com>. Specimen proposals may be viewed and downloaded online at no cost at <http://mdot.ms.gov> or purchased online at <http://shopmdot.ms.gov> at a cost of Ten Dollars (\$10.00) per proposal plus a small convenience fee. Cash or checks will not be accepted as payment.

Plans must be purchased online at <https://shopmdot.ms.gov>. Costs of plans will be on a cost per sheet basis plus a small convenience fee. You can contact the MDOT Plans Print Shop at Telephone No. (601) 359-7460 or e-mail at plans@mdot.state.ms.us. Plans will be shipped on receipt of payment. Cash or checks will not be accepted as payment.

Bid bond, signed or countersigned by a Mississippi Resident Agent or qualified non-resident agent, with Power of Attorney attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

BRAD WHITE
EXECUTIVE DIRECTOR