

Proposal & Plan Sales Will Begin on January 31, 2022



**MISSISSIPPI DEPARTMENT OF
TRANSPORTATION**

Notice to Contractors

Letting Date For February - February 23, 2022

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

NOTICE TO CONTRACTORS

LETTING DATE FOR FEBRUARY - Wednesday, February 23, 2022

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List is available online at mdot.ms.gov

PROPOSAL AND PLAN SALES WILL BEGIN ON JANUARY 31, 2022

Proposals must be purchased online at:
<https://shopmdot.ms.gov>
For Information Please Contact:
Contract Administration Division
Jackson, MS
Telephone: (601) 359-7700

Plans must be purchased online at:
<https://shopmdot.ms.gov>
For Information Please Contact:
MDOT Plans Print Shop
Jackson, MS
Telephone: (601) 359-7460
e-mail: plans@mdot.state.ms.us

Electronic bids will be received by the Mississippi Transportation Commission at 10:00 o'clock A.M., Wednesday, February 23, 2022; from the Bid Express Service and shortly thereafter, bids will be publicly read in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

* No plans except Standard Drawings

LIST OF CONTRACTS FOR FEBRUARY

CALL	CONTRACT	COUNTY
*	01 NH-0002-01(051)/107662301	JACKSON
*	02 NH-0002-02(075)/108242301	WAYNE
	03 STP-0009-01(143)/107543301	ADAMS
	04 NH-0009-01(147)/108375301	ADAMS
	05 BR-0016-03(027)/106968301 & BR-0016-02(037)/106968302	GRENADA, CALHOUN
	06 NH-0014-01(075)/107938301	PIKE
*	07 NHPP-0020-01(252)/108289301 & NHPP-0055-02(259)/108290301	HINDS
*	08 NHPP-0020-01(264)/108845301	WARREN
*	09 STBG-0023-02(063)/108677301	SCOTT
	10 STP-0034-01(008)/108516301	LAFAYETTE
*	11 STP-0037-04(063)/107954301	YAZOO
	12 STP-0050-01(034)/106984301	CALHOUN
	13 BR-0054-02(028)/107391301 & BR-0054-02(028)/107391302	HINDS, WARREN
	14 IM-0055-01(121)/108593301 & IM-0055-01(122)/108593302	LINCOLN, PIKE
*	15 STBG-9999-07(383)/108811307	DISTRICT 7
*	16 STBG-0056-01(111)/109057301 & STBG-	HINDS, RANKIN

	0056-01(111)/109057302		
17	IM-0059-01(117)/107069301 & IM-0059-01(117)/107069302	LAMAR, PEARL RIVER	
18	NH-0079-01(035)/108205301 & NH-0079-01(035)/108205302	CLAY, MONROE	
*	19	STP-2711-00(006)/108268301 & STP-2711-00(006)/108268302	CARROLL, MONTGOMERY
*	20	SP-0491-00(003)/108799301 & SP-0493-00(001)/108799302	HINDS

CALL No. 01

Overlay approximately 7 miles on SR 63 from 0.2 miles south of SR 614 to the George County Line, known as Federal Aid Project No. NH-0002-01(051) / 107662301 in Jackson County.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

1,720	Linear Feet	202-B136	Removal of Guard Rail
8	Each	202-B183	Removal of Object Markers
1,980	Linear Feet	202-B240	Removal of Traffic Stripe
4,368	Ton	304-F003	Size 825B Crushed Stone Base
17,022	Ton	403-A014	9.5-mm, MT, Asphalt Pavement
6,004	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
23,161	Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
28,828	Gallon	407-A001	Asphalt for Tack Coat
610	Linear Feet	606-B002	Guard Rail, Class A, Type 1, 'W' Beam
8	Each	606-D001	Guard Rail, Bridge End Section
8	Each	606-E001	Guard Rail, Terminal End Section
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
26	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
22	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
28	Mile	619-A3001	Temporary Traffic Stripe, Skip White
25,954	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
88	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
1,680	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
14	Mile	626-A001	6" Thermoplastic Double Drop Traffic Stripe, Skip White
13	Mile	626-B002	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
11	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
30,352	Linear Feet	626-G002	Thermoplastic Detail Stripe, White

20,836	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
1,318	Square Feet	626-H004	Thermoplastic Legend, White
3,255	Linear Feet	626-H005	Thermoplastic Legend, White
830	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,585	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,672	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
28	Each	630-F006	Delineators, Guard Rail, White
28	Each	630-F007	Delineators, Guard Rail, Yellow
8	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
10,213	Ton	907-411-A001	Ultra Thin Asphalt Pavement
1	Each	907-632-D001	Solid State Traffic Actuated Controller, Type 1
2	Each	907-643-A004	Video Vehicle Detection Sensor, Type 1A
455	Linear Feet	907-643-B001	Video Vehicle Detection Cable
455	Linear Feet	907-643-C001	Video Vehicle Detection Power Cable
2	Each	907-643-E001	Multi-Sensor Vehicle Detection Sensor
511	Linear Feet	907-643-F001	Multi-Sensor Vehicle Detection Cable
511	Linear Feet	907-643-G001	Multi-Sensor Vehicle Detection Power Cable
ALTERNATE GROUP AA NUMBER 1			
880	Linear Feet	628-G001	6" High Performance Cold Plastic Traffic Stripe, Skip White
880	Linear Feet	628-H001	6" High Performance Cold Plastic Traffic Stripe, Continuous White
880	Linear Feet	628-J001	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
ALTERNATE GROUP AA NUMBER 2			
880	Linear Feet	907-624-A002	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White
880	Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
880	Linear Feet	907-624-D002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

CALL No. 02

Overlay approximately 8 miles on US 45 from Jimmy Ramey Road north to the Clarke County Line, known as Federal Aid Project No. NH-0002-02(075) / 108242301 in Wayne County.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

7,940	Square Yard	202-B188	Removal of Pavement, All Types and Depths
10,680	Linear Feet	202-B240	Removal of Traffic Stripe
1,385	Ton	403-A005	19-mm, MT, Asphalt Pavement
2,650	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
17,000	Ton	403-B010	9.5-mm, HT, Asphalt Pavement, Leveling
2,440	Ton	403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
14,700	Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
63,200	Gallon	407-A001	Asphalt for Tack Coat
29	Mile	423-A001	Rumble Strips, Ground In
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
45	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
41	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
49	Mile	619-A3001	Temporary Traffic Stripe, Skip White
48,530	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,250	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
2,250	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
17	Mile	626-A004	6" Thermoplastic Traffic Stripe, Skip White
15	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
13,090	Linear Feet	626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
14	Mile	626-F001	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
29,790	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
18,740	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
1,250	Square Feet	626-H004	Thermoplastic Legend, White

2,250	Linear Feet	626-H005	Thermoplastic Legend, White
680	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
2,700	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
2,010	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
70	Each	630-F006	Delineators, Guard Rail, White
70	Each	630-F007	Delineators, Guard Rail, Yellow
2	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
12,010	Ton	907-411-A001	Ultra Thin Asphalt Pavement
270,170	Square Yard	907-414-A001	Scrub Seal

ALTERNATE GROUP AA NUMBER 1

7,180	Ton	304-D001	Granular Material, Crushed Concrete
-------	-----	----------	-------------------------------------

ALTERNATE GROUP AA NUMBER 2

7,180	Ton	304-F001	3/4" and Down Crushed Stone Base
-------	-----	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 3

7,180	Ton	304-F003	Size 825B Crushed Stone Base
-------	-----	----------	------------------------------

ALTERNATE GROUP BB NUMBER 1

4,710	Linear Feet	628-G001	6" High Performance Cold Plastic Traffic Stripe, Skip White
4,710	Linear Feet	628-H001	6" High Performance Cold Plastic Traffic Stripe, Continuous White
4,710	Linear Feet	628-J001	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

ALTERNATE GROUP BB NUMBER 2

4,710	Linear Feet	907-624-A002	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White
4,710	Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
4,710	Linear Feet	907-624-D002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

CALL No. 03

Slide & Erosion Repairs on US 61 approximately 0.9 miles north of Kingston Road, known as Federal Aid Project No. STP-0009-01(143) / 107543301 in Adams County.

PROJECT COMPLETION: 207 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

9 Acre	201-B001	Clearing and Grubbing
241 Square Yard	202-B063	Removal of Concrete Paved Ditch
24 Linear Feet	202-B191	Removal of Pipe, 8" And Above
73,375 Cubic Yard	203-A001	Unclassified Excavation, FM, AH
16,500 Cubic Yard	203-EX041	Borrow Excavation, AH, LVM, Class B9-6
1,350 Cubic Yard	203-F002	Channel Excavation, LVM
1,000 Cubic Yard	203-G002	Excess Excavation, LVM, AH
284 Cubic Yard	206-A001	Structure Excavation
1,800 Square Yard	216-A001	Solid Sodding
36 Thousand Gallon	219-A001	Watering
5 Acre	220-A001	Insect Pest Control
18 Acre	223-A001	Mowing
9 Acre	225-A001	Grassing
5 Ton	225-B001	Agricultural Limestone
18 Ton	225-C001	Mulch, Vegetative Mulch
9 Acre	226-A001	Temporary Grassing
2,380 Square Yard	229-A001	Erosion Mat
2,000 Linear Feet	234-A001	Temporary Silt Fence
3 Each	236-A008	Silt Basin, Type D
1,200 Linear Feet	237-A002	Wattles, 20"
4,143 Ton	304-D004	Granular Material, Size 57
72 Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
1,442 Pounds	602-A001	Reinforcing Steel
832 Linear Feet	603-CA039	24" Reinforced Concrete Pipe, Class V, Rubber Type Gaskets
3 Each	603-CB004	24" Reinforced Concrete End Section

545	Linear Feet	603-PE001	12" Corrugated Polyethylene Pipe
120	Linear Feet	603-PE001	12" Corrugated Polyethylene Pipe Non-Perforated
530	Linear Feet	603-PE008	6" Corrugated Polyethylene Pipe
120	Linear Feet	603-PE008	6" Corrugated Polyethylene Pipe Non-Perforated
275	Linear Feet	604-C001	Precast Manhole, 48" Diameter
8,476	Square Yard	605-AA003	Geotextile for Subsurface Drainage, Type V, Non-Woven
393	Square Yard	605-BB001	Prefabricated Sheet Drain
35	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
579	Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
3	Each	617-A001	Right-of-Way Marker
1	Lump Sum	618-A001	Maintenance of Traffic
1,550	Linear Feet	619-F1001	Concrete Median Barrier, Precast
1	Lump Sum	620-A001	Mobilization
1	Lump Sum	699-A001	Roadway Construction Stakes
1,875	Ton	815-A002	Loose Riprap, Size 100
5,160	Ton	815-A007	Loose Riprap, Size 300
84	Ton	815-F002	Sediment Control Stone
29,040	Square Yard	907-228-A001	Erosion Control Blanket, Type I
450	Linear Feet	907-253-A001	Coir Fiber Baffle

CALL No. 04

Mill & Overlay approximately 8 miles on US 61 from Kingston to St. Catherine Creek, known as Federal Aid Project No. NH-0009-01(147) / 108375301 in Adams County.

PROJECT COMPLETION: MARCH 21, 2023

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

436 Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
2,000 Linear Feet	202-B150	Removal of Guard Rail Including Post, Blockouts & Hardware
6,068 Linear Feet	202-B240	Removal of Traffic Stripe
60 Cubic Yard	203-G002	Excess Excavation, LVM, AH
3,817 Cubic Yard	304-A008	Granular Material, LVM, Class 6, Group D
30,895 Ton	403-A014	9.5-mm, MT, Asphalt Pavement
694 Ton	403-B011	9.5-mm, MT, Asphalt Pavement, Leveling
255,022 Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
29,788 Gallon	407-A001	Asphalt for Tack Coat
19,886 Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
24 Mile	423-A001	Rumble Strips, Ground In
796 Linear Feet	503-C010	Saw Cut, Full Depth
1,675 Linear Feet	606-B002	Guard Rail, Class A, Type 1, 'W' Beam
2 Each	606-C003	Guard Rail, Cable Anchor, Type 1
4 Each	606-D005	Guard Rail, Bridge End Section, Type A
2 Each	606-D019	Guard Rail, Bridge End Section, Type H
2 Each	606-D022	Guard Rail, Bridge End Section, Type I
3 Each	606-E003	Guard Rail, Terminal End Section, Double Faced
6 Each	606-E005	Guard Rail, Terminal End Section, Flared
2 Each	606-E007	Guard Rail, Terminal End Section, Non-Flared
3 Each	606-G001	Special Sections, Bridge Connector
1 Lump Sum	618-A001	Maintenance of Traffic
1 Square Feet	618-B001	Additional Construction Signs
34 Mile	619-A1001	Temporary Traffic Stripe, Continuous White
34 Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow

34	Mile	619-A3001	Temporary Traffic Stripe, Skip White
4	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
170,730	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
3,450	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
14,272	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
17	Mile	626-A001	6" Thermoplastic Double Drop Traffic Stripe, Skip White
17	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
2	Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
17	Mile	626-F001	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
42,115	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
43,650	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
3,450	Square Feet	626-H004	Thermoplastic Legend, White
7,136	Linear Feet	626-H005	Thermoplastic Legend, White
150	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
2,965	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
883	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
41	Each	627-P001	Two-Way Blue Reflective High Performance Raised Markers
40	Each	630-F002	Delineators, Flexible Post Mounted, Crossover, Type I, Yellow
31	Each	630-F003	Delineators, Flexible Post Mounted, Crossover, Type II
53	Each	630-F006	Delineators, Guard Rail, White
16	Each	630-F007	Delineators, Guard Rail, Yellow
20	Each	635-A059	Traffic Signal Head, Type 1
12	Each	635-A065	Traffic Signal Head, Type 2 FYA
2	Each	635-A073	Traffic Signal Head, Type 4
2	Each	635-A076	Traffic Signal Head, Type 6
1	Lump Sum	647-A001	Removal of Existing Traffic Signal Equipment
4,628	Gallon	907-410-D001	Asphalt for Rejuvenating Fog Seal, Grade CMS-1PF
1	Each	907-632-B004	Remove and Replace Existing Traffic Signal Cabinet Assembly, Type II Cabinet, Type 1 Controller
7	Each	907-632-C001	Modify Existing Traffic Signal Cabinet Assembly

9	Each	907-632-D001	Solid State Traffic Actuated Controller, Type 1
6	Each	907-632-G001	Malfunction Management Unit
1	Each	907-634-A545	Traffic Signal Equipment Pole, Type VI, 8' Shaft
1	Cubic Yard	907-634-C001	Pole Foundations, Class "B" Concrete
6	Each	907-634-G001	Traffic Signal Equipment Pole Mast Arm Extension
2,302	Linear Feet	907-636-C006	Electric Cable, Aerial Supported, IMSA 20-1, AWG 14, 4 Conductor
303	Linear Feet	907-636-C007	Electric Cable, Aerial Supported, IMSA 20-1, AWG 14, 5 Conductor
200	Linear Feet	907-637-C028	Traffic Signal Conduit, Underground, Type 4, 2"
200	Linear Feet	907-637-D002	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2"
2,203	Linear Feet	907-640-A001	Vehicle Loop Assemblies
1	Each	907-641-B002	Signal Advanced Radar Vehicle Detection Sensor, Type 2
50	Linear Feet	907-641-D001	Radar Vehicle Detection Cable
11	Each	907-643-A004	Video Vehicle Detection Sensor, Type 1A
1,872	Linear Feet	907-643-B001	Video Vehicle Detection Cable
12	Each	907-643-E001	Multi-Sensor Vehicle Detection Sensor
2,277	Linear Feet	907-643-F001	Multi-Sensor Vehicle Detection Cable
2	Each	907-645-A001	Standard Pedestrian Detection Assembly

ALTERNATE GROUP AA NUMBER 1

115	Cubic Yard	304-H001	3/4" and Down Crushed Stone Base, LVM
-----	------------	----------	---------------------------------------

ALTERNATE GROUP AA NUMBER 2

115	Cubic Yard	304-H002	Size 610 Crushed Stone Base, LVM
-----	------------	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 3

115	Cubic Yard	304-H003	Size 825B Crushed Stone Base, LVM
-----	------------	----------	-----------------------------------

CALL No. 05

Bridge Replacements on SR 8 (Bridge Nos. 89.8, 94.9, 95.2, 95.5, 95.7 & new relief bridge), known as Federal Aid Project Nos. BR-0016-03(027) / 106968301 & BR-0016-02(037) / 106968302 in Calhoun & Grenada Counties.

PROJECT COMPLETION: 526 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	201-A001	Clearing and Grubbing
2	Acre	201-B001	Clearing and Grubbing
1	Lump Sum	202-A001	Removal of Obstructions
31,981	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
70	Linear Feet	202-B019	Removal of Box Culvert
3,298	Linear Feet	202-B150	Removal of Guard Rail Including Post, Blockouts & Hardware
1	Each	202-B165	Removal of Inlets, All Sizes
257	Linear Feet	202-B191	Removal of Pipe, 8" And Above
13,529	Cubic Yard	203-A001	Unclassified Excavation, FM, AH
306,449	Cubic Yard	203-EX020	Borrow Excavation, AH, FME, Class B9
85,458	Cubic Yard	203-G001	Excess Excavation, FM, AH
578	Cubic Yard	206-A001	Structure Excavation
30,548	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
984	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
16	Ton	213-C001	Superphosphate
454	Square Yard	216-A001	Solid Sodding
446	Square Yard	217-A001	Ditch Liner
10	Thousand Gallon	219-A001	Watering
30	Acre	220-A001	Insect Pest Control
59	Cubic Yard	221-A001	Concrete Paved Ditch
60	Acre	223-A001	Mowing
30	Acre	225-A001	Grassing
88	Ton	225-B001	Agricultural Limestone
58	Ton	225-C001	Mulch, Vegetative Mulch
30	Acre	226-A001	Temporary Grassing

32,600	Linear Feet	234-A001	Temporary Silt Fence
5,400	Linear Feet	234-C001	Super Silt Fence
2	Each	236-A008	Silt Basin, Type D
1,961	Linear Feet	237-A002	Wattles, 20"
1,692	Linear Feet	245-A001	Silt Dike
1,692	Linear Feet	246-B002	Rockbags
1,448	Ton	249-A001	Riprap for Erosion Control
8,467	Cubic Yard	249-B001	Remove and Reset Riprap
16,765	Ton	304-B002	Granular Material, Class 3, Group D
4,124	Ton	403-A003	12.5-mm, ST, Asphalt Pavement
5,374	Ton	403-A006	19-mm, ST, Asphalt Pavement
4,131	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
301	Ton	403-B003	12.5-mm, ST, Asphalt Pavement, Leveling
7,370	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
6,160	Gallon	407-A001	Asphalt for Tack Coat
553	Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
4	Mile	423-A001	Rumble Strips, Ground In
495	Square Yard	501-K001	Transverse Grooving
1,186	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
5	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
182	Pounds	602-A001	Reinforcing Steel
464	Linear Feet	603-ALT003	18" Type A Alternate Pipe
40	Linear Feet	603-ALT005	22" x 13" Type A Alternate Pipe
168	Linear Feet	603-CA066	42" Reinforced Concrete Pipe, Class III
64	Linear Feet	603-CA076	48" Reinforced Concrete Pipe, Class III
3	Each	603-CB007	42" Reinforced Concrete End Section
1	Each	603-CB008	48" Reinforced Concrete End Section
16	Linear Feet	603-CE018	44" x 27" Concrete Arch Pipe, Class A III
1	Each	603-CF005	44" x 27" Concrete Arch Pipe End Section
420	Square Yard	605-AA001	Geotextile for Subsurface Drainage, Type III

553	Linear Feet	605-O002	4" Perforated Sewer Pipe for Underdrains, SDR 23.5
360	Linear Feet	605-P002	4" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
23	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
2,550	Linear Feet	606-B001	Guard Rail, Class A, Type 1
24	Each	606-D022	Guard Rail, Bridge End Section, Type I
32	Each	606-E001	Guard Rail, Terminal End Section
240	Linear Feet	615-A024	Concrete Bridge End Barrier, 37.5"
8	Each	617-A001	Right-of-Way Marker
1	Lump Sum	618-A001	Maintenance of Traffic
1	Lump Sum	618-C001	Construction and Removal of Detour Bridge
1,752	Linear Feet	618-E001	Detour Bridge Piling
1	Lump Sum	618-F001	Detour Bridge PDA Test Pile
21,014	Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
3,102	Linear Feet	619-A1007	Temporary Traffic Stripe, Continuous White, Type 1 or 2 Tape
20,702	Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow
3,102	Linear Feet	619-A2008	Temporary Traffic Stripe, Continuous Yellow, Type 1 or 2 Tape
2,628	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
118	Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
128	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
730	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
144	Linear Feet	619-G4001	Barricades, Type III, Double Faced
60	Each	619-G5001	Free Standing Plastic Drums
12	Each	619-G7001	Warning Lights, Type "B"
20	Each	619-G8001	Warning Lights, Type "C"
4	Each	619-K2001	Installation and Removal of Guard Rail, Bridge End Section
4	Each	619-K4001	Installation and Removal of Guardrail, Terminal End Section
1	Lump Sum	620-A001	Mobilization
24,400	Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White
9,020	Linear Feet	626-D002	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow

7,925	Linear Feet	626-E002	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
306	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
108	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
180	Linear Feet	630-C001	Square Tube Posts, 4.0 lb/ft
100	Each	630-F006	Delineators, Guard Rail, White
32	Each	630-G004	Type 3 Object Markers, OM-3R or OM-3L
1	Lump Sum	699-A001	Roadway Construction Stakes
228	Ton	815-A002	Loose Riprap, Size 100
762	Ton	815-A007	Loose Riprap, Size 300
707	Square Yard	815-E001	Geotextile under Riprap
85	Ton	815-F002	Sediment Control Stone
400	Linear Feet	907-253-A001	Coir Fiber Baffle
1,040	Hours	907-906001	Trainees

ALTERNATE GROUP AA NUMBER 1

12,792	Ton	304-F001	3/4" and Down Crushed Stone Base
--------	-----	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

12,792	Ton	304-F002	Size 610 Crushed Stone Base
--------	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

12,792	Ton	304-F003	Size 825B Crushed Stone Base
--------	-----	----------	------------------------------

ALTERNATE GROUP BB NUMBER 1

579	Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
-----	------------	----------	--

ALTERNATE GROUP BB NUMBER 2

579	Cubic Yard	605-W003	Filter Material for Combination Storm Drain and/or Underdrains, Type C, FM
-----	------------	----------	--

Bridge Items

6,797	Square Yard	501-K001	Transverse Grooving
7,530	Linear Feet	803-P001	24" Steel Pipe Piling, Wall Thickness 0.500"
3,040	Linear Feet	803-P003	30" Steel Pipe Piling, Wall Thickness 0.500"
1,425	Linear Feet	803-P007	18" Steel Pipe Piling, Wall Thickness 0.500"
1,195	Linear Feet	804-C169	100' Prestressed Concrete Beam, Type FIB-45
807	Linear Feet	804-C170	135' Prestressed Concrete Beam, Type FIB-54
1,096	Linear Feet	804-C186	110' Prestressed Concrete Beam, Type FIB-45

777	Linear Feet	804-C202	130' Prestressed Concrete Beam, Type FIB-54
2,249	Linear Feet	804-C218	101' Prestressed Concrete Beam, Type FIB-45
2,190	Linear Feet	804-C219	111' Prestressed Concrete Beam, Type FIB-45
1,113	Linear Feet	804-C220	81' Prestressed Concrete Beam, Type FIB-36
549,200	Pounds	805-A001	Reinforcement
14,930	Pounds	805-C001	Reinforcement, Corrosion Resistant
3,397	Linear Feet	813-A004	Concrete Railing, 36"
9,925	Ton	815-A007	Loose Riprap, Size 300
5,775	Square Yard	815-E001	Geotextile under Riprap
6	Each	907-803-B001	Conventional Static Pile Load Test
12	Each	907-803-I004	PDA Test Pile, Steel Pipe Pile
11	Each	907-803-J001	Pile Restrike
2,068	Cubic Yard	907-804-A001	Bridge Concrete, Class BDY
739	Cubic Yard	907-804-A002	Bridge Concrete, Class AA
440	Linear Feet	907-823-A001	Prefomed Joint Seal, Type I
81	Linear Feet	907-823-A002	Prefomed Joint Seal, Type II

CALL No. 06

Mill & Overlay approximately 2 miles on SR 24 from the JCT of I-55 east to the JCT of US 51, known as Federal Aid Project No. NH-0014-01(075) / 107938301 in Pike County.

PROJECT COMPLETION: JANUARY 20, 2023

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

207	Cubic Yard	203-G002	Excess Excavation, LVM, AH
86	Cubic Yard	304-A008	Granular Material, LVM, Class 6, Group D
9,252	Ton	403-A014	9.5-mm, MT, Asphalt Pavement
108,703	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
8,829	Gallon	407-A001	Asphalt for Tack Coat
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
10	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
7	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
8	Mile	619-A3001	Temporary Traffic Stripe, Skip White
4	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
22,670	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
4,466	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
6,006	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
4	Mile	626-A001	6" Thermoplastic Double Drop Traffic Stripe, Skip White
5	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
1	Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
3	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
7,884	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
9,365	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
2,233	Square Feet	626-H004	Thermoplastic Legend, White
3,004	Linear Feet	626-H005	Thermoplastic Legend, White
103	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,306	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers

16	Each	627-P001	Two-Way Blue Reflective High Performance Raised Markers
5	Each	635-A059	Traffic Signal Head, Type 1
7	Each	635-A060	Traffic Signal Head, Type 1A
9	Each	635-A065	Traffic Signal Head, Type 2 FYA
3	Each	635-A071	Traffic Signal Head, Type 3A
1	Each	635-A073	Traffic Signal Head, Type 4
1	Each	635-A074	Traffic Signal Head, Type 4R
1	Lump Sum	647-A001	Removal of Existing Traffic Signal Equipment
1	Each	907-632-B004	Remove and Replace Existing Traffic Signal Cabinet Assembly, Type II Cabinet, Type 1 Controller
5	Each	907-632-C001	Modify Existing Traffic Signal Cabinet Assembly
3	Each	907-632-D001	Solid State Traffic Actuated Controller, Type 1
3	Each	907-632-G001	Malfunction Management Unit
2	Each	907-634-B001	Traffic Signal Equipment Pole Shaft Extension, 10'
1	Each	907-634-F002	Detector Pole with Foundation, 35' Pole
2	Each	907-634-G001	Traffic Signal Equipment Pole Mast Arm Extension
1	Each	907-634-I004	Wood Pole, Class III Height 45'
1,026	Linear Feet	907-636-C007	Electric Cable, Aerial Supported, IMSA 20-1, AWG 14, 5 Conductor
55	Linear Feet	907-637-C028	Traffic Signal Conduit, Underground, Type 4, 2"
200	Linear Feet	907-637-D002	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2"
2,581	Linear Feet	907-640-A001	Vehicle Loop Assemblies
197	Linear Feet	907-640-B001	Shielded Cable, AWG #14, 2 Conductor
3	Each	907-643-A004	Video Vehicle Detection Sensor, Type 1A
432	Linear Feet	907-643-B001	Video Vehicle Detection Cable
3	Each	907-643-E001	Multi-Sensor Vehicle Detection Sensor
522	Linear Feet	907-643-F001	Multi-Sensor Vehicle Detection Cable
7	Each	907-662-D002	Radio Interconnect, Broadband, Short Range
6	Each	907-663-A001	Network Switch, Type A

CALL No. 07

Bridge Painting on I-20 over Valley Street (Bridge Nos. 44.1A & 44.1B) & on I-55 over McDowell Road (Bridge No. 90.7), known as Federal Aid Project Nos. NHPP-0020-01(252) / 108289301 & NHPP-0055-02(259) / 108290301 in Hinds County.

PROJECT COMPLETION: 215 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	618-A001	Maintenance of Traffic
48	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
1,208	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
12	Each	619-E1001	Flashing Arrow Panel, Type C
72	Linear Feet	619-G4001	Barricades, Type III, Double Faced
48	Linear Feet	619-G4005	Barricades, Type III, Single Faced
97	Each	619-G5001	Free Standing Plastic Drums
30	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
4	Each	907-619-E3001	Changeable Message Sign

Bridge Items

6,944	Linear Feet	907-808-A002	Joint Repair
3,472	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
6,944	Linear Feet	907-823-B001	Saw Cut, Type I
25	Each	907-824-PP006	Bridge Repair, Cap Cleaning
1	Lump Sum	907-845-A001	Coating Existing Structural Steel Mc Dowell St
1	Lump Sum	907-845-A001	Coating Existing Structural Steel Valley Street

CALL No. 08

Bridge Repairs on I-20 EB ramp over Old US 80 (Bridge No. 5.0), known as Federal Aid Project No. NHPP-0020-01(264) / 108845301 in Warren County.

PROJECT COMPLETION: SEPTEMBER 26, 2022

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
1	Lump Sum	620-A001	Mobilization
360	Linear Feet	626-A002	6" Thermoplastic Double Drop Traffic Stripe, Skip White
579	Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White
579	Linear Feet	626-F002	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
9	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
5,000	Pounds	907-420-A002	Undersealing Concrete Pavement
8	Each	907-619-E3001	Changeable Message Sign

Bridge Items

441	Linear Feet	907-808-A003	Joint Repair Without Epoxy
221	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
441	Linear Feet	907-823-B001	Saw Cut, Type I
45	Square Feet	907-824-PP003	Bridge Repair, Epoxy Repair
285	Square Feet	907-824-PP003	Bridge Repair, Field Painting
148	Square Feet	907-824-PP003	Bridge Repair, FRP Wrap
1	Lump Sum	907-824-PP004	Bridge Repair, Heat Straightening
12	Each	907-824-PP006	Bridge Repair, Bearing Replacement
4	Each	907-824-PP006	Bridge Repair, Cap Cleaning
1	Each	907-824-PP006	Bridge Repair, Midspan Diaphragm Replacement
60	Linear Feet	907-824-PP008	Bridge Repair, Epoxy Injection Repair

CALL No. 09

Mill & Overlay approximately 8 miles on SR 35 from the Smith County Line to the pavement change south of I-20, known as Federal Aid Project No. STBG-0023-02(063) / 108677301 in Scott County.

PROJECT COMPLETION: 117 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

6,483	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
350	Linear Feet	202-B136	Removal of Guard Rail
5,692	Cubic Yard	203-G001	Excess Excavation, FM, AH
8,260	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
3,955	Ton	304-D002	Granular Material, Crushed Stone
15,295	Ton	403-A002	12.5-mm, MT, Asphalt Pavement
2,515	Ton	403-B002	12.5-mm, MT, Asphalt Pavement, Leveling
2,274	Ton	403-B005	19-mm, MT, Asphalt Pavement, Leveling
131,720	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
13,172	Gallon	407-A001	Asphalt for Tack Coat
15	Mile	423-A001	Rumble Strips, Ground In
3,611	Linear Feet	503-C010	Saw Cut, Full Depth
275	Linear Feet	606-B003	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
2	Each	606-E007	Guard Rail, Terminal End Section, Non-Flared
1	Lump Sum	618-A001	Maintenance of Traffic
32	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
27	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
18	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
4,700	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
2,100	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
620	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
196	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
24	Linear Feet	619-G4001	Barricades, Type III, Double Faced
1	Lump Sum	620-A001	Mobilization
16	Mile	626-B002	6" Thermoplastic Double Drop Traffic Stripe, Continuous White

6 Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
9 Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
1,600 Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
750 Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
1,044 Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
1,800 Each	627-E001	One-Way Clear Reflective Raised Markers
305 Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
900 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
12 Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
179 Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
242 Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
20 Each	630-F006	Delineators, Guard Rail, White
41 Each	630-G004	Type 3 Object Markers, OM-3R or OM-3L
7,343 Square Yard	907-204-A003	Geogrid, Type II, Biaxial
132 Linear Feet	907-619-B001	Temporary Portable Rumble Strips

ALTERNATE GROUP AA NUMBER 1

23,290 Ton	304-F001	3/4" and Down Crushed Stone Base
------------	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

23,290 Ton	304-F002	Size 610 Crushed Stone Base
------------	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

23,290 Ton	304-F003	Size 825B Crushed Stone Base
------------	----------	------------------------------

CALL No. 10

Bridge Repair on SR 315 over the Yocona River (Bridge No. 60.7), known as Federal Aid Project No. STP-0034-01(008) / 108516301 in Lafayette County.

PROJECT COMPLETION: 114 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Bridge Items

894	Ton	815-A002	Loose Riprap, Size 100
5,583	Ton	815-A007	Loose Riprap, Size 300
2,789	Square Yard	815-E001	Geotextile under Riprap
1,813	Linear Feet	907-808-A002	Joint Repair
196	Linear Feet	907-808-A003	Joint Repair Without Epoxy
784	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
221	Linear Feet	907-823-A002	Preformed Joint Seal, Type II
1,372	Linear Feet	907-823-B001	Saw Cut, Type I
442	Linear Feet	907-823-B002	Saw Cut, Type II
22	Square Feet	907-824-PP003	Bridge Repair, Epoxy Repair
39	Each	907-824-PP006	Bridge Repair, Cap Cleaning
1	Each	907-824-PP006	Bridge Repair, Riser Repair
99	Linear Feet	907-824-PP008	Bridge Repair, FRP Wrap Caps
70	Linear Feet	907-824-PP008	Bridge Repair, FRP Wrap Piles

Roadway Items

1	Lump Sum	618-A001	Maintenance of Traffic
10	Square Feet	618-B001	Additional Construction Signs
1	Lump Sum	620-A001	Mobilization

CALL No. 11

Overlay approximately 9 miles on SR 16 from US 49 to 0.9 miles east of SR 433, known as Federal Aid Project No. STP-0037-04(063) / 107954301 in Yazoo County.

PROJECT COMPLETION: 108 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

450 Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
79,000 Linear Feet	202-B270	Removal of Trench Widening, All Widths and Depths
150 Cubic Yard	203-G001	Excess Excavation, FM, AH
10,000 Ton	304-D002	Granular Material, Crushed Stone
13,000 Ton	403-A014	9.5-mm, MT, Asphalt Pavement
450 Ton	403-B006	19-mm, ST, Asphalt Pavement, Leveling
3,600 Ton	403-B011	9.5-mm, MT, Asphalt Pavement, Leveling
1,700 Ton	406-D003	Fine Milling of Bituminous Pavement, All Depths
11,500 Gallon	407-A001	Asphalt for Tack Coat
17 Mile	423-A001	Rumble Strips, Ground In
650 Linear Feet	503-C010	Saw Cut, Full Depth
1 Lump Sum	618-A001	Maintenance of Traffic
1 Square Feet	618-B001	Additional Construction Signs
20 Mile	619-A1001	Temporary Traffic Stripe, Continuous White
8 Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
7 Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
10,000 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,000 Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1 Lump Sum	620-A001	Mobilization
17 Mile	626-B002	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
7 Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
7 Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
21,000 Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
14,500 Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
1,700 Linear Feet	626-H002	Thermoplastic Double Drop Legend, White

900	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
40	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,300	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips

CALL No. 12

Bridge Replacements on SR 9 (Bridge Nos. 35.5, 40.7, 40.9 & 41.2), known as Federal Aid Project No. STP-0050-01(034) / 106984301 in Calhoun County.

PROJECT COMPLETION: 386 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	201-A001	Clearing and Grubbing
1	Acre	201-B001	Clearing and Grubbing
1	Lump Sum	202-A001	Removal of Obstructions
11,211	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
2	Each	202-B018	Removal of Box Culvert
7,522	Square Yard	202-B069	Removal of Concrete Pavement w/ Variable Depth Overlay
2,259	Linear Feet	202-B150	Removal of Guard Rail Including Post, Blockouts & Hardware
208	Linear Feet	202-B191	Removal of Pipe, 8" And Above
25,776	Cubic Yard	203-A001	Unclassified Excavation, FM, AH
148,359	Cubic Yard	203-EX020	Borrow Excavation, AH, FME, Class B9
52,853	Cubic Yard	203-G001	Excess Excavation, FM, AH
3,438	Cubic Yard	206-A001	Structure Excavation
402	Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
16,105	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
7,235	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
10	Ton	213-C001	Superphosphate
301	Square Yard	216-A001	Solid Sodding
225	Square Yard	217-A001	Ditch Liner
7	Thousand Gallon	219-A001	Watering
9	Acre	220-A001	Insect Pest Control
42	Cubic Yard	221-A001	Concrete Paved Ditch
36	Acre	223-A001	Mowing
18	Acre	225-A001	Grassing
12	Ton	225-B001	Agricultural Limestone
34	Ton	225-C001	Mulch, Vegetative Mulch

18 Acre	226-A001	Temporary Grassing
4,450 Linear Feet	234-A001	Temporary Silt Fence
5,170 Linear Feet	234-C001	Super Silt Fence
400 Linear Feet	234-F001	Turbidity Barrier
182 Each	235-A001	Temporary Erosion Checks
520 Linear Feet	237-A002	Wattles, 20"
280 Linear Feet	239-A001	Temporary Slope Drains
520 Linear Feet	245-A001	Silt Dike
520 Linear Feet	246-B002	Rockbags
2 Each	247-A001	Temporary Stream Diversion
50 Ton	249-A001	Riprap for Erosion Control
30 Cubic Yard	249-B001	Remove and Reset Riprap
14,150 Ton	304-B002	Granular Material, Class 3, Group D
2,421 Ton	403-A002	12.5-mm, MT, Asphalt Pavement
905 Ton	403-A003	12.5-mm, ST, Asphalt Pavement
2,473 Ton	403-A005	19-mm, MT, Asphalt Pavement
1,163 Ton	403-A006	19-mm, ST, Asphalt Pavement
1,496 Ton	403-A014	9.5-mm, MT, Asphalt Pavement
737 Ton	403-A015	9.5-mm, ST, Asphalt Pavement
520 Ton	403-B002	12.5-mm, MT, Asphalt Pavement, Leveling
23 Ton	403-C003	19-mm, ST, Asphalt Pavement, Trench Widening
7,602 Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
3,930 Gallon	407-A001	Asphalt for Tack Coat
1,875 Gallon	408-A002	Asphalt for Prime Coat, Cut-Back MC-70 or Emulsified EA-1
336 Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
3 Mile	423-A001	Rumble Strips, Ground In
113 Square Yard	501-K001	Transverse Grooving
774 Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
1,556 Linear Feet	503-C010	Saw Cut, Full Depth
467 Cubic Yard	601-A001	Class "B" Structural Concrete

219,736	Pounds	602-A001	Reinforcing Steel
192	Linear Feet	603-ALT003	18" Type A Alternate Pipe
64	Linear Feet	603-ALT006	24" Type A Alternate Pipe
144	Linear Feet	603-CA011	18" Reinforced Concrete Pipe, Class III
251	Square Yard	605-AA001	Geotextile for Subsurface Drainage, Type III
359	Linear Feet	605-O002	4" Perforated Sewer Pipe for Underdrains, SDR 23.5
132	Linear Feet	605-P002	4" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
17	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
1,013	Linear Feet	606-B001	Guard Rail, Class A, Type 1
15	Each	606-D022	Guard Rail, Bridge End Section, Type I
15	Each	606-E005	Guard Rail, Terminal End Section, Flared
181	Linear Feet	609-D004	Combination Concrete Curb and Gutter Type 2 Modified
10	Cubic Yard	612-B001	Flowable Fill, Non-Excavatable
160	Linear Feet	615-A024	Concrete Bridge End Barrier, 37.5"
24	Each	617-A001	Right-of-Way Marker
1	Lump Sum	618-A001	Maintenance of Traffic
1	Lump Sum	618-C001	Construction and Removal of Detour Bridge
2,260	Linear Feet	618-E001	Detour Bridge Piling
1	Lump Sum	618-F001	Detour Bridge PDA Test Pile
26,850	Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
2,946	Linear Feet	619-A1010	Temporary Traffic Stripe, Continuous White, Type 2 Tape
28,020	Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow
2,946	Linear Feet	619-A2010	Temporary Traffic Stripe, Continuous Yellow, Type 2 Tape
992	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
404	Linear Feet	619-A6004	Temporary Traffic Stripe, Legend, Paint
143	Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
133	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
782	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
8	Each	619-F3001	Delineators, Guard Rail, White

24	Linear Feet	619-G4001	Barricades, Type III, Double Faced
276	Linear Feet	619-G4005	Barricades, Type III, Single Faced
174	Each	619-G5001	Free Standing Plastic Drums
17	Each	619-G7001	Warning Lights, Type "B"
29	Each	619-G8001	Warning Lights, Type "C"
4	Each	619-K2001	Installation and Removal of Guard Rail, Bridge End Section
4	Each	619-K4001	Installation and Removal of Guardrail, Terminal End Section
1	Lump Sum	620-A001	Mobilization
16,136	Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White
16,721	Linear Feet	626-E002	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
764	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
202	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
49	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
180	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1	Each	629-A005	Vehicular Impact Attenuator, 70 MPH
10	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
81	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
17	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
28	Square Feet	630-B002	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
275	Linear Feet	630-C001	Square Tube Posts, 4.0 lb/ft
12	Pounds	630-E005	Structural Steel Angles & Bars, Aluminum Unistrut
73	Each	630-F006	Delineators, Guard Rail, White
12	Each	630-G003	Type 3 Object Markers, OM-3L, Post Mounted
12	Each	630-G007	Type 3 Object Markers, OM-3R, Post Mounted
1	Lump Sum	699-A001	Roadway Construction Stakes
3,323	Ton	815-A007	Loose Riprap, Size 300
4,103	Square Yard	815-E001	Geotextile under Riprap
50	Ton	815-F002	Sediment Control Stone
4,450	Linear Feet	907-234-A001	Temporary Silt Fence
5,170	Linear Feet	907-234-C001	Super Silt Fence

500	Linear Feet	907-252-A001	Sediment Retention Barrier
1	Each	907-630-O004	Remove and Reset Sign, All Sizes
629	Cubic Yard	907-804-B001	Box Bridge Concrete, Class B
1,040	Hours	907-906001	Trainees

ALTERNATE GROUP AA NUMBER 1

9,900	Ton	304-F001	3/4" and Down Crushed Stone Base
-------	-----	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

9,900	Ton	304-F002	Size 610 Crushed Stone Base
-------	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

9,900	Ton	304-F003	Size 825B Crushed Stone Base
-------	-----	----------	------------------------------

ALTERNATE GROUP BB NUMBER 1

310	Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
-----	------------	----------	--

ALTERNATE GROUP BB NUMBER 2

310	Cubic Yard	605-W003	Filter Material for Combination Storm Drain and/or Underdrains, Type C, FM
-----	------------	----------	--

Bridge Items

7,442	Square Yard	501-K001	Transverse Grooving
8,615	Linear Feet	803-D007	HP 14 x 89 Steel Piling
750	Linear Feet	803-K008	Drilled Shaft, 60" Diameter
1	Each	803-L004	Test Shaft, 60" Diameter
124	Linear Feet	803-M007	Trial Shaft, 60" Diameter
180	Linear Feet	803-N001	Exploration
270	Linear Feet	803-O020	Temporary Casing, 60" Diameter
1,431	Linear Feet	804-C188	80' Prestressed Concrete Beam, Type FIB-36
4,179	Linear Feet	804-C192	100' Prestressed Concrete Beam, Type FIB-36
2,093	Linear Feet	804-C196	140' Prestressed Concrete Beam, Type FIB-63
628,562	Pounds	805-A001	Reinforcement
12,365	Pounds	805-C001	Reinforcement, Corrosion Resistant
807,376	Pounds	810-A007	Structural Steel, A 709, Grade 50W
20	Each	811-D001	Disc Bearing Device
3,517	Linear Feet	813-A004	Concrete Railing, 36"
10,268	Ton	815-A007	Loose Riprap, Size 300

7,607	Square Yard	815-E001	Geotextile under Riprap
4	Each	907-803-B001	Conventional Static Pile Load Test
5	Each	907-803-I003	PDA Test Pile, HP Steel Pile
4	Each	907-803-I004	PDA Test Pile, Steel Pipe Pile
9	Each	907-803-J001	Pile Restrike
3,815	Linear Feet	907-803-PP003	30" Steel Pipe Piling, Wall Thickness 0.500"
2,212	Cubic Yard	907-804-A001	Bridge Concrete, Class BDX
656	Cubic Yard	907-804-A002	Bridge Concrete, Class AA
91	Linear Feet	907-822-B003	3" Reinforced Elastomeric Molded Rubber Expansion Joint

CALL No. 13

Bridge Replacement on SR 27 over the Big Black River (Bridge No. 117.9), known as Federal Aid Project No. BR-0054-02(028) / 107391301 & 302 in Hinds & Warren Counties.

PROJECT COMPLETION: 245 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

19 Acre	201-B001	Clearing and Grubbing
1 Lump Sum	202-A001	Removal of Obstructions
9,810 Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
870 Linear Feet	202-B136	Removal of Guard Rail
36 Linear Feet	202-B191	Removal of Pipe, 8" And Above
2,669 Linear Feet	202-B240	Removal of Traffic Stripe
11,792 Cubic Yard	203-A001	Unclassified Excavation, FM, AH
101,391 Cubic Yard	203-EX020	Borrow Excavation, AH, FME, Class B9
36,374 Cubic Yard	203-G001	Excess Excavation, FM, AH
21 Cubic Yard	206-A001	Structure Excavation
12,266 Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
10,252 Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
13 Ton	213-C001	Superphosphate
230 Square Yard	216-A001	Solid Sodding
1,393 Square Yard	217-A001	Ditch Liner
5 Thousand Gallon	219-A001	Watering
26 Acre	220-A001	Insect Pest Control
23 Cubic Yard	221-A001	Concrete Paved Ditch
52 Acre	223-A001	Mowing
26 Acre	225-A001	Grassing
77 Ton	225-B001	Agricultural Limestone
51 Ton	225-C001	Mulch, Vegetative Mulch
26 Acre	226-A001	Temporary Grassing
1,600 Square Yard	229-A001	Erosion Mat
60 Each	235-A001	Temporary Erosion Checks

216	Linear Feet	237-A002	Wattles, 20"
205	Linear Feet	239-A001	Temporary Slope Drains
216	Linear Feet	245-A001	Silt Dike
200	Each	246-B001	Rockbags
1,000	Ton	249-A001	Riprap for Erosion Control
3,600	Cubic Yard	249-B001	Remove and Reset Riprap
8,850	Ton	304-B004	Granular Material, Class 5, Group D
1,395	Ton	403-A002	12.5-mm, MT, Asphalt Pavement
1,763	Ton	403-A005	19-mm, MT, Asphalt Pavement
1,066	Ton	403-A014	9.5-mm, MT, Asphalt Pavement
406	Ton	403-B011	9.5-mm, MT, Asphalt Pavement, Leveling
8	Ton	403-C002	19-mm, MT, Asphalt Pavement, Trench Widening
310	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
1,830	Gallon	407-A001	Asphalt for Tack Coat
358	Gallon	408-A001	Asphalt for Prime Coat, Cut-Back MC-70
94	Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
2	Mile	423-A001	Rumble Strips, Ground In
206	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
2	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
64	Linear Feet	603-ALT003	18" Type A Alternate Pipe
160	Linear Feet	603-ALT006	24" Type A Alternate Pipe
60	Linear Feet	603-CA055	36" Reinforced Concrete Pipe, Class III
2	Each	603-CB006	36" Reinforced Concrete End Section
80	Linear Feet	603-CE008	29" x 18" Concrete Arch Pipe, Class A III
74	Square Yard	605-AA001	Geotextile for Subsurface Drainage, Type III
133	Linear Feet	605-O002	4" Perforated Sewer Pipe for Underdrains, SDR 23.5
8	Linear Feet	605-P002	4" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
6	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
551	Linear Feet	606-B001	Guard Rail, Class A, Type 1
4	Each	606-D006	Guard Rail, Bridge End Section, Type A Modified

6	Each	606-D022	Guard Rail, Bridge End Section, Type I
6	Each	606-E005	Guard Rail, Terminal End Section, Flared
40	Linear Feet	615-A024	Concrete Bridge End Barrier, 37.5"
19	Each	617-A001	Right-of-Way Marker
1	Lump Sum	618-A001	Maintenance of Traffic
13,306	Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
5,400	Linear Feet	619-A2006	Temporary Traffic Stripe, Continuous Yellow, Type 1 Tape
4,920	Linear Feet	619-A4001	Temporary Traffic Stripe, Skip Yellow
106	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
300	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
108	Linear Feet	619-G4001	Barricades, Type III, Double Faced
108	Linear Feet	619-G4005	Barricades, Type III, Single Faced
61	Each	619-G5001	Free Standing Plastic Drums
6	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
9,826	Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White
4,920	Linear Feet	626-D002	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
124	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
25	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
27	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
36	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
60	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
36	Each	630-F006	Delineators, Guard Rail, White
1	Lump Sum	699-A001	Roadway Construction Stakes
2,000	Linear Feet	907-234-A001	Temporary Silt Fence
11,600	Linear Feet	907-234-C001	Super Silt Fence
20	Linear Feet	907-630-E003	Structural Aluminum Angles & Bars, Aluminum Sign Bracing
46	Square Feet	907-630-PP002	Roadside Directional Signs, Sheet Aluminum, 0.125" Thickness, Ground Mounted
1,040	Hours	907-906001	Trainees

ALTERNATE GROUP AA NUMBER 1

4,650	Ton	304-F001	3/4" and Down Crushed Stone Base
ALTERNATE GROUP AA NUMBER 2			
4,650	Ton	304-F002	Size 610 Crushed Stone Base
ALTERNATE GROUP AA NUMBER 3			
4,650	Ton	304-F003	Size 825B Crushed Stone Base
ALTERNATE GROUP BB NUMBER 1			
70	Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
ALTERNATE GROUP BB NUMBER 2			
70	Cubic Yard	605-W003	Filter Material for Combination Storm Drain and/or Underdrains, Type C, FM
Bridge Items			
5,073	Square Yard	501-K001	Transverse Grooving
1,950	Linear Feet	803-D005	HP 14 x 117 Steel Piling
116	Linear Feet	803-K010	Drilled Shaft, 72" Diameter
498	Linear Feet	803-K013	Drilled Shaft, 96" Diameter
1	Each	803-L006	Test Shaft, 72" Diameter
95	Linear Feet	803-M011	Trial Shaft, 96" Diameter
100	Linear Feet	803-N001	Exploration
90	Linear Feet	803-O023	Temporary Casing, 72" Diameter
360	Linear Feet	803-O029	Temporary Casing, 96" Diameter
777	Linear Feet	804-C185	130' Prestressed Concrete Beam, Type FIB-63
777	Linear Feet	804-C224	131' Prestressed Concrete Beam, Type FIB-63
497	Linear Feet	804-C227	101' Prestressed Concrete Beam, Type FIB-54
456,082	Pounds	805-A001	Reinforcement
1,767	Pounds	805-C001	Reinforcement, Corrosion Resistant
2,101,198	Pounds	810-A007	Structural Steel, A 709, Grade 50W
602,123	Pounds	810-A008	Structural Steel, A 709, Grade HPS 70W
20	Each	811-D001	Disc Bearing Device
2,285	Linear Feet	813-A004	Concrete Railing, 36"
17,927	Ton	815-A007	Loose Riprap, Size 300
14,343	Square Yard	815-E001	Geotextile under Riprap
2	Each	907-803-B001	Conventional Static Pile Load Test

2	Each	907-803-I003	PDA Test Pile, HP Steel Pile
2	Each	907-803-J001	Pile Restrike
1,527	Cubic Yard	907-804-A001	Bridge Concrete, Class BDY
609	Cubic Yard	907-804-A002	Bridge Concrete, Class AA
90	Linear Feet	907-823-A002	Preformed Joint Seal, Type II
92	Linear Feet	907-827-A003	5 1/2" Modular Bridge Joint System

CALL No. 14

Bridge End Slab Rehabilitation on I-55 at Various Locations, known as Federal Aid Project Nos. IM-0055-01(121) / 108593301 & IM-0055-01(122) / 108593302 in Lincoln & Pike Counties.

PROJECT COMPLETION: 140 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

2,886	Square Yard	202-B006	Removal of Asphalt Paved Shoulders, All Depths
204	Square Yard	202-B029	Removal of Bridge End Pavement
3,541	Square Yard	202-B069	Removal of Concrete Pavement w/ Variable Depth Overlay
773	Square Yard	202-B073	Removal of Concrete Pavement, All Depths
6,630	Linear Feet	202-B121	Removal of Edge Drain
2,720	Linear Feet	202-B150	Removal of Guard Rail Including Post, Blockouts & Hardware
2,700	Linear Feet	202-B240	Removal of Traffic Stripe
228	Cubic Yard	203-G002	Excess Excavation, LVM, AH
12	Cubic Yard	221-A001	Concrete Paved Ditch
138	Cubic Yard	304-A008	Granular Material, LVM, Class 6, Group D
425	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
245	Ton	403-D007	9.5-mm, HT, Asphalt Pavement, Polymer Modified
8,129	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
610	Gallon	407-A001	Asphalt for Tack Coat
1,368	Linear Feet	413-B001	Cleaning and Sealing Joints
396	Linear Feet	501-D001	Expansion Joints, With Dowels
92	Linear Feet	501-E001	Expansion Joints, Without Dowels
204	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
3,541	Square Yard	503-A001	8" and Variable Continuously Reinforced Concrete Pavement, Broom Finish
773	Square Yard	503-A002	8" and Variable Jointed Concrete Pavement
3,236	Linear Feet	503-B001	Saw Cut, Longitudinal Joints
13,884	Linear Feet	503-C010	Saw Cut, Full Depth
719	Cubic Yard	503-D001	Concrete for Base Repair
864	Each	503-E002	Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted
408	Each	503-F002	1" Smooth Dowel Bars, Drilled & Epoxied or Grouted

6,630	Linear Feet	605-H001	Edge Drain
1,255	Linear Feet	605-I001	Edge Drain Outlets/Vents
1,950	Linear Feet	606-B002	Guard Rail, Class A, Type 1, 'W' Beam
4	Each	606-D005	Guard Rail, Bridge End Section, Type A
8	Each	606-D022	Guard Rail, Bridge End Section, Type I
12	Each	606-E005	Guard Rail, Terminal End Section, Flared
4	Each	606-G001	Special Sections, Bridge Connector
1	Lump Sum	618-A001	Maintenance of Traffic
2	Square Feet	618-B001	Additional Construction Signs
3,315	Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
3,315	Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow
3,315	Linear Feet	619-A3002	Temporary Traffic Stripe, Skip White
1	Lump Sum	620-A001	Mobilization
3,615	Linear Feet	626-A002	6" Thermoplastic Double Drop Traffic Stripe, Skip White
4,515	Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White
4,515	Linear Feet	626-F002	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
55	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
44	Each	630-F006	Delineators, Guard Rail, White
44	Each	630-F007	Delineators, Guard Rail, Yellow
2	Each	907-619-E3001	Changeable Message Sign

ALTERNATE GROUP AA NUMBER 1

443	Cubic Yard	304-H001	3/4" and Down Crushed Stone Base, LVM
-----	------------	----------	---------------------------------------

ALTERNATE GROUP AA NUMBER 2

443	Cubic Yard	304-H002	Size 610 Crushed Stone Base, LVM
-----	------------	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 3

443	Cubic Yard	304-H003	Size 825B Crushed Stone Base, LVM
-----	------------	----------	-----------------------------------

CALL No. 15

Sign Replacements on various routes throughout the District, known as Federal Aid Project No. STBG-9999-07(383) / 108811307 in District 7.

PROJECT COMPLETION: 109 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	618-A001	Maintenance of Traffic
1	Lump Sum	620-A001	Mobilization
5,163	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
4,128	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
3,747	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
784	Linear Feet	630-C002	Steel U-Section Posts, 2.0 lb/ft
516	Each	630-G004	Type 3 Object Markers, OM-3R or OM-3L
3,293	Square Feet	907-630-PP001	Roadside Directional Signs, Sheet Aluminum, 0.080" Thickness, Ground Mounted
20,592	Square Feet	907-630-PP002	Roadside Directional Signs, Sheet Aluminum, 0.125" Thickness, Ground Mounted
1,983	Square Feet	907-630-PP006	Roadside Directional Signs, Sheet Aluminum, 0.080" Thickness, Overhead Mounted

CALL No. 16

Traffic Signal Upgrades & Repairs on SR 25 from I-55 to SR 475, known as Federal Aid Project Nos. STBG-0056-01(111) / 109057301 & 302 in Hinds & Rankin Counties.

PROJECT COMPLETION: DECEMBER 16, 2022

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	618-A001	Maintenance of Traffic
32	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
440	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
48	Linear Feet	619-G4005	Barricades, Type III, Single Faced
1	Lump Sum	620-A001	Mobilization
1	Each	635-A059	Traffic Signal Head, Type 1
1	Each	635-A070	Traffic Signal Head, Type 3
1	Lump Sum	647-A001	Removal of Existing Traffic Signal Equipment
5	Each	907-632-D001	Solid State Traffic Actuated Controller, Type 1
1	Each	907-634-A091	Traffic Signal Equipment Pole, Type II, 17' Shaft, 75' Arm
4	Cubic Yard	907-634-C001	Pole Foundations, Class "B" Concrete
230	Linear Feet	907-636-D008	Electric Cable, Aerial Supported in Conduit, IMSA 20-1, AWG 14, 8 Conductor
1	Each	907-637-A002	Pullbox Enclosure, Type 2
10	Linear Feet	907-637-C028	Traffic Signal Conduit, Underground, Type 4, 2"
50	Linear Feet	907-637-D002	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2"
40	Each	907-641-A002	Signal Stop Bar Radar Vehicle Detection Sensor, Type 2
7,500	Linear Feet	907-641-D001	Radar Vehicle Detection Cable
8	Square Feet	907-653-B001	Street Name Sign

CALL No. 17

Mill & Overlay approximately 7 miles on I-59 from 1600' south of the Hillsdale Rd. Interchange to the Lamar County Line, known as Federal Aid Project Nos. IM-0059-01(117) / 107069301 & 302 in Pearl River & Lamar Counties.

PROJECT COMPLETION: 135 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1,742	Station	201-D001	Random Clearing
308	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
3,711	Linear Feet	202-B136	Removal of Guard Rail
910	Linear Feet	202-B240	Removal of Traffic Stripe
277	Ton	403-A013	9.5-mm, HT, Asphalt Pavement
8,373	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
32	Mile	403-S001	Joint Sealant
241,280	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
1,245	Square Yard	406-E002	Fine Milling of Concrete Pavement, All Depths
40,155	Gallon	407-A001	Asphalt for Tack Coat
2,915	Linear Feet	413-D002	Cleaning and Filling Joints
544	Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
28	Mile	423-A001	Rumble Strips, Ground In
1,438	Linear Feet	606-B003	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
1	Each	606-C001	Guard Rail, Cable Anchor Type 1, Metal Post
16	Each	606-D022	Guard Rail, Bridge End Section, Type I
17	Each	606-E007	Guard Rail, Terminal End Section, Non-Flared
627	Linear Feet	615-A005	Concrete Pier Protection Barrier, 32"
110	Linear Feet	615-A006	Concrete Pier Protection Barrier, 42"
662	Linear Feet	615-A007	Concrete Pier Protection Barrier, 54"
1	Lump Sum	618-A001	Maintenance of Traffic
2	Square Feet	618-B001	Additional Construction Signs
45	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
45	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
51	Mile	619-A3001	Temporary Traffic Stripe, Skip White

1	Lump Sum	620-A001	Mobilization
17	Mile	626-A001	6" Thermoplastic Double Drop Traffic Stripe, Skip White
15	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
15	Mile	626-F001	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
10,266	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
2,172	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
29	Each	630-F006	Delineators, Guard Rail, White
28	Each	630-F007	Delineators, Guard Rail, Yellow
4	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
11,360	Ton	907-402-A002	Open Graded Friction Course, 9.5-mm Mixture
22,319	Gallon	907-402-B001	Bituminous Tack Coat
18,782	Ton	907-405-A001	Stone Matrix Asphalt, 9.5 mm Mixture
25,042	Ton	907-405-A002	Stone Matrix Asphalt, 12.5 mm Mixture
520	Hours	907-906001	Trainees

ALTERNATE GROUP AA NUMBER 1

8,610	Ton	304-F001	3/4" and Down Crushed Stone Base
-------	-----	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

8,610	Ton	304-F002	Size 610 Crushed Stone Base
-------	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

8,610	Ton	304-F003	Size 825B Crushed Stone Base
-------	-----	----------	------------------------------

ALTERNATE GROUP BB NUMBER 1

400	Linear Feet	907-624-A002	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White
6,362	Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
6,302	Linear Feet	907-624-D002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow
1,808	Linear Feet	907-624-E001	Inverted Profile Thermoplastic Detail Traffic Stripe, White
1,002	Linear Feet	907-624-E003	Inverted Profile Thermoplastic Detail Traffic Stripe, Yellow

ALTERNATE GROUP BB NUMBER 2

400	Linear Feet	628-G001	6" High Performance Cold Plastic Traffic Stripe, Skip White
6,362	Linear Feet	628-H001	6" High Performance Cold Plastic Traffic Stripe, Continuous White
6,302	Linear Feet	628-J001	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
1,808	Linear Feet	628-K001	High Performance Cold Plastic Detail Stripe, White

1,002 Linear Feet

628-K002 High Performance Cold Plastic Detail Stripe, Yellow

CALL No. 18

Mill & Overlay approximately 4.5 miles on US 45A from Windale Dr. to the Monroe County Line & approximately 4 miles on US 45A from the Monroe County Line to 1 mile north of SR 25, known as Federal Aid Project Nos. NH-0079-01(035) / 108205301 & 302 in Clay & Monroe Counties.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

160 Square Yard	202-B069	Removal of Concrete Pavement w/ Variable Depth Overlay
1,450 Linear Feet	202-B240	Removal of Traffic Stripe
157 Cubic Yard	203-G001	Excess Excavation, FM, AH
140 Square Yard	209-A004	Geotextile Stabilization, Type V
100 Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
6,600 Cubic Yard	304-A003	Granular Material, LVM, Class 3, Group D
160 Ton	403-A004	19-mm, HT, Asphalt Pavement
32,560 Ton	403-D007	9.5-mm, HT, Asphalt Pavement, Polymer Modified
392,000 Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
19,600 Gallon	407-A001	Asphalt for Tack Coat
30 Mile	423-A001	Rumble Strips, Ground In
640 Linear Feet	503-C010	Saw Cut, Full Depth
1 Lump Sum	618-A001	Maintenance of Traffic
2 Square Feet	618-B001	Additional Construction Signs
37 Mile	619-A1001	Temporary Traffic Stripe, Continuous White
20 Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
36 Mile	619-A3001	Temporary Traffic Stripe, Skip White
4 Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
57,000 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
5,900 Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1 Lump Sum	620-A001	Mobilization
18 Mile	626-A001	6" Thermoplastic Double Drop Traffic Stripe, Skip White
20 Mile	626-B002	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
2 Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow

19 Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
38,100 Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
19,000 Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
1,090 Square Feet	626-H001	Thermoplastic Double Drop Legend, White
5,900 Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
1,850 Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,750 Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,260 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
153 Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
152 Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
108 Linear Feet	630-C001	Square Tube Posts, 4.0 lb/ft
252 Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
34 Each	630-F002	Delineators, Flexible Post Mounted, Crossover, Type I, Yellow
14 Each	630-F006	Delineators, Guard Rail, White
14 Each	630-F007	Delineators, Guard Rail, Yellow
240 Square Yard	907-204-A003	Geogrid, Type II, Biaxial
ALTERNATE GROUP AA NUMBER 1		
165 Cubic Yard	304-H001	3/4" and Down Crushed Stone Base, LVM
ALTERNATE GROUP AA NUMBER 2		
165 Cubic Yard	304-H002	Size 610 Crushed Stone Base, LVM
ALTERNATE GROUP AA NUMBER 3		
165 Cubic Yard	304-H003	Size 825B Crushed Stone Base, LVM
ALTERNATE GROUP BB NUMBER 1		
525 Linear Feet	628-G001	6" High Performance Cold Plastic Traffic Stripe, Skip White
525 Linear Feet	628-H001	6" High Performance Cold Plastic Traffic Stripe, Continuous White
525 Linear Feet	628-J001	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
ALTERNATE GROUP BB NUMBER 2		
525 Linear Feet	907-624-A002	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White
525 Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
525 Linear Feet	907-624-D002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

CALL No. 19

Mill & Overlay approximately 5 miles on US 51 from 1.7 miles north of SR 35 to the Montgomery County Line & approximately 6 miles from the Carroll County Line to Shady Lane in Winona, known as Federal Aid Project No. STP-2711-00(006) / 108268301 & 302 in Carroll & Montgomery Counties.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

2,534	Square Yard	202-B069	Removal of Concrete Pavement w/ Variable Depth Overlay
204	Each	202-B215	Removal of Sign Including Post & Footing
4,005	Linear Feet	202-B240	Removal of Traffic Stripe
200	Cubic Yard	203-G001	Excess Excavation, FM, AH
1,477	Ton	304-B002	Granular Material, Class 3, Group D
17,310	Ton	403-A003	12.5-mm, ST, Asphalt Pavement
1,657	Ton	403-A006	19-mm, ST, Asphalt Pavement
6,800	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
1,129	Ton	403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
241,420	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
30,100	Gallon	407-A001	Asphalt for Tack Coat
52,225	Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
14	Mile	423-A001	Rumble Strips, Ground In
2,360	Linear Feet	503-C010	Saw Cut, Full Depth
1	Lump Sum	618-A001	Maintenance of Traffic
2	Square Feet	618-B001	Additional Construction Signs
59	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
24	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
3	Mile	619-A3001	Temporary Traffic Stripe, Skip White
25	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
29,891	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,421	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
2,905	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization

9,361	Linear Feet	626-A002	6" Thermoplastic Double Drop Traffic Stripe, Skip White
21,695	Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White
19	Mile	626-C004	6" Thermoplastic Edge Stripe, Continuous White
17,104	Linear Feet	626-D002	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
8	Mile	626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
20,016	Linear Feet	626-E002	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
7	Mile	626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
2,810	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
1,740	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
13,231	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
9,990	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
1,385	Square Feet	626-H001	Thermoplastic Double Drop Legend, White
13,231	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
17	Square Feet	626-H004	Thermoplastic Legend, White
972	Linear Feet	626-H005	Thermoplastic Legend, White
1,396	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
910	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
2,631	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
434	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
569	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
178	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
2,310	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
89	Each	630-G004	Type 3 Object Markers, OM-3R or OM-3L
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips

CALL No. 20

Mill & Overlay approximately 1.5 miles on SR 890 from the BOSM to the EOSM near the Bolton Corp. Limit & approximately 0.75 miles on SR 855 from from the BOSM to the EOSM north of I-20, known as State Project Nos. SP-0491-00(003) & SP-0493-00(001) / 108799301 & 302 in Hinds County.

PROJECT COMPLETION: 82 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

448	Square Yard	202-B009	Removal of Asphalt Pavement, Failed Areas
394	Square Yard	202-B069	Removal of Concrete Pavement w/ Variable Depth Overlay
664	Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
169	Cubic Yard	203-G001	Excess Excavation, FM, AH
485	Ton	304-B003	Granular Material, Class 5, Group C
4,623	Ton	403-A003	12.5-mm, ST, Asphalt Pavement
251	Ton	403-B003	12.5-mm, ST, Asphalt Pavement, Leveling
40,016	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
4,433	Gallon	407-A001	Asphalt for Tack Coat
660	Linear Feet	413-D002	Cleaning and Filling Joints
8,134	Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
1,650	Linear Feet	503-C010	Saw Cut, Full Depth
500	Linear Feet	606-B002	Guard Rail, Class A, Type 1, 'W' Beam
4	Each	606-E001	Guard Rail, Terminal End Section
4	Each	606-G001	Special Sections, Bridge Connector
1	Lump Sum	618-A001	Maintenance of Traffic
14	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
14	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
16,006	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
7,968	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
32	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
340	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
48	Linear Feet	619-G4001	Barricades, Type III, Double Faced
1	Lump Sum	620-A001	Mobilization

5	Mile	626-B002	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
5	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
48	Linear Feet	626-G001	Thermoplastic Detail Stripe, Blue-ADA
3,235	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
851	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
1,926	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
196	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
318	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
292	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
32	Each	630-F006	Delineators, Guard Rail, White
4	Each	630-G004	Type 3 Object Markers, OM-3R or OM-3L
132	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
1	Each	907-626-H001	Thermoplastic Legend, Blue-ADA Handicap Symbol

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Contractors may request permission to bid online at <http://shopmdot.ms.gov> at no cost. Upon approval, contractors shall be eligible to submit a bid using Bid Express at <http://bidx.com>. Specimen proposals may be viewed and downloaded online at no cost at <http://mdot.ms.gov> or purchased online at <http://shopmdot.ms.gov> at a cost of Ten Dollars (\$10.00) per proposal plus a small convenience fee. Cash or checks will not be accepted as payment.

Plans must be purchased online at <https://shopmdot.ms.gov>. Costs of plans will be on a cost per sheet basis plus a small convenience fee. You can contact the MDOT Plans Print Shop at Telephone No. (601) 359-7460 or e-mail at plans@mdot.state.ms.us. Plans will be shipped on receipt of payment. Cash or checks will not be accepted as payment.

Bid bond, signed or countersigned by a Mississippi Resident Agent or qualified non-resident agent, with Power of Attorney attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

BRAD WHITE
EXECUTIVE DIRECTOR