

Proposal & Plan Sales Will Begin on February 28, 2022



**MISSISSIPPI DEPARTMENT OF
TRANSPORTATION**

Notice to Contractors

Letting Date For March - March 22, 2022

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

NOTICE TO CONTRACTORS

LETTING DATE FOR MARCH - Tuesday, March 22, 2022

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List is available online at mdot.ms.gov

PROPOSAL AND PLAN SALES WILL BEGIN ON FEBRUARY 28, 2022

Proposals must be purchased online at:
<https://shopmdot.ms.gov>
For Information Please Contact:
Contract Administration Division
Jackson, MS
Telephone: (601) 359-7700

Plans must be purchased online at:
<https://shopmdot.ms.gov>
For Information Please Contact:
MDOT Plans Print Shop
Jackson, MS
Telephone: (601) 359-7460
e-mail: plans@mdot.state.ms.us

Electronic bids will be received by the Mississippi Transportation Commission at 10:00 o'clock A.M., Tuesday, March 22, 2022; from the Bid Express Service and shortly thereafter, bids will be publicly read in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

* No plans except Standard Drawings

LIST OF CONTRACTS FOR MARCH

CALL	CONTRACT	COUNTY
* 01	NH-0009-02(084)/108210301	SHARKEY
* 02	IM-0010-01(170)/108585301 & IM-0010-01(170)/108585302	HARRISON, HANCOCK
* 03	STP-0017-01(014)/108263301	TALLAHATCHIE
* 04	IM-0055-02(257)/108091301	HOLMES
05	NH-0056-01(103)/108218301 & NH-0056-01(103)/108218302	WINSTON
06	STBG-0074-02(013)/108846301	KEMPER
* 07	STP-0231-00(088)/108271301	GEORGE
* 08	STP-0658-00(011)/108230301	NOXUBEE
* 09	STP-2901-00(037)/108253301	YALOBUSHA
10	HSIP-9999-03(017)/107793301	DISTRICT 3
11	STP-9999-05(376)/108000301	LAUDERDALE
12	SP-0022-04(068)/108893301	TIPPAH
* 13	SP-0023-01(093)/108926301	LAMAR
* 14	SP-0065-02(011)/108700301	CLARKE
* 15	SP-0241-00(014)/108924301 & SP-0059-02(115)/108925301	JONES
* 16	SP-0491-00(005)/108998301 & SP-0074-02(015)/108998302	KEMPER

CALL No. 01

Overlay approximately 6.5 miles on US 61 from Rolling Fork to 0.75 miles north of SR 14, Mill & Overlay approximately 0.3 miles on SR 824 in Anguilla, & Overlay approximately 0.25 miles of the State Maintained Access Road near the BOP, known as Federal Aid Project No. NH-0009-02(084) / 108210301 in Sharkey County.

PROJECT COMPLETION: 85 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

566	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
566	Square Yard	202-B073	Removal of Concrete Pavement, All Depths
940	Linear Feet	202-B240	Removal of Traffic Stripe
100	Cubic Yard	203-G001	Excess Excavation, FM, AH
12,500	Ton	304-B004	Granular Material, Class 5, Group D
800	Ton	403-A006	19-mm, ST, Asphalt Pavement
10,000	Ton	403-A014	9.5-mm, MT, Asphalt Pavement
2,500	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
2,300	Ton	406-D003	Fine Milling of Bituminous Pavement, All Depths
16,500	Gallon	407-A001	Asphalt for Tack Coat
18,312	Square Feet	412-A001	Pre-Grinding
27,000	Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
10	Mile	423-A001	Rumble Strips, Ground In
200	Linear Feet	503-B001	Saw Cut, Longitudinal Joints
250	Linear Feet	503-C010	Saw Cut, Full Depth
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
5	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
5	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
6	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
1,000	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,000	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
5	Mile	626-B002	6" Thermoplastic Double Drop Traffic Stripe, Continuous White

5	Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
5	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
12,009	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
3,763	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
312	Square Feet	626-H001	Thermoplastic Double Drop Legend, White
2,088	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
1,006	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
21	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,328	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
12	Each	630-F006	Delineators, Guard Rail, White
4	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips

CALL No. 02

Mill & Overlay approximately 11 miles on I-10 from just west of the Diamondhead Interchange in Hancock County to Wolfe Creek Bridge (Bridge Nos. 28.7 A & B), known as Federal Aid Project Nos. IM-0010-01(170) / 108585301 & 302 in Hancock & Harrison Counties.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

7,760	Linear Feet	202-B240	Removal of Traffic Stripe
23	Mile	403-S001	Joint Sealant
369,496	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
18,475	Gallon	407-A001	Asphalt for Tack Coat
22	Mile	423-A001	Rumble Strips, Ground In
1	Lump Sum	618-A001	Maintenance of Traffic
2	Square Feet	618-B001	Additional Construction Signs
23	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
23	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
23	Mile	619-A3001	Temporary Traffic Stripe, Skip White
1	Lump Sum	620-A001	Mobilization
23	Mile	626-A001	6" Thermoplastic Double Drop Traffic Stripe, Skip White
23	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
23	Mile	626-F001	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
7,604	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
2,946	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
30,484	Ton	907-405-A001	Stone Matrix Asphalt, 9.5 mm Mixture
260	Hours	907-618-M2001	Work Zone Law Enforcement

ALTERNATE GROUP AA NUMBER 1

3,520	Linear Feet	628-G001	6" High Performance Cold Plastic Traffic Stripe, Skip White
3,520	Linear Feet	628-H001	6" High Performance Cold Plastic Traffic Stripe, Continuous White
3,520	Linear Feet	628-J001	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

ALTERNATE GROUP AA NUMBER 2

3,520	Linear Feet	907-624-A002	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White
3,520	Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White

3,520 Linear Feet

907-624-D002 6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

CALL No. 03

Overlay approximately 11 miles on SR 35 from the north end of Bridge No. 248.1 to the Panola County Line, known as Federal Aid Project No. STP-0017-01(014) / 108263301 in Tallahatchie County.

PROJECT COMPLETION: 99 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

105	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
85	Each	202-B215	Removal of Sign Including Post & Footing
735	Linear Feet	202-B240	Removal of Traffic Stripe
105	Cubic Yard	203-G001	Excess Excavation, FM, AH
9,778	Ton	304-B002	Granular Material, Class 3, Group D
250	Ton	403-A006	19-mm, ST, Asphalt Pavement
15,325	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
10,426	Ton	403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
4,258	Ton	403-C003	19-mm, ST, Asphalt Pavement, Trench Widening
14,770	Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
35,324	Gallon	407-A001	Asphalt for Tack Coat
22	Mile	423-A001	Rumble Strips, Ground In
100	Linear Feet	503-C010	Saw Cut, Full Depth
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
42	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
8	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
21	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
2,100	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
2,100	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
21	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
11	Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
4	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
2,100	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White

2,100	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
882	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
273	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,050	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
302	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
127	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
1,219	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
84	Each	630-G004	Type 3 Object Markers, OM-3R or OM-3L
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips

ALTERNATE GROUP AA NUMBER 1

105	Ton	304-F001	3/4" and Down Crushed Stone Base
-----	-----	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

105	Ton	304-F002	Size 610 Crushed Stone Base
-----	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

105	Ton	304-F003	Size 825B Crushed Stone Base
-----	-----	----------	------------------------------

CALL No. 04

Mill & Overlay approximately 22 miles on I-55 from 0.5 miles north of SR 17 to the Carroll County Line, known as Federal Aid Project No. IM-0055-02(257) / 108091301 in Holmes County.

PROJECT COMPLETION: 341 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

60	Acre	201-D002	Random Clearing
320	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
320	Square Yard	202-B073	Removal of Concrete Pavement, All Depths
7,800	Linear Feet	202-B136	Removal of Guard Rail
37,500	Linear Feet	202-B240	Removal of Traffic Stripe
100	Cubic Yard	203-G001	Excess Excavation, FM, AH
3,000	Linear Feet	237-A002	Wattles, 20"
250	Each	246-B001	Rockbags
20,000	Ton	304-B004	Granular Material, Class 5, Group D
2,000	Ton	403-A013	9.5-mm, HT, Asphalt Pavement
23,500	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
50	Ton	403-B006	19-mm, ST, Asphalt Pavement, Leveling
88	Mile	403-S001	Joint Sealant
90,000	Ton	406-D003	Fine Milling of Bituminous Pavement, All Depths
146,000	Gallon	407-A001	Asphalt for Tack Coat
2,200	Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
85	Mile	423-A001	Rumble Strips, Ground In
320	Square Yard	503-A001	8" and Variable Continuously Reinforced Concrete Pavement, Broom Finish
200	Linear Feet	503-B001	Saw Cut, Longitudinal Joints
450	Linear Feet	503-C010	Saw Cut, Full Depth
550	Each	503-E002	Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted
5,400	Linear Feet	606-B001	Guard Rail, Class A, Type 1
2	Each	606-C003	Guard Rail, Cable Anchor, Type 1
40	Each	606-D012	Guard Rail, Bridge End Section, Type D Modified
18	Each	606-E005	Guard Rail, Terminal End Section, Flared

24	Each	606-E007	Guard Rail, Terminal End Section, Non-Flared
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
134	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
192	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
180	Mile	619-A3001	Temporary Traffic Stripe, Skip White
95,000	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,000	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
45	Mile	626-A001	6" Thermoplastic Double Drop Traffic Stripe, Skip White
47	Mile	626-B002	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
50	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
39,000	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
1,400	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
700	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
4,200	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
150	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
190	Each	630-F006	Delineators, Guard Rail, White
60	Each	630-F007	Delineators, Guard Rail, Yellow
40	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
2,500	Linear Feet	907-234-A001	Temporary Silt Fence
38,000	Ton	907-402-A002	Open Graded Friction Course, 9.5-mm Mixture
58,000	Gallon	907-402-B001	Bituminous Tack Coat
66,000	Ton	907-405-A001	Stone Matrix Asphalt, 9.5 mm Mixture
88,000	Ton	907-405-A002	Stone Matrix Asphalt, 12.5 mm Mixture
500	Hours	907-618-M2001	Work Zone Law Enforcement
4	Each	907-619-E3001	Changeable Message Sign
520	Hours	907-906001	Trainees

CALL No. 05

Mill & Overlay approximately 8.4 miles on SR 25 from the Attala County Line to 1.3 miles north of Platsburg Road & approximately 2.2 miles on SR 19 from the Neshoba County Line to the Attala County Line, known as Federal Aid Project Nos. NH-0056-01(103) / 108218301 & 302 in Winston County.

PROJECT COMPLETION: 170 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

100 Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
4 Each	202-B138	Removal of Guard Rail Bridge End Section
600 Linear Feet	202-B150	Removal of Guard Rail Including Post, Blockouts & Hardware
4 Each	202-B152	Removal of Guard Rail Terminal End Section
1,800 Linear Feet	202-B240	Removal of Traffic Stripe
1,850 Cubic Yard	203-G001	Excess Excavation, FM, AH
13,300 Cubic Yard	304-A003	Granular Material, LVM, Class 3, Group D
38,800 Ton	403-A002	12.5-mm, MT, Asphalt Pavement
22,900 Ton	403-A005	19-mm, MT, Asphalt Pavement
6,300 Ton	403-A015	9.5-mm, ST, Asphalt Pavement
392,500 Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
21,500 Gallon	407-A001	Asphalt for Tack Coat
33 Mile	423-A001	Rumble Strips, Ground In
600 Linear Feet	606-B002	Guard Rail, Class A, Type 1, 'W' Beam
4 Each	606-D020	Guard Rail, Bridge End Section, Type H, Metal Post
4 Each	606-E001	Guard Rail, Terminal End Section
1 Lump Sum	618-A001	Maintenance of Traffic
2 Square Feet	618-B001	Additional Construction Signs
40 Mile	619-A1001	Temporary Traffic Stripe, Continuous White
34 Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
36 Mile	619-A3001	Temporary Traffic Stripe, Skip White
2 Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
58,000 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
12,400 Linear Feet	619-A6002	Temporary Traffic Stripe, Legend

14	Each	619-F3001	Delineators, Guard Rail, White
14	Each	619-F3002	Delineators, Guard Rail, Yellow
1	Lump Sum	620-A001	Mobilization
18	Mile	626-A004	6" Thermoplastic Traffic Stripe, Skip White
20	Mile	626-C004	6" Thermoplastic Edge Stripe, Continuous White
19	Mile	626-F003	6" Thermoplastic Edge Stripe, Continuous Yellow
29,400	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
25,000	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
775	Square Feet	626-H004	Thermoplastic Legend, White
2,530	Linear Feet	626-H005	Thermoplastic Legend, White
530	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,690	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
276	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
61,300	Square Yard	907-424-A001	Roadbed Reclamation with Cement
1,500	Ton	907-424-B001	Cement
520	Hours	907-906001	Trainees
ALTERNATE GROUP AA NUMBER 1			
100	Ton	304-F001	3/4" and Down Crushed Stone Base
ALTERNATE GROUP AA NUMBER 2			
100	Ton	304-F002	Size 610 Crushed Stone Base
ALTERNATE GROUP AA NUMBER 3			
100	Ton	304-F003	Size 825B Crushed Stone Base
ALTERNATE GROUP BB NUMBER 1			
790	Linear Feet	907-624-A002	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White
790	Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
790	Linear Feet	907-624-D002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow
ALTERNATE GROUP BB NUMBER 2			
790	Linear Feet	628-G001	6" High Performance Cold Plastic Traffic Stripe, Skip White
790	Linear Feet	628-H001	6" High Performance Cold Plastic Traffic Stripe, Continuous White
790	Linear Feet	628-J001	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

CALL No. 06

Bridge Preservation on SR 39 over Strait Creek (Bridge No. 34.7), known as Federal Aid Project No. STBG-0074-02(013) / 108846301 in Kemper County.

PROJECT COMPLETION: NOVEMBER 04, 2022

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	618-A001	Maintenance of Traffic
320	Linear Feet	619-A1003	Temporary Traffic Stripe, Continuous White, Paint
160	Linear Feet	619-A4001	Temporary Traffic Stripe, Skip Yellow
16	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
308	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
48	Linear Feet	619-G4001	Barricades, Type III, Double Faced
48	Linear Feet	619-G4005	Barricades, Type III, Single Faced
4	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
320	Linear Feet	626-B001	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
160	Linear Feet	626-D002	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
2	Each	907-619-E3001	Changeable Message Sign

Bridge Items

130	Linear Feet	202-B169	Removal of Joint Material
427	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
427	Square Yard	907-417-A001	Polymer Cement Surface System
4	Cubic Yard	907-804-O001	Bridge Deck Overlay Concrete
130	Linear Feet	907-808-A002	Joint Repair
135	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
260	Linear Feet	907-823-B001	Saw Cut, Type I
12	Square Feet	907-824-PP003	Bridge Repair, Epoxy Repair
730	Square Feet	907-824-PP003	Bridge Repair, Installation of FRP Wrap
110	Square Feet	907-824-PP003	Bridge Repair, Removal of Bridge Deck
32	Each	907-824-PP006	Bridge Repair, Bearing Replacement
5	Each	907-824-PP006	Bridge Repair, Cap Cleaning

3 Cubic Yard

907-824-PP007 Bridge Repair, Elastomeric Concrete

CALL No. 07

Thin Lift Overlay approximately 8 miles on SR 613 from East Fire Dept. Rd. to Evanston Rd, known as Federal Aid Project No. STP-0231-00(088) / 108271301 in George County.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

235	Station	201-D001	Random Clearing
292	Linear Feet	202-B150	Removal of Guard Rail Including Post, Blockouts & Hardware
285	Linear Feet	202-B240	Removal of Traffic Stripe
1,712	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
11,103	Ton	403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
1,480	Ton	406-A001	Cold Milling of Bituminous Pavement, All Depths
13,774	Gallon	407-A001	Asphalt for Tack Coat
16	Mile	423-A001	Rumble Strips, Ground In
25	Linear Feet	606-B003	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
4	Each	606-D001	Guard Rail, Bridge End Section
4	Each	606-E001	Guard Rail, Terminal End Section
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
31	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
16	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
10	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
6,825	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
2,000	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
1,300	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
16	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
5	Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
8	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
4,000	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
4,750	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow

1,150 Square Feet	626-H004	Thermoplastic Legend, White
1,300 Linear Feet	626-H005	Thermoplastic Legend, White
850 Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
73 Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,100 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
12 Each	630-F006	Delineators, Guard Rail, White
4 Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
5,837 Ton	907-411-A001	Ultra Thin Asphalt Pavement
66 Linear Feet	907-619-B001	Temporary Portable Rumble Strips

ALTERNATE GROUP AA NUMBER 1

3,514 Ton	304-D001	Granular Material, Crushed Concrete
-----------	----------	-------------------------------------

ALTERNATE GROUP AA NUMBER 2

3,514 Ton	304-F002	Size 610 Crushed Stone Base
-----------	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

3,514 Ton	304-F003	Size 825B Crushed Stone Base
-----------	----------	------------------------------

ALTERNATE GROUP BB NUMBER 1

170 Linear Feet	628-H001	6" High Performance Cold Plastic Traffic Stripe, Continuous White
85 Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
85 Linear Feet	628-J001	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

ALTERNATE GROUP BB NUMBER 2

170 Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
85 Linear Feet	907-624-C001	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow
85 Linear Feet	907-624-D002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

CALL No. 08

Mill & Overlay approximately 7 miles on SR 388 from Cliftonville to the Alabama State Line, known as Federal Aid Project No. STP-0658-00(011) / 108230301 in Noxubee County.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

100 Cubic Yard	203-G001	Excess Excavation, FM, AH
1,300 Cubic Yard	304-E003	Granular Material, LVM, Crushed Stone
11,400 Ton	403-A014	9.5-mm, MT, Asphalt Pavement
123,509 Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
12,351 Gallon	407-A001	Asphalt for Tack Coat
14 Mile	423-A001	Rumble Strips, Ground In
1 Lump Sum	618-A001	Maintenance of Traffic
28 Mile	619-A1001	Temporary Traffic Stripe, Continuous White
30 Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
12 Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
10,000 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,600 Square Feet	619-A6001	Temporary Traffic Stripe, Legend
508 Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
290 Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
24 Linear Feet	619-G4001	Barricades, Type III, Double Faced
1 Lump Sum	620-A001	Mobilization
14 Mile	626-B002	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
4 Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
10 Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
3,600 Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
1,400 Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
800 Square Feet	626-H001	Thermoplastic Double Drop Legend, White
500 Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
700 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
16 Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness

132 Linear Feet

907-619-B001 Temporary Portable Rumble Strips

CALL No. 09

Overlay approximately 13 miles on US 51 from Tillatoba to the Panola County Line, known as Federal Aid Project No. STP-2901-00(037) / 108253301 in Yalobusha County.

PROJECT COMPLETION: 170 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1,920	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
3,454	Square Yard	202-B069	Removal of Concrete Pavement w/ Variable Depth Overlay
580	Linear Feet	202-B150	Removal of Guard Rail Including Post, Blockouts & Hardware
252	Each	202-B215	Removal of Sign Including Post & Footing
7,600	Linear Feet	202-B240	Removal of Traffic Stripe
105	Cubic Yard	203-G001	Excess Excavation, FM, AH
6,400	Ton	304-B002	Granular Material, Class 3, Group D
3,475	Ton	403-A006	19-mm, ST, Asphalt Pavement
20,275	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
10,790	Ton	403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
2,300	Ton	403-C003	19-mm, ST, Asphalt Pavement, Trench Widening
11,760	Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
33,683	Gallon	407-A001	Asphalt for Tack Coat
58,560	Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
23	Mile	423-A001	Rumble Strips, Ground In
15,000	Linear Feet	503-C010	Saw Cut, Full Depth
350	Linear Feet	606-B001	Guard Rail, Class A, Type 1
4	Each	606-D012	Guard Rail, Bridge End Section, Type D Modified
4	Each	606-E007	Guard Rail, Terminal End Section, Non-Flared
643	Linear Feet	609-B002	Concrete Curb, Header
662	Linear Feet	609-D008	Combination Concrete Curb and Gutter Type 3A
59	Square Yard	616-A001	Concrete Median and/or Island Pavement, 10-inch
467	Square Yard	616-A004	Concrete Median and/or Island Pavement, 4-inch
1	Lump Sum	618-A001	Maintenance of Traffic
10	Square Feet	618-B001	Additional Construction Signs

51 Mile	619-A1001	Temporary Traffic Stripe, Continuous White
24 Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
24 Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
525 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
4,740 Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1 Lump Sum	620-A001	Mobilization
4,880 Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White
24 Mile	626-C004	6" Thermoplastic Edge Stripe, Continuous White
2,260 Linear Feet	626-D002	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
10 Mile	626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
455 Linear Feet	626-E002	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
12 Mile	626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
5,650 Linear Feet	626-G002	Thermoplastic Detail Stripe, White
3,625 Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
53 Square Feet	626-H004	Thermoplastic Legend, White
2,370 Linear Feet	626-H005	Thermoplastic Legend, White
746 Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,150 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
417 Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
673 Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
350 Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
270 Linear Feet	630-C004	Square Tube Posts, 9.0 lb/ft
3,252 Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
198 Each	630-G004	Type 3 Object Markers, OM-3R or OM-3L
53 Each	630-G008	Type 2 Object Markers, OM2-2
132 Linear Feet	907-619-B001	Temporary Portable Rumble Strips
ALTERNATE GROUP AA NUMBER 1		
100 Ton	304-F001	3/4" and Down Crushed Stone Base
ALTERNATE GROUP AA NUMBER 2		
100 Ton	304-F002	Size 610 Crushed Stone Base

ALTERNATE GROUP AA NUMBER 3

100 Ton

304-F003 Size 825B Crushed Stone Base

CALL No. 10

Intersection Improvements on various routes throughout the District, known as Federal Aid Project No. HSIP-9999-03(017) / 107793301 in District 3.

PROJECT COMPLETION: JUNE 12, 2023

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

124	Each	202-B215	Removal of Sign Including Post & Footing
9	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
1	Lump Sum	620-A001	Mobilization
42,280	Linear Feet	626-A003	6" Thermoplastic Traffic Stripe, Skip White
5,137	Linear Feet	626-D004	6" Thermoplastic Traffic Stripe, Skip Yellow
112,090	Linear Feet	626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
10,388	Linear Feet	626-F004	6" Thermoplastic Edge Stripe, Continuous Yellow
268,436	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
28,359	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
7,130	Square Feet	626-H004	Thermoplastic Legend, White
12,300	Linear Feet	626-H005	Thermoplastic Legend, White
2,003	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,022	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
2,952	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
3,366	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
9,049	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
196	Square Feet	630-B002	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
7,710	Linear Feet	630-C001	Square Tube Posts, 4.0 lb/ft
422	Linear Feet	630-C002	Steel U-Section Posts, 2.0 lb/ft
8,960	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
528	Linear Feet	630-C1001	Square Post Inner Sleeve
66	Each	630-F003	Delineators, Flexible Post Mounted, Crossover, Type II
8	Each	638-A001	Flasher Assembly

47	Each	638-C001	Flasher Assembly - Solar Powered
130	Linear Feet	682-A002	Underground Branch Circuit, AWG 1, 4 Conductor
3,464	Linear Feet	682-A040	Underground Branch Circuit, AWG 8, 4 Conductor
256	Linear Feet	682-B038	Underground Branch Circuit, Jacked or Bored, AWG 8, 4 Conductor
3	Each	682-E002	Underground Junction Box
19	Each	682-E003	Underground Junction Box With Concrete Pad
1	Each	682-F001	Secondary Power Controller
2	Each	683-B004	Lighting Assembly, Low Mast, LED, Type 40-1-15-315
17	Each	683-B005	Lighting Assembly, Low Mast, LED, Type 40-1-8-213
52	Cubic Yard	684-A004	Pole Foundation, 30" Diameter
12	Linear Feet	684-B004	Slip Casing, 30" Diameter
1	Lump Sum	699-A001	Roadway Construction Stakes
409	Square Feet	907-630-A001	Standard Roadside Signs, LED Enhanced
2,729	Linear Feet	907-630-E003	Structural Aluminum Angles & Bars, Aluminum Sign Bracing
531	Each	907-630-N001	Reflective Sign Post Panel
32	Each	907-630-O001	Remove and Reset Sign Assembly

CALL No. 11

Slide Repair on SR 145 approximately 2.3 miles north of the Clarke County Line, known as Federal Aid Project No. STP-9999-05(376) / 108000301 in Lauderdale County.

PROJECT COMPLETION: 70 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

2 Acre	201-B001	Clearing and Grubbing
6,030 Cubic Yard	203-EX021	Borrow Excavation, AH, FME, Class B9-6
100 Cubic Yard	203-G002	Excess Excavation, LVM, AH
57 Cubic Yard	206-A001	Structure Excavation
734 Square Yard	209-A004	Geotextile Stabilization, Type V
638 Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
1 Ton	213-C001	Superphosphate
1 Acre	220-A001	Insect Pest Control
1 Acre	223-A001	Mowing
2 Acre	225-A001	Grassing
3 Ton	225-B001	Agricultural Limestone
4 Ton	225-C001	Mulch, Vegetative Mulch
1 Acre	226-A001	Temporary Grassing
900 Linear Feet	234-A001	Temporary Silt Fence
100 Linear Feet	237-A002	Wattles, 20"
400 Linear Feet	239-A001	Temporary Slope Drains
100 Ton	249-A001	Riprap for Erosion Control
9 Cubic Yard	601-A001	Class "B" Structural Concrete
554 Pounds	602-A001	Reinforcing Steel
72 Linear Feet	603-CA011	18" Reinforced Concrete Pipe, Class III
56 Linear Feet	603-CE023	51" x 31" Concrete Arch Pipe, Class A III
65 Square Yard	605-AA001	Geotextile for Subsurface Drainage, Type III
47 Linear Feet	605-O005	6" Perforated Sewer Pipe for Underdrains, SDR 35
8 Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
12 Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM

4	Each	617-A001	Right-of-Way Marker
1	Lump Sum	618-A001	Maintenance of Traffic
16	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
380	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
84	Linear Feet	619-G4001	Barricades, Type III, Double Faced
48	Linear Feet	619-G4005	Barricades, Type III, Single Faced
6	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
380	Ton	815-A007	Loose Riprap, Size 300
25	Ton	815-F002	Sediment Control Stone
2	Each	907-619-E3001	Changeable Message Sign

CALL No. 12

Mill & Overlay approximately 4 miles on SR 15 from the beginning of the 3-Lane section south of Ripley to the end of the 3-Lane section north of Ripley, known as State Project No. SP-0022-04(068) / 108893301 in Tippah County.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

708	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
62	Each	202-B215	Removal of Sign Including Post & Footing
536	Linear Feet	202-B240	Removal of Traffic Stripe
100	Cubic Yard	203-G001	Excess Excavation, FM, AH
256	Square Yard	209-A009	Geotextile Stabilization, Type VII, Non-Woven
1,215	Cubic Yard	304-A002	Granular Material, LVM, Class 3, Group C
178	Ton	403-A005	19-mm, MT, Asphalt Pavement
10,656	Ton	403-A014	9.5-mm, MT, Asphalt Pavement
127,043	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
9,687	Gallon	407-A001	Asphalt for Tack Coat
825	Linear Feet	503-C010	Saw Cut, Full Depth
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
16	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
15	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
8	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
12,402	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
3,436	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
456	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
8	Mile	626-B004	6" Thermoplastic Traffic Stripe, Continuous White
8	Mile	626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
9	Mile	626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
7,580	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
8,172	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow

3,173	Square Feet	626-H004	Thermoplastic Legend, White
3,436	Linear Feet	626-H005	Thermoplastic Legend, White
96	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
3,340	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
406	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
78	Linear Feet	630-C001	Square Tube Posts, 4.0 lb/ft
624	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
30	Each	630-F006	Delineators, Guard Rail, White
256	Square Yard	907-204-A003	Geogrid, Type II, Biaxial
3,026	Linear Feet	907-640-A001	Vehicle Loop Assemblies
ALTERNATE GROUP AA NUMBER 1			
130	Cubic Yard	304-H001	3/4" and Down Crushed Stone Base, LVM
ALTERNATE GROUP AA NUMBER 2			
130	Cubic Yard	304-H002	Size 610 Crushed Stone Base, LVM
ALTERNATE GROUP AA NUMBER 3			
130	Cubic Yard	304-H003	Size 825B Crushed Stone Base, LVM
ALTERNATE GROUP BB NUMBER 1			
268	Linear Feet	628-H001	6" High Performance Cold Plastic Traffic Stripe, Continuous White
134	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
134	Linear Feet	628-J001	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
ALTERNATE GROUP BB NUMBER 2			
268	Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
134	Linear Feet	907-624-C001	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow
134	Linear Feet	907-624-D002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

CALL No. 13

Mill & Overlay 2.5 miles on SR 13 from the Pearl River County Line to the End of Divided Section in Lumberton, known as State Project No. SP-0023-01(093) / 108926301 in Lamar County.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

810	Linear Feet	202-B240	Removal of Traffic Stripe
440	Ton	304-F003	Size 825B Crushed Stone Base
7,200	Ton	403-A014	9.5-mm, MT, Asphalt Pavement
43,600	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
6,150	Gallon	407-A001	Asphalt for Tack Coat
350	Linear Feet	606-B003	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
4	Each	606-D020	Guard Rail, Bridge End Section, Type H, Metal Post
4	Each	606-E005	Guard Rail, Terminal End Section, Flared
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
5	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
4	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
2	Mile	619-A3001	Temporary Traffic Stripe, Skip White
1	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
15,000	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1	Lump Sum	620-A001	Mobilization
2	Mile	626-A001	6" Thermoplastic Double Drop Traffic Stripe, Skip White
5	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
1	Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
4	Mile	626-F001	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
8,825	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
9,010	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
110	Square Feet	626-H003	Thermoplastic Legend, Blue-ADA
825	Square Feet	626-H004	Thermoplastic Legend, White
3,380	Linear Feet	626-H005	Thermoplastic Legend, White

756	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
380	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
473	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
84	Each	627-P001	Two-Way Blue Reflective High Performance Raised Markers
44	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
132	Linear Feet	907-619-B001	Temporary Portable Rumble Strips

ALTERNATE GROUP AA NUMBER 1

425	Linear Feet	628-H001	6" High Performance Cold Plastic Traffic Stripe, Continuous White
425	Linear Feet	628-J001	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

ALTERNATE GROUP AA NUMBER 2

425	Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
425	Linear Feet	907-624-D002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

CALL No. 14

Thin Lift Overlay approximately 8.9 miles of SR 18 from SR 512 to SR 145, known as State Project No. SP-0065-02(011) / 108700301 in Clarke County.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

42	Station	201-D001	Random Clearing
740	Linear Feet	202-B136	Removal of Guard Rail
417	Square Yard	202-B188	Removal of Pavement, All Types and Depths
5,280	Linear Feet	202-B240	Removal of Traffic Stripe
2,690	Ton	304-F003	Size 825B Crushed Stone Base
218	Ton	403-A006	19-mm, ST, Asphalt Pavement
2,316	Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
28,212	Gallon	407-A001	Asphalt for Tack Coat
18	Mile	423-A001	Rumble Strips, Ground In
615	Linear Feet	606-B003	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
4	Each	606-D001	Guard Rail, Bridge End Section
4	Each	606-E001	Guard Rail, Terminal End Section
1	Lump Sum	618-A001	Maintenance of Traffic
37	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
22	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
12	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
515	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1	Lump Sum	620-A001	Mobilization
19	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
6	Mile	626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
11	Mile	626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
258	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
258	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
367	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,215	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers

28	Each	630-F006	Delineators, Guard Rail, White
17	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
44	Each	630-G006	Type 3 Object Markers, OM-3R or OM-3L, 2 Markers Per Post, Post Mounted
13,460	Ton	907-411-A001	Ultra Thin Asphalt Pavement

ALTERNATE GROUP AA NUMBER 1

330	Linear Feet	628-H001	6" High Performance Cold Plastic Traffic Stripe, Continuous White
165	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow

ALTERNATE GROUP AA NUMBER 2

330	Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
165	Linear Feet	907-624-C001	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow

CALL No. 15

Widen & Overlay approximately 11 miles on SR 29 from West ROW Limits of I-59 in Ellisville to SR 28 and Mill & Overlay the intersection of SR 15 and US 84 in Laurel & I-59 Ramps at Exit 96 A, Exit 96 B (Cook Ave.), and Exit 97 (US 84 East), known as State Project Nos. SP-0241-00(014) / 108924301 & SP-0059-02(115) / 108925301 in Jones County.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

240 Station	201-D001	Random Clearing
907 Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
225 Linear Feet	202-B088	Removal of Curb & Gutter, All Types
771 Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
2,120 Square Yard	202-B188	Removal of Pavement, All Types and Depths
3,418 Linear Feet	202-B240	Removal of Traffic Stripe
450 Cubic Yard	203-G002	Excess Excavation, LVM, AH
1,280 Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
8,115 Ton	304-F003	Size 825B Crushed Stone Base
600 Ton	403-A004	19-mm, HT, Asphalt Pavement
290 Ton	403-A005	19-mm, MT, Asphalt Pavement
7,200 Ton	403-A013	9.5-mm, HT, Asphalt Pavement
20,380 Ton	403-A014	9.5-mm, MT, Asphalt Pavement
7,495 Ton	403-B011	9.5-mm, MT, Asphalt Pavement, Leveling
96,150 Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
46,083 Gallon	407-A001	Asphalt for Tack Coat
1,036 Linear Feet	413-D002	Cleaning and Filling Joints
1,036 Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
22 Mile	423-A001	Rumble Strips, Ground In
534 Square Yard	503-A001	8" and Variable Continuously Reinforced Concrete Pavement, Broom Finish
427 Linear Feet	503-C010	Saw Cut, Full Depth
64 Each	503-E002	Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted
513 Linear Feet	606-B002	Guard Rail, Class A, Type 1, 'W' Beam
1 Each	606-C003	Guard Rail, Cable Anchor, Type 1

4	Each	606-D001	Guard Rail, Bridge End Section
4	Each	606-E005	Guard Rail, Terminal End Section, Flared
1	Each	606-E007	Guard Rail, Terminal End Section, Non-Flared
225	Linear Feet	609-D012	Combination Concrete Curb and Gutter Type 3A Modified
1	Lump Sum	618-A001	Maintenance of Traffic
2	Square Feet	618-B001	Additional Construction Signs
50	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
41	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
2	Mile	619-A3001	Temporary Traffic Stripe, Skip White
9	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
21,042	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
32,465	Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint
5,956	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
2	Mile	626-A004	6" Thermoplastic Traffic Stripe, Skip White
28	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
5	Mile	626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
22	Mile	626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
30,975	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
22,532	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
2,850	Square Feet	626-H004	Thermoplastic Legend, White
5,813	Linear Feet	626-H005	Thermoplastic Legend, White
740	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,214	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
2,562	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
6	Each	627-P001	Two-Way Blue Reflective High Performance Raised Markers
154	Linear Feet	628-L001	High Performance Cold Plastic Legend, White
21	Each	630-F006	Delineators, Guard Rail, White
63	Each	630-F014	Delineators, Surface Mounted, White
36	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted

5,015	Ton	907-411-A001	Ultra Thin Asphalt Pavement
132	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
2	Each	907-626-H002	Thermoplastic Legend, Interstate Shield
1,458	Linear Feet	907-640-A001	Vehicle Loop Assemblies

ALTERNATE GROUP AA NUMBER 1

2,230	Linear Feet	628-H001	6" High Performance Cold Plastic Traffic Stripe, Continuous White
1,680	Linear Feet	628-J001	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

ALTERNATE GROUP AA NUMBER 2

2,230	Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
1,680	Linear Feet	907-624-D002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

CALL No. 16

Mill & Overlay approximately 4 miles on SR 16 beginning just west of SR 397 to SR 39 in Dekalb and approximately 2 miles of SR 39 beginning at SR 16 and ending at the pavement change approximately 2 miles north of SR 16, known as State Project Nos. SP-0491-00(005) / 108998301 & SP-0074-02(015) / 108998302 in Kemper County.

PROJECT COMPLETION: 97 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

600	Linear Feet	202-B136	Removal of Guard Rail
3	Each	202-B213	Removal of Sign
200	Cubic Yard	203-G001	Excess Excavation, FM, AH
650	Ton	304-D002	Granular Material, Crushed Stone
11,847	Ton	403-A002	12.5-mm, MT, Asphalt Pavement
463	Ton	403-B002	12.5-mm, MT, Asphalt Pavement, Leveling
100,500	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
10,050	Gallon	407-A001	Asphalt for Tack Coat
3	Mile	423-A001	Rumble Strips, Ground In
350	Linear Feet	606-B002	Guard Rail, Class A, Type 1, 'W' Beam
4	Each	606-D019	Guard Rail, Bridge End Section, Type H
4	Each	606-E005	Guard Rail, Terminal End Section, Flared
1	Lump Sum	618-A001	Maintenance of Traffic
22	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
18	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
8	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
27,785	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
211	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
806	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
417	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
340	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
48	Linear Feet	619-G4001	Barricades, Type III, Double Faced
1	Lump Sum	620-A001	Mobilization
11	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White

3 Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
7 Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
4,899 Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
11,456 Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
211 Square Feet	626-H001	Thermoplastic Double Drop Legend, White
403 Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
148 Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
19 Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,043 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
595 Each	627-M001	One-Way Clear Reflective High Performance Raised Markers
18 Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
18 Each	630-F006	Delineators, Guard Rail, White
10 Each	630-F007	Delineators, Guard Rail, Yellow
132 Linear Feet	907-619-B001	Temporary Portable Rumble Strips

CALL No. 17

Overlay approximately 8 miles on SR 3 from US 49 W to US 82 at Moorhead, known as State Project No. SP-0621-00(007) / 108930301 in Sunflower County.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

4,300 Ton	304-B004	Granular Material, Class 5, Group D
11,500 Ton	403-A015	9.5-mm, ST, Asphalt Pavement
2,000 Ton	403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
1,800 Ton	406-D003	Fine Milling of Bituminous Pavement, All Depths
10,000 Gallon	407-A001	Asphalt for Tack Coat
2,868 Square Feet	412-A001	Pre-Grinding
1 Lump Sum	618-A001	Maintenance of Traffic
1 Square Feet	618-B001	Additional Construction Signs
16 Mile	619-A1001	Temporary Traffic Stripe, Continuous White
4 Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
7 Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
750 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
250 Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1 Lump Sum	620-A001	Mobilization
16 Mile	626-B002	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
8 Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
5 Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
745 Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
400 Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
110 Square Feet	626-H001	Thermoplastic Double Drop Legend, White
700 Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
200 Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
800 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
66 Linear Feet	907-619-B001	Temporary Portable Rumble Strips
1 Lump Sum	907-899-A001	Railway-Highway Provisions

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Contractors may request permission to bid online at <http://shopmdot.ms.gov> at no cost. Upon approval, contractors shall be eligible to submit a bid using Bid Express at <http://bidx.com>. Specimen proposals may be viewed and downloaded online at no cost at <http://mdot.ms.gov> or purchased online at <http://shopmdot.ms.gov> at a cost of Ten Dollars (\$10.00) per proposal plus a small convenience fee. Cash or checks will not be accepted as payment.

Plans must be purchased online at <https://shopmdot.ms.gov>. Costs of plans will be on a cost per sheet basis plus a small convenience fee. You can contact the MDOT Plans Print Shop at Telephone No. (601) 359-7460 or e-mail at plans@mdot.state.ms.us. Plans will be shipped on receipt of payment. Cash or checks will not be accepted as payment.

Bid bond, signed or countersigned by a Mississippi Resident Agent or qualified non-resident agent, with Power of Attorney attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

BRAD WHITE
EXECUTIVE DIRECTOR