

Proposal & Plan Sales Will Begin on April 4, 2022



**MISSISSIPPI DEPARTMENT OF
TRANSPORTATION**

Notice to Contractors

Letting Date For April - April 26, 2022

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

NOTICE TO CONTRACTORS

LETTING DATE FOR APRIL - Tuesday, April 26, 2022

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List is available online at mdot.ms.gov

PROPOSAL AND PLAN SALES WILL BEGIN ON April 4, 2022

Proposals must be purchased online at:
<https://shopmdot.ms.gov>
For Information Please Contact:
Contract Administration Division
Jackson, MS
Telephone: (601) 359-7700

Plans must be purchased online at:
<https://shopmdot.ms.gov>
For Information Please Contact:
MDOT Plans Print Shop
Jackson, MS
Telephone: (601) 359-7460
e-mail: plans@mdot.state.ms.us

Electronic bids will be received by the Mississippi Transportation Commission at 10:00 o'clock A.M., Tuesday, April 26, 2022; from the Bid Express Service and shortly thereafter, bids will be publicly read in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

* No plans except Standard Drawings

LIST OF CONTRACTS FOR APRIL

CALL	CONTRACT	COUNTY
01	NH-0009-01(147)/108375301	ADAMS
* 02	NH-0009-04(038)/107958301 & NH-0009-04(039)/107958302	COAHOMA
* 03	NH-0011-01(071)/108206301 & NH-0011-01(072)/108207301	WASHINGTON, SUNFLOWER
04	NH-0015-01(139)/107937301	FRANKLIN
* 05	IM-0020-01(261)/108584301	WARREN
06	STBG-0074-02(013)/108846301	KEMPER
* 07	STBG-0023-02(063)/108677301	SCOTT
* 08	STBG-0028-01(045)/108683301	PEARL RIVER
* 09	NHPP-0037-04(068)/108844301	MADISON
* 10	STP-0054-01(057)/108208301	COPIAH
* 11	NHPP-6947-01(001)/108244301	MADISON
* 12	HSIP-9999-02(394)/109061301	DISTRICT 2
* 13	SP-0072-03(026)/108935301	HUMPHREYS
* 14	SP-0307-00(011)/108932301	CLAIBORNE
15	MP-1015-58(005)/307715301	PONTOTOC
* 16	MP-6042-56(017)/307888301	PERRY
* 17	MP-6063-20(017)/307910301	GEORGE

*

18

MP-7043-39(015)/307522301

LAWRENCE

CALL No. 01

Mill & Overlay approximately 8 miles on US 61 from Kingston to St. Catherine Creek, known as Federal Aid Project No. NH-0009-01(147) / 108375301 in Adams County.

PROJECT COMPLETION: MAY 24, 2023

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

436 Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
2,000 Linear Feet	202-B150	Removal of Guard Rail Including Post, Blockouts & Hardware
6,068 Linear Feet	202-B240	Removal of Traffic Stripe
60 Cubic Yard	203-G002	Excess Excavation, LVM, AH
3,817 Cubic Yard	304-A008	Granular Material, LVM, Class 6, Group D
30,895 Ton	403-A014	9.5-mm, MT, Asphalt Pavement
694 Ton	403-B011	9.5-mm, MT, Asphalt Pavement, Leveling
255,022 Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
29,788 Gallon	407-A001	Asphalt for Tack Coat
19,886 Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
24 Mile	423-A001	Rumble Strips, Ground In
796 Linear Feet	503-C010	Saw Cut, Full Depth
1,675 Linear Feet	606-B002	Guard Rail, Class A, Type 1, 'W' Beam
2 Each	606-C003	Guard Rail, Cable Anchor, Type 1
4 Each	606-D005	Guard Rail, Bridge End Section, Type A
2 Each	606-D019	Guard Rail, Bridge End Section, Type H
2 Each	606-D022	Guard Rail, Bridge End Section, Type I
3 Each	606-E003	Guard Rail, Terminal End Section, Double Faced
6 Each	606-E005	Guard Rail, Terminal End Section, Flared
2 Each	606-E007	Guard Rail, Terminal End Section, Non-Flared
3 Each	606-G001	Special Sections, Bridge Connector
1 Lump Sum	618-A001	Maintenance of Traffic
1 Square Feet	618-B001	Additional Construction Signs
34 Mile	619-A1001	Temporary Traffic Stripe, Continuous White

34	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
34	Mile	619-A3001	Temporary Traffic Stripe, Skip White
4	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
170,730	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
3,450	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
14,272	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
17	Mile	626-A001	6" Thermoplastic Double Drop Traffic Stripe, Skip White
17	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
2	Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
17	Mile	626-F001	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
42,115	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
43,650	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
3,450	Square Feet	626-H004	Thermoplastic Legend, White
7,136	Linear Feet	626-H005	Thermoplastic Legend, White
150	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
2,965	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
883	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
41	Each	627-P001	Two-Way Blue Reflective High Performance Raised Markers
40	Each	630-F002	Delineators, Flexible Post Mounted, Crossover, Type I, Yellow
31	Each	630-F003	Delineators, Flexible Post Mounted, Crossover, Type II
53	Each	630-F006	Delineators, Guard Rail, White
16	Each	630-F007	Delineators, Guard Rail, Yellow
20	Each	635-A059	Traffic Signal Head, Type 1
12	Each	635-A065	Traffic Signal Head, Type 2 FYA
2	Each	635-A073	Traffic Signal Head, Type 4
2	Each	635-A076	Traffic Signal Head, Type 6
1	Lump Sum	647-A001	Removal of Existing Traffic Signal Equipment
4,628	Gallon	907-410-D001	Asphalt for Rejuvenating Fog Seal, Grade CMS-1PF
4	Each	907-619-E3001	Changeable Message Sign

1	Each	907-632-B004	Remove and Replace Existing Traffic Signal Cabinet Assembly, Type II Cabinet, Type 1 Controller
7	Each	907-632-C001	Modify Existing Traffic Signal Cabinet Assembly
9	Each	907-632-D001	Solid State Traffic Actuated Controller, Type 1
6	Each	907-632-G001	Malfunction Management Unit
1	Each	907-634-A545	Traffic Signal Equipment Pole, Type VI, 8' Shaft
1	Cubic Yard	907-634-C001	Pole Foundations, Class "B" Concrete
6	Each	907-634-G001	Traffic Signal Equipment Pole Mast Arm Extension
2,302	Linear Feet	907-636-C006	Electric Cable, Aerial Supported, IMSA 20-1, AWG 14, 4 Conductor
303	Linear Feet	907-636-C007	Electric Cable, Aerial Supported, IMSA 20-1, AWG 14, 5 Conductor
200	Linear Feet	907-637-C028	Traffic Signal Conduit, Underground, Type 4, 2"
200	Linear Feet	907-637-D002	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2"
2,203	Linear Feet	907-640-A001	Vehicle Loop Assemblies
1	Each	907-641-B002	Signal Advanced Radar Vehicle Detection Sensor, Type 2
50	Linear Feet	907-641-D001	Radar Vehicle Detection Cable
11	Each	907-643-A004	Video Vehicle Detection Sensor, Type 1A
1,872	Linear Feet	907-643-B001	Video Vehicle Detection Cable
12	Each	907-643-E001	Multi-Sensor Vehicle Detection Sensor
2,277	Linear Feet	907-643-F001	Multi-Sensor Vehicle Detection Cable
2	Each	907-645-A001	Standard Pedestrian Detection Assembly
ALTERNATE GROUP AA NUMBER 1			
115	Cubic Yard	304-H001	3/4" and Down Crushed Stone Base, LVM
ALTERNATE GROUP AA NUMBER 2			
115	Cubic Yard	304-H002	Size 610 Crushed Stone Base, LVM
ALTERNATE GROUP AA NUMBER 3			
115	Cubic Yard	304-H003	Size 825B Crushed Stone Base, LVM

CALL No. 02

Mill & Overlay approximately 12 miles on US 61/49 from 0.6 miles south of SR 161 to Eagles Nest Road, known as Federal Aid Project Nos. NH-0009-04(038) / 107958301 & NH-0009-04(039) / 107958302 in Coahoma County.

PROJECT COMPLETION: 170 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	201-A001	Clearing and Grubbing
240	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
210	Square Yard	202-B069	Removal of Concrete Pavement w/ Variable Depth Overlay
528	Each	202-B117	Removal of Delineator, All Types
4,177	Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
24	Each	202-B215	Removal of Sign Including Post & Footing
14,950	Linear Feet	202-B240	Removal of Traffic Stripe
75	Cubic Yard	203-G001	Excess Excavation, FM, AH
21,500	Ton	304-B002	Granular Material, Class 3, Group D
29,175	Ton	403-A002	12.5-mm, MT, Asphalt Pavement
5,225	Ton	403-A003	12.5-mm, ST, Asphalt Pavement
300	Ton	403-A006	19-mm, ST, Asphalt Pavement
3,125	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
7,340	Ton	403-B010	9.5-mm, HT, Asphalt Pavement, Leveling
12,070	Ton	403-B011	9.5-mm, MT, Asphalt Pavement, Leveling
3,175	Ton	403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
19,050	Ton	403-D001	12.5-mm, HT, Asphalt Pavement, Polymer Modified
529,552	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
87,100	Gallon	407-A001	Asphalt for Tack Coat
8,250	Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
49	Mile	423-A001	Rumble Strips, Ground In
880	Linear Feet	503-C010	Saw Cut, Full Depth
13	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
4,577	Linear Feet	606-B002	Guard Rail, Class A, Type 1, 'W' Beam
2	Each	606-C001	Guard Rail, Cable Anchor Type 1, Metal Post

8	Each	606-D019	Guard Rail, Bridge End Section, Type H
20	Each	606-D022	Guard Rail, Bridge End Section, Type I
23	Each	606-E005	Guard Rail, Terminal End Section, Flared
3	Each	606-E007	Guard Rail, Terminal End Section, Non-Flared
100,000	Linear Feet	607-A001	31.5" Type"A" Woven Wire Fence, w/ Barbed Wire as Shown
7,513	Each	607-P1007	Line Post, 7' Tee Post Steel
155	Each	607-P1021	Line Post, 10' Tee Post Steel
800	Each	607-P2009	Brace Post, 8' x 6" Timber
956	Each	607-Z001	Concrete Anchors
1	Lump Sum	618-A001	Maintenance of Traffic
2	Square Feet	618-B001	Additional Construction Signs
85	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
79	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
79	Mile	619-A3001	Temporary Traffic Stripe, Skip White
2,605	Linear Feet	619-A4001	Temporary Traffic Stripe, Skip Yellow
45,040	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,301	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
2,920	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
25	Mile	626-A001	6" Thermoplastic Double Drop Traffic Stripe, Skip White
33	Mile	626-B002	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
420	Linear Feet	626-D002	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
29	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
49,050	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
26,055	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
592	Square Feet	626-H001	Thermoplastic Double Drop Legend, White
1,580	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
240	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
2,860	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
2,599	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers

935	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
851	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
497	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
2,818	Square Feet	630-B002	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
895	Linear Feet	630-C001	Square Tube Posts, 4.0 lb/ft
99	Linear Feet	630-C004	Square Tube Posts, 9.0 lb/ft
1,641	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
355	Linear Feet	630-C1001	Square Post Inner Sleeve
75	Each	630-F002	Delineators, Flexible Post Mounted, Crossover, Type I, Yellow
8	Each	630-F003	Delineators, Flexible Post Mounted, Crossover, Type II
110	Each	630-F006	Delineators, Guard Rail, White
101	Each	630-F007	Delineators, Guard Rail, Yellow
258	Each	630-F010	Delineators, Post Mounted, Double White
72	Each	630-F011	Delineators, Post Mounted, Double Yellow
216	Each	630-F012	Delineators, Post Mounted, Single White
90	Each	630-F013	Delineators, Post Mounted, Single Yellow
24	Each	630-G004	Type 3 Object Markers, OM-3R or OM-3L
1	Lump Sum	699-A001	Roadway Construction Stakes
160	Linear Feet	907-630-E003	Structural Aluminum Angles & Bars, Aluminum Sign Bracing
283	Square Feet	907-630-PP002	Roadside Directional Signs, Sheet Aluminum, 0.125" Thickness, Ground Mounted

ALTERNATE GROUP AA NUMBER 1

142	Ton	304-F001	3/4" and Down Crushed Stone Base
-----	-----	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

142	Ton	304-F002	Size 610 Crushed Stone Base
-----	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

142	Ton	304-F003	Size 825B Crushed Stone Base
-----	-----	----------	------------------------------

CALL No. 03

Overlay approximately 12 miles on US 82 from 0.5 miles east of US 61 to the 5-lane section at Indianola, known as Federal Aid Project Nos. NH-0011-01(071) / 108206301 & NH-0011-01(072) / 108207301 in Washington & Sunflower Counties.

PROJECT COMPLETION: 132 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

4,267	Linear Feet	202-B136	Removal of Guard Rail
2,600	Linear Feet	202-B240	Removal of Traffic Stripe
20,000	Ton	304-B004	Granular Material, Class 5, Group D
40,500	Ton	403-A013	9.5-mm, HT, Asphalt Pavement
2,800	Ton	406-D003	Fine Milling of Bituminous Pavement, All Depths
35,000	Gallon	407-A001	Asphalt for Tack Coat
8,520	Square Feet	412-A001	Pre-Grinding
58,000	Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
44	Mile	423-A001	Rumble Strips, Ground In
2,126	Linear Feet	606-B001	Guard Rail, Class A, Type 1
688	Linear Feet	606-B006	Guard Rail, Class A, Type 1, Double Faced
5	Each	606-C003	Guard Rail, Cable Anchor, Type 1
4	Each	606-D012	Guard Rail, Bridge End Section, Type D Modified
4	Each	606-D019	Guard Rail, Bridge End Section, Type H
6	Each	606-E002	Guard Rail, Terminal End Section, Bi-Directional
5	Each	606-E005	Guard Rail, Terminal End Section, Flared
2	Each	606-E007	Guard Rail, Terminal End Section, Non-Flared
1	Lump Sum	618-A001	Maintenance of Traffic
2	Square Feet	618-B001	Additional Construction Signs
23	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
21	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
23	Mile	619-A3001	Temporary Traffic Stripe, Skip White
6,500	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,250	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization

23 Mile	626-A001	6" Thermoplastic Double Drop Traffic Stripe, Skip White
23 Mile	626-B002	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
21 Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
27,600 Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
17,000 Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
400 Square Feet	626-H001	Thermoplastic Double Drop Legend, White
1,700 Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
550 Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
2,000 Each	627-K001	Red-Clear Reflective High Performance Raised Markers
300 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
49 Each	630-F006	Delineators, Guard Rail, White
44 Each	630-F007	Delineators, Guard Rail, Yellow
4 Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted

CALL No. 04

Overlay approximately 8 miles on US 84 from the Adams County Line east to Chambers Road, known as Federal Aid Project No. NH-0015-01(139) / 107937301 in Franklin County.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

2,846	Linear Feet	202-B240	Removal of Traffic Stripe
124	Cubic Yard	203-G002	Excess Excavation, LVM, AH
9,159	Cubic Yard	304-A008	Granular Material, LVM, Class 6, Group D
379	Ton	403-A005	19-mm, MT, Asphalt Pavement , Longitudinal Joint Repair
26,927	Ton	403-A014	9.5-mm, MT, Asphalt Pavement
1,480	Ton	403-B011	9.5-mm, MT, Asphalt Pavement, Leveling
1,978	Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths Longitudinal Joint Repair
61,933	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
27,467	Gallon	407-A001	Asphalt for Tack Coat
24	Mile	423-A001	Rumble Strips, Ground In
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
17	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
16	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
21	Mile	619-A3001	Temporary Traffic Stripe, Skip White
81,464	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
835	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
3,312	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
17	Mile	626-A001	6" Thermoplastic Double Drop Traffic Stripe, Skip White
14	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
13	Mile	626-F001	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
36,583	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
20,688	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
676	Square Feet	626-H004	Thermoplastic Legend, White

3,848	Linear Feet	626-H005	Thermoplastic Legend, White
825	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,895	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
208	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
92	Each	630-F002	Delineators, Flexible Post Mounted, Crossover, Type I, Yellow
46	Each	630-F006	Delineators, Guard Rail, White
46	Each	630-F007	Delineators, Guard Rail, Yellow
7,400	Pounds	907-420-A002	Undersealing Concrete Pavement

ALTERNATE GROUP AA NUMBER 1

124	Cubic Yard	304-H001	3/4" and Down Crushed Stone Base, LVM
-----	------------	----------	---------------------------------------

ALTERNATE GROUP AA NUMBER 2

124	Cubic Yard	304-H002	Size 610 Crushed Stone Base, LVM
-----	------------	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 3

124	Cubic Yard	304-H003	Size 825B Crushed Stone Base, LVM
-----	------------	----------	-----------------------------------

CALL No. 05

Interchange Improvements & Placement of Stripe on I-20 from 0.6 miles east of US 61N to the Hinds County Line , known as Federal Aid Project No. IM-0020-01(261) / 108584301 in Warren County.

PROJECT COMPLETION: 117 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

63 Acre	201-D002	Random Clearing
150 Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
162 Square Yard	202-B073	Removal of Concrete Pavement, All Depths
150 Linear Feet	202-B191	Removal of Pipe, 8" And Above
1,100 Each	202-B199	Removal of Raised Reflective Pavement Marker
48 Mile	202-B241	Removal of Traffic Stripe
500 Cubic Yard	203-G001	Excess Excavation, FM, AH
1,200 Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
4 Ton	213-A001	Agricultural Limestone
2 Acre	225-A001	Grassing
4 Ton	225-C001	Mulch, Vegetative Mulch
5,000 Linear Feet	237-A002	Wattles, 20"
1,000 Each	246-B001	Rockbags
1,050 Ton	304-B004	Granular Material, Class 5, Group D
2,500 Ton	403-A015	9.5-mm, ST, Asphalt Pavement
250 Ton	403-B006	19-mm, ST, Asphalt Pavement, Leveling
300 Ton	403-C003	19-mm, ST, Asphalt Pavement, Trench Widening
4,400 Ton	406-D003	Fine Milling of Bituminous Pavement, All Depths
1,250 Square Yard	406-E002	Fine Milling of Concrete Pavement, All Depths
2,000 Gallon	407-A001	Asphalt for Tack Coat
84 Linear Feet	501-D001	Expansion Joints, With Dowels
162 Square Yard	503-A004	10" and Variable Jointed Concrete Pavement
161 Linear Feet	503-B001	Saw Cut, Longitudinal Joints
206 Linear Feet	503-C004	Saw Cut, 3-inch
206 Linear Feet	503-C010	Saw Cut, Full Depth

171	Each	503-E002	Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
2	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
2	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
14,000	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
500	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
48	Linear Feet	619-G4005	Barricades, Type III, Single Faced
30	Each	619-G5001	Free Standing Plastic Drums
1	Lump Sum	620-A001	Mobilization
23	Mile	626-A001	6" Thermoplastic Double Drop Traffic Stripe, Skip White
24	Mile	626-B002	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
25	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
14,000	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
950	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
650	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
2,200	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
75	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
10,000	Linear Feet	907-234-A001	Temporary Silt Fence
100	Hours	907-618-M2001	Work Zone Law Enforcement
2	Each	907-619-E3001	Changeable Message Sign

CALL No. 06

Bridge Preservation on SR 39 over Strait Creek (Bridge No. 34.7), known as Federal Aid Project No. STBG-0074-02(013) / 108846301 in Kemper County.

PROJECT COMPLETION: NOVEMBER 04, 2022

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	618-A001	Maintenance of Traffic
320	Linear Feet	619-A1003	Temporary Traffic Stripe, Continuous White, Paint
160	Linear Feet	619-A4001	Temporary Traffic Stripe, Skip Yellow
16	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
308	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
48	Linear Feet	619-G4001	Barricades, Type III, Double Faced
48	Linear Feet	619-G4005	Barricades, Type III, Single Faced
4	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
320	Linear Feet	626-B001	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
160	Linear Feet	626-D002	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
2	Each	907-619-E3001	Changeable Message Sign

Bridge Items

130	Linear Feet	202-B169	Removal of Joint Material
427	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
427	Square Yard	907-417-A001	Polymer Cement Surface System
4	Cubic Yard	907-804-O001	Bridge Deck Overlay Concrete
130	Linear Feet	907-808-A002	Joint Repair
135	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
260	Linear Feet	907-823-B001	Saw Cut, Type I
12	Square Feet	907-824-PP003	Bridge Repair, Epoxy Repair
730	Square Feet	907-824-PP003	Bridge Repair, Installation of FRP Wrap
110	Square Feet	907-824-PP003	Bridge Repair, Removal of Bridge Deck
32	Each	907-824-PP006	Bridge Repair, Bearing Replacement
5	Each	907-824-PP006	Bridge Repair, Cap Cleaning

3 Cubic Yard

907-824-PP007 Bridge Repair, Elastomeric Concrete

CALL No. 07

Mill & Overlay approximately 8 miles on SR 35 from the Smith County Line to the pavement change south of I-20, known as Federal Aid Project No. STBG-0023-02(063) / 108677301 in Scott County.

PROJECT COMPLETION: 169 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

6,483	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
350	Linear Feet	202-B136	Removal of Guard Rail
5,692	Cubic Yard	203-G001	Excess Excavation, FM, AH
8,260	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
3,955	Ton	304-D002	Granular Material, Crushed Stone
15,295	Ton	403-A002	12.5-mm, MT, Asphalt Pavement
2,515	Ton	403-B002	12.5-mm, MT, Asphalt Pavement, Leveling
2,274	Ton	403-B005	19-mm, MT, Asphalt Pavement, Leveling
131,720	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
13,172	Gallon	407-A001	Asphalt for Tack Coat
15	Mile	423-A001	Rumble Strips, Ground In
3,611	Linear Feet	503-C010	Saw Cut, Full Depth
275	Linear Feet	606-B003	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
2	Each	606-E007	Guard Rail, Terminal End Section, Non-Flared
1	Lump Sum	618-A001	Maintenance of Traffic
32	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
27	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
18	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
4,700	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
2,100	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
620	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
196	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
24	Linear Feet	619-G4001	Barricades, Type III, Double Faced
1	Lump Sum	620-A001	Mobilization
16	Mile	626-B002	6" Thermoplastic Double Drop Traffic Stripe, Continuous White

6 Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
9 Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
1,600 Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
750 Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
1,044 Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
1,800 Each	627-E001	One-Way Clear Reflective Raised Markers
305 Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
900 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
12 Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
179 Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
242 Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
20 Each	630-F006	Delineators, Guard Rail, White
41 Each	630-G004	Type 3 Object Markers, OM-3R or OM-3L
7,343 Square Yard	907-204-A003	Geogrid, Type II, Biaxial
132 Linear Feet	907-619-B001	Temporary Portable Rumble Strips

ALTERNATE GROUP AA NUMBER 1

23,290 Ton	304-F001	3/4" and Down Crushed Stone Base
------------	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

23,290 Ton	304-F002	Size 610 Crushed Stone Base
------------	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

23,290 Ton	304-F003	Size 825B Crushed Stone Base
------------	----------	------------------------------

CALL No. 08

Thin Lift Overlay approximately 9 miles on SR 26 from I-59 to the Stone County Line, known as Federal Aid Project No. STBG-0028-01(045) / 108683301 in Pearl River County.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

31 Station	201-D001	Random Clearing
700 Ton	403-A015	9.5-mm, ST, Asphalt Pavement
1,000 Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
19,000 Gallon	407-A001	Asphalt for Tack Coat
19 Mile	423-A001	Rumble Strips, Ground In
1 Lump Sum	618-A001	Maintenance of Traffic
1 Square Feet	618-B001	Additional Construction Signs
37 Mile	619-A1001	Temporary Traffic Stripe, Continuous White
24 Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
9 Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
1,400 Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
97 Each	619-F3001	Delineators, Guard Rail, White
1 Lump Sum	620-A001	Mobilization
19 Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
9 Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
6 Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
1,900 Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
900 Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
1,400 Linear Feet	626-H005	Thermoplastic Legend, White
300 Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,300 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
16 Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
18 Each	630-G006	Type 3 Object Markers, OM-3R or OM-3L, 2 Markers Per Post, Post Mounted
13,000 Ton	907-411-A001	Ultra Thin Asphalt Pavement
66 Linear Feet	907-619-B001	Temporary Portable Rumble Strips

ALTERNATE GROUP AA NUMBER 1

4,600 Ton 304-D001 Granular Material, Crushed Concrete

ALTERNATE GROUP AA NUMBER 2

4,600 Ton 304-F002 Size 610 Crushed Stone Base

ALTERNATE GROUP AA NUMBER 3

4,600 Ton 304-F003 Size 825B Crushed Stone Base

Bridge Preservation on SR 43 over the Pearl River (Bridge No. 183.7), known as Federal Aid Project No. NHPP-0037-04(068) / 108844301 in Madison County.

PROJECT COMPLETION: SEPTEMBER 30, 2022

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	618-A001	Maintenance of Traffic
16	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
413	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
48	Linear Feet	619-G4001	Barricades, Type III, Double Faced
96	Linear Feet	619-G4005	Barricades, Type III, Single Faced
16	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
1,320	Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White
1,320	Linear Feet	626-E002	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
9	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
500	Linear Feet	907-234-F001	Turbidity Barrier
4	Each	907-619-E3001	Changeable Message Sign

Bridge Items

17,160	Square Yard	907-417-A001	Polymer Cement Surface System
10,000	Pounds	907-420-A001	Undersealing
11	Cubic Yard	907-804-O001	Bridge Deck Overlay Concrete
798	Linear Feet	907-808-A002	Joint Repair
399	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
798	Linear Feet	907-823-B001	Saw Cut, Type I
47	Square Feet	907-824-PP003	Bridge Repair, Epoxy Repair
706	Square Feet	907-824-PP003	Bridge Repair, FRP Wrap
494	Square Feet	907-824-PP003	Bridge Repair, removal of Bridge Deck
12	Each	907-824-PP006	Bridge Repair, Cap Cleaning
20	Linear Feet	907-824-PP008	Bridge Repair, Pile Repair

CALL No. 10

Mill & Overlay approximately 10 miles of SR 27 from SR 28 to 0.2 miles south of Old Hwy 27, known as Federal Aid Project No. STP-0054-01(057) / 108208301 in Copiah County.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

200 Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
600 Linear Feet	202-B240	Removal of Traffic Stripe
50 Cubic Yard	203-G001	Excess Excavation, FM, AH
5,000 Ton	304-B004	Granular Material, Class 5, Group D
17,000 Ton	403-A014	9.5-mm, MT, Asphalt Pavement
200 Ton	403-B006	19-mm, ST, Asphalt Pavement, Leveling
13,000 Ton	406-D003	Fine Milling of Bituminous Pavement, All Depths
14,000 Gallon	407-A001	Asphalt for Tack Coat
19 Mile	423-A001	Rumble Strips, Ground In
150 Linear Feet	503-C010	Saw Cut, Full Depth
1 Lump Sum	618-A001	Maintenance of Traffic
1 Square Feet	618-B001	Additional Construction Signs
38 Mile	619-A1001	Temporary Traffic Stripe, Continuous White
12 Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
16 Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
1,000 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
500 Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1 Lump Sum	620-A001	Mobilization
19 Mile	626-B002	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
8 Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
6 Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
4,000 Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
2,500 Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
2,000 Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
600 Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers

50	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,000	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
14	Each	630-F006	Delineators, Guard Rail, White
4	Each	630-G003	Type 3 Object Markers, OM-3L, Post Mounted
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips

CALL No. 11

Mill & Overlay approximately 1.5 miles on SR 463 from the end of the 2-Lane section to east of Main Street, known as Federal Aid Project No. NHPP-6947-01(001) / 108244301 in Madison County.

PROJECT COMPLETION: OCTOBER 29, 2022

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

80 Square Yard	202-B009	Removal of Asphalt Pavement, Failed Areas
868 Square Yard	202-B080	Removal of Concrete Sidewalk
27 Cubic Yard	203-G002	Excess Excavation, LVM, AH
178 Ton	304-D002	Granular Material, Crushed Stone
5,416 Ton	403-A002	12.5-mm, MT, Asphalt Pavement
53 Ton	403-B002	12.5-mm, MT, Asphalt Pavement, Leveling
12,281 Ton	403-D001	12.5-mm, HT, Asphalt Pavement, Polymer Modified
122,290 Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
9,172 Gallon	407-A001	Asphalt for Tack Coat
868 Square Yard	608-B001	Concrete Sidewalk, With Reinforcement
1 Lump Sum	618-A001	Maintenance of Traffic
6 Mile	619-A1001	Temporary Traffic Stripe, Continuous White
7 Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
11 Mile	619-A3001	Temporary Traffic Stripe, Skip White
2 Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
151,385 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
6,772 Square Feet	619-A6001	Temporary Traffic Stripe, Legend
32 Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
520 Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
48 Linear Feet	619-G4001	Barricades, Type III, Double Faced
1 Lump Sum	620-A001	Mobilization
5 Mile	626-A001	6" Thermoplastic Double Drop Traffic Stripe, Skip White
3 Mile	626-B002	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
3 Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
1 Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow

1 Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
59,290 Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
18,538 Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
5,640 Square Feet	626-H001	Thermoplastic Double Drop Legend, White
5,221 Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,422 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1 Each	635-A065	Traffic Signal Head, Type 2 FYA
6 Each	907-632-D001	Solid State Traffic Actuated Controller, Type 1
100 Linear Feet	907-636-B016	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 8 Conductor
26 Each	907-641-A002	Signal Stop Bar Radar Vehicle Detection Sensor, Type 2
3,790 Linear Feet	907-641-D001	Radar Vehicle Detection Cable

CALL No. 12

Placement of Stripe on various routes throughout the District, known as Federal Project No. HSIP-9999-02(394) / 109061301 in District 2.

PROJECT COMPLETION: 154 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

34 Mile	423-A001	Rumble Strips, Ground In
1 Lump Sum	618-A001	Maintenance of Traffic
1 Square Feet	618-B001	Additional Construction Signs
185 Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
62 Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
80 Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
9,570 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
39 Mile	907-626-A003	Thermoplastic Audible Traffic Stripe, Centerline Skip - Passing Zone
65 Mile	907-626-A004	Thermoplastic Audible Traffic Stripe, Centerline Skip - No-Passing Zone
90 Mile	907-626-C003	Thermoplastic Audible Edge Stripe

CALL No. 13

Mill & Overlay approximately 2 miles of US 49W from the 5-lane section south of Belzoni to north of SR 12W, known as State Project No. SP-0072-03(026) / 108935301 in Humphreys County.

PROJECT COMPLETION: 76 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1,150	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
800	Square Yard	202-B073	Removal of Concrete Pavement, All Depths
200	Cubic Yard	203-G001	Excess Excavation, FM, AH
1,700	Ton	304-B004	Granular Material, Class 5, Group D
600	Ton	403-A005	19-mm, MT, Asphalt Pavement
11,000	Ton	403-A014	9.5-mm, MT, Asphalt Pavement
10,000	Ton	406-D003	Fine Milling of Bituminous Pavement, All Depths
9,000	Gallon	407-A001	Asphalt for Tack Coat
16,600	Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
1,300	Linear Feet	503-C010	Saw Cut, Full Depth
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
3	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
7	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
9	Mile	619-A3001	Temporary Traffic Stripe, Skip White
3	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
20,000	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
100	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
700	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
5	Mile	626-A001	6" Thermoplastic Double Drop Traffic Stripe, Skip White
3	Mile	626-B002	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
3	Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
4	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
27,000	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White

21,500	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
1,300	Square Feet	626-H001	Thermoplastic Double Drop Legend, White
1,900	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
475	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
900	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,600	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
2	Each	907-632-D001	Solid State Traffic Actuated Controller, Type 1
5	Each	907-641-A002	Signal Stop Bar Radar Vehicle Detection Sensor, Type 2
4	Each	907-641-B002	Signal Advanced Radar Vehicle Detection Sensor, Type 2
1,150	Linear Feet	907-641-D001	Radar Vehicle Detection Cable

CALL No. 14

Roadbed Reclamation & Overlay approximately 5 miles on SR 548 from the BOSM near Bruce Road to the Copiah County Line, known as State Project No. SP-0307-00(011) / 108932301 in Claiborne County.

PROJECT COMPLETION: 60 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

900 Linear Feet	202-B240	Removal of Traffic Stripe
1,000 Ton	304-B004	Granular Material, Class 5, Group D
5,750 Ton	403-A015	9.5-mm, ST, Asphalt Pavement
2,500 Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
3,000 Gallon	407-A001	Asphalt for Tack Coat
1 Lump Sum	618-A001	Maintenance of Traffic
1 Square Feet	618-B001	Additional Construction Signs
10 Mile	619-A1001	Temporary Traffic Stripe, Continuous White
9 Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
1 Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
500 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
150 Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1 Lump Sum	620-A001	Mobilization
10 Mile	626-B002	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
1 Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
9 Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
500 Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
200 Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
300 Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
100 Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
500 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1 Lump Sum	699-A001	Roadway Construction Stakes
23,500 Gallon	907-410-A002	Asphalt for Surface Treatment, Grade CRS-2P
550 Cubic Yard	907-410-B002	Seal Aggregate Cover Material, Size 89, Limestone
59,660 Square Yard	907-424-A001	Roadbed Reclamation with Cement

946 Ton

907-424-B001 Cement

66 Linear Feet

907-619-B001 Temporary Portable Rumble Strips

CALL No. 15

Mill & Overlay approximately 4.8 miles on SR 15 from SR 41 to US 278, known as State Project No. MP-1015-58(005) / 307715301 in Pontotoc County.

PROJECT COMPLETION: 98 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

50 Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
56 Linear Feet	202-B051	Removal of Concrete Curb
1,232 Square Yard	202-B067	Removal of Concrete Pavement Punchouts, 8" Depth
45 Square Yard	202-B069	Removal of Concrete Pavement w/ Variable Depth Overlay
500 Linear Feet	202-B240	Removal of Traffic Stripe
100 Cubic Yard	203-G001	Excess Excavation, FM, AH
50 Square Yard	209-A009	Geotextile Stabilization, Type VII, Non-Woven
600 Cubic Yard	304-A002	Granular Material, LVM, Class 3, Group C
7,873 Ton	403-A014	9.5-mm, MT, Asphalt Pavement
95,427 Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
6,700 Gallon	407-A001	Asphalt for Tack Coat
28,482 Linear Feet	413-B001	Cleaning and Sealing Joints
1,276 Square Yard	503-A001	8" and Variable Continuously Reinforced Concrete Pavement, Broom Finish
1,874 Linear Feet	503-B001	Saw Cut, Longitudinal Joints
2,884 Linear Feet	503-C004	Saw Cut, 3-inch
2,884 Linear Feet	503-C010	Saw Cut, Full Depth
6 Cubic Yard	503-D001	Concrete for Base Repair
1 Lump Sum	618-A001	Maintenance of Traffic
1 Square Feet	618-B001	Additional Construction Signs
20 Mile	619-A1001	Temporary Traffic Stripe, Continuous White
10 Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
1 Mile	619-A3001	Temporary Traffic Stripe, Skip White
14 Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
11,148 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
2,740 Square Feet	619-A6001	Temporary Traffic Stripe, Legend

2,624	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
1	Mile	626-A001	6" Thermoplastic Double Drop Traffic Stripe, Skip White
10	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
7	Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
5	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
7,364	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
3,784	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
2,740	Square Feet	626-H001	Thermoplastic Double Drop Legend, White
2,624	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
700	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
565	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,730	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
50	Square Yard	907-204-A004	Geogrid, Type III
3,000	Linear Feet	907-413-D001	Cleaning and Filling Joints and Cracks
2,980	Square Yard	907-505-B001	Grinding Concrete Pavement
4	Each	907-632-C001	Modify Existing Traffic Signal Cabinet Assembly
2	Each	907-632-D001	Solid State Traffic Actuated Controller, Type 1
3	Each	907-632-G001	Malfunction Management Unit
10	Each	907-641-A002	Signal Stop Bar Radar Vehicle Detection Sensor, Type 2
8	Each	907-641-B002	Signal Advanced Radar Vehicle Detection Sensor, Type 2
3,225	Linear Feet	907-641-D001	Radar Vehicle Detection Cable
ALTERNATE GROUP AA NUMBER 1			
150	Ton	304-F001	3/4" and Down Crushed Stone Base
ALTERNATE GROUP AA NUMBER 2			
150	Ton	304-F002	Size 610 Crushed Stone Base
ALTERNATE GROUP AA NUMBER 3			
150	Ton	304-F003	Size 825B Crushed Stone Base

CALL No. 16

Overlay approximately 5.5 miles on SR 42 from the east bridge abutment at Bogue Homa Creek to SR 15, known as State Project No. MP-6042-56(017) / 307888301 in Perry County.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

122 Station	201-D001	Random Clearing
300 Cubic Yard	203-EX018	Borrow Excavation, AH, FME, Class B7-6
10 Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
200 Square Yard	216-A001	Solid Sodding
3,100 Ton	304-F003	Size 825B Crushed Stone Base
6,750 Ton	403-A014	9.5-mm, MT, Asphalt Pavement
1,900 Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
13,500 Gallon	407-A001	Asphalt for Tack Coat
10 Mile	423-A001	Rumble Strips, Ground In
10 Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
250 Pounds	602-A001	Reinforcing Steel
1 Each	603-CB003	18" Reinforced Concrete End Section
5 Each	603-CB004	24" Reinforced Concrete End Section
16 Linear Feet	603-CE028	58" x 36" Concrete Arch Pipe, Class A III
2 Each	603-CF007	58" x 36" Concrete Arch Pipe End Section
1 Lump Sum	618-A001	Maintenance of Traffic
1 Square Feet	618-B001	Additional Construction Signs
22 Mile	619-A1001	Temporary Traffic Stripe, Continuous White
12 Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
9 Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
5,000 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1 Lump Sum	620-A001	Mobilization
11 Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
5 Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
6 Mile	626-F001	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow

2,550	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
1,025	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
35	Square Feet	626-H003	Thermoplastic Legend, Blue-ADA
1,365	Linear Feet	626-H005	Thermoplastic Legend, White
450	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
720	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
156	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
3,800	Ton	907-411-A001	Ultra Thin Asphalt Pavement
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips

CALL No. 17

Overlay approximately 9 miles on SR 63 from Sally Parker Rd. to US 98, known as State Project No. MP-6063-20(017) / 307910301 in George County.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

3,312	Linear Feet	202-B150	Removal of Guard Rail Including Post, Blockouts & Hardware
16	Each	202-B183	Removal of Object Markers
6,134	Linear Feet	202-B240	Removal of Traffic Stripe
200	Square Yard	216-A001	Solid Sodding
14	Cubic Yard	221-A001	Concrete Paved Ditch
22,589	Ton	403-A014	9.5-mm, MT, Asphalt Pavement
11,940	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
2,075	Ton	403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
35,652	Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
40,465	Gallon	407-A001	Asphalt for Tack Coat
30	Mile	423-A001	Rumble Strips, Ground In
2,400	Linear Feet	606-B003	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
16	Each	606-D001	Guard Rail, Bridge End Section
16	Each	606-E001	Guard Rail, Terminal End Section
120	Cubic Yard	612-B001	Flowable Fill, Non-Excavatable
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
34	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
28	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
36	Mile	619-A3001	Temporary Traffic Stripe, Skip White
35,165	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,236	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
18	Mile	626-A001	6" Thermoplastic Double Drop Traffic Stripe, Skip White
17	Mile	626-B002	6" Thermoplastic Double Drop Traffic Stripe, Continuous White

14	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
11,745	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
20,065	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
1,126	Square Feet	626-H004	Thermoplastic Legend, White
1,236	Linear Feet	626-H005	Thermoplastic Legend, White
150	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
3,300	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,350	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
56	Each	630-F006	Delineators, Guard Rail, White
56	Each	630-F007	Delineators, Guard Rail, Yellow
16	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
13,563	Ton	907-411-A001	Ultra Thin Asphalt Pavement

ALTERNATE GROUP AA NUMBER 1

5,796	Ton	304-D001	Granular Material, Crushed Concrete
-------	-----	----------	-------------------------------------

ALTERNATE GROUP AA NUMBER 2

5,796	Ton	304-F002	Size 610 Crushed Stone Base
-------	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

5,796	Ton	304-F003	Size 825B Crushed Stone Base
-------	-----	----------	------------------------------

ALTERNATE GROUP BB NUMBER 1

2,727	Linear Feet	628-G001	6" High Performance Cold Plastic Traffic Stripe, Skip White
2,727	Linear Feet	628-H001	6" High Performance Cold Plastic Traffic Stripe, Continuous White
2,727	Linear Feet	628-J001	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

ALTERNATE GROUP BB NUMBER 2

2,727	Linear Feet	907-624-A002	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White
2,727	Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
2,727	Linear Feet	907-624-D002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

CALL No. 18

Thin Lift Overlay approximately 7 miles on SR 43 from the Jefferson Davis County Line to CR 43A, known as State Project No. MP-7043-39(015) / 307522301 in Lawrence County.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1,086	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
3,220	Linear Feet	202-B240	Removal of Traffic Stripe
92	Cubic Yard	203-G001	Excess Excavation, FM, AH
2,720	Cubic Yard	304-A008	Granular Material, LVM, Class 6, Group D
1,032	Ton	403-A006	19-mm, ST, Asphalt Pavement
6,017	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
3,741	Ton	403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
6,061	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
9,387	Gallon	407-A001	Asphalt for Tack Coat
15	Mile	423-A001	Rumble Strips, Ground In
5,781	Linear Feet	503-C010	Saw Cut, Full Depth
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
28	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
21	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
7	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
6,799	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
2,868	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
14	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
3	Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
10	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
1,775	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
908	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
495	Linear Feet	626-H005	Thermoplastic Legend, White

353	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
489	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
132	Linear Feet	907-619-B001	Temporary Portable Rumble Strips

ALTERNATE GROUP AA NUMBER 1

139	Cubic Yard	304-H001	3/4" and Down Crushed Stone Base, LVM
-----	------------	----------	---------------------------------------

ALTERNATE GROUP AA NUMBER 2

139	Cubic Yard	304-H002	Size 610 Crushed Stone Base, LVM
-----	------------	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 3

139	Cubic Yard	304-H003	Size 825B Crushed Stone Base, LVM
-----	------------	----------	-----------------------------------

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Contractors may request permission to bid online at <http://shopmdot.ms.gov> at no cost. Upon approval, contractors shall be eligible to submit a bid using Bid Express at <http://bidx.com>. Specimen proposals may be viewed and downloaded online at no cost at <http://mdot.ms.gov> or purchased online at <http://shopmdot.ms.gov> at a cost of Ten Dollars (\$10.00) per proposal plus a small convenience fee. Cash or checks will not be accepted as payment.

Plans must be purchased online at <https://shopmdot.ms.gov>. Costs of plans will be on a cost per sheet basis plus a small convenience fee. You can contact the MDOT Plans Print Shop at Telephone No. (601) 359-7460 or e-mail at plans@mdot.state.ms.us. Plans will be shipped on receipt of payment. Cash or checks will not be accepted as payment.

Bid bond, signed or countersigned by a Mississippi Resident Agent or qualified non-resident agent, with Power of Attorney attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

BRAD WHITE
EXECUTIVE DIRECTOR