

Proposal & Plan Sales Will Begin on May 2, 2022



**MISSISSIPPI DEPARTMENT OF
TRANSPORTATION**

Notice to Contractors

Letting Date For May - May 24, 2022

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

NOTICE TO CONTRACTORS

LETTING DATE FOR MAY - Tuesday, May 24, 2022

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List is available online at mdot.ms.gov

PROPOSAL AND PLAN SALES WILL BEGIN ON MAY 2, 2022

Proposals must be purchased online at:
<https://shopmdot.ms.gov>
For Information Please Contact:
Contract Administration Division
Jackson, MS
Telephone: (601) 359-7700

Plans must be purchased online at:
<https://shopmdot.ms.gov>
For Information Please Contact:
MDOT Plans Print Shop
Jackson, MS
Telephone: (601) 359-7460
e-mail: plans@mdot.state.ms.us

Electronic bids will be received by the Mississippi Transportation Commission at 10:00 o'clock A.M., Tuesday, May 24, 2022; from the Bid Express Service and shortly thereafter, bids will be publicly read in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

* No plans except Standard Drawings

LIST OF CONTRACTS FOR MAY

CALL	CONTRACT	COUNTY
01	NH-0008-02(118)/108370301 & NH-0008-02(122)/108370301	SIMPSON
* 02	NH-0009-04(038)/107958301 & NH-0009-04(039)/107958302	COAHOMA
* 03	NH-0009-02(083)/108209301	WARREN
04	NHPP-0014-02(089)/108366301	WALTHALL
* 05	STP-0017-01(014)/108263301	TALLAHATCHIE
06	BR-0039-01(014)/103045302	COPIAH
07	STBG-0041-02(022)/106980301	CARROLL
08	SP-0044-01(031)/108648301 & HSIP-0044-01(033)/109026301 & HSIP-0044-01(033)/109026302	PRENTISS, UNION, PRENTISS
09	NH-0056-01(103)/108218301 & NH-0056-01(103)/108218302	WINSTON
10	BR-0063-03(011)/107008301	PERRY
* 11	STBG-2902-00(014)/108682301 & SP-2902-00(015)/108923301	JASPER, CLARKE
* 12	STP-2911-00(002)/108258301	BENTON
13	HSIP-9629-00(004)/109069301 & MP-1145-59(003)/307770301 & MP-1145-41(011)/307770302	PRENTISS, LEE

	14	HSIP-9999-03(017)/107793301	DISTRICT 3
	15	STBG-9999-05(407)/109117301	DISTRICT 5
*	16	STBG-9999-07(383)/108811307	DISTRICT 7
*	17	SP-0024-02(035)/108997301	MADISON
*	18	SP-0039-02(054)/108233301	HINDS
*	19	SP-0072-04(029)/108934301	SUNFLOWER
	20	MP-1395-80(006)/306965301 & MP-1393-80(002)/306965302 & MP-1490-80(004)/306965303	WINSTON
*	21	SP-1509-00(006)/109019301 & SP-0504-00(016)/109019302	SHARKEY, ISSAQUENA
*	22	MP-2051-49(005)/307510301 & MP-2051-22(003)/307510302	GRENADA, MONTGOMERY
*	23	SP-2177-00(014)/108933301 & SP-0315-00(003)/108933302 & SP-2177-00(015)/108933303	COPIAH
*	24	SP-2791-00(009)/108265301	YALOBUSHA
*	25	MP-5468-61(013)/306931301	RANKIN
*	26	MP-7028-65(004)/307527301	SMITH
*	27	MP-1000-00(129)/307887301	DISTRICT 1

CALL No. 01

Mill & Overlay approximately 10 miles of US 49 from Magee to Mendenhall & Intersection Improvements along US 49 from Goodwater Rd. to 1st Ave., known as Federal Aid Project Nos. NH-0008-02(118) / 1083703010 & NH-0008-02(122) / 1083703011 in Simpson County.

PROJECT COMPLETION: 280 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items**

3,034	Square Yard	202-B006	Removal of Asphalt Paved Shoulders, All Depths
28	Square Yard	202-B059	Removal of Concrete Median & Island Pavement, All Depths
107	Square Yard	202-B069	Removal of Concrete Pavement w/ Variable Depth Overlay
142	Linear Feet	202-B089	Removal of Curb &/or Curb and Gutter, All Types
7,480	Linear Feet	202-B150	Removal of Guard Rail Including Post, Blockouts & Hardware
6,306	Square Yard	202-B188	Removal of Pavement, All Types and Depths
386	Linear Feet	202-B191	Removal of Pipe, 8" And Above
2,092	Linear Feet	202-B240	Removal of Traffic Stripe
5	Mile	202-B241	Removal of Traffic Stripe
1,450	Cubic Yard	203-A002	Unclassified Excavation, LVM, AH
1,100	Cubic Yard	203-EX040	Borrow Excavation, AH, LVM, Class B9
372	Cubic Yard	203-G002	Excess Excavation, LVM, AH
871	Cubic Yard	206-A001	Structure Excavation
8,796	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
2	Ton	213-C001	Superphosphate
16,243	Square Yard	216-A001	Solid Sodding
324	Thousand Gallon	219-A001	Watering
3	Acre	220-A001	Insect Pest Control
64	Cubic Yard	221-A001	Concrete Paved Ditch
3	Acre	226-A001	Temporary Grassing
4,039	Cubic Yard	304-A008	Granular Material, LVM, Class 6, Group D
2,492	Ton	403-A006	19-mm, ST, Asphalt Pavement
14,685	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
29,081	Ton	403-D007	9.5-mm, HT, Asphalt Pavement, Polymer Modified

467,427	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
40,001	Gallon	407-A001	Asphalt for Tack Coat
1,608	Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
31	Mile	423-A001	Rumble Strips, Ground In
107	Square Yard	503-A001	8" and Variable Continuously Reinforced Concrete Pavement, Broom Finish
40	Linear Feet	503-B001	Saw Cut, Longitudinal Joints
15,808	Linear Feet	503-C010	Saw Cut, Full Depth
18	Cubic Yard	503-D001	Concrete for Base Repair
112	Each	503-E002	Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted
19	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
1,443	Pounds	602-A001	Reinforcing Steel
1,856	Linear Feet	603-CA011	18" Reinforced Concrete Pipe, Class III
1	Each	603-CB004	24" Reinforced Concrete End Section
3	Each	603-SB012	18" Branch Connections, Stub into Box Culvert
2,684	Pounds	604-A001	Castings
2,950	Pounds	604-B001	Gratings
7,123	Linear Feet	606-B002	Guard Rail, Class A, Type 1, 'W' Beam
10	Each	606-C003	Guard Rail, Cable Anchor, Type 1
6	Each	606-D005	Guard Rail, Bridge End Section, Type A
2	Each	606-D022	Guard Rail, Bridge End Section, Type I
8	Each	606-E005	Guard Rail, Terminal End Section, Flared
6	Each	606-E007	Guard Rail, Terminal End Section, Non-Flared
6	Each	606-G001	Special Sections, Bridge Connector
3,732	Linear Feet	609-D004	Combination Concrete Curb and Gutter Type 2 Modified
251	Square Yard	616-A001	Concrete Median and/or Island Pavement, 10-inch
903	Square Yard	616-A004	Concrete Median and/or Island Pavement, 4-inch
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
21	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
20	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow

26	Mile	619-A3001	Temporary Traffic Stripe, Skip White
138,419	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
2,314	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
9,459	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
12,568	Linear Feet	619-F1001	Concrete Median Barrier, Precast
8	Each	619-G7001	Warning Lights, Type "B"
10	Each	619-J1006	Impact Attenuator, 55 MPH
1	Lump Sum	620-A001	Mobilization
21	Mile	626-A001	6" Thermoplastic Double Drop Traffic Stripe, Skip White
16	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
15	Mile	626-F001	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
3,410	Linear Feet	626-F002	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
84,787	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
53,632	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
2,314	Square Feet	626-H004	Thermoplastic Legend, White
9,459	Linear Feet	626-H005	Thermoplastic Legend, White
2,474	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
4,137	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
635	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
132	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
35	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
189	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
195	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
62	Each	630-F002	Delineators, Flexible Post Mounted, Crossover, Type I, Yellow
206	Each	630-F006	Delineators, Guard Rail, White
28	Each	630-F007	Delineators, Guard Rail, Yellow
167	Linear Feet	630-K001	Welded & Seamless Steel Pipe Posts, 3 1/2"
10	Each	635-A059	Traffic Signal Head, Type 1
4	Each	635-A065	Traffic Signal Head, Type 2 FYA
2	Each	635-A070	Traffic Signal Head, Type 3

1	Lump Sum	647-A001	Removal of Existing Traffic Signal Equipment
1	Lump Sum	699-A001	Roadway Construction Stakes
13,492	Gallon	907-410-D001	Asphalt for Rejuvenating Fog Seal, Grade CMS-1PF
1	Each	907-604-PP001	Modify Existing Inlet, Per Plans
2	Each	907-619-E3001	Changeable Message Sign
1	Each	907-632-C001	Modify Existing Traffic Signal Cabinet Assembly
2	Each	907-632-D001	Solid State Traffic Actuated Controller, Type 1
1	Each	907-632-G001	Malfunction Management Unit
780	Linear Feet	907-636-C009	Electric Cable, Aerial Supported, IMSA 20-1, AWG 14, 8 Conductor
80	Linear Feet	907-637-C028	Traffic Signal Conduit, Underground, Type 4, 2"
9	Each	907-641-A002	Signal Stop Bar Radar Vehicle Detection Sensor, Type 2
6	Each	907-641-B002	Signal Advanced Radar Vehicle Detection Sensor, Type 2
2,850	Linear Feet	907-641-D001	Radar Vehicle Detection Cable
3	Each	907-662-D002	Radio Interconnect, Broadband, Short Range
2	Each	907-663-A001	Network Switch, Type A
520	Hours	907-906001	Trainees

ALTERNATE GROUP AA NUMBER 1

3,693	Ton	304-F001	3/4" and Down Crushed Stone Base
-------	-----	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

3,693	Ton	304-F002	Size 610 Crushed Stone Base
-------	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

3,693	Ton	304-F003	Size 825B Crushed Stone Base
-------	-----	----------	------------------------------

CALL No. 02

Mill & Overlay approximately 12 miles on US 61/49 from 0.6 miles south of SR 161 to south of Eagles Nest Road, known as Federal Aid Project Nos. NH-0009-04(038) / 107958301 & NH-0009-04(039) / 107958302 in Coahoma County.

PROJECT COMPLETION: 222 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	201-A001	Clearing and Grubbing
240	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
210	Square Yard	202-B069	Removal of Concrete Pavement w/ Variable Depth Overlay
528	Each	202-B117	Removal of Delineator, All Types
4,177	Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
24	Each	202-B215	Removal of Sign Including Post & Footing
14,950	Linear Feet	202-B240	Removal of Traffic Stripe
75	Cubic Yard	203-G001	Excess Excavation, FM, AH
21,500	Ton	304-B002	Granular Material, Class 3, Group D
29,175	Ton	403-A002	12.5-mm, MT, Asphalt Pavement
5,225	Ton	403-A003	12.5-mm, ST, Asphalt Pavement
300	Ton	403-A006	19-mm, ST, Asphalt Pavement
3,125	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
7,340	Ton	403-B010	9.5-mm, HT, Asphalt Pavement, Leveling
12,070	Ton	403-B011	9.5-mm, MT, Asphalt Pavement, Leveling
3,175	Ton	403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
19,050	Ton	403-D001	12.5-mm, HT, Asphalt Pavement, Polymer Modified
529,552	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
87,100	Gallon	407-A001	Asphalt for Tack Coat
8,250	Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
49	Mile	423-A001	Rumble Strips, Ground In
880	Linear Feet	503-C010	Saw Cut, Full Depth
13	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
4,577	Linear Feet	606-B002	Guard Rail, Class A, Type 1, 'W' Beam
2	Each	606-C001	Guard Rail, Cable Anchor Type 1, Metal Post

8	Each	606-D019	Guard Rail, Bridge End Section, Type H
20	Each	606-D022	Guard Rail, Bridge End Section, Type I
23	Each	606-E005	Guard Rail, Terminal End Section, Flared
3	Each	606-E007	Guard Rail, Terminal End Section, Non-Flared
100,000	Linear Feet	607-A001	31.5" Type"A" Woven Wire Fence, w/ Barbed Wire as Shown
7,513	Each	607-P1007	Line Post, 7' Tee Post Steel
155	Each	607-P1021	Line Post, 10' Tee Post Steel
800	Each	607-P2009	Brace Post, 8' x 6" Timber
956	Each	607-Z001	Concrete Anchors
1	Lump Sum	618-A001	Maintenance of Traffic
2	Square Feet	618-B001	Additional Construction Signs
85	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
79	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
79	Mile	619-A3001	Temporary Traffic Stripe, Skip White
2,605	Linear Feet	619-A4001	Temporary Traffic Stripe, Skip Yellow
45,040	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,301	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
2,920	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
25	Mile	626-A001	6" Thermoplastic Double Drop Traffic Stripe, Skip White
33	Mile	626-B002	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
420	Linear Feet	626-D002	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
29	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
49,050	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
26,055	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
592	Square Feet	626-H001	Thermoplastic Double Drop Legend, White
1,580	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
240	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
2,860	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
2,599	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers

935	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
851	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
497	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
2,818	Square Feet	630-B002	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
895	Linear Feet	630-C001	Square Tube Posts, 4.0 lb/ft
99	Linear Feet	630-C004	Square Tube Posts, 9.0 lb/ft
1,641	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
355	Linear Feet	630-C1001	Square Post Inner Sleeve
75	Each	630-F002	Delineators, Flexible Post Mounted, Crossover, Type I, Yellow
8	Each	630-F003	Delineators, Flexible Post Mounted, Crossover, Type II
110	Each	630-F006	Delineators, Guard Rail, White
101	Each	630-F007	Delineators, Guard Rail, Yellow
258	Each	630-F010	Delineators, Post Mounted, Double White
72	Each	630-F011	Delineators, Post Mounted, Double Yellow
216	Each	630-F012	Delineators, Post Mounted, Single White
90	Each	630-F013	Delineators, Post Mounted, Single Yellow
24	Each	630-G004	Type 3 Object Markers, OM-3R or OM-3L
1	Lump Sum	699-A001	Roadway Construction Stakes
160	Linear Feet	907-630-E003	Structural Aluminum Angles & Bars, Aluminum Sign Bracing
283	Square Feet	907-630-PP002	Roadside Directional Signs, Sheet Aluminum, 0.125" Thickness, Ground Mounted

ALTERNATE GROUP AA NUMBER 1

142	Ton	304-F001	3/4" and Down Crushed Stone Base
-----	-----	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

142	Ton	304-F002	Size 610 Crushed Stone Base
-----	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

142	Ton	304-F003	Size 825B Crushed Stone Base
-----	-----	----------	------------------------------

CALL No. 03

Mill & Overlay approximately 5 miles of US 61 from north of Jeff Davis Rd. to north of Hullum Rd., known as Federal Aid Project No. NH-0009-02(083) / 108209301 in Warren County.

PROJECT COMPLETION: 80 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

622	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
622	Square Yard	202-B073	Removal of Concrete Pavement, All Depths
2,496	Linear Feet	202-B136	Removal of Guard Rail
2,700	Linear Feet	202-B240	Removal of Traffic Stripe
200	Cubic Yard	203-G001	Excess Excavation, FM, AH
8,500	Ton	304-B004	Granular Material, Class 5, Group D
16,750	Ton	403-A014	9.5-mm, MT, Asphalt Pavement
600	Ton	403-B006	19-mm, ST, Asphalt Pavement, Leveling
13,500	Ton	406-D003	Fine Milling of Bituminous Pavement, All Depths
15,000	Gallon	407-A001	Asphalt for Tack Coat
23,800	Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
18	Mile	423-A001	Rumble Strips, Ground In
200	Linear Feet	503-B001	Saw Cut, Longitudinal Joints
560	Linear Feet	503-C010	Saw Cut, Full Depth
1,775	Linear Feet	606-B001	Guard Rail, Class A, Type 1
4	Each	606-D003	Guard Rail, Bridge End Section, Special Design
10	Each	606-D019	Guard Rail, Bridge End Section, Type H
8	Each	606-E005	Guard Rail, Terminal End Section, Flared
2	Each	606-E007	Guard Rail, Terminal End Section, Non-Flared
4	Each	606-G001	Special Sections, Bridge Connector
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
18	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
16	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
20	Mile	619-A3001	Temporary Traffic Stripe, Skip White

10,000	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,000	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
10	Mile	626-A001	6" Thermoplastic Double Drop Traffic Stripe, Skip White
9	Mile	626-B002	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
8	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
6,100	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
9,800	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
200	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
300	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,100	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
100	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
37	Each	630-F006	Delineators, Guard Rail, White
37	Each	630-F007	Delineators, Guard Rail, Yellow
12	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted

CALL No. 04

Overlay approximately 5 miles of US 98 from Industrial Park Rd. east to Old Hwy. 98 East, known as Federal Aid Project No. NHPP-0014-02(089) / 108366301 in Walthall County.

PROJECT COMPLETION: 104 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

4,334	Linear Feet	202-B240	Removal of Traffic Stripe
7,003	Cubic Yard	304-A008	Granular Material, LVM, Class 6, Group D
21,318	Ton	403-A014	9.5-mm, MT, Asphalt Pavement
1,003	Ton	403-B011	9.5-mm, MT, Asphalt Pavement, Leveling
32,156	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
19,475	Gallon	407-A001	Asphalt for Tack Coat
20	Mile	423-A001	Rumble Strips, Ground In
1	Lump Sum	618-A001	Maintenance of Traffic
12	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
12	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
12	Mile	619-A3001	Temporary Traffic Stripe, Skip White
58,116	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
566	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
3,336	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
10	Mile	626-A001	6" Thermoplastic Double Drop Traffic Stripe, Skip White
10	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
10	Mile	626-F001	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
36,536	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
21,580	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
746	Square Feet	626-H004	Thermoplastic Legend, White
4,326	Linear Feet	626-H005	Thermoplastic Legend, White
662	Each	627-H002	Chip Seal Reflective Raised Markers. Two-Way Yellow
1,370	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,123	Each	627-K001	Red-Clear Reflective High Performance Raised Markers

1,460	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
60	Each	630-F002	Delineators, Flexible Post Mounted, Crossover, Type I, Yellow
42	Each	630-F006	Delineators, Guard Rail, White
42	Each	630-F007	Delineators, Guard Rail, Yellow
141,243	Square Yard	907-414-A001	Scrub Seal
1,000	Pounds	907-420-A002	Undersealing Concrete Pavement
2	Each	907-632-D001	Solid State Traffic Actuated Controller, Type 1
20	Linear Feet	907-637-C028	Traffic Signal Conduit, Underground, Type 4, 2"
120	Linear Feet	907-637-D002	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2"
4	Each	907-643-A004	Video Vehicle Detection Sensor, Type 1A
1,039	Linear Feet	907-643-B001	Video Vehicle Detection Cable
4	Each	907-643-E001	Multi-Sensor Vehicle Detection Sensor
999	Linear Feet	907-643-F001	Multi-Sensor Vehicle Detection Cable
1	Each	907-662-D002	Radio Interconnect, Broadband, Short Range
2	Each	907-663-A001	Network Switch, Type A
80	Linear Feet	907-663-D001	Category 6 Cable, Installed in Conduit

CALL No. 05

Overlay approximately 11 miles of SR 35 from SR 32 E to the Panola County Line, known as Federal Aid Project No. STP-0017-01(014) / 108263301 in Tallahatchie County.

PROJECT COMPLETION: 117 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

105	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
85	Each	202-B215	Removal of Sign Including Post & Footing
735	Linear Feet	202-B240	Removal of Traffic Stripe
105	Cubic Yard	203-G001	Excess Excavation, FM, AH
9,778	Ton	304-B002	Granular Material, Class 3, Group D
250	Ton	403-A006	19-mm, ST, Asphalt Pavement
15,325	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
10,426	Ton	403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
4,258	Ton	403-C003	19-mm, ST, Asphalt Pavement, Trench Widening
14,770	Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
35,324	Gallon	407-A001	Asphalt for Tack Coat
22	Mile	423-A001	Rumble Strips, Ground In
100	Linear Feet	503-C010	Saw Cut, Full Depth
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
42	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
8	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
21	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
2,100	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
2,100	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
21	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
11	Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
4	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
2,100	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White

2,100	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
882	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
273	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,050	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
302	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
127	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
1,219	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
84	Each	630-G004	Type 3 Object Markers, OM-3R or OM-3L
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips

ALTERNATE GROUP AA NUMBER 1

105	Ton	304-F001	3/4" and Down Crushed Stone Base
-----	-----	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

105	Ton	304-F002	Size 610 Crushed Stone Base
-----	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

105	Ton	304-F003	Size 825B Crushed Stone Base
-----	-----	----------	------------------------------

Bridge Replacement on SR 18 (Bridge No. 24.2), known as Federal Aid Project No. BR-0039-01(014) / 103045302 in Covich County.

PROJECT COMPLETION: 196 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

9 Acre	201-B001	Clearing and Grubbing
1 Lump Sum	202-A001	Removal of Obstructions
673 Square Yard	202-B004	Removal of Asphalt Driveways, All Depths
7,007 Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
26 Linear Feet	202-B019	Removal of Box Culvert
90 Square Yard	202-B080	Removal of Concrete Sidewalk
671 Linear Feet	202-B088	Removal of Curb & Gutter, All Types
400 Linear Feet	202-B150	Removal of Guard Rail Including Post, Blockouts & Hardware
5 Each	202-B165	Removal of Inlets, All Sizes
477 Linear Feet	202-B191	Removal of Pipe, 8" And Above
15,558 Cubic Yard	203-A001	Unclassified Excavation, FM, AH
22,012 Cubic Yard	203-EX020	Borrow Excavation, AH, FME, Class B9
15,686 Cubic Yard	203-G001	Excess Excavation, FM, AH
1,227 Cubic Yard	206-A001	Structure Excavation
199 Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
19,323 Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
7 Ton	213-C001	Superphosphate
1,002 Square Yard	216-A001	Solid Sodding
716 Square Yard	217-A001	Ditch Liner
20 Thousand Gallon	219-A001	Watering
14 Acre	220-A001	Insect Pest Control
43 Cubic Yard	221-A001	Concrete Paved Ditch
28 Acre	223-A001	Mowing
14 Acre	225-A001	Grassing
30 Ton	225-B001	Agricultural Limestone

28 Ton	225-C001	Mulch, Vegetative Mulch
14 Acre	226-A001	Temporary Grassing
1,059 Square Yard	229-A001	Erosion Mat
150 Each	235-A001	Temporary Erosion Checks
1,560 Linear Feet	237-A002	Wattles, 20"
460 Linear Feet	239-A001	Temporary Slope Drains
4,032 Each	246-B001	Rockbags
2 Each	247-A001	Temporary Stream Diversion
500 Ton	249-A001	Riprap for Erosion Control
5,226 Ton	304-B004	Granular Material, Class 5, Group D
1,882 Ton	403-A003	12.5-mm, ST, Asphalt Pavement
3,024 Ton	403-A006	19-mm, ST, Asphalt Pavement
891 Ton	403-A015	9.5-mm, ST, Asphalt Pavement
58 Ton	403-C003	19-mm, ST, Asphalt Pavement, Trench Widening
2,024 Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
2,867 Gallon	407-A001	Asphalt for Tack Coat
1 Mile	423-A001	Rumble Strips, Ground In
81 Cubic Yard	601-A001	Class "B" Structural Concrete
33 Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
143,196 Pounds	602-A001	Reinforcing Steel
136 Linear Feet	603-ALT003	18" Type A Alternate Pipe
376 Linear Feet	603-ALT006	24" Type A Alternate Pipe
80 Linear Feet	603-ALT009	30" Type A Alternate Pipe
64 Linear Feet	603-CA011	18" Reinforced Concrete Pipe, Class III
24 Linear Feet	603-CA055	36" Reinforced Concrete Pipe, Class III
2 Each	603-CB003	18" Reinforced Concrete End Section
1 Each	603-CB006	36" Reinforced Concrete End Section
474 Pounds	604-A001	Castings
83 Square Yard	608-A001	Concrete Sidewalk, Without Reinforcement
699 Linear Feet	609-D008	Combination Concrete Curb and Gutter Type 3A

37	Each	617-A001	Right-of-Way Marker
1	Lump Sum	618-A001	Maintenance of Traffic
3	Mile	619-A1004	Temporary Traffic Stripe, Continuous White, Paint
4	Mile	619-A2004	Temporary Traffic Stripe, Continuous Yellow, Paint
2,000	Linear Feet	619-A2008	Temporary Traffic Stripe, Continuous Yellow, Type 1 or 2 Tape
3,322	Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint
48	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
497	Linear Feet	619-A6004	Temporary Traffic Stripe, Legend, Paint
42	Square Feet	619-A6007	Temporary Traffic Stripe, Legend, Type 1 or 2 Tape
18	Each	619-C6001	Red-Clear Reflective High Performance Raised Marker
627	Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
38	Each	619-C8001	One-Way Clear Reflective High Performance Raised Marker
97	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
367	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
144	Linear Feet	619-G4001	Barricades, Type III, Double Faced
56	Linear Feet	619-G4005	Barricades, Type III, Single Faced
38	Each	619-G5001	Free Standing Plastic Drums
6	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
1	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
2	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
1,164	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
687	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
154	Square Feet	626-H001	Thermoplastic Double Drop Legend, White
128	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
29	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
18	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
202	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
4	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted

1	Lump Sum	699-A001	Roadway Construction Stakes
12,892	Linear Feet	907-234-A001	Temporary Silt Fence
1,000	Linear Feet	907-234-C001	Super Silt Fence

ALTERNATE GROUP AA NUMBER 1

5,776	Ton	304-F001	3/4" and Down Crushed Stone Base
-------	-----	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

5,776	Ton	304-F002	Size 610 Crushed Stone Base
-------	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

5,776	Ton	304-F003	Size 825B Crushed Stone Base
-------	-----	----------	------------------------------

Bridge Items

20	Ton	815-A002	Loose Riprap, Size 100
340	Ton	815-A007	Loose Riprap, Size 300
451	Square Yard	815-E001	Geotextile under Riprap
100	Ton	815-F002	Sediment Control Stone
766	Cubic Yard	907-804-B001	Box Bridge Concrete, Class B

CALL No. 07

Bridge Replacement on SR 35 over Big Sand Creek (Bridge No. 198.6), known as Federal Aid Project No. STBG-0041-02(022) / 106980301 in Carroll County.

PROJECT COMPLETION: 313 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Bridge Items

1,341	Square Yard	501-K001	Transverse Grooving
581	Square Yard	608-B001	Concrete Sidewalk, With Reinforcement
2,630	Linear Feet	803-D006	HP 14 x 73 Steel Piling
1,105	Linear Feet	803-P003	30" Steel Pipe Piling, Wall Thickness 0.500"
1,047	Linear Feet	804-C207	150' Prestressed Concrete Beam, Type FIB-63
837	Linear Feet	804-C237	121' Prestressed Concrete Beam, Type FIB-54
907	Linear Feet	804-C238	131' Prestressed Concrete Beam, Type FIB-54
151,626	Pounds	805-A001	Reinforcement
3,390	Pounds	805-C001	Reinforcement, Corrosion Resistant
804	Linear Feet	813-E007	Modified Railing 42" Combination Railing
1,213	Ton	815-A007	Loose Riprap, Size 300
971	Square Yard	815-E001	Geotextile under Riprap
291	Square Yard	907-608-D003	Stamped and Colored Concrete Sidewalk
1	Each	907-803-B001	Conventional Static Pile Load Test
1	Each	907-803-I003	PDA Test Pile, HP Steel Pile
1	Each	907-803-I004	PDA Test Pile, Steel Pipe Pile
2	Each	907-803-J001	Pile Restrike
550	Cubic Yard	907-804-A001	Bridge Concrete, Class BDx
148	Cubic Yard	907-804-A002	Bridge Concrete, Class AA
103	Linear Feet	907-823-A002	Preformed Joint Seal, Type II

Roadway Items

1	Lump Sum	201-A001	Clearing and Grubbing
1	Acre	201-B001	Clearing and Grubbing
1	Lump Sum	202-A001	Removal of Obstructions
2,365	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths

12	Square Yard	202-B080	Removal of Concrete Sidewalk
33	Linear Feet	202-B088	Removal of Curb & Gutter, All Types
555	Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
138	Linear Feet	202-B191	Removal of Pipe, 8" And Above
876	Linear Feet	202-B240	Removal of Traffic Stripe
1,366	Cubic Yard	203-A001	Unclassified Excavation, FM, AH
25,145	Cubic Yard	203-EX020	Borrow Excavation, AH, FME, Class B9
10,197	Cubic Yard	203-G001	Excess Excavation, FM, AH
60	Cubic Yard	206-A001	Structure Excavation
1,185	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
2	Ton	213-C001	Superphosphate
129	Square Yard	216-A001	Solid Sodding
3	Thousand Gallon	219-A001	Watering
2	Acre	220-A001	Insect Pest Control
2	Cubic Yard	221-A001	Concrete Paved Ditch
6	Acre	223-A001	Mowing
3	Acre	225-A001	Grassing
6	Ton	225-B001	Agricultural Limestone
4	Ton	225-C001	Mulch, Vegetative Mulch
3	Acre	226-A001	Temporary Grassing
2,400	Linear Feet	237-A002	Wattles, 20"
50	Linear Feet	245-A001	Silt Dike
100	Each	246-B001	Rockbags
10	Ton	249-A001	Riprap for Erosion Control
5	Cubic Yard	249-B001	Remove and Reset Riprap
2,100	Ton	304-B002	Granular Material, Class 3, Group D
127	Ton	403-A002	12.5-mm, MT, Asphalt Pavement
502	Ton	403-A006	19-mm, ST, Asphalt Pavement
356	Ton	403-A014	9.5-mm, MT, Asphalt Pavement
146	Ton	403-A015	9.5-mm, ST, Asphalt Pavement

57	Ton	403-C003	19-mm, ST, Asphalt Pavement, Trench Widening
2,242	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
477	Gallon	407-A001	Asphalt for Tack Coat
680	Gallon	408-A001	Asphalt for Prime Coat, Cut-Back MC-70
103	Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
221	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
538	Linear Feet	503-C010	Saw Cut, Full Depth
1	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
48	Linear Feet	603-ALT006	24" Type A Alternate Pipe
136	Linear Feet	603-CA011	18" Reinforced Concrete Pipe, Class III
88	Linear Feet	603-CA026	24" Reinforced Concrete Pipe, Class III
2	Each	603-CB003	18" Reinforced Concrete End Section
2	Each	603-CB004	24" Reinforced Concrete End Section
60	Square Yard	605-AA001	Geotextile for Subsurface Drainage, Type III
107	Linear Feet	605-O002	4" Perforated Sewer Pipe for Underdrains, SDR 23.5
12	Linear Feet	605-P002	4" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
4	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
88	Linear Feet	606-B001	Guard Rail, Class A, Type 1
2	Each	606-D022	Guard Rail, Bridge End Section, Type I
3	Each	606-E005	Guard Rail, Terminal End Section, Flared
2	Each	606-E007	Guard Rail, Terminal End Section, Non-Flared
275	Square Yard	608-A001	Concrete Sidewalk, Without Reinforcement
14	Each	617-A001	Right-of-Way Marker
2	Each	617-B001	Permanent Easement Marker
1	Lump Sum	618-A001	Maintenance of Traffic
1	Lump Sum	618-C001	Construction and Removal of Detour Bridge
3,060	Linear Feet	618-E001	Detour Bridge Piling
1	Lump Sum	618-F001	Detour Bridge PDA Test Pile
6,867	Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
1,600	Linear Feet	619-A1005	Temporary Traffic Stripe, Continuous White, Type 1 Tape

6,771	Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow
1,600	Linear Feet	619-A2006	Temporary Traffic Stripe, Continuous Yellow, Type 1 Tape
100	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
72	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
40	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
468	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
190	Linear Feet	619-F1001	Concrete Median Barrier, Precast
24	Linear Feet	619-G4001	Barricades, Type III, Double Faced
144	Linear Feet	619-G4005	Barricades, Type III, Single Faced
30	Each	619-G5001	Free Standing Plastic Drums
7	Each	619-G7001	Warning Lights, Type "B"
1	Each	619-J1002	Impact Attenuator, 45 MPH
1	Each	619-J2002	Impact Attenuator, 45 MPH, Replacement Package
1	Lump Sum	620-A001	Mobilization
2,510	Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White
2,670	Linear Feet	626-E002	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
310	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
77	Square Feet	626-H004	Thermoplastic Legend, White
120	Linear Feet	626-H005	Thermoplastic Legend, White
40	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
14	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
46	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
48	Linear Feet	630-C001	Square Tube Posts, 4.0 lb/ft
81	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
13	Each	630-F004	Delineators, Guard Rail, Double White
4	Each	630-G004	Type 3 Object Markers, OM-3R or OM-3L
1	Lump Sum	699-A001	Roadway Construction Stakes
83	Linear Feet	813-E007	Modified Railing
18	Ton	815-A007	Loose Riprap, Size 300

24 Square Yard	815-E001	Geotextile under Riprap
3,000 Linear Feet	907-234-A001	Temporary Silt Fence
400 Linear Feet	907-234-C001	Super Silt Fence
16 Square Feet	907-608-C001	Detectable Warning Panels

ALTERNATE GROUP AA NUMBER 1

450 Ton	304-F001	3/4" and Down Crushed Stone Base
---------	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

450 Ton	304-F002	Size 610 Crushed Stone Base
---------	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

450 Ton	304-F003	Size 825B Crushed Stone Base
---------	----------	------------------------------

ALTERNATE GROUP BB NUMBER 1

52 Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
---------------	----------	--

ALTERNATE GROUP BB NUMBER 2

52 Cubic Yard	605-W003	Filter Material for Combination Storm Drain and/or Underdrains, Type C, FM
---------------	----------	--

CALL No. 08

Safety Improvements on approximately 19 miles of SR 30 from SR 15 to the Prentiss County Line, & Mill, Overlay & Safety Improvements on approximately 6 miles of SR 30 from the Union County Line to US 45, known as Federal Aid Project Nos. HSIP-0044-01(033) / 109026301 & 302 & State Project No. SP-0044-01(031) / 108648301 in Union & Prentiss Counties.

PROJECT COMPLETION: 134 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

281 Station	201-D001	Random Clearing
117 Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
30 Each	202-B215	Removal of Sign Including Post & Footing
41 Cubic Yard	203-G001	Excess Excavation, FM, AH
120 Square Yard	209-A009	Geotextile Stabilization, Type VII, Non-Woven
610 Cubic Yard	304-A002	Granular Material, LVM, Class 3, Group C
8,850 Ton	403-A014	9.5-mm, MT, Asphalt Pavement
7,400 Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
7,600 Gallon	407-A001	Asphalt for Tack Coat
36 Mile	423-A001	Rumble Strips, Ground In
210 Linear Feet	503-C010	Saw Cut, Full Depth
1 Lump Sum	618-A001	Maintenance of Traffic
3 Square Feet	618-B001	Additional Construction Signs
26 Mile	619-A1001	Temporary Traffic Stripe, Continuous White
18 Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
8 Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
5,050 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,430 Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1 Lump Sum	620-A001	Mobilization
36 Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
13 Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
4 Mile	626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
9 Mile	626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
22 Mile	626-F001	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow

2,400	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
1,410	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
1,900	Linear Feet	626-H005	Thermoplastic Legend, White
1,466	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
3,226	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
4,052	Each	627-M001	One-Way Clear Reflective High Performance Raised Markers
559	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
1,201	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
145	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
1,035	Linear Feet	630-C001	Square Tube Posts, 4.0 lb/ft
2,805	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
435	Each	630-F010	Delineators, Post Mounted, Double White
44	Each	630-G003	Type 3 Object Markers, OM-3L, Post Mounted
61	Each	630-G007	Type 3 Object Markers, OM-3R, Post Mounted
120	Square Yard	907-204-A003	Geogrid, Type II, Biaxial
81,500	Square Yard	907-414-A001	Scrub Seal
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
410	Square Feet	907-630-PP002	Roadside Directional Signs, Sheet Aluminum, 0.125" Thickness, Ground Mounted

ALTERNATE GROUP AA NUMBER 1

77	Cubic Yard	304-H001	3/4" and Down Crushed Stone Base, LVM
----	------------	----------	---------------------------------------

ALTERNATE GROUP AA NUMBER 2

77	Cubic Yard	304-H002	Size 610 Crushed Stone Base, LVM
----	------------	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 3

77	Cubic Yard	304-H003	Size 825B Crushed Stone Base, LVM
----	------------	----------	-----------------------------------

ALTERNATE GROUP BB NUMBER 1

13	Mile	907-626-C003	Thermoplastic Audible Edge Stripe
----	------	--------------	-----------------------------------

ALTERNATE GROUP BB NUMBER 2

13	Mile	907-626-C010	Thermoplastic Audible Bump Edge Stripe
----	------	--------------	--

CALL No. 09

Mill & Overlay approximately 8.4 miles of SR 25 from the Attala County Line to 1.3 miles north of Platsburg Road & approximately 2.2 miles of SR 19 from the Neshoba County Line to the Attala County Line, known as Federal Aid Project Nos. NH-0056-01(103) / 108218301 & 302 in Winston County.

PROJECT COMPLETION: 193 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

100 Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
4 Each	202-B138	Removal of Guard Rail Bridge End Section
600 Linear Feet	202-B150	Removal of Guard Rail Including Post, Blockouts & Hardware
4 Each	202-B152	Removal of Guard Rail Terminal End Section
1,800 Linear Feet	202-B240	Removal of Traffic Stripe
1,850 Cubic Yard	203-G001	Excess Excavation, FM, AH
13,300 Cubic Yard	304-A003	Granular Material, LVM, Class 3, Group D
38,800 Ton	403-A002	12.5-mm, MT, Asphalt Pavement
22,900 Ton	403-A005	19-mm, MT, Asphalt Pavement
6,300 Ton	403-A015	9.5-mm, ST, Asphalt Pavement
392,500 Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
21,500 Gallon	407-A001	Asphalt for Tack Coat
33 Mile	423-A001	Rumble Strips, Ground In
600 Linear Feet	606-B002	Guard Rail, Class A, Type 1, 'W' Beam
4 Each	606-D020	Guard Rail, Bridge End Section, Type H, Metal Post
4 Each	606-E001	Guard Rail, Terminal End Section
1 Lump Sum	618-A001	Maintenance of Traffic
2 Square Feet	618-B001	Additional Construction Signs
40 Mile	619-A1001	Temporary Traffic Stripe, Continuous White
34 Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
36 Mile	619-A3001	Temporary Traffic Stripe, Skip White
2 Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
58,000 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
12,400 Linear Feet	619-A6002	Temporary Traffic Stripe, Legend

14	Each	619-F3001	Delineators, Guard Rail, White
14	Each	619-F3002	Delineators, Guard Rail, Yellow
1	Lump Sum	620-A001	Mobilization
18	Mile	626-A004	6" Thermoplastic Traffic Stripe, Skip White
20	Mile	626-C004	6" Thermoplastic Edge Stripe, Continuous White
19	Mile	626-F003	6" Thermoplastic Edge Stripe, Continuous Yellow
29,400	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
25,000	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
775	Square Feet	626-H004	Thermoplastic Legend, White
2,530	Linear Feet	626-H005	Thermoplastic Legend, White
530	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,690	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
276	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
61,300	Square Yard	907-424-A001	Roadbed Reclamation with Cement
1,500	Ton	907-424-B001	Cement
520	Hours	907-906001	Trainees
ALTERNATE GROUP AA NUMBER 1			
100	Ton	304-F001	3/4" and Down Crushed Stone Base
ALTERNATE GROUP AA NUMBER 2			
100	Ton	304-F002	Size 610 Crushed Stone Base
ALTERNATE GROUP AA NUMBER 3			
100	Ton	304-F003	Size 825B Crushed Stone Base
ALTERNATE GROUP BB NUMBER 1			
790	Linear Feet	907-624-A002	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White
790	Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
790	Linear Feet	907-624-D002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow
ALTERNATE GROUP BB NUMBER 2			
790	Linear Feet	628-G001	6" High Performance Cold Plastic Traffic Stripe, Skip White
790	Linear Feet	628-H001	6" High Performance Cold Plastic Traffic Stripe, Continuous White
790	Linear Feet	628-J001	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

CALL No. 10

Bridge Replacement on SR 42 over Tallahalla Creek (Bridge No. 70.4), known as Federal Aid Project No. BR-0063-03(011) / 107008301 in Perry County.

PROJECT COMPLETION: 214 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

7 Acre	201-B001	Clearing and Grubbing
1 Lump Sum	202-A001	Removal of Obstructions
8,901 Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
330 Square Yard	202-B052	Removal of Concrete Driveways, All Depths
298 Linear Feet	202-B150	Removal of Guard Rail Including Post, Blockouts & Hardware
138 Linear Feet	202-B191	Removal of Pipe, 8" And Above
15 Each	202-B213	Removal of Sign
1 Each	202-B219	Removal of Sign, Ground Mounted with Posts
18,698 Cubic Yard	203-A001	Unclassified Excavation, FM, AH
61,684 Cubic Yard	203-EX017	Borrow Excavation, AH, FME, Class B7
1,000 Cubic Yard	203-G001	Excess Excavation, FM, AH
12,696 Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
250 Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
10 Ton	213-C001	Superphosphate
89 Square Yard	216-A001	Solid Sodding
255 Square Yard	217-A001	Ditch Liner
16 Thousand Gallon	219-A001	Watering
20 Acre	220-A001	Insect Pest Control
13 Cubic Yard	221-A001	Concrete Paved Ditch
40 Acre	223-A001	Mowing
20 Acre	225-A001	Grassing
10 Ton	225-B001	Agricultural Limestone
39 Ton	225-C001	Mulch, Vegetative Mulch
20 Acre	226-A001	Temporary Grassing
801 Square Yard	229-A001	Erosion Mat

4,650	Linear Feet	234-A001	Temporary Silt Fence
2,422	Linear Feet	234-C001	Super Silt Fence
1	Each	236-A008	Silt Basin, Type D
2,000	Linear Feet	237-A002	Wattles, 20"
2,400	Linear Feet	239-A001	Temporary Slope Drains
100	Each	246-B001	Rockbags
600	Ton	249-A001	Riprap for Erosion Control
1,210	Ton	403-A002	12.5-mm, MT, Asphalt Pavement
842	Ton	403-A005	19-mm, MT, Asphalt Pavement
1,131	Ton	403-A006	19-mm, ST, Asphalt Pavement
1,015	Ton	403-A014	9.5-mm, MT, Asphalt Pavement
2,942	Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
1,677	Gallon	407-A001	Asphalt for Tack Coat
74	Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
2	Mile	423-A001	Rumble Strips, Ground In
74	Linear Feet	501-E001	Expansion Joints, Without Dowels
159	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
456	Linear Feet	603-ALT003	18" Type A Alternate Pipe
44	Square Yard	605-AA001	Geotextile for Subsurface Drainage, Type III
80	Linear Feet	605-O002	4" Perforated Sewer Pipe for Underdrains, SDR 23.5
5	Linear Feet	605-P002	4" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
3	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
150	Linear Feet	606-B001	Guard Rail, Class A, Type 1
4	Each	606-D022	Guard Rail, Bridge End Section, Type I
4	Each	606-E005	Guard Rail, Terminal End Section, Flared
40	Linear Feet	615-A024	Concrete Bridge End Barrier, 37.5"
14	Each	617-A001	Right-of-Way Marker
1	Lump Sum	618-A001	Maintenance of Traffic
5	Mile	619-A1004	Temporary Traffic Stripe, Continuous White, Paint
5	Mile	619-A2004	Temporary Traffic Stripe, Continuous Yellow, Paint

2,915	Linear Feet	619-A4003	Temporary Traffic Stripe, Skip Yellow, Paint
240	Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint
31	Linear Feet	619-A6004	Temporary Traffic Stripe, Legend, Paint
78	Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
49	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
444	Square Feet	619-D2002	Standard Roadside Construction Signs, 10 Square Feet or More, Permanent
24	Linear Feet	619-G4001	Barricades, Type III, Double Faced
192	Linear Feet	619-G4005	Barricades, Type III, Single Faced
111	Each	619-G5001	Free Standing Plastic Drums
2	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
6,558	Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White
1,798	Linear Feet	626-D002	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
5,759	Linear Feet	626-E002	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
240	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
87	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
31	Linear Feet	626-H005	Thermoplastic Legend, White
26	Each	627-B001	Two-Way Clear Reflective Raised Markers
117	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
20	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
36	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
24	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
22	Linear Feet	630-C002	Steel U-Section Posts, 2.0 lb/ft
182	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
14	Each	630-F006	Delineators, Guard Rail, White
1	Lump Sum	699-A001	Roadway Construction Stakes
216	Ton	815-A007	Loose Riprap, Size 300
150	Ton	815-F002	Sediment Control Stone
172	Linear Feet	907-253-A001	Coir Fiber Baffle

1,040	Hours	907-906001	Trainees
ALTERNATE GROUP AA NUMBER 1			
4,882	Ton	304-F001	3/4" and Down Crushed Stone Base
ALTERNATE GROUP AA NUMBER 2			
4,882	Ton	304-F002	Size 610 Crushed Stone Base
ALTERNATE GROUP AA NUMBER 3			
4,882	Ton	304-F003	Size 825B Crushed Stone Base
ALTERNATE GROUP BB NUMBER 1			
2,604	Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
1,117	Linear Feet	907-624-C001	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow
1,485	Linear Feet	907-624-D002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow
ALTERNATE GROUP BB NUMBER 2			
2,604	Linear Feet	628-H001	6" High Performance Cold Plastic Traffic Stripe, Continuous White
1,117	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
1,485	Linear Feet	628-J001	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
ALTERNATE GROUP CC NUMBER 1			
47	Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
ALTERNATE GROUP CC NUMBER 2			
47	Cubic Yard	605-W003	Filter Material for Combination Storm Drain and/or Underdrains, Type C, FM
Bridge Items			
4,630	Square Yard	501-K001	Transverse Grooving
630	Linear Feet	803-K010	Drilled Shaft, 72" Diameter
1	Each	803-L006	Test Shaft, 72" Diameter
119	Linear Feet	803-M009	Trial Shaft, 72" Diameter
100	Linear Feet	803-N001	Exploration
60	Linear Feet	803-O023	Temporary Casing, 72" Diameter
780	Linear Feet	803-P004	30" Steel Pipe Piling, Wall Thickness 0.750"
4,320	Linear Feet	803-P011	24" Steel Pipe Piling, Wall Thickness 1.000"
3,973	Linear Feet	804-C192	100' Prestressed Concrete Beam, Type FIB-36
371,547	Pounds	805-A001	Reinforcement
6,850	Pounds	805-C001	Reinforcement, Corrosion Resistant
2,605	Linear Feet	813-A004	Concrete Railing, 36"

8,283	Ton	815-A007	Loose Riprap, Size 300
6,900	Square Yard	815-E001	Geotextile under Riprap
1	Each	907-803-B001	Conventional Static Pile Load Test
7	Each	907-803-I004	PDA Test Pile, Steel Pipe Pile
7	Each	907-803-J001	Pile Restrike
1,534	Cubic Yard	907-804-A001	Bridge Concrete, Class BDY
338	Cubic Yard	907-804-A002	Bridge Concrete, Class AA
52	Cubic Yard	907-804-A002	Bridge Concrete, Class AA - Closure Pour
680	Linear Feet	907-804-PP003	68' Post-Tensioned Concrete Beam, Per Plans
1	Lump Sum	907-804-PP004	Post Tensioning System
1,139	Linear Feet	907-804-PP008	114' Post-Tensioned Concrete Beam, Per Plans
640	Linear Feet	907-804-PP009	128' Post-Tensioned Concrete Beam, Per Plans
75	Linear Feet	907-822-B001	2 1/2" Reinforced Elastomeric Molded Rubber Expansion Joint
73	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
37	Linear Feet	907-823-A002	Preformed Joint Seal, Type II

CALL No. 11

Overlay approximately 6 miles of US 11 from the Jasper County Line north to SR 18 & approximately 11 miles from the Jones County Line to the Clarke County Line, known as Federal Aid Project No. STBG-2902-00(014) / 108682301 & State Project No. SP-2902-00(015) / 108923301 in Clarke & Jasper Counties.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

575 Station	201-D001	Random Clearing
1,820 Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
6,615 Square Yard	202-B188	Removal of Pavement, All Types and Depths
1,390 Linear Feet	202-B240	Removal of Traffic Stripe
11,175 Ton	304-F003	Size 825B Crushed Stone Base
1,150 Ton	403-A006	19-mm, ST, Asphalt Pavement
25,630 Ton	403-A015	9.5-mm, ST, Asphalt Pavement
7,700 Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
6,400 Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
45,600 Gallon	407-A001	Asphalt for Tack Coat
82,400 Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
33 Mile	423-A001	Rumble Strips, Ground In
1,220 Linear Feet	606-B002	Guard Rail, Class A, Type 1, 'W' Beam
12 Each	606-D001	Guard Rail, Bridge End Section
12 Each	606-E005	Guard Rail, Terminal End Section, Flared
1 Lump Sum	618-A001	Maintenance of Traffic
2 Square Feet	618-B001	Additional Construction Signs
69 Mile	619-A1001	Temporary Traffic Stripe, Continuous White
35 Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
26 Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
1,180 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
65 Square Feet	619-A6001	Temporary Traffic Stripe, Legend
2,408 Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1 Lump Sum	620-A001	Mobilization

35 Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
15 Mile	626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
17 Mile	626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
3,051 Linear Feet	626-G002	Thermoplastic Detail Stripe, White
1,467 Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
65 Square Feet	626-H004	Thermoplastic Legend, White
2,408 Linear Feet	626-H005	Thermoplastic Legend, White
550 Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
2,382 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
58 Each	630-F006	Delineators, Guard Rail, White
146 Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
12,570 Ton	907-411-A001	Ultra Thin Asphalt Pavement
66 Linear Feet	907-619-B001	Temporary Portable Rumble Strips

ALTERNATE GROUP AA NUMBER 1

1,080 Linear Feet	628-H001	6" High Performance Cold Plastic Traffic Stripe, Continuous White
540 Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
150 Linear Feet	628-J001	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

ALTERNATE GROUP AA NUMBER 2

1,080 Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
540 Linear Feet	907-624-C001	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow
150 Linear Feet	907-624-D002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

CALL No. 12

Mill & Overlay approximately 6.5 miles of SR 2 from SR 5 to the Tippah County Line, known as Federal Aid Project No. STP-2911-00(002) / 108258301 in Benton County.

PROJECT COMPLETION: 117 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

2,166 Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
537 Cubic Yard	203-G001	Excess Excavation, FM, AH
4,287 Ton	304-B002	Granular Material, Class 3, Group D
1,475 Ton	403-A006	19-mm, ST, Asphalt Pavement
8,975 Ton	403-A015	9.5-mm, ST, Asphalt Pavement
7,375 Ton	403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
3,350 Ton	403-C003	19-mm, ST, Asphalt Pavement, Trench Widening
2,000 Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
15,350 Gallon	407-A001	Asphalt for Tack Coat
13 Mile	423-A001	Rumble Strips, Ground In
600 Linear Feet	503-C010	Saw Cut, Full Depth
1 Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
1 Lump Sum	618-A001	Maintenance of Traffic
1 Square Feet	618-B001	Additional Construction Signs
26 Mile	619-A1001	Temporary Traffic Stripe, Continuous White
20 Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
7 Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
8,125 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
475 Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1 Lump Sum	620-A001	Mobilization
13 Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
4 Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
10 Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
4,100 Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
234 Linear Feet	626-H002	Thermoplastic Double Drop Legend, White

126	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
28	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
624	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
563	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
106	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
60	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
68	Linear Feet	630-C001	Square Tube Posts, 4.0 lb/ft
638	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
137	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips

CALL No. 13

Mill & Overlay 11 miles of SR 145 from 1.3 miles south of the Lee County Line to the End of the 3-Lane Section, Mill & Overlay & Safety Improvements approximately 10.6 miles on SR 145 from the Lee County Line to the Beginning of 4-Lane Section South of Booneville, & approximately 3 miles of SR 145 from 0.5 miles north of SR 4 to US 45, known as Federal Project No. HSIP-9629-00(004) / 109069301 in Prentiss County, State Project No. MP-1145-59(003) / 307770301 in Lee County & State Project No. MP-1145-41(011) / 307770302 in Prentiss County.

PROJECT COMPLETION: 72 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

225 Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
42 Each	202-B213	Removal of Sign
4,000 Linear Feet	202-B240	Removal of Traffic Stripe
40 Cubic Yard	203-G001	Excess Excavation, FM, AH
225 Square Yard	209-A009	Geotextile Stabilization, Type VII, Non-Woven
4,120 Cubic Yard	304-A002	Granular Material, LVM, Class 3, Group C
155 Ton	403-A005	19-mm, MT, Asphalt Pavement
19,125 Ton	403-A014	9.5-mm, MT, Asphalt Pavement
82,980 Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
17,410 Gallon	407-A001	Asphalt for Tack Coat
9 Mile	423-A001	Rumble Strips, Ground In
385 Linear Feet	503-C010	Saw Cut, Full Depth
1 Lump Sum	618-A001	Maintenance of Traffic
2 Square Feet	618-B001	Additional Construction Signs
45 Mile	619-A1001	Temporary Traffic Stripe, Continuous White
19 Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
12 Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
3,162 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
10,600 Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1 Lump Sum	620-A001	Mobilization
24 Mile	626-B004	6" Thermoplastic Traffic Stripe, Continuous White
6 Mile	626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
10 Mile	626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow

6,275	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
17,675	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
610	Square Feet	626-H004	Thermoplastic Legend, White
14,475	Linear Feet	626-H005	Thermoplastic Legend, White
555	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
90	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,280	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
272	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
17	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
66	Linear Feet	630-C001	Square Tube Posts, 4.0 lb/ft
521	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
39	Each	630-F006	Delineators, Guard Rail, White
225	Square Yard	907-204-A003	Geogrid, Type II, Biaxial
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips

ALTERNATE GROUP AA NUMBER 1

1,310	Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
2,690	Linear Feet	907-624-C001	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow

ALTERNATE GROUP AA NUMBER 2

1,310	Linear Feet	628-H001	6" High Performance Cold Plastic Traffic Stripe, Continuous White
2,690	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow

ALTERNATE GROUP BB NUMBER 1

55	Cubic Yard	304-H001	3/4" and Down Crushed Stone Base, LVM
----	------------	----------	---------------------------------------

ALTERNATE GROUP BB NUMBER 2

55	Cubic Yard	304-H002	Size 610 Crushed Stone Base, LVM
----	------------	----------	----------------------------------

ALTERNATE GROUP BB NUMBER 3

55	Cubic Yard	304-H003	Size 825B Crushed Stone Base, LVM
----	------------	----------	-----------------------------------

CALL No. 14

Intersection Improvements on various routes throughout the District, known as Federal Aid Project No. HSIP-9999-03(017) / 107793301 in District 3.

PROJECT COMPLETION: AUGUST 15, 2023

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

124	Each	202-B215	Removal of Sign Including Post & Footing
9	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
1	Lump Sum	620-A001	Mobilization
42,280	Linear Feet	626-A003	6" Thermoplastic Traffic Stripe, Skip White
5,137	Linear Feet	626-D004	6" Thermoplastic Traffic Stripe, Skip Yellow
112,090	Linear Feet	626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
10,388	Linear Feet	626-F004	6" Thermoplastic Edge Stripe, Continuous Yellow
268,436	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
28,359	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
7,130	Square Feet	626-H004	Thermoplastic Legend, White
12,300	Linear Feet	626-H005	Thermoplastic Legend, White
2,003	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,022	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
2,952	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
3,366	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
9,049	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
196	Square Feet	630-B002	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
7,710	Linear Feet	630-C001	Square Tube Posts, 4.0 lb/ft
422	Linear Feet	630-C002	Steel U-Section Posts, 2.0 lb/ft
8,960	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
528	Linear Feet	630-C1001	Square Post Inner Sleeve
66	Each	630-F003	Delineators, Flexible Post Mounted, Crossover, Type II
8	Each	638-A001	Flasher Assembly

47	Each	638-C001	Flasher Assembly - Solar Powered
130	Linear Feet	682-A002	Underground Branch Circuit, AWG 1, 4 Conductor
3,464	Linear Feet	682-A040	Underground Branch Circuit, AWG 8, 4 Conductor
256	Linear Feet	682-B038	Underground Branch Circuit, Jacked or Bored, AWG 8, 4 Conductor
3	Each	682-E002	Underground Junction Box
19	Each	682-E003	Underground Junction Box With Concrete Pad
1	Each	682-F001	Secondary Power Controller
2	Each	683-B004	Lighting Assembly, Low Mast, LED, Type 40-1-15-315
17	Each	683-B005	Lighting Assembly, Low Mast, LED, Type 40-1-8-213
52	Cubic Yard	684-A004	Pole Foundation, 30" Diameter
12	Linear Feet	684-B004	Slip Casing, 30" Diameter
1	Lump Sum	699-A001	Roadway Construction Stakes
409	Square Feet	907-630-A001	Standard Roadside Signs, LED Enhanced
2,729	Linear Feet	907-630-E003	Structural Aluminum Angles & Bars, Aluminum Sign Bracing
531	Each	907-630-N001	Reflective Sign Post Panel
32	Each	907-630-O001	Remove and Reset Sign Assembly

CALL No. 15

Placement of Raised Pavement Markers on various routes throughout the District, known as Federal Aid Project No. STBG-9999-05(407) / 109117301 in District 5.

PROJECT COMPLETION: 118 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

1	Lump Sum	618-A001	Maintenance of Traffic
1	Lump Sum	620-A001	Mobilization
32,079	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
51,067	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
16,342	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers

CALL No. 16

Sign Replacements on various routes throughout the District, known as Federal Aid Project No. STBG-9999-07(383) / 108811307 in District 7.

PROJECT COMPLETION: 241 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	618-A001	Maintenance of Traffic
1	Lump Sum	620-A001	Mobilization
5,163	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
4,128	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
3,747	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
13,501	Square Feet	630-B002	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
1,983	Square Feet	630-B003	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Overhead Mounted
2,184	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
516	Each	630-G004	Type 3 Object Markers, OM-3R or OM-3L
10,871	Square Feet	907-630-PP002	Roadside Directional Signs, Sheet Aluminum, 0.125" Thickness, Ground Mounted

CALL No. 17

Mill & Overlay approximately 3 miles of SR 22 from the Beginning of the 5-Lane Section to US 51, known as State Project No. SP-0024-02(035) / 108997301 in Madison County.

PROJECT COMPLETION: 74 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

500 Square Yard	202-B009	Removal of Asphalt Pavement, Failed Areas
243 Square Yard	202-B081	Removal of Concrete Sidewalks & Driveways, All Depths
561 Linear Feet	202-B089	Removal of Curb &/or Curb and Gutter, All Types
470 Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
50 Cubic Yard	203-G001	Excess Excavation, FM, AH
156 Ton	304-D002	Granular Material, Crushed Stone
10 Ton	310-B001	Size I Stabilizer Aggregate, Coarse
10,770 Ton	403-A014	9.5-mm, MT, Asphalt Pavement
50 Ton	403-B002	12.5-mm, MT, Asphalt Pavement, Leveling
130,000 Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
11,000 Gallon	407-A001	Asphalt for Tack Coat
300 Linear Feet	503-C010	Saw Cut, Full Depth
320 Linear Feet	606-B003	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
4 Each	606-D019	Guard Rail, Bridge End Section, Type H
4 Each	606-E007	Guard Rail, Terminal End Section, Non-Flared
2,243 Square Yard	608-B001	Concrete Sidewalk, With Reinforcement
561 Linear Feet	609-D008	Combination Concrete Curb and Gutter Type 3A
1 Lump Sum	618-A001	Maintenance of Traffic
13 Mile	619-A1001	Temporary Traffic Stripe, Continuous White
12 Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
7 Mile	619-A3001	Temporary Traffic Stripe, Skip White
12 Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
122,091 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
2,709 Square Feet	619-A6001	Temporary Traffic Stripe, Legend
12,496 Linear Feet	619-A6002	Temporary Traffic Stripe, Legend

26	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
612	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
48	Linear Feet	619-G4001	Barricades, Type III, Double Faced
1	Lump Sum	620-A001	Mobilization
3	Mile	626-A001	6" Thermoplastic Double Drop Traffic Stripe, Skip White
5	Mile	626-B002	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
4	Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
4	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
95	Linear Feet	626-G001	Thermoplastic Detail Stripe, Blue-ADA
25,967	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
14,730	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
2,709	Square Feet	626-H001	Thermoplastic Double Drop Legend, White
6,248	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
652	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
500	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,481	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
23	Each	630-F006	Delineators, Guard Rail, White
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
4	Each	907-632-D001	Solid State Traffic Actuated Controller, Type 1
18	Each	907-641-A002	Signal Stop Bar Radar Vehicle Detection Sensor, Type 2
2,315	Linear Feet	907-641-D001	Radar Vehicle Detection Cable
1	Lump Sum	907-899-A001	Railway-Highway Provisions

CALL No. 18

Mill & Overlay approximately 18 miles of SR 18 from the Copiah County Line to the Beginning of the 4-Lane Section at Raymond, known as State Project No. SP-0039-02(054) / 108233301 in Hinds County.

PROJECT COMPLETION: 163 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

2	Each	202-B129	Removal of Flared End Section, All Sizes
2,759	Square Yard	202-B188	Removal of Pavement, All Types and Depths
56	Linear Feet	202-B191	Removal of Pipe, 8" And Above
1,904	Cubic Yard	203-G001	Excess Excavation, FM, AH
3,535	Ton	304-D002	Granular Material, Crushed Stone
208	Ton	304-F002	Size 610 Crushed Stone Base
35,238	Ton	403-A003	12.5-mm, ST, Asphalt Pavement
2,718	Ton	403-B003	12.5-mm, ST, Asphalt Pavement, Leveling
250	Ton	403-C007	12.5-mm, HT, Asphalt Pavement, Trench Widening
308,585	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
31,350	Gallon	407-A001	Asphalt for Tack Coat
35	Mile	423-A001	Rumble Strips, Ground In
4,771	Linear Feet	503-C010	Saw Cut, Full Depth
3	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
56	Linear Feet	603-CA055	36" Reinforced Concrete Pipe, Class III
2	Each	603-CB006	36" Reinforced Concrete End Section
1	Lump Sum	618-A001	Maintenance of Traffic
76	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
48	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
22	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
72,720	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
538	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
7,768	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1,196	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
612	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More

24	Linear Feet	619-G4001	Barricades, Type III, Double Faced
1	Lump Sum	620-A001	Mobilization
38	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
11	Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
24	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
36,264	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
96	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
269	Square Feet	626-H001	Thermoplastic Double Drop Legend, White
3,884	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
5,933	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,870	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
2,930	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
44	Ton	815-A007	Loose Riprap, Size 300
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips

CALL No. 19

Mill & Overlay approximately 1 mile of US 49W from the 5-Lane Section south of Indianola to north of US 82 at the Beginning of the 2-Lane Section, known as State Project No. SP-0072-04(029) / 108934301 in Sunflower County.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

325 Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
325 Square Yard	202-B073	Removal of Concrete Pavement, All Depths
700 Each	202-B199	Removal of Raised Reflective Pavement Marker
4 Mile	202-B241	Removal of Traffic Stripe
100 Cubic Yard	203-G001	Excess Excavation, FM, AH
900 Ton	304-B004	Granular Material, Class 5, Group D
250 Ton	403-A005	19-mm, MT, Asphalt Pavement
6,300 Ton	403-A014	9.5-mm, MT, Asphalt Pavement
6,000 Ton	406-D003	Fine Milling of Bituminous Pavement, All Depths
7,000 Gallon	407-A001	Asphalt for Tack Coat
18,200 Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
62 Linear Feet	501-D001	Expansion Joints, With Dowels
105 Square Yard	503-A002	8" and Variable Jointed Concrete Pavement
900 Linear Feet	503-C004	Saw Cut, 3-inch
900 Linear Feet	503-C010	Saw Cut, Full Depth
156 Each	503-E002	Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted
1 Lump Sum	618-A001	Maintenance of Traffic
1 Square Feet	618-B001	Additional Construction Signs
3 Mile	619-A1001	Temporary Traffic Stripe, Continuous White
5 Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
6 Mile	619-A3001	Temporary Traffic Stripe, Skip White
3 Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
4,000 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,000 Square Feet	619-A6001	Temporary Traffic Stripe, Legend
350 Linear Feet	619-A6002	Temporary Traffic Stripe, Legend

1	Lump Sum	620-A001	Mobilization
4	Mile	626-A001	6" Thermoplastic Double Drop Traffic Stripe, Skip White
3	Mile	626-B002	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
3	Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
4	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
7,600	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
3,100	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
1,800	Square Feet	626-H001	Thermoplastic Double Drop Legend, White
2,100	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
200	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
550	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,500	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1	Lump Sum	907-899-A001	Railway-Highway Provisions

CALL No. 20

Level & Seal approximately 11 miles of SR 395 from the Neshoba County Line to SR 15, approximately 4.6 miles of SR 393 from the Neshoba County Line to SR 490 & approximately 18.2 miles of SR 490 from SR 15 to the EOSM, known as State Project Nos. MP-1395-80(006) / 306965301, MP-1393-80(002) / 306965302 & MP-1490-80(004) / 306965303 in Winston County.

PROJECT COMPLETION: 67 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

630	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
117	Each	202-B215	Removal of Sign Including Post & Footing
295	Cubic Yard	203-G001	Excess Excavation, FM, AH
5,400	Cubic Yard	304-A003	Granular Material, LVM, Class 3, Group D
1,600	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
850	Ton	403-C003	19-mm, ST, Asphalt Pavement, Trench Widening
3,700	Gallon	407-A001	Asphalt for Tack Coat
1,600	Linear Feet	503-C010	Saw Cut, Full Depth
1	Lump Sum	618-A001	Maintenance of Traffic
3	Square Feet	618-B001	Additional Construction Signs
3	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
2	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
1,100	Linear Feet	619-A4001	Temporary Traffic Stripe, Skip Yellow
2,150	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
126	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
950	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
15	Mile	625-B003	Traffic Stripe, Skip Yellow, High Build
63	Mile	625-C004	Traffic Stripe, Continuous White, High Build
46	Mile	625-D004	Traffic Stripe, Continuous Yellow, High Build
9,000	Linear Feet	625-E002	Detail Traffic Stripe, High Build
2,900	Linear Feet	625-F003	Legend, High Build
2	Mile	626-C004	6" Thermoplastic Edge Stripe, Continuous White
1,100	Linear Feet	626-D004	6" Thermoplastic Traffic Stripe, Skip Yellow

2	Mile	626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
1,400	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
600	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
126	Square Feet	626-H004	Thermoplastic Legend, White
950	Linear Feet	626-H005	Thermoplastic Legend, White
3,200	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
280	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
32	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
1,184	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
32	Linear Feet	630-C001	Square Tube Posts, 4.0 lb/ft
1,875	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
178,000	Gallon	907-410-A002	Asphalt for Surface Treatment, Grade CRS-2P
4,650	Cubic Yard	907-410-B001	Seal Aggregate Cover Material, Size 7, Limestone
800	Ton	907-411-A001	Ultra Thin Asphalt Pavement
198	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
250	Linear Feet	907-625-E002	Detail Traffic Stripe, Blue-ADA
6	Each	907-626-H001	Thermoplastic Legend, Blue-ADA Handicap Symbol
1	Lump Sum	907-899-A001	Railway-Highway Provisions

CALL No. 21

Overlay approximately 8 miles of SR 16 from the BOSM at Grace to the EOSM at Rolling Fork, known as State Project Nos. SP-1509-00(006) / 109019301 & SP-0504-00(016) / 109019302 in Issaquena & Sharkey Counties.

PROJECT COMPLETION: 56 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

650 Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
1,650 Linear Feet	202-B240	Removal of Traffic Stripe
100 Cubic Yard	203-G001	Excess Excavation, FM, AH
5,000 Ton	304-D002	Granular Material, Crushed Stone
8,700 Ton	403-A015	9.5-mm, ST, Asphalt Pavement
300 Ton	403-B006	19-mm, ST, Asphalt Pavement, Leveling
4,600 Ton	403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
3,850 Ton	406-D003	Fine Milling of Bituminous Pavement, All Depths
8,100 Gallon	407-A001	Asphalt for Tack Coat
1,200 Linear Feet	503-C010	Saw Cut, Full Depth
1 Lump Sum	618-A001	Maintenance of Traffic
2 Square Feet	618-B001	Additional Construction Signs
16 Mile	619-A1001	Temporary Traffic Stripe, Continuous White
4 Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
10 Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
700 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
300 Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1 Lump Sum	620-A001	Mobilization
16 Mile	626-B002	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
8 Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
3 Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
1,100 Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
550 Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
475 Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
210 Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers

680	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
31	Each	630-F006	Delineators, Guard Rail, White
8	Each	630-G003	Type 3 Object Markers, OM-3L, Post Mounted
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips

CALL No. 22

Mill & Overlay approximately 9 miles of US 51 from Fisher's Crossing to the Beginning of the 5-Lane Section at Glenwild, known as State Project Nos. MP-2051-49(005) / 307510301 & MP-2051-22(003) / 307510302 in Montgomery & Grenada Counties.

PROJECT COMPLETION: 72 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

7,171	Square Yard	202-B069	Removal of Concrete Pavement w/ Variable Depth Overlay
18	Each	202-B217	Removal of Sign Post and Footing
2,708	Linear Feet	202-B240	Removal of Traffic Stripe
100	Cubic Yard	203-G001	Excess Excavation, FM, AH
100	Ton	304-B002	Granular Material, Class 3, Group D
4,679	Ton	403-A006	19-mm, ST, Asphalt Pavement
15,075	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
870	Ton	403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
182,060	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
13,067	Gallon	407-A001	Asphalt for Tack Coat
64,400	Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
16	Mile	423-A001	Rumble Strips, Ground In
3,196	Linear Feet	503-C010	Saw Cut, Full Depth
3	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
34	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
6	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
15	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
37,787	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
401	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
1,975	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
18	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
8	Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow

6	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
144	Linear Feet	626-G001	Thermoplastic Detail Stripe, Blue-ADA
18,810	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
18,833	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
401	Square Feet	626-H001	Thermoplastic Double Drop Legend, White
1,976	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
68	Square Feet	626-H003	Thermoplastic Legend, Blue-ADA
600	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
125	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,019	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
415	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
397	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
280	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
270	Linear Feet	630-C001	Square Tube Posts, 4.0 lb/ft
2,118	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
77	Each	630-G004	Type 3 Object Markers, OM-3R or OM-3L
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips

CALL No. 23

Mill & Overlay approximately 13.5 miles of US 51 from the Lincoln County Line to south of SR 28 & approximately 0.5 miles of SR 850 from US 51 to the EOSM & Overlay approximately 0.6 miles of SR 848 from US 51 to the EOSM, known as State Project Nos. SP-2177-00(014) / 108933301, SP-0315-00(003) / 108933302 & SP-2177-00(015) / 108933303 in Copiah County.

PROJECT COMPLETION: 71 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

61	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
24	Square Yard	202-B073	Removal of Concrete Pavement, All Depths
2,400	Linear Feet	202-B240	Removal of Traffic Stripe
20	Cubic Yard	203-G001	Excess Excavation, FM, AH
4,000	Ton	304-B004	Granular Material, Class 5, Group D
21,500	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
61	Ton	403-B006	19-mm, ST, Asphalt Pavement, Leveling
19,500	Ton	406-D003	Fine Milling of Bituminous Pavement, All Depths
13,000	Gallon	407-A001	Asphalt for Tack Coat
9,000	Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
109	Linear Feet	503-C010	Saw Cut, Full Depth
1	Lump Sum	618-A001	Maintenance of Traffic
3	Square Feet	618-B001	Additional Construction Signs
41	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
32	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
20	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
11,000	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
4,000	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
24	Mile	626-B002	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
11	Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
16	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
250	Linear Feet	626-G001	Thermoplastic Detail Stripe, Blue-ADA
17,500	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White

8,000	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
1,250	Square Feet	626-H001	Thermoplastic Double Drop Legend, White
7,500	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
1,800	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
70	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
2,400	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
5	Each	907-626-H001	Thermoplastic Legend, Blue-ADA Handicap Symbol

CALL No. 24

Mill & Overlay approximately 10 miles of SR 32 from SR 315 (Old SR 7) to the Calhoun County Line, known as State Project No. SP-2791-00(009) / 108265301 in Yalobusha County.

PROJECT COMPLETION: 139 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

50 Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
95 Square Yard	202-B052	Removal of Concrete Driveways, All Depths
186 Each	202-B213	Removal of Sign
900 Linear Feet	202-B240	Removal of Traffic Stripe
50 Cubic Yard	203-G001	Excess Excavation, FM, AH
5,425 Ton	304-B002	Granular Material, Class 3, Group D
15 Ton	304-D004	Granular Material, Size 57
100 Ton	403-A006	19-mm, ST, Asphalt Pavement
14,200 Ton	403-A015	9.5-mm, ST, Asphalt Pavement
2,525 Ton	403-B003	12.5-mm, ST, Asphalt Pavement, Leveling
11,140 Ton	403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
17,300 Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
16,000 Gallon	407-A001	Asphalt for Tack Coat
1,300 Linear Feet	503-C010	Saw Cut, Full Depth
125 Square Yard	605-AA001	Geotextile for Subsurface Drainage, Type III
130 Linear Feet	605-H001	Edge Drain
20 Linear Feet	605-I001	Edge Drain Outlets/Vents
1 Lump Sum	618-A001	Maintenance of Traffic
1 Square Feet	618-B001	Additional Construction Signs
45 Mile	619-A1001	Temporary Traffic Stripe, Continuous White
41 Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow
5 Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
4,000 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
765 Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1 Lump Sum	620-A001	Mobilization

23	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
3	Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
21	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
3,270	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
1,260	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
30	Square Feet	626-H001	Thermoplastic Double Drop Legend, White
765	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
220	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,445	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
164	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
486	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
158	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
2,478	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
188	Each	630-G004	Type 3 Object Markers, OM-3R or OM-3L
1	Lump Sum	699-A001	Roadway Construction Stakes
67,850	Gallon	907-410-A002	Asphalt for Surface Treatment, Grade CRS-2P
1,425	Cubic Yard	907-410-B002	Seal Aggregate Cover Material, Size 89, Limestone
153,050	Square Yard	907-424-A001	Roadbed Reclamation with Cement
2,800	Ton	907-424-B001	Cement
2	Each	907-619-E3001	Changeable Message Sign

ALTERNATE GROUP AA NUMBER 1

100	Ton	304-F001	3/4" and Down Crushed Stone Base
-----	-----	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

100	Ton	304-F002	Size 610 Crushed Stone Base
-----	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

100	Ton	304-F003	Size 825B Crushed Stone Base
-----	-----	----------	------------------------------

CALL No. 25

Mill & Overlay approximately 11 miles of SR 468 from Deeb St. to US 80 in Brandon & approximately 0.4 miles of US 80 from SR 468 to Louis Wilson Rd., known as State Project No. MP-5468-61(013) / 306931301 in Rankin County.

PROJECT COMPLETION: 137 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

2,063	Square Yard	202-B009	Removal of Asphalt Pavement, Failed Areas
13	Linear Feet	202-B051	Removal of Concrete Curb
43	Each	202-B117	Removal of Delineator, All Types
652	Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
1,084	Cubic Yard	203-G001	Excess Excavation, FM, AH
3,690	Ton	304-D002	Granular Material, Crushed Stone
26,449	Ton	403-A002	12.5-mm, MT, Asphalt Pavement
2,292	Ton	403-B002	12.5-mm, MT, Asphalt Pavement, Leveling
194,771	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
21,429	Gallon	407-A001	Asphalt for Tack Coat
1,496	Linear Feet	503-C010	Saw Cut, Full Depth
425	Linear Feet	606-B003	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
4	Each	606-D022	Guard Rail, Bridge End Section, Type I
4	Each	606-E005	Guard Rail, Terminal End Section, Flared
34	Linear Feet	609-B002	Concrete Curb, Header
180	Linear Feet	609-B003	Concrete Curb, Special Design
1	Lump Sum	618-A001	Maintenance of Traffic
46	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
26	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
1,910	Linear Feet	619-A3002	Temporary Traffic Stripe, Skip White
13	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
52,851	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
2,985	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
16,246	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
789	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet

1,388	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
48	Linear Feet	619-G4001	Barricades, Type III, Double Faced
1	Lump Sum	620-A001	Mobilization
955	Linear Feet	626-A002	6" Thermoplastic Double Drop Traffic Stripe, Skip White
23	Mile	626-B002	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
7	Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
13	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
17,380	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
9,046	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
1,493	Square Feet	626-H001	Thermoplastic Double Drop Legend, White
8,123	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
1,769	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
651	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,990	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
3,150	Each	627-M001	One-Way Clear Reflective High Performance Raised Markers
16	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
14	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
22	Each	630-F006	Delineators, Guard Rail, White
17	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
3	Each	907-632-D001	Solid State Traffic Actuated Controller, Type 1
12	Each	907-641-A002	Signal Stop Bar Radar Vehicle Detection Sensor, Type 2
4	Each	907-641-B002	Signal Advanced Radar Vehicle Detection Sensor, Type 2
1,930	Linear Feet	907-641-D001	Radar Vehicle Detection Cable

CALL No. 26

Overlay approximately 13 miles of SR 28 from the Simpson County Line to just past SR 35 N & from just east of SR 37 to the Jones County Line, known as State Project No. MP-7028-65(004) / 307527301 in Smith County.

PROJECT COMPLETION: 80 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

3,737	Linear Feet	202-B240	Removal of Traffic Stripe
2,558	Cubic Yard	304-A008	Granular Material, LVM, Class 6, Group D
249	Ton	403-A005	19-mm, MT, Asphalt Pavement
23,489	Ton	403-A014	9.5-mm, MT, Asphalt Pavement
22,657	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
36,804	Gallon	407-A001	Asphalt for Tack Coat
24	Mile	423-A001	Rumble Strips, Ground In
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
48	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
29	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
13	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
40,000	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
307	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
6,364	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
24	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
6	Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
15	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
12,305	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
23,627	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
307	Square Feet	626-H004	Thermoplastic Legend, White
4,262	Linear Feet	626-H005	Thermoplastic Legend, White
720	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
127	Each	627-K001	Red-Clear Reflective High Performance Raised Markers

2,711	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
134	Each	630-F006	Delineators, Guard Rail, White
5,944	Ton	907-411-A001	Ultra Thin Asphalt Pavement
132	Linear Feet	907-619-B001	Temporary Portable Rumble Strips

CALL No. 27

Placement of Raised Pavement Markers on various routes throughout the District, known as State Project No. MP-1000-00(129) / 307887301 in District 1.

PROJECT COMPLETION: 138 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

1	Lump Sum	618-A001	Maintenance of Traffic
76,447	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
88,798	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Contractors may request permission to bid online at <http://shopmdot.ms.gov> at no cost. Upon approval, contractors shall be eligible to submit a bid using Bid Express at <http://bidx.com>. Specimen proposals may be viewed and downloaded online at no cost at <http://mdot.ms.gov> or purchased online at <http://shopmdot.ms.gov> at a cost of Ten Dollars (\$10.00) per proposal plus a small convenience fee. Cash or checks will not be accepted as payment.

Plans must be purchased online at <https://shopmdot.ms.gov>. Costs of plans will be on a cost per sheet basis plus a small convenience fee. You can contact the MDOT Plans Print Shop at Telephone No. (601) 359-7460 or e-mail at plans@mdot.state.ms.us. Plans will be shipped on receipt of payment. Cash or checks will not be accepted as payment.

Bid bond, signed or countersigned by a Mississippi Resident Agent or qualified non-resident agent, with Power of Attorney attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

BRAD WHITE
EXECUTIVE DIRECTOR