### Proposal & Plan Sales Will Begin on June 6, 2022



## MISSISSIPPI DEPARTMENT OF TRANSPORTATION

# Notice to Contractors

Letting Date For June - June 28, 2022

## MISSISSIPPI DEPARTMENT OF TRANSPORTATION NOTICE TO CONTRACTORS LETTING DATE FOR JUNE - Tuesday, June 28, 2022

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List is available online at mdot.ms.gov

## **PROPOSAL AND PLAN SALES WILL BEGIN ON JUNE 6, 2022**

Proposals must be purchased online at: https://shopmdot.ms.gov For Information Please Contact: Contract Administration Division Jackson, MS Telephone: (601) 359-7700 Plans must be purchased online at: https://shopmdot.ms.gov For Information Please Contact: MDOT Plans Print Shop Jackson, MS Telephone: (601) 359-7460 e-mail: plans@mdot.state.ms.us

Electronic bids will be received by the Mississippi Transportation Commission at 10:00 o'clock A.M., Tuesday, June 28, 2022; from the Bid Express Service and shortly thereafter, bids will be publicly read in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

\* No plans except Standard Drawings

#### LIST OF CONTRACTS FOR JUNE

	CALL	CONTRACT	COUNTY
	01	NH-0002-05(087)/107678301	LOWNDES
*	02	IM-0020-01(269)/108902301 & IM-0020- 01(269)/108902302 & IM-0020- 01(269)/108902303 & HSIP-0020- 01(269)/108902303 & IM-0020- 01(269)/108902304	RANKIN, HINDS, RANKIN
*	03	STBG-0023-01(091)/108632301 & STBG- 0023-01(091)/108632302 & SP-0023- 01(092)/108897301 & SP-0023- 01(092)/108897302	COVINGTON, JEFFERSON DAVIS, MARION, JEFFERSON DAVIS
	04	STBG-0038-01(037)/108869301	WINSTON
*	05	STP-0072-01(011)/108503301 & STP-0072- 01(011)/108503302	WARREN, YAZOO
*	06	NHPP-0472-00(021)/108871301	NEWTON
	07	STBG-9999-05(378)/107997301	HINDS
	08	SP-0011-02(092)/108224301	WEBSTER
*	09	SP-0307-00(011)/108932301	CLAIBORNE
*	10	MP-2005-05(004)/307511301 & MP-2370- 05(001)/307511302	BENTON
*	11	MP-3000-00(155)/307924301	DISTRICT 3
*	12	MP-3028-32(007)/307497301	JEFFERSON

*	13	MP-3051-15(015)/307496301 & MP-3844- 15(002)/307496302	COPIAH
*	14	MP-6145-77(005)/307492301 & MP-6145- 12(005)/307492302	CLARKE, WAYNE
*	15	SP-9999-09(333)/109156301	CLAY
*	16	SP-9999-09(334)/109156302	TUNICA
*	17	SP-9999-09(335)/109156303 & SP-9999- 09(335)/109156303	BOLIVAR, SUNFLOWER

Mill & Overlay approximately 8.5 miles of US 45 from the BOSM to 0.3 miles north of Gatlin Road, known as Federal Aid Project No. NH-0002-05(087) / 107678301 in Lowndes County.

#### PROJECT COMPLETION: 130 Working Days

50	Square Yard 202	2-B007	Removal of Asphalt Pavement, All Depths
50	Cubic Yard 203	-G002	Excess Excavation, LVM, AH
1,600	Cubic Yard 304	-A003	Granular Material, LVM, Class 3, Group D
29,000	Ton 403	8-A014	9.5-mm, MT, Asphalt Pavement
324,500	Square Yard 406	-A002	Cold Milling of Bituminous Pavement, All Depths
19,000	Gallon 407	'-A001	Asphalt for Tack Coat
50	Linear Feet 503	-C010	Saw Cut, Full Depth
1	Lump Sum 618	8-A001	Maintenance of Traffic
1	Square Feet 618	B-B001	Additional Construction Signs
13	Mile 619-	A1001	Temporary Traffic Stripe, Continuous White
13	Mile 619-	A2001	Temporary Traffic Stripe, Continuous Yellow
15	Mile 619-	A3001	Temporary Traffic Stripe, Skip White
10	Mile 619-	A4002	Temporary Traffic Stripe, Skip Yellow
67,000	Linear Feet 619-	A5001	Temporary Traffic Stripe, Detail
5,700	Square Feet 619-	A6001	Temporary Traffic Stripe, Legend
9,200	Linear Feet 619-	A6002	Temporary Traffic Stripe, Legend
1	Lump Sum 620	-A001	Mobilization
15	Mile 626	5-A004	6" Thermoplastic Traffic Stripe, Skip White
13	Mile 626	-C004	6" Thermoplastic Edge Stripe, Continuous White
10	Mile 626	-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
12	Mile 626	6-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
1	Mile 626	6-F003	6" Thermoplastic Edge Stripe, Continuous Yellow
39,000	Linear Feet 626	-G002	Thermoplastic Detail Stripe, White
28,000	Linear Feet 626	-G003	Thermoplastic Detail Stripe, Yellow

5,700	Square Feet	626-H004	Thermoplastic Legend, White
9,200	Linear Feet	626-H005	Thermoplastic Legend, White
400	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
2,400	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
4,700	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
150	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
315	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
35	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
30	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
13	Each	907-632-C001	Modify Existing Traffic Signal Cabinet Assembly
7	Each	907-632-D001	Solid State Traffic Actuated Controller, Type 1
36	Each	907-641-A002	Signal Stop Bar Radar Vehicle Detection Sensor, Type 2
24	Each	907-641-B002	Signal Advanced Radar Vehicle Detection Sensor, Type 2
10,275	Linear Feet	907-641-D001	Radar Vehicle Detection Cable
8	Each	907-662-D002	Radio Interconnect, Broadband, Short Range
12	Each	907-663-A001	Network Switch, Type A
900	Linear Feet	907-663-D001	Category 6 Cable, Installed in Conduit

Mill & Overlay approximately 4 miles of I-20 from east of SR 18 to the I-20 / I-55 Split, approximately 2 miles of I-55 from 3 miles north of Elton Road to the Rankin County Line, approximately 0.2 miles of I-55 from 0.420 miles north of the Hinds County Line to the Hinds County Line, and approximately 0.1 miles of I-20 from the US 49 Ramp to the I-20 / I-55 Split and Installation of a High Friction Surface Treatment on I-55 from 0.420 miles north of the Hinds County Line, known as Federal Aid Project Nos. IM-0020-01(269) / 108902301, 302, 303, & 304 & HSIP-0020-01(069) / 1089023031 in Hinds & Rankin Counties.

#### PROJECT COMPLETION: 150 Working Days

57	Square Yard	202-B045	Removal of Cement Treated Base, All Depths
145	Square Yard	202-B069	Removal of Concrete Pavement w/ Variable Depth Overlay
1,877	Linear Feet	202-B153	Removal of Guard Rail, Double Faced Rail Including Hardware, Post & Rail
20,784	Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
4	Each	202-B162	Removal of Impact Attenuator
71	Square Yard	202-B168	Removal of Island Pavement, All Types
7,884	Linear Feet	202-B240	Removal of Traffic Stripe
5,215	Ton	304-D002	Granular Material, Crushed Stone
8,438	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
30	Ton	403-B004	19-mm, HT, Asphalt Pavement, Leveling
49	Mile	403-S001	Joint Sealant
3,350	Linear Feet	403-S002	Joint Sealant
372,382	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
44,922	Gallon	407-A001	Asphalt for Tack Coat
36,180	Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
28	Mile	423-A001	Rumble Strips, Ground In
128	Square Yard	503-A001	8" and Variable Continuously Reinforced Concrete Pavement, Broom Finish
18	Square Yard	503-A002	8" and Variable Jointed Concrete Pavement
55	Linear Feet	503-B001	Saw Cut, Longitudinal Joints
168	Linear Feet	503-C004	Saw Cut, 3-inch
240	Linear Feet	503-C010	Saw Cut, Full Depth
19	Cubic Yard	503-D001	Concrete for Base Repair
65	Each	503-E002	Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted

36	Each	503-F002	1" Smooth Dowel Bars, Drilled & Epoxied or Grouted
16,904	Linear Feet	606-B003	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
1,802	Linear Feet	606-B006	Guard Rail, Class A, Type 1, Double Faced
379	Linear Feet	606-B010	Guard Rail, Class A, Type 1, Thrie Beam
88	Linear Feet	606-B013	Guard Rail, Class A, Type 1, Thrie Beam, Transition Section
23	Each	606-C003	Guard Rail, Cable Anchor, Type 1
14	Each	606-D005	Guard Rail, Bridge End Section, Type A
9	Each	606-D009	Guard Rail, Bridge End Section, Type C
15	Each	606-D012	Guard Rail, Bridge End Section, Type D Modified
2	Each	606-D019	Guard Rail, Bridge End Section, Type H
12	Each	606-D023	Guard Rail, Bridge End Section, Type I, Metal Post
1	Each	606-E003	Guard Rail, Terminal End Section, Double Faced
40	Each	606-E005	Guard Rail, Terminal End Section, Flared
12	Each	606-E007	Guard Rail, Terminal End Section, Non-Flared
2	Each	606-G003	Special Sections, Special Design Bridge Connector
71	Square Yard	616-A006	Concrete Median and/or Island Pavement, 6-inch
1	Lump Sum	618-A001	Maintenance of Traffic
70	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
1,550	Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
71	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
1,550	Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow
94	Mile	619-A3001	Temporary Traffic Stripe, Skip White
1,550	Linear Feet	619-A3002	Temporary Traffic Stripe, Skip White
136,091	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
2,165	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
1,008	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
80	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
520	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
336	Each	619-F3001	Delineators, Guard Rail, White
508	Each	619-F3002	Delineators, Guard Rail, Yellow

84	Linear Feet	619-G4005	Barricades, Type III, Single Faced
1	Lump Sum	620-A001	Mobilization
38	Mile	626-A001	6" Thermoplastic Double Drop Traffic Stripe, Skip White
2,752	Linear Feet	626-A002	6" Thermoplastic Double Drop Traffic Stripe, Skip White
2,130	Linear Feet	626-B001	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
32	Mile	626-B002	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
33	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
1,350	Linear Feet	626-E002	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
81,549	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
12,504	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
1,188	Square Feet	626-H001	Thermoplastic Double Drop Legend, White
456	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
12,057	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
4	Each	629-A004	Vehicular Impact Attenuator, 60 MPH
43	Each	630-G004	Type 3 Object Markers, OM-3R or OM-3L
30,395	Ton	907-405-A001	Stone Matrix Asphalt, 9.5 mm Mixture
4,300	Square Yard	907-416-A001	High Friction Surface Treatment
1	Lump Sum	907-416-B001	High Friction Surface Treatment Training
5	Each	907-824-PP006	Bridge Repair, Bridge End Post Repair
520	Hours	907-906001	Trainees

Thin Lift Overlay approximately 9 miles of SR 35 from Goss-Bunker Hill Road to SR 42 & approximately 10 miles of SR 35 from SR 42 to US 84, known as Federal Aid Project Nos. STBG-0023-01(091) / 108632301 & 302 and State Project Nos. SP-0023-01(092) / 108897301 & 302 in Marion, Jefferson Davis, & Covington Counties.

#### PROJECT COMPLETION: 124 Working Days

525	Linear Feet 2	202-B136	Removal of Guard Rail
1,335	Linear Feet 2	202-B240	Removal of Traffic Stripe
142	Cubic Yard 2	203-G002	Excess Excavation, LVM, AH
3,987	Cubic Yard 3	304-A008	Granular Material, LVM, Class 6, Group D
26	Ton	403-A006	19-mm, ST, Asphalt Pavement
3,467	Square Yard 2	106-D001	Fine Milling of Bituminous Pavement, All Depths
42,951	Gallon 2	407-A001	Asphalt for Tack Coat
35	Mile	423-A001	Rumble Strips, Ground In
325	Linear Feet 6	606-B002	Guard Rail, Class A, Type 1, 'W' Beam
4	Each 6	606-D005	Guard Rail, Bridge End Section, Type A
4	Each 6	606-E005	Guard Rail, Terminal End Section, Flared
4	Each 6	606-G001	Special Sections, Bridge Connector
1	Lump Sum 6	618-A001	Maintenance of Traffic
4	Square Feet 6	618-B001	Additional Construction Signs
69	Mile 61	19-A1001	Temporary Traffic Stripe, Continuous White
23	Mile 61	19-A2001	Temporary Traffic Stripe, Continuous Yellow
33	Mile 61	19-A4002	Temporary Traffic Stripe, Skip Yellow
29,482	Linear Feet 61	19-A5001	Temporary Traffic Stripe, Detail
10,056	Linear Feet 61	19-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum 6	620-A001	Mobilization
35	Mile 6	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
16	Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
12	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
9,511	Linear Feet 6	26-G002	Thermoplastic Detail Stripe, White

5,230	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
7,188	Linear Feet	626-H005	Thermoplastic Legend, White
1,609	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,413	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
24	Each	630-F006	Delineators, Guard Rail, White
14,152	Ton	907-411-A001	Ultra Thin Asphalt Pavement
15,138	Ton	907-411-A001	Ultra Thin Asphalt Pavement Leveling
264	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
			ALTERNATE GROUP AA NUMBER 1
320	Cubic Yard	304-H001	3/4" and Down Crushed Stone Base, LVM
			ALTERNATE GROUP AA NUMBER 2
320	Cubic Yard	304-H002	Size 610 Crushed Stone Base, LVM
			ALTERNATE GROUP AA NUMBER 3
320	Cubic Yard	304-H003	Size 825B Crushed Stone Base, LVM

Bridge Preservation on SR 14 over Tallahaga Creek (Bridge No. 129.6), known as Federal Aid Project No. STBG-0038-01(037) / 108869301 in Winston County.

#### PROJECT COMPLETION: 109 Working Days

#### Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Bridge Items

434	Square Yard	907-202-B001	Removal of Bridge Deck, Hydrodemolition
434	Square Yard	907-417-A001	Polymer Cement Surface System
36	Cubic Yard	907-804-0001	Bridge Deck Overlay Concrete
142	Linear Feet	907-808-A002	Joint Repair
71	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
142	Linear Feet	907-823-B001	Saw Cut, Type I
48	Square Feet	907-824-PP003	Bridge Repair, Epoxy Repair
309	Square Feet	907-824-PP003	Bridge Repair, Removal of Bridge Deck
12	Each	907-824-PP006	Bridge Repair, Bearing Replacements
2	Each	907-824-PP006	Bridge Repair, Cap Cleaning
12	Each	907-824-PP006	Bridge Repair, Drain Hole Retrofit
			Roadway Items
4,776	Linear Feet	202-B240	Removal of Traffic Stripe
100	Cubic Yard	203-G002	Excess Excavation, LVM, AH
20	Ton	403-A014	9.5-mm, MT, Asphalt Pavement
50	Cubic Yard	612-B001	Flowable Fill, Non-Excavatable
1	Lump Sum	618-A001	Maintenance of Traffic
3,040	Linear Feet	619-A1007	Temporary Traffic Stripe, Continuous White, Type 1 or 2 Tape
1,640	Linear Feet	619-A2008	Temporary Traffic Stripe, Continuous Yellow, Type 1 or 2 Tape
96	Linear Feet	619-A6008	Temporary Traffic Stripe, Legend, Type 1 or 2 Tape
12	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
328	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
760	Linear Feet	619-F1001	Concrete Median Barrier, Precast
760	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
12	Linear Feet	619-G4001	Barricades, Type III, Double Faced

1	Lump Sum	620-A001	Mobilization
200	Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White
200	Linear Feet	626-D002	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
6	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
2	Each	907-619-E3001	Changeable Message Sign
2	Each	907-619-H2001	Traffic Signal, Portable, Type 1
2	Each	907-641-A002	Signal Stop Bar Radar Vehicle Detection Sensor, Type 2
			ALTERNATE GROUP AA NUMBER 1
20	Cubic Yard	304-H001	3/4" and Down Crushed Stone Base, LVM
			ALTERNATE GROUP AA NUMBER 2
20	Cubic Yard	304-H002	Size 610 Crushed Stone Base, LVM
			ALTERNATE GROUP AA NUMBER 3
20	Cubic Yard	304-H003	Size 825B Crushed Stone Base, LVM

Slide Repair on SR 3 approximately 3.35 miles north of US 61 and Box Culvert Repair on SR 3 approximately 0.1 mile north of SR 433, known as Federal Aid Project Nos. STP-0072-01(011) / 108503301 & 302 in Warren & Yazoo Counties.

#### PROJECT COMPLETION: APRIL 21, 2023

Roadway I	tems
-----------	------

2	Acre	201-B001	Clearing and Grubbing
2,500	Cubic Yard	203-EX041	Borrow Excavation, AH, LVM, Class B9-6
13,500	Cubic Yard	203-G002	Excess Excavation, LVM, AH
4,500	Square Yard	203-1002	Site Grading
2	Acre	227-A001	Hydroseeding
900	Linear Feet	237-A002	Wattles, 20"
100	Each	246-B001	Rockbags
50	Ton	249-A001	Riprap for Erosion Control
100	Ton	304-B004	Granular Material, Class 5, Group D
140	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
950	Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
75	Gallon	407-A001	Asphalt for Tack Coat
445	Square Yard	605-AA001	Geotextile for Subsurface Drainage, Type III
455	Linear Feet	605-O006	8" Perforated Sewer Pipe for Underdrains, SDR 35
100	Linear Feet	605-P008	8" Non-perforated Sewer Pipe for Underdrains, SDR 35
95	Cubic Yard	605-X002	Filter Material for Filter Beds, Type A
4,400	Cubic Yard	605-X003	Filter Material for Filter Beds, Type B
175	Linear Feet	606-F001	Guard Rail, Remove and Replace Guard Rail & Posts
1	Lump Sum	618-A001	Maintenance of Traffic
2	Square Feet	618-B001	Additional Construction Signs
1,000	Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
500	Linear Feet	619-A4001	Temporary Traffic Stripe, Skip Yellow
100	Linear Feet	619-A6005	Temporary Traffic Stripe, Legend, Type 1 Tape
700	Linear Feet	619-F1001	Concrete Median Barrier, Precast
1	Lump Sum	620-A001	Mobilization

1,000	Linear Feet	626-B001	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
500	Linear Feet	626-D002	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
10	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1	Lump Sum	699-A001	Roadway Construction Stakes
1,500	Square Feet	802-A001	Permanent Steel Sheet Piling
3,979	Linear Feet	803-D006	HP 14 x 73 Steel Piling
900	Linear Feet	907-234-A001	Temporary Silt Fence
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
2	Each	907-619-H2001	Traffic Signal, Portable, Type 1

Bridge Repair on US 80 over the Chunky River (Bridge No. 122.5), known as Federal Aid Project No. NHPP-0472-00(021) / 108871301 in Newton County.

#### PROJECT COMPLETION: 97 Working Days

546	Linear Feet	907-808-A002	Joint Repair
231	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
42	Linear Feet	907-823-A002	Preformed Joint Seal, Type II
462	Linear Feet	907-823-B001	Saw Cut, Type I
84	Linear Feet	907-823-B002	Saw Cut, Type II
13	Square Feet	907-824-PP003	Bridge Repair, Epoxy Repair
155	Square Feet	907-824-PP003	Bridge Repair, FRP Wrap
1	Square Feet	907-824-PP003	Bridge Repair, Removal of Riser
15	Each	907-824-PP006	Bridge Repair, Cap Cleaning
10	Linear Feet	907-824-PP008	Bridge Repair, Epoxy Injection Repair
			Roadway Items
1	Lump Sum	618-A001	Maintenance of Traffic
16	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
	Square Feet Square Feet	619-D1001 619-D2001	
128			Standard Roadside Construction Signs, 10 Square Feet or More
128 24	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More Barricades, Type III, Double Faced

Slide Repairs along I-20 and I-220, known as Federal Aid Project No. STBG-9999-05(378) / 107997301 in Hinds County.

#### PROJECT COMPLETION: 105 Working Days

## Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

2	Acre	201-B001	Clearing and Grubbing
1	Acre	201-C002	Random Clearing and Grubbing
40	Square Yard	202-B006	Removal of Asphalt Paved Shoulders, All Depths
40	Square Yard	202-B013	Removal of Base
60	Linear Feet	202-B150	Removal of Guard Rail Including Post, Blockouts & Hardware
3	Linear Feet	202-B191	Removal of Pipe, 8" And Above
6,073	Cubic Yard	203-EX021	Borrow Excavation, AH, FME, Class B9-6
3,909	Cubic Yard	203-G001	Excess Excavation, FM, AH
835	Square Yard	203-1002	Site Grading
721	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
1	Ton	213-C001	Superphosphate
1	Acre	220-A001	Insect Pest Control
2	Acre	223-A001	Mowing
2	Acre	225-A001	Grassing
3	Ton	225-B001	Agricultural Limestone
4	Ton	225-C001	Mulch, Vegetative Mulch
2	Acre	226-A001	Temporary Grassing
500	Linear Feet	237-A002	Wattles, 20"
250	Ton	249-A001	Riprap for Erosion Control
14	Ton	403-A003	12.5-mm, ST, Asphalt Pavement
72	Linear Feet	503-C010	Saw Cut, Full Depth
470	Square Yard	605-AA003	Geotextile for Subsurface Drainage, Type V, Non-Woven
67	Cubic Yard	605-X002	Filter Material for Filter Beds, Type A
308	Cubic Yard	605-X003	Filter Material for Filter Beds, Type B

1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
400	Linear Feet	619-F1001	Concrete Median Barrier, Precast
3	Each	619-F3001	Delineators, Guard Rail, White
2	Each	619-J1005	Impact Attenuator, 70 MPH
2	Each	619-J2005	Impact Attenuator, 70 MPH, Replacement Package
1	Lump Sum	620-A001	Mobilization
170	Linear Feet	682-B026	Underground Branch Circuit, Jacked or Bored, AWG 4, 4 Conductor
1	Lump Sum	699-A001	Roadway Construction Stakes
4,080	Linear Feet	803-D006	HP 14 x 73 Steel Piling
300	Ton	815-A007	Loose Riprap, Size 300
100	Ton	815-F002	Sediment Control Stone
960	Linear Feet	907-234-A001	Temporary Silt Fence
1,000	Pounds	907-420-A002	Undersealing Concrete Pavement
1	Each	907-619-E3001	Changeable Message Sign
1	Each	907-630-0004	Remove and Reset Sign, All Sizes
			ALTERNATE GROUP AA NUMBER 1
18	Ton	304-F001	3/4" and Down Crushed Stone Base
			ALTERNATE GROUP AA NUMBER 2
18	Ton	304-F002	Size 610 Crushed Stone Base
			ALTERNATE GROUP AA NUMBER 3
18	Ton	304-F003	Size 825B Crushed Stone Base

Mill & Overlay approximately 7 miles of US 82 from the Montgomery County Line to west of SR 182, known as State Project No. SP-0011-02(092) / 108224301 in Webster County.

#### PROJECT COMPLETION: 117 Working Days

			Roadway items
50	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
16	Each	202-B138	Removal of Guard Rail Bridge End Section
2,400	Linear Feet	202-B150	Removal of Guard Rail Including Post, Blockouts & Hardware
16	Each	202-B152	Removal of Guard Rail Terminal End Section
5,960	Linear Feet	202-B240	Removal of Traffic Stripe
50	Cubic Yard	203-G002	Excess Excavation, LVM, AH
6,400	Cubic Yard	304-A003	Granular Material, LVM, Class 3, Group D
900	Ton	403-A001	12.5-mm, HT, Asphalt Pavement
26,500	Ton	403-A013	9.5-mm, HT, Asphalt Pavement
272,000	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
26,500	Gallon	407-A001	Asphalt for Tack Coat
29	Mile	423-A001	Rumble Strips, Ground In
50	Linear Feet	503-C010	Saw Cut, Full Depth
2,400	Linear Feet	606-B002	Guard Rail, Class A, Type 1, 'W' Beam
16	Each	606-D020	Guard Rail, Bridge End Section, Type H, Metal Post
16	Each	606-E001	Guard Rail, Terminal End Section
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
26	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
22	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
28	Mile	619-A3001	Temporary Traffic Stripe, Skip White
40,000	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
8,000	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
56	Each	619-F3001	Delineators, Guard Rail, White
56	Each	619-F3002	Delineators, Guard Rail, Yellow

1	Lump Sum	620-A001	Mobilization
14	Mile	626-A004	6" Thermoplastic Traffic Stripe, Skip White
13	Mile	626-C004	6" Thermoplastic Edge Stripe, Continuous White
11	Mile	626-F003	6" Thermoplastic Edge Stripe, Continuous Yellow
17,200	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
20,000	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
4,000	Linear Feet	626-H005	Thermoplastic Legend, White
320	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,500	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
910	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
			ALTERNATE GROUP AA NUMBER 1
2,650	Linear Feet	907-624-A002	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White
2,650	Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
2,650	Linear Feet	907-624-D002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow
			ALTERNATE GROUP AA NUMBER 2
2,650	Linear Feet	628-G001	6" High Performance Cold Plastic Traffic Stripe, Skip White
2,650	Linear Feet	628-H001	6" High Performance Cold Plastic Traffic Stripe, Continuous White
2,650	Linear Feet	628-J001	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

Level & Overlay approximately 5 miles of SR 548 from the BOSM at Hermanville to the Copiah County Line, known as State Project No. SP-0307-00(011) / 108932301 in Claiborne County.

#### PROJECT COMPLETION: 93 Working Days

			Roddwdy Reins
1,250	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
900	Linear Feet	202-B240	Removal of Traffic Stripe
200	Cubic Yard	203-G001	Excess Excavation, FM, AH
2,700	Ton	304-B004	Granular Material, Class 5, Group D
5,000	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
9,000	Ton	403-B006	19-mm, ST, Asphalt Pavement, Leveling
3,000	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
9,200	Gallon	407-A001	Asphalt for Tack Coat
1,900	Linear Feet	503-C010	Saw Cut, Full Depth
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
20	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
18	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
2	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
500	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
150	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
10	Mile	626-B002	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
1	Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
9	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
500	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
200	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
300	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
100	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
500	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers

66 Linear Feet

#### 907-619-B001 Temporary Portable Rumble Strips

Mill & Overlay approximately 15 miles of SR 5 from 1.4 miles south of Massengill Rd to 0.1 miles north of the old MDOT Maintenance Shop and approximately 1.3 miles of SR 370 from SR 5 to the east Ashland City Limits, known as State Project Nos. MP-2005-05(004) / 307511301 & MP-2370-05(001) / 307511302 in Benton County.

#### PROJECT COMPLETION: 156 Working Days

5,107	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
3,005	Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
498	Each	202-B215	Removal of Sign Including Post & Footing
3,731	Linear Feet	202-B240	Removal of Traffic Stripe
210	Cubic Yard	203-G001	Excess Excavation, FM, AH
10,375	Ton	304-B002	Granular Material, Class 3, Group D
3,250	Ton	403-A006	19-mm, ST, Asphalt Pavement
20,250	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
10,450	Ton	403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
123,650	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
42,450	Gallon	407-A001	Asphalt for Tack Coat
5,020	Linear Feet	503-C010	Saw Cut, Full Depth
1,950	Linear Feet	606-B002	Guard Rail, Class A, Type 1, 'W' Beam
12	Each	606-D019	Guard Rail, Bridge End Section, Type H
4	Each	606-D022	Guard Rail, Bridge End Section, Type I
18	Each	606-E001	Guard Rail, Terminal End Section
1	Lump Sum	618-A001	Maintenance of Traffic
2	Square Feet	618-B001	Additional Construction Signs
65	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
51	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
11	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
11,175	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
5,001	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization

33	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
6	Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
26	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
9,625	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
1,452	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
39	Square Feet	626-H001	Thermoplastic Double Drop Legend, White
4,968	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
432	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
7	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
3,313	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
497	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
944	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
431	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
6,447	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
98	Each	630-F006	Delineators, Guard Rail, White
351	Each	630-G004	Type 3 Object Markers, OM-3R or OM-3L
132	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
			ALTERNATE GROUP AA NUMBER 1
400	Ton	304-F001	3/4" and Down Crushed Stone Base
			ALTERNATE GROUP AA NUMBER 2
400	Ton	304-F002	Size 610 Crushed Stone Base
			ALTERNATE GROUP AA NUMBER 3
400	Ton	304-F003	Size 825B Crushed Stone Base

Installation of Raised Pavement Markers on various routes throughout the District, known as State Project No. MP-3000-00(155) / 307924301 in District 3.

#### PROJECT COMPLETION: MARCH 14, 2023

1	Lump Sum	618-A001	Maintenance of Traffic
16,847	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
49,876	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers

Overlay approximately 12 miles of SR 28 from SR 33 to 2.4 miles east of Dennis Cross Road, known as State Project No. MP-3028-32(007) / 307497301 in Jefferson County.

#### **PROJECT COMPLETION: Flexible**

коадway	Items

64	Square Yard 202	-B007	Removal of Asphalt Pavement, All Depths
25	Cubic Yard 203-	-G001	Excess Excavation, FM, AH
4,200	Ton 304	-B004	Granular Material, Class 5, Group D
16,500	Ton 403-	-A015	9.5-mm, ST, Asphalt Pavement
75	Ton 403-	-B006	19-mm, ST, Asphalt Pavement, Leveling
1,200	Ton 403-	-B012	9.5-mm, ST, Asphalt Pavement, Leveling
4,400	Ton 406-	-D003	Fine Milling of Bituminous Pavement, All Depths
15,300	Gallon 407	-A001	Asphalt for Tack Coat
5	Mile 423	-A001	Rumble Strips, Ground In
120	Linear Feet 503-	-C010	Saw Cut, Full Depth
1	Lump Sum 618	-A001	Maintenance of Traffic
1	Square Feet 618	-B001	Additional Construction Signs
28	Mile 619-A	A1001	Temporary Traffic Stripe, Continuous White
15	Mile 619-A	42001	Temporary Traffic Stripe, Continuous Yellow
10	Mile 619-A	44002	Temporary Traffic Stripe, Skip Yellow
1,000	Linear Feet 619-A	45001	Temporary Traffic Stripe, Detail
500	Linear Feet 619-A	46002	Temporary Traffic Stripe, Legend
1	Lump Sum 620	-A001	Mobilization
23	Mile 626	-B002	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
8	Mile 626-	-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
12	Mile 626	-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
4,500	Linear Feet 626-	-G004	Thermoplastic Double Drop Detail Stripe, White
1,300	Linear Feet 626-	-G005	Thermoplastic Double Drop Detail Stripe, Yellow
1,600	Linear Feet 626	-H002	Thermoplastic Double Drop Legend, White
375	Each 627	'-J001	Two-Way Clear Reflective High Performance Raised Markers

1,100	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
100	Each	630-F006	Delineators, Guard Rail, White
8	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips

Overlay approximately 7 miles of US 51 from north of SR 28 to north of South Pat Harrison Drive and approximately 0.2 miles of SR 844 from east of I-55 to US 51, known as State Project Nos. MP-3051-15(015) / 307496301 & MP-3844-15(002) / 307496302 in Copiah County.

#### PROJECT COMPLETION: Flexible

4,500	Ton	304-B004	Granular Material, Class 5, Group D
10,500	Ton	403-A014	9.5-mm, MT, Asphalt Pavement
20,700	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
9,300	Gallon	407-A001	Asphalt for Tack Coat
28,750	Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
1	Lump Sum	618-A001	Maintenance of Traffic
2	Square Feet	618-B001	Additional Construction Signs
14	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
8	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
5	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
3,000	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,100	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
14	Mile	626-B002	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
5	Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
8	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
5,500	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
2,000	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
200	Square Feet	626-H001	Thermoplastic Double Drop Legend, White
2,200	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
475	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
725	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
1	Lump Sum	907-899-A001	Railway-Highway Provisions

Thin Lift Overlay approximately 4 miles of SR 145 from US 45 to US 45, known as State Project Nos. MP-6145-77(005) & MP-6145-12(005) / 307492301 & 302 in Wayne & Clarke Counties.

#### PROJECT COMPLETION: Flexible

#### Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

140	Station	201-D001	Random Clearing
5,035	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
2,980	Square Yard	202-B188	Removal of Pavement, All Types and Depths
7,670	Linear Feet	202-B240	Removal of Traffic Stripe
100	Cubic Yard	203-EX020	Borrow Excavation, AH, FME, Class B9
250	Cubic Yard	203-G001	Excess Excavation, FM, AH
435	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
310	Linear Feet	237-A001	Wattles, 12"
2,310	Ton	304-F003	Size 825B Crushed Stone Base
1,400	Ton	403-A005	19-mm, MT, Asphalt Pavement
1,165	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
14,440	Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
12,430	Gallon	407-A001	Asphalt for Tack Coat
10	Mile	423-A001	Rumble Strips, Ground In
1	Lump Sum	618-A001	Maintenance of Traffic
2	Square Feet	618-B001	Additional Construction Signs
16	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
11	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
6	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
1,980	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,060	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
9	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
5	Mile	626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
5	Mile	626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow

1,425	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
545	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
1,060	Linear Feet	626-H005	Thermoplastic Legend, White
260	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
590	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
22	Each	630-G006	Type 3 Object Markers, OM-3R or OM-3L, 2 Markers Per Post, Post Mounted
5,300	Ton	907-411-A001	Ultra Thin Asphalt Pavement
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
			ALTERNATE GROUP AA NUMBER 1
3,880	Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
	Linear Feet Linear Feet		6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White 6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow
160		907-624-C001	
160	Linear Feet	907-624-C001	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow
160 3,560	Linear Feet	907-624-C001 907-624-D002	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow 6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow
160 3,560 3,880	Linear Feet Linear Feet	907-624-C001 907-624-D002 628-H001	<ul> <li>6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow</li> <li>6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow</li> <li>ALTERNATE GROUP AA NUMBER 2</li> </ul>

Traffic Signal Improvements along US 45A, known as State Project No. SP-9999-09(333) / 109156301 in Clay County.

#### PROJECT COMPLETION: MARCH 31, 2023

1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
1	Lump Sum	620-A001	Mobilization
1	Lump Sum	647-A001	Removal of Existing Traffic Signal Equipment
200	Linear Feet	907-637-C028	Traffic Signal Conduit, Underground, Type 4, 2"
200	Linear Feet	907-637-D002	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2"
18	Each	907-641-A002	Signal Stop Bar Radar Vehicle Detection Sensor, Type 2
10	Each	907-641-B002	Signal Advanced Radar Vehicle Detection Sensor, Type 2
4,200	Linear Feet	907-641-D001	Radar Vehicle Detection Cable
20	Square Feet	907-653-B001	Street Name Sign
1	Each	907-662-D002	Radio Interconnect, Broadband, Short Range
1	Each	907-663-A001	Network Switch, Type A

Traffic Signal Improvements along US 61 and SR 713, known as State Project No. SP-9999-09(334) / 109156302 in Tunica County.

#### PROJECT COMPLETION: MARCH 10, 2023

1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
1	Lump Sum	620-A001	Mobilization
1	Lump Sum	647-A001	Removal of Existing Traffic Signal Equipment
5	Each	907-632-D001	Solid State Traffic Actuated Controller, Type 1
200	Linear Feet	907-637-C028	Traffic Signal Conduit, Underground, Type 4, 2"
200	Linear Feet	907-637-D002	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2"
35	Each	907-641-A002	Signal Stop Bar Radar Vehicle Detection Sensor, Type 2
10	Each	907-641-B002	Signal Advanced Radar Vehicle Detection Sensor, Type 2
6,070	Linear Feet	907-641-D001	Radar Vehicle Detection Cable

Traffic Signal Improvements along US 61 and US 82, known as State Project No. SP-9999-09(335) / 1091563030 & 3031 in Bolivar & Sunflower Counties.

#### PROJECT COMPLETION: APRIL 14, 2023

1	Lump Sum	618-A001	Maintenance of Traffic
2	Square Feet	618-B001	Additional Construction Signs
1	Lump Sum	620-A001	Mobilization
1	Lump Sum	647-A001	Removal of Existing Traffic Signal Equipment
8	Each	907-632-D001	Solid State Traffic Actuated Controller, Type 1
200	Linear Feet	907-637-C028	Traffic Signal Conduit, Underground, Type 4, 2"
200	Linear Feet	907-637-D002	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2"
44	Each	907-641-A002	Signal Stop Bar Radar Vehicle Detection Sensor, Type 2
4	Each	907-641-B002	Signal Advanced Radar Vehicle Detection Sensor, Type 2
5,535	Linear Feet	907-641-D001	Radar Vehicle Detection Cable

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Contractors may request permission to bid online at <u>http://shopmdot.ms.gov</u> at no cost. Upon approval, contractors shall be eligible to submit a bid using Bid Express at <u>http://bidx.com</u>. Specimen proposals may be viewed and downloaded online at no cost at <u>http://mdot.ms.gov</u> or purchased online at <u>http://shopmdot.ms.gov</u> at a cost of Ten Dollars (\$10.00) per proposal plus a small convenience fee. <u>Cash or checks will not be accepted as payment</u>.

Plans must be purchased online at https://shopmdot.ms.gov. Costs of plans will be on a cost per sheet basis plus a small convenience fee. You can contact the MDOT Plans Print Shop at Telephone No. (601) 359-7460 or e-mail at plans@mdot.state.ms.us. Plans will be shipped on receipt of payment. Cash or checks will not be accepted as payment.

Bid bond, signed or countersigned by a Mississippi Resident Agent or qualified non-resident agent, with Power of Attorney attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

BRAD WHITE EXECUTIVE DIRECTOR