Proposal & Plan Sales Will Begin on July 5, 2022



MISSISSIPPI DEPARTMENT OF TRANSPORTATION

Notice to Contractors

Letting Date For July - July 27, 2022

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

NOTICE TO CONTRACTORS

LETTING DATE FOR JULY - Wednesday, July 27, 2022

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List is available online at mdot.ms.gov

PROPOSAL AND PLAN SALES WILL BEGIN ON JULY 5, 2022

Proposals must be purchased online at: https://shopmdot.ms.gov
For Information Please Contact:
Contract Administration Division

Jackson, MS

Telephone: (601) 359-7700

Plans must be purchased online at: https://shopmdot.ms.gov For Information Please Contact: MDOT Plans Print Shop Jackson, MS Telephone: (601) 359-7460


Telephone: (601) 359-7460 e-mail: plans@mdot.state.ms.us

Electronic bids will be received by the Mississippi Transportation Commission at 10:00 o'clock A.M., Wednesday, July 27, 2022; from the Bid Express Service and shortly thereafter, bids will be publicly read in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

LIST OF CONTRACTS FOR JULY

	CALL	CONTRACT	COUNTY
	01	NH-0008-02(118)/108370301 & NH-0008- 02(122)/108370301	SIMPSON
	02	NHPP-0020-01(265)/108870301	RANKIN
	03	SP-0044-01(031)/108648301 & HSIP-0044- 01(033)/109026301 & HSIP-0044- 01(033)/109026302	PRENTISS, UNION, PRENTISS
*	04	IM-0055-01(120)/108586301	COPIAH
	05	IM-0055-03(096)/108589301	CARROLL
*	06	SP-0016-02(043)/108948301	GRENADA
	07	SP-0016-03(029)/108894301	CHICKASAW
*	80	SP-0024-02(035)/108997301	MADISON
*	09	SP-0848-00(022)/108945301	LAFAYETTE
	10	MP-1004-17(005)/307872301	TISHOMINGO
	11	MP-1395-80(006)/306965301 & MP-1393- 80(002)/306965302 & MP-1490- 80(004)/306965303	WINSTON
*	12	SP-2791-00(009)/108265301	YALOBUSHA
*	13	MP-7149-64(005)/307529301	SIMPSON
	14	SP-9483-00(002)/108197301	LEE

^{*} No plans except Standard Drawings



Mill & Overlay approximately 10 miles of US 49 from Magee to Mendenhall & Intersection Improvements along US 49 from Goodwater Rd. to 1st Ave., known as Federal Aid Project Nos. NH-0008-02(118) / 1083703010 & NH-0008-02(122) / 1083703011 in Simpson County.

PROJECT COMPLETION: 280 Working Days

3,034	Square Yard	202-B006	Removal of Asphalt Paved Shoulders, All Depths
28	Square Yard	202-B059	Removal of Concrete Median & Island Pavement, All Depths
107	Square Yard	202-B069	Removal of Concrete Pavement w/ Variable Depth Overlay
142	Linear Feet	202-B089	Removal of Curb &/or Curb and Gutter, All Types
7,480	Linear Feet	202-B150	Removal of Guard Rail Including Post, Blockouts & Hardware
6,306	Square Yard	202-B188	Removal of Pavement, All Types and Depths
386	Linear Feet	202-B191	Removal of Pipe, 8" And Above
2,092	Linear Feet	202-B240	Removal of Traffic Stripe
5	Mile	202-B241	Removal of Traffic Stripe
1,450	Cubic Yard	203-A002	Unclassified Excavation, LVM, AH
1,100	Cubic Yard	203-EX040	Borrow Excavation, AH, LVM, Class B9
372	Cubic Yard	203-G002	Excess Excavation, LVM, AH
871	Cubic Yard	206-A001	Structure Excavation
8,796	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
2	Ton	213-C001	Superphosphate
16,243	Square Yard	216-A001	Solid Sodding
324	Thousand Gallon	219-A001	Watering
3	Acre	220-A001	Insect Pest Control
64	Cubic Yard	221-A001	Concrete Paved Ditch
3	Acre	226-A001	Temporary Grassing
4,039	Cubic Yard	304-A008	Granular Material, LVM, Class 6, Group D
55	Ton	403-A004	19-mm, HT, Asphalt Pavement
2,492	Ton	403-A006	19-mm, ST, Asphalt Pavement
14,685	Ton	403-A015	9.5-mm, ST, Asphalt Pavement

29,081	Ton 403-D0	007	9.5-mm, HT, Asphalt Pavement, Polymer Modified
467,427	Square Yard 406-D0	001	Fine Milling of Bituminous Pavement, All Depths
40,001	Gallon 407-A0	001	Asphalt for Tack Coat
1,608	Linear Feet 413-E0	001	Sawing and Sealing Transverse Joints in Asphalt Pavement
31	Mile 423-A0	001	Rumble Strips, Ground In
107	Square Yard 503-A0	001	8" and Variable Continuously Reinforced Concrete Pavement, Broom Finish
40	Linear Feet 503-B0	001	Saw Cut, Longitudinal Joints
15,808	Linear Feet 503-C0	010	Saw Cut, Full Depth
18	Cubic Yard 503-D0	001	Concrete for Base Repair
112	Each 503-E0	002	Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted
19	Cubic Yard 601-B0	001	Class "B" Structural Concrete, Minor Structures
1,443	Pounds 602-A0	001	Reinforcing Steel
1,856	Linear Feet 603-CA0	011	18" Reinforced Concrete Pipe, Class III
1	Each 603-CB0	004	24" Reinforced Concrete End Section
3	Each 603-SB0)12	18" Branch Connections, Stub into Box Culvert
2,684	Pounds 604-A0	001	Castings
			Castings Gratings
2,950	Pounds 604-B0	001	
2,950 7,123	Pounds 604-B0 Linear Feet 606-B0	001	Gratings
2,950 7,123	Pounds 604-B0 Linear Feet 606-B0 Each 606-C0	001 002 003	Gratings Guard Rail, Class A, Type 1, 'W' Beam
2,950 7,123 10 6	Pounds 604-B0 Linear Feet 606-B0 Each 606-D0	001 002 003 005	Gratings Guard Rail, Class A, Type 1, 'W' Beam Guard Rail, Cable Anchor, Type 1
2,950 7,123 10 6 2	Pounds 604-B0 Linear Feet 606-B0 Each 606-D0	001 002 003 005 022	Gratings Guard Rail, Class A, Type 1, 'W' Beam Guard Rail, Cable Anchor, Type 1 Guard Rail, Bridge End Section, Type A Guard Rail, Bridge End Section, Type I
2,950 7,123 10 6 2	Pounds 604-B0 Linear Feet 606-B0 Each 606-C0 Each 606-D0 Each 606-D0	001 002 003 005 022	Gratings Guard Rail, Class A, Type 1, 'W' Beam Guard Rail, Cable Anchor, Type 1 Guard Rail, Bridge End Section, Type A Guard Rail, Bridge End Section, Type I
2,950 7,123 10 6 2 8	Pounds 604-B0 Linear Feet 606-B0 Each 606-C0 Each 606-D0 Each 606-D0 Each 606-D0 Each 606-E0	0001 0002 0003 0005 0022 0005	Gratings Guard Rail, Class A, Type 1, 'W' Beam Guard Rail, Cable Anchor, Type 1 Guard Rail, Bridge End Section, Type A Guard Rail, Bridge End Section, Type I Guard Rail, Terminal End Section, Flared
2,950 7,123 10 6 2 8 6	Pounds 604-B0 Linear Feet 606-B0 Each 606-D0 Each 606-D0 Each 606-D0 Each 606-E0 Each 606-E0	001 002 003 005 022 005 007	Gratings Guard Rail, Class A, Type 1, 'W' Beam Guard Rail, Cable Anchor, Type 1 Guard Rail, Bridge End Section, Type A Guard Rail, Bridge End Section, Type I Guard Rail, Terminal End Section, Flared Guard Rail, Terminal End Section, Non-Flared
2,950 7,123 10 6 2 8 6 6 3,732	Pounds 604-B0 Linear Feet 606-B0 Each 606-C0 Each 606-D0 Each 606-D0 Each 606-E0 Each 606-E0 Each 606-G0 Each 606-G0	001 002 003 005 022 005 007 001	Gratings Guard Rail, Class A, Type 1, 'W' Beam Guard Rail, Cable Anchor, Type 1 Guard Rail, Bridge End Section, Type A Guard Rail, Bridge End Section, Type I Guard Rail, Terminal End Section, Flared Guard Rail, Terminal End Section, Non-Flared Special Sections, Bridge Connector
2,950 7,123 10 6 2 8 6 3,732 251	Pounds 604-B0 Linear Feet 606-B0 Each 606-C0 Each 606-D0 Each 606-D0 Each 606-E0 Each 606-E0 Each 606-G0 Linear Feet 609-D0	001 002 003 005 022 005 007 001 004	Gratings Guard Rail, Class A, Type 1, 'W' Beam Guard Rail, Cable Anchor, Type 1 Guard Rail, Bridge End Section, Type A Guard Rail, Bridge End Section, Type I Guard Rail, Terminal End Section, Flared Guard Rail, Terminal End Section, Non-Flared Special Sections, Bridge Connector Combination Concrete Curb and Gutter Type 2 Modified
2,950 7,123 10 6 2 8 6 3,732 251 903	Pounds 604-B0 Linear Feet 606-B0 Each 606-C0 Each 606-D0 Each 606-D0 Each 606-E0 Each 606-E0 Each 606-G0 Linear Feet 609-D0 Square Yard 616-A0	001 002 003 005 022 005 007 001 004 001	Gratings Guard Rail, Class A, Type 1, 'W' Beam Guard Rail, Cable Anchor, Type 1 Guard Rail, Bridge End Section, Type A Guard Rail, Bridge End Section, Type I Guard Rail, Terminal End Section, Flared Guard Rail, Terminal End Section, Non-Flared Special Sections, Bridge Connector Combination Concrete Curb and Gutter Type 2 Modified Concrete Median and/or Island Pavement, 10-inch
2,950 7,123 10 6 2 8 6 3,732 251 903 1	Pounds 604-B0 Linear Feet 606-B0 Each 606-C0 Each 606-D0 Each 606-B0 Each 606-E0 Each 606-B0 Each 606-B0 Each 606-B0 Square Feet 609-D0 Square Yard 616-A0 Square Yard 616-A0	001 002 003 005 022 005 007 001 004 001	Gratings Guard Rail, Class A, Type 1, 'W' Beam Guard Rail, Cable Anchor, Type 1 Guard Rail, Bridge End Section, Type A Guard Rail, Bridge End Section, Type I Guard Rail, Terminal End Section, Flared Guard Rail, Terminal End Section, Non-Flared Special Sections, Bridge Connector Combination Concrete Curb and Gutter Type 2 Modified Concrete Median and/or Island Pavement, 10-inch Concrete Median and/or Island Pavement, 4-inch

20	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
26	Mile	619-A3001	Temporary Traffic Stripe, Skip White
138,419	Linear Feet 6	619-A5001	Temporary Traffic Stripe, Detail
2,314	Square Feet 6	619-A6001	Temporary Traffic Stripe, Legend
9,459	Linear Feet 6	619-A6002	Temporary Traffic Stripe, Legend
12,568	Linear Feet	619-F1001	Concrete Median Barrier, Precast
8	Each 6	619-G7001	Warning Lights, Type "B"
10	Each	619-J1006	Impact Attenuator, 55 MPH
3	Each	619-J2006	Impact Attenuator, 55 MPH, Replacement Package
1	Lump Sum	620-A001	Mobilization
21	Mile	626-A001	6" Thermoplastic Double Drop Traffic Stripe, Skip White
16	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
15	Mile	626-F001	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
3,410	Linear Feet	626-F002	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
84,787	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
53,632	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
2,314	Square Feet	626-H004	Thermoplastic Legend, White
9,459	Linear Feet	626-H005	Thermoplastic Legend, White
2,474	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
4,137	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
635	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
132	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
35	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
189	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
195	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
62	Each	630-F002	Delineators, Flexible Post Mounted, Crossover, Type I, Yellow
206	Each	630-F006	Delineators, Guard Rail, White
28	Each	630-F007	Delineators, Guard Rail, Yellow
167	Linear Feet	630-K001	Welded & Seamless Steel Pipe Posts, 3 1/2"
10	Each	635-A059	Traffic Signal Head, Type 1

4	Each	635-A065	Traffic Signal Head, Type 2 FYA
2	Each	635-A070	Traffic Signal Head, Type 3
1	Lump Sum	647-A001	Removal of Existing Traffic Signal Equipment
1	Lump Sum	699-A001	Roadway Construction Stakes
13,492	Gallon	907-410-D001	Asphalt for Rejuvenating Fog Seal, Grade CMS-1PF
1	Each	907-604-PP001	Modify Existing Inlet, Per Plans
2	Each	907-619-E3001	Changeable Message Sign
1	Each	907-632-C001	Modify Existing Traffic Signal Cabinet Assembly
2	Each	907-632-D001	Solid State Traffic Actuated Controller, Type 1
1	Each	907-632-G001	Malfunction Management Unit
780	Linear Feet	907-636-C009	Electric Cable, Aerial Supported, IMSA 20-1, AWG 14, 8 Conductor
80	Linear Feet	907-637-C028	Traffic Signal Conduit, Underground, Type 4, 2"
9	Each	907-641-A002	Signal Stop Bar Radar Vehicle Detection Sensor, Type 2
6	Each	907-641-B002	Signal Advanced Radar Vehicle Detection Sensor, Type 2
2,850	Linear Feet	907-641-D001	Radar Vehicle Detection Cable
3	Each	907-662-D002	Radio Interconnect, Broadband, Short Range
2	Each	907-663-A001	Network Switch, Type A
520	Hours	907-906001	Trainees
			ALTERNATE GROUP AA NUMBER 1
3,693	Ton	304-F001	3/4" and Down Crushed Stone Base
			ALTERNATE GROUP AA NUMBER 2
3,693	Ton	304-F002	Size 610 Crushed Stone Base
			ALTERNATE GROUP AA NUMBER 3
3,693	Ton	304-F003	Size 825B Crushed Stone Base

Bridge Preservation on I-20 Ramp over Kansas City Southern Railroad / County Road 47.4 (Bridge No. 26), known as Federal Aid Project No. NHPP-0020-01(265) / 108870301 in Rankin County.

PROJECT COMPLETION: 102 Working Days

1	Lump Sum	618-A001	Maintenance of Traffic
24	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
48	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
12	Linear Feet	619-G4001	Barricades, Type III, Double Faced
24	Linear Feet	619-G4005	Barricades, Type III, Single Faced
1	Lump Sum	620-A001	Mobilization
2	Each	907-619-E3001	Changeable Message Sign
1	Lump Sum	907-899-A001	Railway-Highway Provisions
			Bridge Items
204	Linear Feet	907-823-A001	Bridge Items Preformed Joint Seal, Type I
	Linear Feet Linear Feet		_
102		907-823-A002	Preformed Joint Seal, Type I
102 403	Linear Feet	907-823-A002 907-823-B001	Preformed Joint Seal, Type I Preformed Joint Seal, Type II
102 403 202	Linear Feet	907-823-A002 907-823-B001 907-823-B002	Preformed Joint Seal, Type I Preformed Joint Seal, Type II Saw Cut, Type I
102 403 202 8	Linear Feet Linear Feet Linear Feet	907-823-A002 907-823-B001 907-823-B002 907-824-PP003	Preformed Joint Seal, Type I Preformed Joint Seal, Type II Saw Cut, Type I Saw Cut, Type II

Safety Improvements on approximately 19 miles of SR 30 from SR 15 to the Prentiss County Line, & Mill, Overlay & Safety Improvements on approximately 6 miles of SR 30 from the Union County Line to SR 145, known as Federal Aid Project Nos. HSIP-0044-01(033) / 109026301 & 302 & State Project No. SP-0044-01(031) / 108648301 in Union & Prentiss Counties.

PROJECT COMPLETION: 161 Working Days

281	Station	201-D001	Random Clearing
117	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
30	Each	202-B215	Removal of Sign Including Post & Footing
41	Cubic Yard	203-G001	Excess Excavation, FM, AH
120	Square Yard	209-A009	Geotextile Stabilization, Type VII, Non-Woven
610	Cubic Yard	304-A002	Granular Material, LVM, Class 3, Group C
8,850	Ton	403-A014	9.5-mm, MT, Asphalt Pavement
7,400	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
7,600	Gallon	407-A001	Asphalt for Tack Coat
36	Mile	423-A001	Rumble Strips, Ground In
210	Linear Feet	503-C010	Saw Cut, Full Depth
1	Lump Sum	618-A001	Maintenance of Traffic
3	Square Feet	618-B001	Additional Construction Signs
26	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
18	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
8	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
5,050	Linear Feet 6	619-A5001	Temporary Traffic Stripe, Detail
1,430	Linear Feet 6	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
36	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
13	Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
4	Mile	626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
9	Mile	626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
22	Mile	626-F001	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow

2,400	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
1,410	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
1,900	Linear Feet	626-H005	Thermoplastic Legend, White
1,466	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
3,226	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
4,052	Each	627-M001	One-Way Clear Reflective High Performance Raised Markers
559	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
1,201	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
145	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
1,035	Linear Feet	630-C001	Square Tube Posts, 4.0 lb/ft
2,805	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
435	Each	630-F010	Delineators, Post Mounted, Double White
44	Each	630-G003	Type 3 Object Markers, OM-3L, Post Mounted
61	Each	630-G007	Type 3 Object Markers, OM-3R, Post Mounted
120	Square Yard	907-204-A003	Geogrid, Type II, Biaxial
81,500	Square Yard	907-414-A001	Scrub Seal
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
410	Square Feet	907-630-PP002	Roadside Directional Signs, Sheet Aluminum, 0.125" Thickness, Ground Mounted
			ALTERNATE GROUP AA NUMBER 1
77	Cubic Yard	304-H001	3/4" and Down Crushed Stone Base, LVM
			ALTERNATE GROUP AA NUMBER 2
77	Cubic Yard	304-H002	Size 610 Crushed Stone Base, LVM
			ALTERNATE GROUP AA NUMBER 3
77	Cubic Yard	304-H003	Size 825B Crushed Stone Base, LVM
			ALTERNATE GROUP BB NUMBER 1
13	Mile	907-626-C003	Thermoplastic Audible Edge Stripe
			ALTERNATE GROUP BB NUMBER 2
13	Mile	907-626-C010	Thermoplastic Audible Bump Edge Stripe

CALL No. 04

Shoulder Rehabilitation and Placement of Stripe on approximately 4 miles of I-55 from the beginning of the concrete section south of SR 27 to the Hinds County Line, known as Federal Aid Project No. IM-0055-01(120) / 108586301 in Copiah County.

PROJECT COMPLETION: 94 Working Days

			-
2	Acre	201-B001	Clearing and Grubbing
19	Acre	201-D002	Random Clearing
35	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
373	Square Yard	202-B073	Removal of Concrete Pavement, All Depths
72,000	Linear Feet	202-B240	Removal of Traffic Stripe
250	Cubic Yard	203-EX040	Borrow Excavation, AH, LVM, Class B9
1,200	Cubic Yard	203-G002	Excess Excavation, LVM, AH
1	Ton	213-A001	Agricultural Limestone
2	Acre	225-A001	Grassing
4	Ton	225-C001	Mulch, Vegetative Mulch
100	Linear Feet	237-A002	Wattles, 20"
100	Each	246-B001	Rockbags
1,000	Ton	304-B004	Granular Material, Class 5, Group D
650	Ton	403-A006	19-mm, ST, Asphalt Pavement
3,700	Ton	403-A013	9.5-mm, HT, Asphalt Pavement
5,300	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
5,500	Ton	406-D003	Fine Milling of Bituminous Pavement, All Depths
7,500	Gallon	407-A001	Asphalt for Tack Coat
12	Mile	423-A001	Rumble Strips, Ground In
373	Square Yard	503-A003	9" and Variable Reinforced Concrete Pavement, Broom Finish
300	Linear Feet	503-B001	Saw Cut, Longitudinal Joints
900	Linear Feet	503-C004	Saw Cut, 3-inch
900	Linear Feet	503-C010	Saw Cut, Full Depth
1,000	Each	503-E002	Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted
1	Lump Sum	618-A001	Maintenance of Traffic

1	Square Feet	618-B001	Additional Construction Signs
2	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
2	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
1	Mile	619-A3001	Temporary Traffic Stripe, Skip White
5,000	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
160	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
100	Each	619-G5001	Free Standing Plastic Drums
1	Lump Sum	620-A001	Mobilization
7	Mile	626-A001	6" Thermoplastic Double Drop Traffic Stripe, Skip White
8	Mile	626-B002	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
8	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
8,400	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
5,300	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
160	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
800	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
120	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1	Lump Sum	699-A001	Roadway Construction Stakes
2,000	Linear Feet	907-234-A001	Temporary Silt Fence
2	Each	907-619-E3001	Changeable Message Sign
2	Each	907-630-0001	Remove and Reset Sign Assembly
			ALTERNATE GROUP AA NUMBER 1
800	Ton	304-F001	3/4" and Down Crushed Stone Base
			ALTERNATE GROUP AA NUMBER 2
800	Ton	304-F002	Size 610 Crushed Stone Base
			ALTERNATE GROUP AA NUMBER 3
800	Ton	304-F003	Size 825B Crushed Stone Base

Mill & Overlay approximately 6 miles of I-55 from 0.5 miles south of SR 35 to the Montgomery County Line, known as Federal Project No. IM-0055-03(096) / 108589301 in Carroll County.

PROJECT COMPLETION: 115 Working Days

			Roddwdy Remo
2	Acre	201-D002	Random Clearing
7,656	Linear Feet	202-B150	Removal of Guard Rail Including Post, Blockouts & Hardware
3,300	Linear Feet	202-B240	Removal of Traffic Stripe
1	Ton	213-C001	Superphosphate
500	Square Yard	217-A001	Ditch Liner
2	Acre	220-A001	Insect Pest Control
2	Acre	223-A001	Mowing
2	Acre	225-A001	Grassing
1	Ton	225-B001	Agricultural Limestone
4	Ton	225-C001	Mulch, Vegetative Mulch
2	Acre	226-A001	Temporary Grassing
500	Linear Feet	237-A002	Wattles, 20"
4,500	Ton	304-B002	Granular Material, Class 3, Group D
8,270	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
24	Mile	403-S001	Joint Sealant
285,950	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
47,000	Gallon	407-A001	Asphalt for Tack Coat
1,000	Linear Feet	413-B001	Cleaning and Sealing Joints
1,850	Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
24	Mile	423-A001	Rumble Strips, Ground In
200	Pounds	602-A001	Reinforcing Steel
7,656	Linear Feet	606-B001	Guard Rail, Class A, Type 1
14	Each	606-C003	Guard Rail, Cable Anchor, Type 1
12	Each	606-D005	Guard Rail, Bridge End Section, Type A
25	Each	606-E005	Guard Rail, Terminal End Section, Flared

8	Each	606-E007	Guard Rail, Terminal End Section, Non-Flared
1	Lump Sum		Maintenance of Traffic
	Mile		Temporary Traffic Stripe, Continuous White
51	Mile		Temporary Traffic Stripe, Continuous Yellow
	Mile		Temporary Traffic Stripe, Skip White
	Linear Feet		Temporary Traffic Stripe, Detail
	Square Feet		Standard Roadside Construction Signs, Less than 10 Square Feet
	Square Feet		Standard Roadside Construction Signs, 10 Square Feet or More
	Linear Feet		Barricades, Type III, Double Faced
	Linear Feet		Barricades, Type III, Single Faced
	Lump Sum		Mobilization
	Mile		6" Thermoplastic Double Drop Traffic Stripe, Skip White
	Mile		6" Thermoplastic Double Drop Traffic Stripe, Continuous White
	Mile		6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
·	Linear Feet		Thermoplastic Double Drop Detail Stripe, White
	Linear Feet		Thermoplastic Double Drop Detail Stripe, Yellow
600	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
1,900	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
30	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
164	Each	630-F006	Delineators, Guard Rail, White
83	Each	630-F007	Delineators, Guard Rail, Yellow
72	Each	630-F010	Delineators, Post Mounted, Double White
26	Each	630-F011	Delineators, Post Mounted, Double Yellow
50	Each	630-F012	Delineators, Post Mounted, Single White
14	Each	630-F013	Delineators, Post Mounted, Single Yellow
12	Ton	815-F002	Sediment Control Stone
1,625	Linear Feet	907-234-A001	Temporary Silt Fence
9,700	Ton	907-402-A002	Open Graded Friction Course, 9.5-mm Mixture
13,520	Gallon	907-402-B001	Bituminous Tack Coat
16,400	Ton	907-405-A001	Stone Matrix Asphalt, 9.5 mm Mixture

21,830	Ton	907-405-A002	Stone Matrix Asphalt, 12.5 mm Mixture
12	Each	907-606-PP005	Guard Rail, Bridge Connector, Per Plans
4	Each	907-619-E3001	Changeable Message Sign
3	Cubic Yard	907-824-PP007	Bridge Repair, Concrete End Post

Mill & Overlay approximately 5 miles of SR 8 beginning at SR 7 in the Town of Holcomb to the beginning of the 5-Lane section in the City of Grenada, known as State Project No. SP-0016-02(043) / 108948301 in Grenada County.

PROJECT COMPLETION: 100 Working Days

			Rodaway Romo
50	Square Yard 20	2-B007	Removal of Asphalt Pavement, All Depths
1,002	Linear Feet 20	2-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
78	Each 20	2-B215	Removal of Sign Including Post & Footing
50	Cubic Yard 203	3-G001	Excess Excavation, FM, AH
3,500	Ton 30	4-B002	Granular Material, Class 3, Group D
50	Ton 40	3-A006	19-mm, ST, Asphalt Pavement
8,585	Ton 40	3-A014	9.5-mm, MT, Asphalt Pavement
5,100	Ton 40	3-B011	9.5-mm, MT, Asphalt Pavement, Leveling
103,485	Square Yard 40	6-D001	Fine Milling of Bituminous Pavement, All Depths
21,000	Gallon 40	7-A001	Asphalt for Tack Coat
100	Linear Feet 503	3-C010	Saw Cut, Full Depth
550	Linear Feet 60	6-B002	Guard Rail, Class A, Type 1, 'W' Beam
8	Each 60	6-D005	Guard Rail, Bridge End Section, Type A
8	Each 60	6-E001	Guard Rail, Terminal End Section
1	Lump Sum 61	8-A001	Maintenance of Traffic
1	Square Feet 61	8-B001	Additional Construction Signs
33	Mile 619	-A1001	Temporary Traffic Stripe, Continuous White
12	Mile 619	-A2001	Temporary Traffic Stripe, Continuous Yellow
14	Mile 619	-A4002	Temporary Traffic Stripe, Skip Yellow
4,100	Linear Feet 619	-A5001	Temporary Traffic Stripe, Detail
1,339	Linear Feet 619	-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum 62	0-A001	Mobilization
11	Mile 62	6-B002	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
5	Mile 62	6-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
4	Mile 62	6-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow

2,750	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
1,355	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
81	Square Feet	626-H001	Thermoplastic Double Drop Legend, White
1,339	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
310	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
601	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
136	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
236	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
165	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
135	Linear Feet	630-C001	Square Tube Posts, 4.0 lb/ft
1,014	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
44	Each	630-F006	Delineators, Guard Rail, White
45	Each	630-G004	Type 3 Object Markers, OM-3R or OM-3L
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
			ALTERNATE GROUP AA NUMBER 1
50	Ton	304-F001	3/4" and Down Crushed Stone Base
			ALTERNATE GROUP AA NUMBER 2
50	Ton	304-F002	Size 610 Crushed Stone Base
			ALTERNATE GROUP AA NUMBER 3
50	Ton	304-F003	Size 825B Crushed Stone Base

Mill & Overlay approximately 3 miles of SR 8 from SR 15 to the end of the 3-Lane Section at TR Regional, known as State Project No. SP-0016-03(029) / 108894301 in Chickasaw County.

PROJECT COMPLETION: 114 Working Days

			-
28	Square Yard	202-B004	Removal of Asphalt Driveways, All Depths
45	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
22	Square Yard	202-B059	Removal of Concrete Median & Island Pavement, All Depths
27	Square Yard 2	202-B063	Removal of Concrete Paved Ditch
82	Linear Feet 2	202-B089	Removal of Curb &/or Curb and Gutter, All Types
69	Square Feet 2	202-B172	Removal of Legend, All Types
2,568	Linear Feet 2	202-B240	Removal of Traffic Stripe
16	Cubic Yard 20	03-EX020	Borrow Excavation, AH, FME, Class B9
44	Cubic Yard 2	203-G001	Excess Excavation, FM, AH
30	Cubic Yard	206-A001	Structure Excavation
16	Cubic Yard 2	206-B001	Select Material for Undercuts, Contractor Furnished, FM
277	Square Yard	216-A001	Solid Sodding
4	Cubic Yard 2	221-A001	Concrete Paved Ditch
1,471	Cubic Yard 3	304-A003	Granular Material, LVM, Class 3, Group D
9,707	Ton	403-A014	9.5-mm, MT, Asphalt Pavement
123,718	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
10,516	Gallon	407-A001	Asphalt for Tack Coat
3	Mile	423-A001	Rumble Strips, Ground In
76	Linear Feet 5	503-C010	Saw Cut, Full Depth
2	Cubic Yard 6	601-B001	Class "B" Structural Concrete, Minor Structures
71	Pounds	602-A001	Reinforcing Steel
96	Linear Feet 60	3-CE002	22" x 13" Concrete Arch Pipe, Class A III
1	Each 60	03-CF002	22" x 13" Concrete Arch Pipe End Section
244	Pounds	604-A001	Castings
200	Pounds	604-B001	Gratings

82	Linear Feet	609-D003	Combination Concrete Curb and Gutter Type 2
22	Square Yard	616-A004	Concrete Median and/or Island Pavement, 4-inch
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
14	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
13	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
2	Mile	619-A3001	Temporary Traffic Stripe, Skip White
8	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
51,840	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
391	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
7,292	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
1	Mile	626-A001	6" Thermoplastic Double Drop Traffic Stripe, Skip White
7	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
5	Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
7	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
12,603	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
13,814	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
200	Square Feet	626-H001	Thermoplastic Double Drop Legend, White
3,646	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
269	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
205	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
4,082	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
19	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
16	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
12	Linear Feet	630-C001	Square Tube Posts, 4.0 lb/ft
24	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
4	Each	630-F002	Delineators, Flexible Post Mounted, Crossover, Type I, Yellow
45	Each	630-F010	Delineators, Post Mounted, Double White
36	Each	630-F011	Delineators, Post Mounted, Double Yellow

36	Each	630-F012	Delineators, Post Mounted, Single White
36	Each	630-F013	Delineators, Post Mounted, Single Yellow
2	Each	907-619-E3001	Changeable Message Sign
2	Each	907-632-C001	Modify Existing Traffic Signal Cabinet Assembly
2	Each	907-632-D001	Solid State Traffic Actuated Controller, Type 1
2	Each	907-632-G001	Malfunction Management Unit
8	Each	907-641-A002	Signal Stop Bar Radar Vehicle Detection Sensor, Type 2
1,200	Linear Feet	907-641-D001	Radar Vehicle Detection Cable
			ALTERNATE GROUP AA NUMBER 1
239	Cubic Yard	304-H001	3/4" and Down Crushed Stone Base, LVM
			ALTERNATE GROUP AA NUMBER 2
239	Cubic Yard	304-H002	Size 610 Crushed Stone Base, LVM
			ALTERNATE GROUP AA NUMBER 3
239	Cubic Yard	304-H003	Size 825B Crushed Stone Base, LVM

Mill & Overlay approximately 3 miles of SR 22 from the Beginning of the 5-Lane Section to US 51, known as State Project No. SP-0024-02(035) / 108997301 in Madison County.

PROJECT COMPLETION: 91 Working Days

			Roadway items
500	Square Yard	202-B009	Removal of Asphalt Pavement, Failed Areas
243	Square Yard	202-B081	Removal of Concrete Sidewalks & Driveways, All Depths
561	Linear Feet	202-B089	Removal of Curb &/or Curb and Gutter, All Types
470	Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
50	Cubic Yard	203-G001	Excess Excavation, FM, AH
156	Ton	304-D002	Granular Material, Crushed Stone
10	Ton	310-B001	Size I Stabilizer Aggregate, Coarse
10,770	Ton	403-A014	9.5-mm, MT, Asphalt Pavement
50	Ton	403-B002	12.5-mm, MT, Asphalt Pavement, Leveling
130,000	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
11,000	Gallon	407-A001	Asphalt for Tack Coat
300	Linear Feet	503-C010	Saw Cut, Full Depth
320	Linear Feet	606-B003	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
4	Each	606-D019	Guard Rail, Bridge End Section, Type H
4	Each	606-E007	Guard Rail, Terminal End Section, Non-Flared
243	Square Yard	608-B001	Concrete Sidewalk, With Reinforcement
561	Linear Feet	609-D008	Combination Concrete Curb and Gutter Type 3A
1	Lump Sum	618-A001	Maintenance of Traffic
13	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
12	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
7	Mile	619-A3001	Temporary Traffic Stripe, Skip White
12	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
122,091	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
2,709	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
12,496	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend

26	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
612	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
48	Linear Feet	619-G4001	Barricades, Type III, Double Faced
1	Lump Sum	620-A001	Mobilization
3	Mile	626-A001	6" Thermoplastic Double Drop Traffic Stripe, Skip White
5	Mile	626-B002	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
4	Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
4	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
95	Linear Feet	626-G001	Thermoplastic Detail Stripe, Blue-ADA
25,967	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
14,730	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
2,709	Square Feet	626-H001	Thermoplastic Double Drop Legend, White
6,248	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
652	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
500	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,481	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
23	Each	630-F006	Delineators, Guard Rail, White
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
4	Each	907-632-D001	Solid State Traffic Actuated Controller, Type 1
18	Each	907-641-A002	Signal Stop Bar Radar Vehicle Detection Sensor, Type 2
2,315	Linear Feet	907-641-D001	Radar Vehicle Detection Cable
1	Lump Sum	907-899-A001	Railway-Highway Provisions

Overlay approximately 11 miles of SR 334 from University Avenue to 1.04 miles east of County Road 418, known as State Project No. SP-0848-00(022) / 108945301 in Lafayette County.

PROJECT COMPLETION: 143 Working Days

			Roduway items
2,374	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
572	Square Yard	202-B069	Removal of Concrete Pavement w/ Variable Depth Overlay
2,331	Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
128	Each	202-B215	Removal of Sign Including Post & Footing
1,980	Linear Feet	202-B240	Removal of Traffic Stripe
125	Cubic Yard	203-G001	Excess Excavation, FM, AH
3,150	Ton	304-B002	Granular Material, Class 3, Group D
10,400	Ton	403-A003	12.5-mm, ST, Asphalt Pavement
1,925	Ton	403-A006	19-mm, ST, Asphalt Pavement
7,575	Ton	403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
92,650	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
17,500	Gallon	407-A001	Asphalt for Tack Coat
48,000	Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
5,700	Linear Feet	503-C010	Saw Cut, Full Depth
1,225	Linear Feet	606-B002	Guard Rail, Class A, Type 1, 'W' Beam
20	Each	606-D019	Guard Rail, Bridge End Section, Type H
20	Each	606-E001	Guard Rail, Terminal End Section
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
37	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
31	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
942	Linear Feet	619-A3002	Temporary Traffic Stripe, Skip White
4	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
8,022	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
2,384	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend

1	Lump Sum	620-A001	Mobilization
314	Linear Feet	626-A002	6" Thermoplastic Double Drop Traffic Stripe, Skip White
13	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
2	Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
11	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
5,000	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
3,026	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
870	Square Feet	626-H001	Thermoplastic Double Drop Legend, White
2,384	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
480	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
50	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,086	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
148	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
537	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
272	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
75	Linear Feet	630-C001	Square Tube Posts, 4.0 lb/ft
1,884	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
130	Each	630-F006	Delineators, Guard Rail, White
50	Each	630-G004	Type 3 Object Markers, OM-3R or OM-3L
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
			ALTERNATE GROUP AA NUMBER 1
250	Ton	304-F001	3/4" and Down Crushed Stone Base
	_		ALTERNATE GROUP AA NUMBER 2
250	Ton	304-F002	Size 610 Crushed Stone Base
0.55	T	004 5005	ALTERNATE GROUP AA NUMBER 3
250	Ton	304-F003	Size 825B Crushed Stone Base

Mill & Overlay approximately 10 miles of SR 4 from the Prentiss County Line to SR 25, known as State Project No. MP-1004-17(005) / 307872301 in Tishomingo County.

PROJECT COMPLETION: 96 Working Days

			Roduway items
135	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
26	Each	202-B213	Removal of Sign
4,360	Linear Feet	202-B240	Removal of Traffic Stripe
90	Cubic Yard	203-G001	Excess Excavation, FM, AH
135	Square Yard	209-A009	Geotextile Stabilization, Type VII, Non-Woven
1,350	Cubic Yard	304-A002	Granular Material, LVM, Class 3, Group C
95	Ton	403-A005	19-mm, MT, Asphalt Pavement
10,200	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
123,500	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
9,299	Gallon	407-A001	Asphalt for Tack Coat
14	Mile	423-A001	Rumble Strips, Ground In
202	Linear Feet	503-C010	Saw Cut, Full Depth
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
27	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
22	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
5	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
1,450	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,132	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
15	Mile	626-B004	6" Thermoplastic Traffic Stripe, Continuous White
5	Mile	626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
8	Mile	626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
4,465	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
1,414	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow

1,132	Linear Feet	626-H005	Thermoplastic Legend, White
428	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
935	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
210	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
351	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
28	Each	630-F006	Delineators, Guard Rail, White
135	Square Yard	907-204-A003	Geogrid, Type II, Biaxial
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
			ALTERNATE GROUP AA NUMBER 1
135	Cubic Yard	304-H001	3/4" and Down Crushed Stone Base, LVM
			ALTERNATE GROUP AA NUMBER 2
135	Cubic Yard	304-H002	Size 610 Crushed Stone Base, LVM
			ALTERNATE GROUP AA NUMBER 3
135	Cubic Yard	304-H003	Size 825B Crushed Stone Base, LVM
			ALTERNATE GROUP BB NUMBER 1
3,860	Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
1,930	Linear Feet	907-624-C001	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow
			ALTERNATE GROUP BB NUMBER 2
3,860	Linear Feet	628-H001	6" High Performance Cold Plastic Traffic Stripe, Continuous White
1,930	Linear Feet	628-1002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow

Level & Seal approximately 11 miles of SR 395 from the Neshoba County Line to SR 15, approximately 4.6 miles of SR 393 from the Neshoba County Line to SR 490 & approximately 18.2 miles of SR 490 from SR 15 to the EOSM, known as State Project Nos. MP-1395-80(006) / 306965301, MP-1393-80(002) / 306965302 & MP-1490-80(004) / 306965303 in Winston County.

PROJECT COMPLETION: 104 Working Days

630	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
117	Each	202-B215	Removal of Sign Including Post & Footing
295	Cubic Yard	203-G001	Excess Excavation, FM, AH
5,400	Cubic Yard	304-A003	Granular Material, LVM, Class 3, Group D
1,600	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
850	Ton	403-C003	19-mm, ST, Asphalt Pavement, Trench Widening
3,700	Gallon	407-A001	Asphalt for Tack Coat
1,600	Linear Feet	503-C010	Saw Cut, Full Depth
1	Lump Sum	618-A001	Maintenance of Traffic
3	Square Feet	618-B001	Additional Construction Signs
3	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
2	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
1,100	Linear Feet	619-A4001	Temporary Traffic Stripe, Skip Yellow
2,150	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
126	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
950	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
15	Mile	625-B003	Traffic Stripe, Skip Yellow, High Build
63	Mile	625-C004	Traffic Stripe, Continuous White, High Build
46	Mile	625-D004	Traffic Stripe, Continuous Yellow, High Build
9,000	Linear Feet	625-E002	Detail Traffic Stripe, High Build
2,900	Linear Feet	625-F003	Legend, High Build
2	Mile	626-C004	6" Thermoplastic Edge Stripe, Continuous White
1,100	Linear Feet	626-D004	6" Thermoplastic Traffic Stripe, Skip Yellow

2	Mile	626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
1,400	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
600	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
126	Square Feet	626-H004	Thermoplastic Legend, White
950	Linear Feet	626-H005	Thermoplastic Legend, White
3,200	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
280	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
32	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
1,184	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
32	Linear Feet	630-C001	Square Tube Posts, 4.0 lb/ft
1,875	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
178,000	Gallon	907-410-A002	Asphalt for Surface Treatment, Grade CRS-2P
4,650	Cubic Yard	907-410-B001	Seal Aggregate Cover Material, Size 7, Limestone
800	Ton	907-411-A001	Ultra Thin Asphalt Pavement
198	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
250	Linear Feet	907-625-E002	Detail Traffic Stripe, Blue-ADA
6	Each	907-626-H001	Thermoplastic Legend, Blue-ADA Handicap Symbol
1	Lump Sum	907-899-A001	Railway-Highway Provisions

Mill & Overlay approximately 10 miles of SR 32 from SR 315 (Old SR 7) to the Calhoun County Line, known as State Project No. SP-2791-00(009) / 108265301 in Yalobusha County.

PROJECT COMPLETION: 139 Working Days

			Roadway Items
50	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
95	Square Yard	202-B052	Removal of Concrete Driveways, All Depths
186	Each	202-B213	Removal of Sign
900	Linear Feet	202-B240	Removal of Traffic Stripe
50	Cubic Yard	203-G001	Excess Excavation, FM, AH
5,425	Ton	304-B002	Granular Material, Class 3, Group D
15	Ton	304-D004	Granular Material, Size 57
100	Ton	403-A006	19-mm, ST, Asphalt Pavement
14,200	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
2,525	Ton	403-B003	12.5-mm, ST, Asphalt Pavement, Leveling
11,140	Ton	403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
17,300	Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
16,000	Gallon	407-A001	Asphalt for Tack Coat
1,300	Linear Feet	503-C010	Saw Cut, Full Depth
125	Square Yard	605-AA001	Geotextile for Subsurface Drainage, Type III
130	Linear Feet	605-H001	Edge Drain
20	Linear Feet	605-1001	Edge Drain Outlets/Vents
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
45	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
41	Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow
5	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
4,000	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
765	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization

23	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
3	Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
21	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
3,270	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
1,260	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
30	Square Feet	626-H001	Thermoplastic Double Drop Legend, White
765	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
220	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,445	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
164	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
486	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
158	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
2,478	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
188	Each	630-G004	Type 3 Object Markers, OM-3R or OM-3L
1	Lump Sum	699-A001	Roadway Construction Stakes
67,850	Gallon	907-410-A002	Asphalt for Surface Treatment, Grade CRS-2P
1,425	Cubic Yard	907-410-B002	Seal Aggregate Cover Material, Size 89, Limestone
153,050	Square Yard	907-424-A001	Roadbed Reclamation with Cement
2,800	Ton	907-424-B001	Cement
2	Each	907-619-E3001	Changeable Message Sign
			ALTERNATE GROUP AA NUMBER 1
100	Ton	304-F001	3/4" and Down Crushed Stone Base
400	T	004 5000	ALTERNATE GROUP AA NUMBER 2
100	Ton	304-F002	Size 610 Crushed Stone Base
100	Ton	304-F003	ALTERNATE GROUP AA NUMBER 3 Size 825B Crushed Stone Base

Overlay approximately 11 miles of SR 149 from Mendenhall to North of Braxton, known as State Project No. MP-7149-64(005) / 307529301 in Simpson County.

PROJECT COMPLETION: 72 Working Days

1,783	Cubic Yard	304-A008	Granular Material, LVM, Class 6, Group D
8,548	Ton	403-A014	9.5-mm, MT, Asphalt Pavement
15,659	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
27,392	Gallon	407-A001	Asphalt for Tack Coat
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
19	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
13	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
5	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
14,507	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
10,932	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
39	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
9	Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
27	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
246	Linear Feet	626-G001	Thermoplastic Detail Stripe, Blue-ADA
442	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
4,818	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
5,466	Linear Feet	626-H005	Thermoplastic Legend, White
1,174	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
166	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,182	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
3,881	Ton	907-411-A001	Ultra Thin Asphalt Pavement
132	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
2	Each	907-626-H001	Thermoplastic Legend, Blue-ADA Handicap Symbol

Page 31

Mill & Overlay approximately 3 miles of SR 178 from Belden to the beginning of the Concrete Section, known as State Project No. SP-9483-00(002) / 108197301 in Lee County.

PROJECT COMPLETION: 110 Working Days

			Roadway Items
287	Square Yard 202-	-B007	Removal of Asphalt Pavement, All Depths
115	Square Yard 202-	-B069	Removal of Concrete Pavement w/ Variable Depth Overlay
6	Mile 202-	-B241	Removal of Traffic Stripe
135	Cubic Yard 203-	G001	Excess Excavation, FM, AH
1,000	Cubic Yard 304-	-A003	Granular Material, LVM, Class 3, Group D
270	Ton 403-	-A006	19-mm, ST, Asphalt Pavement
11,800	Ton 403-	-A014	9.5-mm, MT, Asphalt Pavement
1,375	Ton 403-	-A015	9.5-mm, ST, Asphalt Pavement
159,400	Square Yard 406-	-A002	Cold Milling of Bituminous Pavement, All Depths
12,000	Gallon 407-	-A001	Asphalt for Tack Coat
455	Linear Feet 503-	C010	Saw Cut, Full Depth
1	Lump Sum 618-	-A001	Maintenance of Traffic
1	Square Feet 618-	-B001	Additional Construction Signs
14	Mile 619-A	A1001	Temporary Traffic Stripe, Continuous White
14	Mile 619-A	A2001	Temporary Traffic Stripe, Continuous Yellow
14	Mile 619-A	A3001	Temporary Traffic Stripe, Skip White
13	Mile 619-A	4002	Temporary Traffic Stripe, Skip Yellow
9,400	Linear Feet 619-A	A5001	Temporary Traffic Stripe, Detail
7,100	Square Feet 619-A	A6001	Temporary Traffic Stripe, Legend
6,660	Linear Feet 619-A	A6002	Temporary Traffic Stripe, Legend
1	Lump Sum 620-	-A001	Mobilization
10	Mile 626-	-A001	6" Thermoplastic Double Drop Traffic Stripe, Skip White
9	Mile 626-	-B002	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
7	Mile 626-	D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
9	Mile 626-	-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow

6,800	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
2,800	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
3,600	Square Feet	626-H001	Thermoplastic Double Drop Legend, White
3,400	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
90	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,850	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
3,115	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
41	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
89	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
113	Linear Feet	630-C001	Square Tube Posts, 4.0 lb/ft
88	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
65	Each	630-F010	Delineators, Post Mounted, Double White
25	Each	630-F011	Delineators, Post Mounted, Double Yellow
25	Each	630-F012	Delineators, Post Mounted, Single White
20	Each	630-F013	Delineators, Post Mounted, Single Yellow
5	Each	630-G003	Type 3 Object Markers, OM-3L, Post Mounted
2	Each	907-619-E3001	Changeable Message Sign
5	Each	907-632-C001	Modify Existing Traffic Signal Cabinet Assembly
4	Each	907-632-D001	Solid State Traffic Actuated Controller, Type 1
3	Each	907-632-G001	Malfunction Management Unit
18	Each	907-641-A002	Signal Stop Bar Radar Vehicle Detection Sensor, Type 2
10	Each	907-641-B002	Signal Advanced Radar Vehicle Detection Sensor, Type 2
5,375	Linear Feet	907-641-D001	Radar Vehicle Detection Cable
			ALTERNATE GROUP AA NUMBER 1
210	Cubic Yard	304-H001	3/4" and Down Crushed Stone Base, LVM
			ALTERNATE GROUP AA NUMBER 2
210	Cubic Yard	304-H002	Size 610 Crushed Stone Base, LVM
			ALTERNATE GROUP AA NUMBER 3
210	Cubic Yard	304-H003	Size 825B Crushed Stone Base, LVM

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Contractors may request permission to bid online at http://shopmdot.ms.gov at no cost. Upon approval, contractors shall be eligible to submit a bid using Bid Express at http://bidx.com. Specimen proposals may be viewed and downloaded online at no cost at http://mdot.ms.gov or purchased online at http://shopmdot.ms.gov at a cost of Ten Dollars (\$10.00) per proposal plus a small convenience fee. Cash or checks will not be accepted as payment.

Plans must be purchased online at https://shopmdot.ms.gov. Costs of plans will be on a cost per sheet basis plus a small convenience fee. You can contact the MDOT Plans Print Shop at Telephone No. (601) 359-7460 or e-mail at plans@mdot.state.ms.us. Plans will be shipped on receipt of payment. Cash or checks will not be accepted as payment.

Bid bond, signed or countersigned by a Mississippi Resident Agent or qualified non-resident agent, with Power of Attorney attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

BRAD WHITE EXECUTIVE DIRECTOR