SECTION 905 -- PROPOSAL (CONTINUED)

I (We) hereby certify by digital signature and electronic submission via Bid Express of the Section 905 proposal below, that all certifications, disclosures and affidavits incorporated herein are deemed to be duly executed in the aggregate, fully enforceable and binding upon delivery of the bid proposal. I (We) further acknowledge that this certification shall not extend to the bid bond or alternate security which must be separately executed for the benefit of the Commission. This signature does not cure deficiencies in any required certifications, disclosures and/or affidavits. I (We) also acknowledge the right of the Commission to require full and final execution on any certification, disclosure or affidavit contained in the proposal at the Commission's election upon award. Failure to so execute at the Commission's request within the time allowed in the Standard Specifications for execution of all contract documents will result in forfeiture of the bid bond or alternate security.

Bidder acknowledges receipt of and has added to and made a part of the proposal and contract documents the following addendum (addenda): 8/17/2022 DATED ADDENDUM NO. ADDENDUM NO. DATED ADDENDUM NO. DATED ADDENDUM NO **DATED** DATED ADDENDUM NO **DATED** ADDENDUM NO. Number TOTAL ADDENDA: Description (Must agree with total addenda issued prior to opening of bids) Revised Table of Contents; Added Notice To Bidders No. 4419; Revised Bid Items; Amendment EBSx Download Required. Respectfully Submitted, DATE Contractor Signature TITLE ADDRESS CITY, STATE, ZIP ____ FAX E-MAIL (To be filled in if a corporation) Our corporation is chartered under the Laws of the State of and the names, titles and business addresses of the executives are as follows: Address President Secretary Treasurer Address

The following is my (our) itemized proposal.

NHPP-0003-01(206)/ 108684301000

Hancock County(ies)

Revised 01/26/2016

MISSISSIPPI DEPARTMENT OF TRANSPORTATION TABLE OF CONTENTS

PROJECT: NHPP-0003-01(206)/108684301 - Hancock

Section 901 - Advertisement

| Section 904 - Notice to | 2 Biddars |
|-------------------------|---|
| #1 | Governing Specification, w/ Supplement |
| #2 | Status of ROW, w/ Attachments |
| #3 | Final Cleanup |
| #9 | Federal Bridge Formula |
| #13 | Safety Edge |
| #13 | Tack Coat |
| #296 | Reduced Speed Limit Signs |
| #445 | Mississippi Agent or Qualified Nonresident Agent |
| #516 | Errata and Modifications to the 2017 Standard Specifications |
| #1225 | Early Notice to Proceed |
| #1226 | Material Storage Under Bridges |
| #1241 | Fuel and Material Adjustments |
| #2206 | MASH Compliant Devices |
| #2273 | Mississippi Special Fuel Tax Law |
| #2611 | Disadvantaged Business Enterprise In Federal-Aid Highway Construction, w/ |
| #2011 | Supplement |
| #2782 | DBE Pre-Bid Meeting |
| #2954 | Reflective Sheeting for Signs |
| #3599 | Standard Drawings |
| #3676 | Asphalt Gyratory Compactor Internal Angle Calibration |
| #4416 | Contract Time |
| #4417 | Specialty Items |
| #4418 | Scope of Work |
| #4419 | Pay Item Correction |
| # 44 17 | Tay Item Correction |
| 906 | Required Federal Contract Provisions FHWA 1273, w/Supplements |
| Section 907 - Special 1 | Provisions |
| 907-102-2 | Bidding Requirements and Conditions |
| 907-105-1 | Authority of the Engineer |
| 907-108-4 | Subletting of Contract |
| 907-109-4 | Measurement and Payment |
| 907-411-1 | Material Transfer Equipment |
| 907-618-4 | Additional Signing Requirements, w/Supplement |
| 907-624-1 | Inverted Profile Thermoplastic Traffic Stripe |
| 907-701-3 | Hydraulic Cement |
| 907-702-4 | Bituminous Materials |
| 907-703-1 | Gradation |
| 907-705-1 | Stone Riprap |
| 907-707-3 | Joint Materials |
| 907-711-2 | Plain Steel Wire |
| 907-712-1 | Fence and Guardrail |

PROJECT: NHPP-0003-01(206)/108684301 - Hancock

| 907-714-3 | Miscellaneous Materials |
|-----------|--------------------------------------|
| 907-718-1 | Timber and Dimension Lumber |
| 907-720-2 | Acceptance Procedure for Glass Beads |
| 907-721-4 | Materials for Signing |
| | |

Section 905 - Proposal, Proposal Bid Items, Combination Bid Proposal Certification of Performance - Prior Federal-Aid Contracts
Certification Regarding Non-Collusion, Debarment and Suspension
SAM.GOV Registration and Unique Entity ID
Section 902 - Contract Form
Section 903 - Contract Bond Forms

Training Special Provisions

Form -- OCR-485

906-8

Progress Schedule

(REVISIONS TO THE ABOVE WILL BE INDICATED ON THE SECOND SHEET OF SECTION 905 AS ADDENDA)

08/17/2022 09:24 AM

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

SECTION 904 - NOTICE TO BIDDERS NO. 4419 CODE: (SP)

DATE: 8/17/2022

SUBJECT: Pay Item Correction

PROJECT: NHPP-0003-01(206) / 108684301 – Hancock County

Bidders are hereby advised of the following.

Notice to Bidders No. 4418, entitled "Scope of Work" refers to HT asphalt pavement to be placed on this project. This is in error.

Anywhere in the proposal documents HT asphalt pavement is shown, it will be understood to mean **MT asphalt pavement**. All references to HT asphalt pavement are to be disregarded.

The Bid Sheets have been revised to reflect this change.

Overlay approximately 5 miles of US 90 from Rifle Range Road to Lower Bay Road, known as Federal Aid Project No. NHPP-0003-01(206) / 108684301 in Hancock County.

| Line No. | Item Code | Adj Code | Quantity Roadv | Units vay Items | Description [Fixed Unit Price] |
|----------|-----------|----------|-------------------|--------------------|--|
| 0010 | 202-B068 | | 350 | Square Yard | Removal of Concrete Pavement Punchouts, 9" Depth |
| 0020 | 202-B240 | | 930 | Linear Feet | Removal of Traffic Stripe |
| 0030 | 203-EX012 | (E) | 10 | Cubic Yard | Borrow Excavation, AH, FME, Class B3 |
| 0040 | 203-G001 | (E) | 150 | Cubic Yard | Excess Excavation, FM, AH |
| 0050 | 209-A004 | | 195 | Square Yard | Geotextile Stabilization, Type V |
| 0060 | 304-F003 | (GT) | 7,300 | Ton | Size 825B Crushed Stone Base |
| 0070 | 403-A005 | (BA1) | 100 | Ton | 19-mm, MT, Asphalt Pavement |
| 0800 | 403-A014 | (BA1) | 11,500 | Ton | 9.5-mm, MT, Asphalt Pavement |
| 0090 | 403-A015 | (BA1) | 10,500 | Ton | 9.5-mm, ST, Asphalt Pavement |
| 0100 | 403-B002 | (BA1) | 11,500 | Ton | 12.5-mm, MT, Asphalt Pavement, Leveling |
| 0110 | 403-B003 | (BA1) | 2,800 | Ton | 12.5-mm, ST, Asphalt Pavement, Leveling |
| 0120 | 403-B012 | (BA1) | 1,500 | Ton | 9.5-mm, ST, Asphalt Pavement, Leveling |
| 0130 | 406-A002 | | 3,250 | Square Yard | Cold Milling of Bituminous Pavement, All Depths |
| 0140 | 407-A001 | (A2) | 30,000 | Gallon | Asphalt for Tack Coat |
| 0150 | 413-E001 | | 28,100 | Linear Feet | Sawing and Sealing Transverse Joints in Asphalt Pavement |
| 0160 | 423-A001 | | 17 | Mile | Rumble Strips, Ground In |
| 0170 | 501-D001 | | 22 | Linear Feet | Expansion Joints, With Dowels |
| 0180 | 501-G001 | | 80 | Each | Dowels, Drilled and Installed |
| 0190 | 503-A003 | (C) | 147 | Square Yard | 9" and Variable Reinforced Concrete Pavement, Broom Finish |
| 0200 | 503-B001 | | 200 | Linear Feet | Saw Cut, Longitudinal Joints |
| 0210 | 503-C009 | | 176 | Linear Feet | Saw Cut, 9-inch |
| 0220 | 503-E002 | | 56 | Each | Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted |
| 0230 | 618-A001 | | 1 | Lump Sum | Maintenance of Traffic |
| 0240 | 618-B001 | | 1 | Square Feet | Additional Construction Signs [\$10.00] |
| 0250 | 619-A1001 | | 34 | Mile | Temporary Traffic Stripe, Continuous White |
| 0260 | 619-A2001 | | 16 | Mile | Temporary Traffic Stripe, Continuous Yellow |
| 0270 | 619-A3001 | | 10 | Mile | Temporary Traffic Stripe, Skip White |
| 0280 | 619-A4002 | | 4 | Mile | Temporary Traffic Stripe, Skip Yellow |
| 0290 | 619-A5001 | | 2,400 | Linear Feet | Temporary Traffic Stripe, Detail |
| 0300 | 619-A6002 | | 2,600 | Linear Feet | Temporary Traffic Stripe, Legend |
| 0310 | 619-F3001 | | 18 | Each | Delineators, Guard Rail, White |
| 0320 | 619-F3002 | | 18 | Each | Delineators, Guard Rail, Yellow |

| Line No. | Item Code | Adj Code | Quantity | Units | Description [Fixed Unit Price] | | |
|-----------------------------|--------------|----------|--------------|---------------|---|--|--|
| 0330 | 620-A001 | | 1 | Lump Sum | Mobilization | | |
| 0340 | 626-A004 | | 10 | Mile | 6" Thermoplastic Traffic Stripe, Skip White | | |
| 0350 | 626-C004 | | 17 | Mile | 6" Thermoplastic Edge Stripe, Continuous White | | |
| 0360 | 626-D003 | | 4 | Mile | 6" Thermoplastic Traffic Stripe, Skip Yellow | | |
| 0370 | 626-F003 | | 8 | Mile | 6" Thermoplastic Edge Stripe, Continuous Yellow | | |
| 0380 | 626-G002 | | 8,200 | Linear Feet | Thermoplastic Detail Stripe, White | | |
| 0390 | 626-G003 | | 12,500 | Linear Feet | Thermoplastic Detail Stripe, Yellow | | |
| 0400 | 626-H004 | | 1,500 | Square Feet | Thermoplastic Legend, White | | |
| 0410 | 626-H005 | | 2,600 | Linear Feet | Thermoplastic Legend, White | | |
| 0420 | 627-J001 | | 350 | Each | Two-Way Clear Reflective High Performance Raised Markers | | |
| 0430 | 627-K001 | | 1,525 | Each | Red-Clear Reflective High Performance Raised Markers | | |
| 0440 | 627-L001 | | 230 | Each | Two-Way Yellow Reflective High Performance Raised Markers | | |
| 0450 | 627-P001 | | 19 | Each | Two-Way Blue Reflective High Performance Raised Markers | | |
| 0460 | 630-G005 | | 52 | Each | Type 3 Object Markers, OM-3R or OM-3L, Post Mounted | | |
| 0470 | 907-411-A001 | (BA1) | 3,800 | Ton | Ultra Thin Asphalt Pavement | | |
| 0480 | 907-906001 | | 520 | Hours | Trainees [\$5.00] | | |
| | | | ALTERNATE GR | OUP AA NUMBER | 1 | | |
| 0490 | 907-624-A002 | | 410 | Linear Feet | 6" Inverted Profile Thermoplastic Traffic Stripe, Skip White | | |
| 0500 | 907-624-B002 | | 410 | Linear Feet | 6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White | | |
| 0510 | 907-624-D002 | | 410 | Linear Feet | 6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow | | |
| ALTERNATE GROUP AA NUMBER 2 | | | | | | | |
| 0520 | 628-G001 | | 410 | Linear Feet | 6" High Performance Cold Plastic Traffic Stripe, Skip White | | |
| 0530 | 628-H001 | | 410 | Linear Feet | 6" High Performance Cold Plastic Traffic Stripe, Continuous White | | |
| 0540 | 628-J001 | | 410 | Linear Feet | 6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow | | |