

**Proposal & Plan Sales Will Begin on August 1, 2022**



**MISSISSIPPI DEPARTMENT OF  
TRANSPORTATION**

***Notice to Contractors***

**Letting Date For August - August 23, 2022**

# MISSISSIPPI DEPARTMENT OF TRANSPORTATION

## NOTICE TO CONTRACTORS

### LETTING DATE FOR AUGUST - Tuesday, August 23, 2022

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List is available online at [mdot.ms.gov](http://mdot.ms.gov)

### PROPOSAL AND PLAN SALES WILL BEGIN ON AUGUST 1, 2022

Proposals must be purchased online at:  
<https://shopmdot.ms.gov>  
For Information Please Contact:  
Contract Administration Division  
Jackson, MS  
Telephone: (601) 359-7700

Plans must be purchased online at:  
<https://shopmdot.ms.gov>  
For Information Please Contact:  
MDOT Plans Print Shop  
Jackson, MS  
Telephone: (601) 359-7460  
e-mail: [plans@mdot.state.ms.us](mailto:plans@mdot.state.ms.us)

Electronic bids will be received by the Mississippi Transportation Commission at 10:00 o'clock A.M., Tuesday, August 23, 2022; from the Bid Express Service and shortly thereafter, bids will be publicly read in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

\* No plans except Standard Drawings

#### LIST OF CONTRACTS FOR AUGUST

| CALL | CONTRACT | COUNTY  |                       |
|------|----------|---|-----------------------|
| *    | 01       | NHPP-0003-01(206)/108684301   | HANCOCK               |
|      | 02       | STBG-0014-03(079)/108801301   | GREENE                |
| *    | 03       | IM-0020-01(269)/108902301 & IM-0020-01(269)/108902302 & IM-0020-01(269)/108902303 & HSIP-0020-01(269)/108902303 & IM-0020-01(269)/108902304 | RANKIN, HINDS, RANKIN |
|      | 04       | ER-0020-02(098)/108483301 & ER-0020-02(097)/108484301 & ER-0020-02(096)/108485301 & STP-0020-02(100)/108515301                              | SCOTT, NEWTON         |
|      | 05       | SP-0163-00(008)/108896301   | AMITE                 |
| *    | 06       | MP-2005-05(004)/307511301 & MP-2370-05(001)/307511302   | BENTON                |



CALL No. 01

Overlay approximately 5 miles of US 90 from Rifle Range Road to Lower Bay Road, known as Federal Aid Project No. NHPP-0003-01(206) / 108684301 in Hancock County.

PROJECT COMPLETION: Flexible

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**  
**Roadway Items**

|        |             |           |  |
|--------|-------------|-----------|--|
| 350    | Square Yard | 202-B068  | Removal of Concrete Pavement Punchouts, 9" Depth           |
| 930    | Linear Feet | 202-B240  | Removal of Traffic Stripe                                  |
| 10     | Cubic Yard  | 203-EX012 | Borrow Excavation, AH, FME, Class B3                       |
| 150    | Cubic Yard  | 203-G001  | Excess Excavation, FM, AH                                  |
| 195    | Square Yard | 209-A004  | Geotextile Stabilization, Type V                           |
| 7,300  | Ton         | 304-F003  | Size 825B Crushed Stone Base                               |
| 100    | Ton         | 403-A004  | 19-mm, HT, Asphalt Pavement                                |
| 11,500 | Ton         | 403-A013  | 9.5-mm, HT, Asphalt Pavement                               |
| 10,500 | Ton         | 403-A015  | 9.5-mm, ST, Asphalt Pavement                               |
| 11,500 | Ton         | 403-B001  | 12.5-mm, HT, Asphalt Pavement, Leveling                    |
| 2,800  | Ton         | 403-B003  | 12.5-mm, ST, Asphalt Pavement, Leveling                    |
| 1,500  | Ton         | 403-B012  | 9.5-mm, ST, Asphalt Pavement, Leveling                     |
| 3,250  | Square Yard | 406-A002  | Cold Milling of Bituminous Pavement, All Depths            |
| 30,000 | Gallon      | 407-A001  | Asphalt for Tack Coat                                      |
| 28,100 | Linear Feet | 413-E001  | Sawing and Sealing Transverse Joints in Asphalt Pavement   |
| 17     | Mile        | 423-A001  | Rumble Strips, Ground In                                   |
| 22     | Linear Feet | 501-D001  | Expansion Joints, With Dowels                              |
| 80     | Each        | 501-G001  | Dowels, Drilled and Installed                              |
| 147    | Square Yard | 503-A003  | 9" and Variable Reinforced Concrete Pavement, Broom Finish |
| 200    | Linear Feet | 503-B001  | Saw Cut, Longitudinal Joints                               |
| 176    | Linear Feet | 503-C009  | Saw Cut, 9-inch  |
| 56     | Each        | 503-E002  | Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted    |
| 1      | Lump Sum    | 618-A001  | Maintenance of Traffic                                     |
| 1      | Square Feet | 618-B001  | Additional Construction Signs                              |

|                                    |              |   |
|------------------------------------|--------------|---|
| 34 Mile                            | 619-A1001    | Temporary Traffic Stripe, Continuous White                          |
| 16 Mile                            | 619-A2001    | Temporary Traffic Stripe, Continuous Yellow                         |
| 10 Mile                            | 619-A3001    | Temporary Traffic Stripe, Skip White                                |
| 4 Mile                             | 619-A4002    | Temporary Traffic Stripe, Skip Yellow                               |
| 2,400 Linear Feet                  | 619-A5001    | Temporary Traffic Stripe, Detail                                    |
| 2,600 Linear Feet                  | 619-A6002    | Temporary Traffic Stripe, Legend                                    |
| 18 Each                            | 619-F3001    | Delineators, Guard Rail, White                                      |
| 18 Each                            | 619-F3002    | Delineators, Guard Rail, Yellow                                     |
| 1 Lump Sum                         | 620-A001     | Mobilization  |
| 10 Mile                            | 626-A004     | 6" Thermoplastic Traffic Stripe, Skip White                         |
| 17 Mile                            | 626-C004     | 6" Thermoplastic Edge Stripe, Continuous White                      |
| 4 Mile                             | 626-D003     | 6" Thermoplastic Traffic Stripe, Skip Yellow                        |
| 8 Mile                             | 626-F003     | 6" Thermoplastic Edge Stripe, Continuous Yellow                     |
| 8,200 Linear Feet                  | 626-G002     | Thermoplastic Detail Stripe, White                                  |
| 12,500 Linear Feet                 | 626-G003     | Thermoplastic Detail Stripe, Yellow                                 |
| 1,500 Square Feet                  | 626-H004     | Thermoplastic Legend, White   |
| 2,600 Linear Feet                  | 626-H005     | Thermoplastic Legend, White   |
| 350 Each                           | 627-J001     | Two-Way Clear Reflective High Performance Raised Markers            |
| 1,525 Each                         | 627-K001     | Red-Clear Reflective High Performance Raised Markers                |
| 230 Each                           | 627-L001     | Two-Way Yellow Reflective High Performance Raised Markers           |
| 19 Each                            | 627-P001     | Two-Way Blue Reflective High Performance Raised Markers             |
| 52 Each                            | 630-G005     | Type 3 Object Markers, OM-3R or OM-3L, Post Mounted                 |
| 3,800 Ton                          | 907-411-A001 | Ultra Thin Asphalt Pavement   |
| 520 Hours                          | 907-906001   | Trainees  |
| <b>ALTERNATE GROUP AA NUMBER 1</b> |              |   |
| 410 Linear Feet                    | 907-624-A002 | 6" Inverted Profile Thermoplastic Traffic Stripe, Skip White        |
| 410 Linear Feet                    | 907-624-B002 | 6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White  |
| 410 Linear Feet                    | 907-624-D002 | 6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow |
| <b>ALTERNATE GROUP AA NUMBER 2</b> |              |   |
| 410 Linear Feet                    | 628-G001     | 6" High Performance Cold Plastic Traffic Stripe, Skip White         |

410 Linear Feet

628-H001 6" High Performance Cold Plastic Traffic Stripe, Continuous White

410 Linear Feet

628-J001 6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

CALL No. 02

Box Bridge / Culvert & Pipe Repairs along US 98, known as Federal Aid Project No. STBG-0014-03(079) / 108801301 in Greene County.

PROJECT COMPLETION: 65 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Bridge Items**

|       |             |              |   |
|-------|-------------|--------------|---|
| 2     | Each        | 202-B129     | Removal of Flared End Section, All Sizes                |
| 10    | Cubic Yard  | 206-A001     | Structure Excavation                                    |
| 5     | Cubic Yard  | 206-B001     | Select Material for Undercuts, Contractor Furnished, FM |
| 200   | Linear Feet | 237-A002     | Wattles, 20"  |
| 13    | Ton         | 304-D004     | Granular Material, Size 57                              |
| 132   | Linear Feet | 503-C001     | Saw Cut, 1-inch   |
| 8     | Linear Feet | 603-CA057    | 36" Reinforced Concrete Pipe, Class IV                  |
| 1     | Each        | 603-CB006    | 36" Reinforced Concrete End Section                     |
| 3,243 | Pounds      | 805-A001     | Reinforcement   |
| 962   | Ton         | 815-A007     | Loose Riprap, Size 300                                  |
| 444   | Square Yard | 815-E001     | Geotextile under Riprap                                 |
| 17    | Cubic Yard  | 907-804-B001 | Box Bridge Concrete, Class B                            |
| 2     | Each        | 907-833-A001 | 36" RCP Flap Gate, Stainless Steel                      |
| 1     | Each        | 907-833-A002 | 10' x 8' Box Culvert Flap Gate, Stainless Steel         |
| 2     | Each        | 907-833-A003 | Double 14' x 8' Box Culvert Flap Gate, Stainless Steel  |

**Roadway Items**

|     |             |           |  |
|-----|-------------|-----------|--|
| 1   | Lump Sum    | 618-A001  | Maintenance of Traffic   |
| 32  | Square Feet | 619-D1001 | Standard Roadside Construction Signs, Less than 10 Square Feet |
| 224 | Square Feet | 619-D2001 | Standard Roadside Construction Signs, 10 Square Feet or More   |
| 48  | Linear Feet | 619-G4005 | Barricades, Type III, Single Faced                             |
| 1   | Lump Sum    | 620-A001  | Mobilization   |

CALL No. 03

Mill & Overlay approximately 4 miles of I-20 from east of SR 18 to the I-20 / I-55 Split, approximately 2 miles of I-55 from 3 miles north of Elton Road to the Rankin County Line, approximately 0.2 miles of I-55 from 0.420 miles north of the Hinds County Line to the Hinds County Line, and approximately 0.1 miles of I-20 from the US 49 Ramp to the I-20 / I-55 Split and Installation of a High Friction Surface Treatment on I-55 from 0.420 miles north of the Hinds County Line to the Hinds County Line, known as Federal Aid Project Nos. IM-0020-01(269) / 108902301, 302, 303, & 304 & HSIP-0020-01(269) / 1089023031 in Hinds & Rankin Counties.

PROJECT COMPLETION: 165 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

|         |             |          |  |
|---------|-------------|----------|--|
| 57      | Square Yard | 202-B045 | Removal of Cement Treated Base, All Depths                               |
| 145     | Square Yard | 202-B069 | Removal of Concrete Pavement w/ Variable Depth Overlay                   |
| 1,877   | Linear Feet | 202-B153 | Removal of Guard Rail, Double Faced Rail Including Hardware, Post & Rail |
| 20,784  | Linear Feet | 202-B158 | Removal of Guard Rail, Including Rails, Posts and Terminal Ends          |
| 4       | Each        | 202-B162 | Removal of Impact Attenuator   |
| 71      | Square Yard | 202-B168 | Removal of Island Pavement, All Types                                    |
| 7,884   | Linear Feet | 202-B240 | Removal of Traffic Stripe  |
| 5,215   | Ton         | 304-D002 | Granular Material, Crushed Stone   |
| 8,438   | Ton         | 403-A015 | 9.5-mm, ST, Asphalt Pavement   |
| 30      | Ton         | 403-B004 | 19-mm, HT, Asphalt Pavement, Leveling                                    |
| 49      | Mile        | 403-S001 | Joint Sealant  |
| 3,350   | Linear Feet | 403-S002 | Joint Sealant  |
| 372,382 | Square Yard | 406-D001 | Fine Milling of Bituminous Pavement, All Depths                          |
| 44,922  | Gallon      | 407-A001 | Asphalt for Tack Coat  |
| 36,180  | Linear Feet | 413-E001 | Sawing and Sealing Transverse Joints in Asphalt Pavement                 |
| 28      | Mile        | 423-A001 | Rumble Strips, Ground In   |
| 128     | Square Yard | 503-A001 | 8" and Variable Continuously Reinforced Concrete Pavement, Broom Finish  |
| 18      | Square Yard | 503-A002 | 8" and Variable Jointed Concrete Pavement                                |
| 55      | Linear Feet | 503-B001 | Saw Cut, Longitudinal Joints   |
| 168     | Linear Feet | 503-C004 | Saw Cut, 3-inch  |
| 240     | Linear Feet | 503-C010 | Saw Cut, Full Depth  |
| 19      | Cubic Yard  | 503-D001 | Concrete for Base Repair   |
| 65      | Each        | 503-E002 | Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted                  |



|         |             |           |  |
|---------|-------------|-----------|--|
| 36      | Each        | 503-F002  | 1" Smooth Dowel Bars, Drilled & Epoxied or Grouted             |
| 16,904  | Linear Feet | 606-B003  | Guard Rail, Class A, Type 1, 'W' Beam, Metal Post              |
| 1,802   | Linear Feet | 606-B006  | Guard Rail, Class A, Type 1, Double Faced                      |
| 379     | Linear Feet | 606-B010  | Guard Rail, Class A, Type 1, Thrie Beam                        |
| 88      | Linear Feet | 606-B013  | Guard Rail, Class A, Type 1, Thrie Beam, Transition Section    |
| 23      | Each        | 606-C003  | Guard Rail, Cable Anchor, Type 1                               |
| 14      | Each        | 606-D005  | Guard Rail, Bridge End Section, Type A                         |
| 9       | Each        | 606-D009  | Guard Rail, Bridge End Section, Type C                         |
| 15      | Each        | 606-D012  | Guard Rail, Bridge End Section, Type D Modified                |
| 2       | Each        | 606-D019  | Guard Rail, Bridge End Section, Type H                         |
| 12      | Each        | 606-D023  | Guard Rail, Bridge End Section, Type I, Metal Post             |
| 1       | Each        | 606-E003  | Guard Rail, Terminal End Section, Double Faced                 |
| 40      | Each        | 606-E005  | Guard Rail, Terminal End Section, Flared                       |
| 12      | Each        | 606-E007  | Guard Rail, Terminal End Section, Non-Flared                   |
| 2       | Each        | 606-G003  | Special Sections, Special Design Bridge Connector              |
| 71      | Square Yard | 616-A006  | Concrete Median and/or Island Pavement, 6-inch                 |
| 1       | Lump Sum    | 618-A001  | Maintenance of Traffic   |
| 70      | Mile        | 619-A1001 | Temporary Traffic Stripe, Continuous White                     |
| 1,550   | Linear Feet | 619-A1002 | Temporary Traffic Stripe, Continuous White                     |
| 71      | Mile        | 619-A2001 | Temporary Traffic Stripe, Continuous Yellow                    |
| 1,550   | Linear Feet | 619-A2002 | Temporary Traffic Stripe, Continuous Yellow                    |
| 94      | Mile        | 619-A3001 | Temporary Traffic Stripe, Skip White                           |
| 1,550   | Linear Feet | 619-A3002 | Temporary Traffic Stripe, Skip White                           |
| 136,091 | Linear Feet | 619-A5001 | Temporary Traffic Stripe, Detail                               |
| 2,165   | Square Feet | 619-A6001 | Temporary Traffic Stripe, Legend                               |
| 1,008   | Linear Feet | 619-A6002 | Temporary Traffic Stripe, Legend                               |
| 80      | Square Feet | 619-D1001 | Standard Roadside Construction Signs, Less than 10 Square Feet |
| 520     | Square Feet | 619-D2001 | Standard Roadside Construction Signs, 10 Square Feet or More   |
| 336     | Each        | 619-F3001 | Delineators, Guard Rail, White                                 |
| 508     | Each        | 619-F3002 | Delineators, Guard Rail, Yellow                                |

|        |             |               |  |
|--------|-------------|---------------|--|
| 84     | Linear Feet | 619-G4005     | Barricades, Type III, Single Faced                             |
| 1      | Lump Sum    | 620-A001      | Mobilization   |
| 38     | Mile        | 626-A001      | 6" Thermoplastic Double Drop Traffic Stripe, Skip White        |
| 2,752  | Linear Feet | 626-A002      | 6" Thermoplastic Double Drop Traffic Stripe, Skip White        |
| 2,130  | Linear Feet | 626-B001      | 6" Thermoplastic Double Drop Traffic Stripe, Continuous White  |
| 32     | Mile        | 626-B002      | 6" Thermoplastic Double Drop Traffic Stripe, Continuous White  |
| 33     | Mile        | 626-E001      | 6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow |
| 1,350  | Linear Feet | 626-E002      | 6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow |
| 81,549 | Linear Feet | 626-G004      | Thermoplastic Double Drop Detail Stripe, White                 |
| 12,504 | Linear Feet | 626-G005      | Thermoplastic Double Drop Detail Stripe, Yellow                |
| 1,188  | Square Feet | 626-H001      | Thermoplastic Double Drop Legend, White                        |
| 456    | Linear Feet | 626-H002      | Thermoplastic Double Drop Legend, White                        |
| 12,057 | Each        | 627-K001      | Red-Clear Reflective High Performance Raised Markers           |
| 4      | Each        | 629-A004      | Vehicular Impact Attenuator, 60 MPH                            |
| 43     | Each        | 630-G004      | Type 3 Object Markers, OM-3R or OM-3L                          |
| 30,395 | Ton         | 907-405-A001  | Stone Matrix Asphalt, 9.5 mm Mixture                           |
| 4,300  | Square Yard | 907-416-A001  | High Friction Surface Treatment                                |
| 1      | Lump Sum    | 907-416-B001  | High Friction Surface Treatment Training                       |
| 1,000  | Hours       | 907-618-M2001 | Work Zone Law Enforcement                                      |
| 5      | Each        | 907-824-PP006 | Bridge Repair, Bridge End Post Repair                          |
| 520    | Hours       | 907-906001    | Trainees   |

CALL No. 04

Slide Repairs at various locations along I-20, known as Federal Aid Project Nos. ER-0020-02(098) / 108483301, ER-0020-02(097) / 108484301, ER-0020-02(096) / 108485301, & STP-0020-02(100) / 108515301 in Scott & Newton Counties.

PROJECT COMPLETION: 144 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

|                   |           |  |
|-------------------|-----------|--|
| 5 Acre            | 201-B001  | Clearing and Grubbing  |
| 200 Square Yard   | 202-B063  | Removal of Concrete Paved Ditch                                |
| 19,558 Cubic Yard | 203-EX021 | Borrow Excavation, AH, FME, Class B9-6                         |
| 9,865 Cubic Yard  | 203-G001  | Excess Excavation, FM, AH                                      |
| 800 Square Yard   | 203-I002  | Site Grading   |
| 480 Square Yard   | 216-A001  | Solid Sodding  |
| 5 Acre            | 220-A001  | Insect Pest Control  |
| 35 Cubic Yard     | 221-A001  | Concrete Paved Ditch   |
| 5 Acre            | 223-A001  | Mowing   |
| 5 Acre            | 227-A001  | Hydroseeding   |
| 1,115 Linear Feet | 237-A002  | Wattles, 20"   |
| 90 Ton            | 249-A001  | Riprap for Erosion Control                                     |
| 28 Linear Feet    | 503-C010  | Saw Cut, Full Depth  |
| 6 Cubic Yard      | 601-B001  | Class "B" Structural Concrete, Minor Structures                |
| 750 Square Yard   | 605-AA001 | Geotextile for Subsurface Drainage, Type III                   |
| 600 Square Yard   | 605-AA003 | Geotextile for Subsurface Drainage, Type V, Non-Woven          |
| 145 Linear Feet   | 605-O002  | 4" Perforated Sewer Pipe for Underdrains, SDR 23.5             |
| 725 Linear Feet   | 605-O004  | 6" Perforated Sewer Pipe for Underdrains, SDR 23.5             |
| 25 Linear Feet    | 605-P002  | 4" Non-perforated Sewer Pipe for Underdrains, SDR 23.5         |
| 210 Linear Feet   | 605-P004  | 6" Non-perforated Sewer Pipe for Underdrains, SDR 23.5         |
| 82 Cubic Yard     | 605-X002  | Filter Material for Filter Beds, Type A                        |
| 725 Cubic Yard    | 605-X003  | Filter Material for Filter Beds, Type B                        |
| 1 Lump Sum        | 618-A001  | Maintenance of Traffic   |
| 64 Square Feet    | 619-D1001 | Standard Roadside Construction Signs, Less than 10 Square Feet |
| 128 Square Feet   | 619-D2001 | Standard Roadside Construction Signs, 10 Square Feet or More   |

|        |             |              |                                    |
|--------|-------------|--------------|------------------------------------|
| 96     | Linear Feet | 619-G4005    | Barricades, Type III, Single Faced |
| 1      | Lump Sum    | 620-A001     | Mobilization                       |
| 1      | Lump Sum    | 699-A001     | Roadway Construction Stakes        |
| 1,080  | Linear Feet | 803-D006     | HP 14 x 73 Steel Piling            |
| 32     | Ton         | 815-F002     | Sediment Control Stone             |
| 10,370 | Linear Feet | 907-208-A001 | Recycled Plastic Pin               |
| 1,870  | Linear Feet | 907-234-A001 | Temporary Silt Fence               |
| 1,040  | Linear Feet | 907-234-C001 | Super Silt Fence                   |

CALL No. 05

Mill and Overlay approximately 1 mile on SR 24 from the west city limits of Liberty to just west of Velma Street, known as State Project No. SP-0163-00(008) / 108896301 in Amite County.

PROJECT COMPLETION: 75 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

|        |             |           |  |
|--------|-------------|-----------|--|
| 3,570  | Square Yard | 202-B006  | Removal of Asphalt Paved Shoulders, All Depths                 |
| 51     | Cubic Yard  | 203-EX021 | Borrow Excavation, AH, FME, Class B9-6                         |
| 1,578  | Cubic Yard  | 203-G001  | Excess Excavation, FM, AH                                      |
| 1,385  | Ton         | 403-A002  | 12.5-mm, MT, Asphalt Pavement                                  |
| 986    | Ton         | 403-A005  | 19-mm, MT, Asphalt Pavement                                    |
| 1,571  | Ton         | 403-A014  | 9.5-mm, MT, Asphalt Pavement                                   |
| 18,683 | Square Yard | 406-D001  | Fine Milling of Bituminous Pavement, All Depths                |
| 6,404  | Gallon      | 407-A001  | Asphalt for Tack Coat  |
| 2,250  | Linear Feet | 413-E001  | Sawing and Sealing Transverse Joints in Asphalt Pavement       |
| 7,644  | Linear Feet | 503-C010  | Saw Cut, Full Depth  |
| 7,184  | Linear Feet | 605-H001  | Edge Drain   |
| 230    | Linear Feet | 605-I001  | Edge Drain Outlets/Vents                                       |
| 1      | Lump Sum    | 618-A001  | Maintenance of Traffic   |
| 1      | Square Feet | 618-B001  | Additional Construction Signs                                  |
| 4      | Mile        | 619-A1001 | Temporary Traffic Stripe, Continuous White                     |
| 4      | Mile        | 619-A2001 | Temporary Traffic Stripe, Continuous Yellow                    |
| 5,551  | Linear Feet | 619-A5001 | Temporary Traffic Stripe, Detail                               |
| 1,936  | Linear Feet | 619-A6002 | Temporary Traffic Stripe, Legend                               |
| 1      | Lump Sum    | 620-A001  | Mobilization   |
| 1      | Mile        | 626-C002  | 6" Thermoplastic Double Drop Edge Stripe, Continuous White     |
| 1      | Mile        | 626-E001  | 6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow |
| 265    | Linear Feet | 626-G001  | Thermoplastic Detail Stripe, Blue-ADA                          |
| 2,360  | Linear Feet | 626-G002  | Thermoplastic Detail Stripe, White                             |
| 431    | Linear Feet | 626-G003  | Thermoplastic Detail Stripe, Yellow                            |
| 2,060  | Linear Feet | 626-H005  | Thermoplastic Legend, White                                    |

|         |             |              |   |
|---------|-------------|--------------|---|
| 90      | Each        | 627-L001     | Two-Way Yellow Reflective High Performance Raised Markers |
| 6       | Each        | 627-P001     | Two-Way Blue Reflective High Performance Raised Markers   |
| 237,100 | Pounds      | 907-420-A001 | Undersealing  |
| 2,250   | Linear Feet | 907-421-B001 | Joint Sealing Tape, 12"                                   |
| 66      | Linear Feet | 907-619-B001 | Temporary Portable Rumble Strips                          |
| 4       | Each        | 907-626-H001 | Thermoplastic Legend, Blue-ADA Handicap Symbol            |
| 142     | Linear Feet | 907-640-A001 | Vehicle Loop Assemblies                                   |

**ALTERNATE GROUP AA NUMBER 1**

|       |            |          |                                       |
|-------|------------|----------|---------------------------------------|
| 1,098 | Cubic Yard | 304-H001 | 3/4" and Down Crushed Stone Base, LVM |
|-------|------------|----------|---------------------------------------|

**ALTERNATE GROUP AA NUMBER 2**

|       |            |          |                                  |
|-------|------------|----------|----------------------------------|
| 1,098 | Cubic Yard | 304-H002 | Size 610 Crushed Stone Base, LVM |
|-------|------------|----------|----------------------------------|

**ALTERNATE GROUP AA NUMBER 3**

|       |            |          |                                   |
|-------|------------|----------|-----------------------------------|
| 1,098 | Cubic Yard | 304-H003 | Size 825B Crushed Stone Base, LVM |
|-------|------------|----------|-----------------------------------|

CALL No. 06

Mill & Overlay approximately 15 miles of SR 5 from 1.4 miles south of Massengill Rd to 0.1 miles north of the old MDOT Maintenance Shop and approximately 1.3 miles of SR 370 from SR 5 to the east Ashland City Limits, known as State Project Nos. MP-2005-05(004) / 307511301 & MP-2370-05(001) / 307511302 in Benton County.

PROJECT COMPLETION: 156 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

|         |             |           |   |
|---------|-------------|-----------|---|
| 5,107   | Square Yard | 202-B007  | Removal of Asphalt Pavement, All Depths                         |
| 3,005   | Linear Feet | 202-B158  | Removal of Guard Rail, Including Rails, Posts and Terminal Ends |
| 498     | Each        | 202-B215  | Removal of Sign Including Post & Footing                        |
| 3,731   | Linear Feet | 202-B240  | Removal of Traffic Stripe                                       |
| 210     | Cubic Yard  | 203-G001  | Excess Excavation, FM, AH                                       |
| 10,375  | Ton         | 304-B002  | Granular Material, Class 3, Group D                             |
| 3,250   | Ton         | 403-A006  | 19-mm, ST, Asphalt Pavement                                     |
| 20,250  | Ton         | 403-A015  | 9.5-mm, ST, Asphalt Pavement                                    |
| 5,650   | Ton         | 403-B012  | 9.5-mm, ST, Asphalt Pavement, Leveling                          |
| 123,650 | Square Yard | 406-D001  | Fine Milling of Bituminous Pavement, All Depths                 |
| 42,450  | Gallon      | 407-A001  | Asphalt for Tack Coat   |
| 27      | Mile        | 423-A001  | Rumble Strips, Ground In  |
| 5,020   | Linear Feet | 503-C010  | Saw Cut, Full Depth   |
| 1,950   | Linear Feet | 606-B002  | Guard Rail, Class A, Type 1, 'W' Beam                           |
| 12      | Each        | 606-D019  | Guard Rail, Bridge End Section, Type H                          |
| 4       | Each        | 606-D022  | Guard Rail, Bridge End Section, Type I                          |
| 18      | Each        | 606-E001  | Guard Rail, Terminal End Section                                |
| 7       | Each        | 613-D005  | Adjustment of Manhole   |
| 1       | Lump Sum    | 618-A001  | Maintenance of Traffic  |
| 2       | Square Feet | 618-B001  | Additional Construction Signs                                   |
| 65      | Mile        | 619-A1001 | Temporary Traffic Stripe, Continuous White                      |
| 51      | Mile        | 619-A2001 | Temporary Traffic Stripe, Continuous Yellow                     |
| 11      | Mile        | 619-A4002 | Temporary Traffic Stripe, Skip Yellow                           |
| 11,175  | Linear Feet | 619-A5001 | Temporary Traffic Stripe, Detail                                |

|                                    |             |              |  |
|------------------------------------|-------------|--------------|--|
| 5,001                              | Linear Feet | 619-A6002    | Temporary Traffic Stripe, Legend                               |
| 1                                  | Lump Sum    | 620-A001     | Mobilization   |
| 33                                 | Mile        | 626-C002     | 6" Thermoplastic Double Drop Edge Stripe, Continuous White     |
| 6                                  | Mile        | 626-D001     | 6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow       |
| 26                                 | Mile        | 626-E001     | 6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow |
| 9,625                              | Linear Feet | 626-G004     | Thermoplastic Double Drop Detail Stripe, White                 |
| 1,452                              | Linear Feet | 626-G005     | Thermoplastic Double Drop Detail Stripe, Yellow                |
| 39                                 | Square Feet | 626-H001     | Thermoplastic Double Drop Legend, White                        |
| 4,968                              | Linear Feet | 626-H002     | Thermoplastic Double Drop Legend, White                        |
| 432                                | Each        | 627-J001     | Two-Way Clear Reflective High Performance Raised Markers       |
| 7                                  | Each        | 627-K001     | Red-Clear Reflective High Performance Raised Markers           |
| 3,313                              | Each        | 627-L001     | Two-Way Yellow Reflective High Performance Raised Markers      |
| 497                                | Square Feet | 630-A001     | Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness      |
| 944                                | Square Feet | 630-A003     | Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness      |
| 431                                | Square Feet | 630-A005     | Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness        |
| 6,447                              | Linear Feet | 630-C005     | Square Tube Posts, 2.0 lb/ft                                   |
| 98                                 | Each        | 630-F006     | Delineators, Guard Rail, White                                 |
| 351                                | Each        | 630-G004     | Type 3 Object Markers, OM-3R or OM-3L                          |
| 132                                | Linear Feet | 907-619-B001 | Temporary Portable Rumble Strips                               |
| <b>ALTERNATE GROUP AA NUMBER 1</b> |             |              |  |
| 400                                | Ton         | 304-F001     | 3/4" and Down Crushed Stone Base                               |
| <b>ALTERNATE GROUP AA NUMBER 2</b> |             |              |  |
| 400                                | Ton         | 304-F002     | Size 610 Crushed Stone Base                                    |
| <b>ALTERNATE GROUP AA NUMBER 3</b> |             |              |  |
| 400                                | Ton         | 304-F003     | Size 825B Crushed Stone Base                                   |



For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Contractors may request permission to bid online at <http://shopmdot.ms.gov> at no cost. Upon approval, contractors shall be eligible to submit a bid using Bid Express at <http://bidx.com>. Specimen proposals may be viewed and downloaded online at no cost at <http://mdot.ms.gov> or purchased online at <http://shopmdot.ms.gov> at a cost of Ten Dollars (\$10.00) per proposal plus a small convenience fee. Cash or checks will not be accepted as payment.

Plans must be purchased online at <https://shopmdot.ms.gov>. Costs of plans will be on a cost per sheet basis plus a small convenience fee. You can contact the MDOT Plans Print Shop at Telephone No. (601) 359-7460 or e-mail at [plans@mdot.state.ms.us](mailto:plans@mdot.state.ms.us). Plans will be shipped on receipt of payment. Cash or checks will not be accepted as payment.

Bid bond, signed or countersigned by a Mississippi Resident Agent or qualified non-resident agent, with Power of Attorney attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

BRAD WHITE  
EXECUTIVE DIRECTOR