

Proposal & Plan Sales Will Begin on September 6, 2022



**MISSISSIPPI DEPARTMENT OF
TRANSPORTATION**

Notice to Contractors

Letting Date For September - September 28, 2022

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

NOTICE TO CONTRACTORS

LETTING DATE FOR SEPTEMBER - Wednesday, September 28, 2022

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List is available online at mdot.ms.gov

PROPOSAL AND PLAN SALES WILL BEGIN ON SEPTEMBER 6, 2022

Proposals must be purchased online at:
<https://shopmdot.ms.gov>
For Information Please Contact:
Contract Administration Division
Jackson, MS
Telephone: (601) 359-7700

Plans must be purchased online at:
<https://shopmdot.ms.gov>
For Information Please Contact:
MDOT Plans Print Shop
Jackson, MS
Telephone: (601) 359-7460
e-mail: plans@mdot.state.ms.us

Electronic bids will be received by the Mississippi Transportation Commission at 10:00 o'clock A.M., Wednesday, September 28, 2022; from the Bid Express Service and shortly thereafter, bids will be publicly read in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

* No plans except Standard Drawings

LIST OF CONTRACTS FOR SEPTEMBER

CALL	CONTRACT	COUNTY
01	ER-0008-03(060)/108474301 & ER-0054-02(031)/108476301	HINDS
02	STP-0009-01(153)/107541302	WILKINSON
03	NHPP-0020-01(263)/108848301	RANKIN
* 04	HSIP-0022-02(073)/109143301	NESHOBA
05	IM-0055-03(096)/108589301	CARROLL
06	STBG-9999-05(380)/107999301 & STBG-9999-05(375)/108002301 & ER-0056-01(109)/108477301 & ER-0056-01(108)/108480301	LEAKE, SCOTT, LEAKE
07	STBG-0064-00(020)/101838301	SIMPSON
08	BR-0145-00(006)/102485302	CLARKE
09	ER-0020-02(099)/108482301 & ER-0322-00(016)/108486301	SCOTT
10	STBG-0733-00(012)/108866301	WEBSTER
* 11	STBG-1679-00(001)/108843301	NOXUBEE
* 12	HSIP-2904-00(019)/109165301 & HSIP-2904-00(019)/109165302	RANKIN, SCOTT
13	STBG-9999-05(382)/108001302 & STBG-9999-05(384)/108001303 & STBG-9999-05(383)/108002302 & ER-0055-	HINDS, RANKIN, SCOTT, RANKIN

	02(262)/108475301		
14	HSIP-9999-05(400)/108806301	DISTRICT 5	
*	15	STBG-9999-05(403)/108811305	DISTRICT 5
*	16	HSIP-9999-05(409)/109199301	DISTRICT 5
	17	SP-0011-02(092)/108224301	WEBSTER
*	18	SP-0016-02(043)/108948301	GRENADA
*	19	MP-3028-32(007)/307497301	JEFFERSON
*	20	MP-7149-64(005)/307529301	SIMPSON

Electronic bids will be received by the Mississippi Transportation Commission at 10:00 o'clock A.M., Tuesday, October 25, 2022; from the Bid Express Service and shortly thereafter, bids will be publicly read in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

* No plans except Standard Drawings

LIST OF CONTRACTS FOR OCTOBER

CALL	CONTRACT	COUNTY
01	STP-0066-01(008)/103060301	JACKSON

CALL No. 01

Slide Repairs on US 49 Southbound south of Cynthia Road and on SR 27 Northbound approximately 0.3 miles south of SR 18, known as Federal Aid Project Nos. ER-0008-03(060) / 108474301 & ER-0054-02(031) / 108476301 in Hinds County.

PROJECT COMPLETION: 57 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

2 Acre	201-B001	Clearing and Grubbing
1 Each	202-B018	Removal of Box Culvert
12 Linear Feet	202-B191	Removal of Pipe, 8" And Above
1 Each	202-B220	Removal of Sign, Overhead Mounted Including Panels, Trust, and Footings
1,141 Cubic Yard	203-EX008	Borrow Excavation, AH, FME, Class B15
301 Cubic Yard	203-F002	Channel Excavation, LVM
100 Cubic Yard	206-A001	Structure Excavation
71 Square Yard	209-A004	Geotextile Stabilization, Type V
60 Square Yard	216-A001	Solid Sodding
133 Square Yard	217-A001	Ditch Liner
2 Thousand Gallon	219-A001	Watering
2 Acre	220-A001	Insect Pest Control
2 Acre	223-A001	Mowing
2 Acre	227-A001	Hydroseeding
84 Linear Feet	237-A002	Wattles, 20"
32 Linear Feet	245-A001	Silt Dike
48 Linear Feet	246-A001	Sandbags
180 Cubic Yard	249-B001	Remove and Reset Riprap
75 Cubic Yard	304-E003	Granular Material, LVM, Crushed Stone
8 Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
293 Pounds	602-A001	Reinforcing Steel
24 Linear Feet	603-CA040	30" Reinforced Concrete Pipe, Class III
32 Linear Feet	603-CA066	42" Reinforced Concrete Pipe, Class III
16 Linear Feet	603-CA087	54" Reinforced Concrete Pipe, Class III

1	Each	603-CB005	30" Reinforced Concrete End Section
2	Each	603-CB007	42" Reinforced Concrete End Section
1	Each	603-CB009	54" Reinforced Concrete End Section
8	Each	617-A001	Right-of-Way Marker
1	Lump Sum	618-A001	Maintenance of Traffic
39	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
208	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
1	Each	619-E1001	Flashing Arrow Panel, Type C
24	Linear Feet	619-G4001	Barricades, Type III, Double Faced
24	Linear Feet	619-G4005	Barricades, Type III, Single Faced
100	Each	619-G5001	Free Standing Plastic Drums
1	Lump Sum	620-A001	Mobilization
1	Lump Sum	699-A001	Roadway Construction Stakes
487	Ton	815-A007	Loose Riprap, Size 300
696	Square Yard	815-E001	Geotextile under Riprap
33	Cubic Yard	815-F001	Sediment Control Stone
550	Linear Feet	907-234-A001	Temporary Silt Fence
325	Linear Feet	907-234-C001	Super Silt Fence

CALL No. 02

Slide Repair on US 61 approximately 0.3 miles north of Junction at Cold Springs Road, known as Federal Aid Project No. STP-0009-01(153) / 107541302 in Wilkinson County.

PROJECT COMPLETION: 84 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1 Acre	201-B001	Clearing and Grubbing
2,235 Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
604 Linear Feet	202-B191	Removal of Pipe, 8" And Above
3,300 Linear Feet	202-B240	Removal of Traffic Stripe
3,113 Cubic Yard	203-A001	Unclassified Excavation, FM, AH
4,162 Cubic Yard	203-EX021	Borrow Excavation, AH, FME, Class B9-6
4,880 Cubic Yard	203-G002	Excess Excavation, LVM, AH
22 Cubic Yard	206-A001	Structure Excavation
3,322 Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
905 Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
2 Ton	213-C001	Superphosphate
7 Square Yard	216-A001	Solid Sodding
1 Thousand Gallon	219-A001	Watering
3 Acre	220-A001	Insect Pest Control
3 Acre	223-A001	Mowing
3 Acre	225-A001	Grassing
2 Ton	225-B001	Agricultural Limestone
5 Ton	225-C001	Mulch, Vegetative Mulch
3 Acre	226-A001	Temporary Grassing
290 Linear Feet	237-A002	Wattles, 20"
110 Linear Feet	245-A001	Silt Dike
20 Linear Feet	246-B002	Rockbags
1 Ton	249-A001	Riprap for Erosion Control
299 Cubic Yard	304-A008	Granular Material, LVM, Class 6, Group D
248 Ton	403-A002	12.5-mm, MT, Asphalt Pavement

307	Ton	403-A005	19-mm, MT, Asphalt Pavement
22	Ton	403-A006	19-mm, ST, Asphalt Pavement
1,857	Ton	403-A014	9.5-mm, MT, Asphalt Pavement
19,888	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
1,867	Gallon	407-A001	Asphalt for Tack Coat
2	Mile	423-A001	Rumble Strips, Ground In
56	Linear Feet	503-C010	Saw Cut, Full Depth
46	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
386	Pounds	602-A001	Reinforcing Steel
400	Linear Feet	603-CA011	18" Reinforced Concrete Pipe, Class III
320	Linear Feet	603-CA032	24" Reinforced Concrete Pipe, Class IV, Class C Bedding
2	Each	603-CB004	24" Reinforced Concrete End Section
2,200	Pounds	604-A001	Castings
250	Pounds	604-B001	Gratings
59	Linear Feet	604-C001	Precast Manhole, 48" Diameter
1	Lump Sum	618-A001	Maintenance of Traffic
2	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
960	Linear Feet	619-A1003	Temporary Traffic Stripe, Continuous White, Paint
1	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
2,078	Linear Feet	619-A2003	Temporary Traffic Stripe, Continuous Yellow, Paint
2	Mile	619-A3001	Temporary Traffic Stripe, Skip White
4,633	Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint
51	Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
238	Each	619-C8001	One-Way Clear Reflective High Performance Raised Marker
247	Each	619-C9001	One-Way Yellow Reflective High Performance Raised Marker
117	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
734	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
2	Each	619-E1001	Flashing Arrow Panel, Type C
228	Linear Feet	619-G4001	Barricades, Type III, Double Faced
48	Linear Feet	619-G4005	Barricades, Type III, Single Faced

147	Each	619-G5001	Free Standing Plastic Drums
21	Each	619-G7001	Warning Lights, Type "B"
50	Each	619-G8001	Warning Lights, Type "C"
1	Lump Sum	620-A001	Mobilization
1	Each	621-A001	Field Laboratory
6,216	Linear Feet	626-A002	6" Thermoplastic Double Drop Traffic Stripe, Skip White
5,836	Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White
4,916	Linear Feet	626-F002	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
1,975	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
82	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
45	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
172	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
8	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1	Lump Sum	699-A001	Roadway Construction Stakes
25	Ton	815-A007	Loose Riprap, Size 300
25	Square Yard	815-E001	Geotextile under Riprap
1,200	Linear Feet	907-234-A001	Temporary Silt Fence
1	Each	907-234-D001	Inlet Siltation Guard
2	Each	907-619-E3001	Changeable Message Sign

ALTERNATE GROUP AA NUMBER 1

1,689	Ton	304-F001	3/4" and Down Crushed Stone Base
-------	-----	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

1,689	Ton	304-F002	Size 610 Crushed Stone Base
-------	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

1,689	Ton	304-F003	Size 825B Crushed Stone Base
-------	-----	----------	------------------------------

CALL No. 03

Bridge Preservation on I-20 over US 80 (Bridge Nos. 60.1A & 60.1B), known as Federal Aid Project No. NHPP-0020-01(263) / 108848301 in Rankin County.

PROJECT COMPLETION: JUNE 30, 2023

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Bridge Items

2,091	Square Yard	501-K001	Transverse Grooving
2,091	Square Yard	907-202-B001	Removal of Bridge Deck, Hydrodemolition
3,200	Pounds	907-420-A001	Undersealing
110	Cubic Yard	907-804-O001	Bridge Deck Overlay Concrete
1,110	Linear Feet	907-808-A002	Joint Repair
650	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
328	Linear Feet	907-823-B001	Saw Cut, Type I
100	Square Feet	907-824-PP003	Bridge Repair, Epoxy Repair
1,120	Square Feet	907-824-PP003	Bridge Repair, Removal of Bridge Deck
40	Each	907-824-PP006	Bridge Repair, Bearing Replacement
1	Each	907-824-PP006	Bridge Repair, Bridge End Rail Repair

Roadway Items

47	Square Yard	202-B045	Removal of Cement Treated Base, All Depths
205	Linear Feet	202-B056	Removal of Concrete Integral Curb & Gutter
126	Square Yard	202-B069	Removal of Concrete Pavement w/ Variable Depth Overlay
151	Cubic Yard	203-A002	Unclassified Excavation, LVM, AH
107	Cubic Yard	203-EX041	Borrow Excavation, AH, LVM, Class B9-6
15	Cubic Yard	203-G002	Excess Excavation, LVM, AH
460	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
1	Acre	227-A001	Hydroseeding
186	Ton	304-F001	3/4" and Down Crushed Stone Base
186	Ton	304-F002	Size 610 Crushed Stone Base
186	Ton	304-F003	Size 825B Crushed Stone Base
46	Ton	403-A001	12.5-mm, HT, Asphalt Pavement
69	Ton	403-A004	19-mm, HT, Asphalt Pavement

80 Ton	403-A006	19-mm, ST, Asphalt Pavement
35 Ton	403-A013	9.5-mm, HT, Asphalt Pavement
10 Ton	403-B004	19-mm, HT, Asphalt Pavement, Leveling
52 Ton	403-D007	9.5-mm, HT, Asphalt Pavement, Polymer Modified
1,250 Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
94 Gallon	407-A001	Asphalt for Tack Coat
36 Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
61 Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
91 Square Yard	503-A001	8" and Variable Continuously Reinforced Concrete Pavement, Broom Finish
35 Square Yard	503-A002	8" and Variable Jointed Concrete Pavement
42 Linear Feet	503-B001	Saw Cut, Longitudinal Joints
48 Linear Feet	503-C004	Saw Cut, 3-inch
72 Linear Feet	503-C010	Saw Cut, Full Depth
15 Cubic Yard	503-D001	Concrete for Base Repair
49 Each	503-E002	Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted
30 Linear Feet	615-B001	Precast Concrete Median Barrier
1 Lump Sum	618-A001	Maintenance of Traffic
1,124 Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
1,124 Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow
1,124 Linear Feet	619-A3002	Temporary Traffic Stripe, Skip White
8 Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
194 Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
1 Each	619-E1001	Flashing Arrow Panel, Type C
30 Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
30 Linear Feet	619-F2002	Remove and Reset Portable Median Barrier
186 Linear Feet	619-G4005	Barricades, Type III, Single Faced
207 Each	619-G5001	Free Standing Plastic Drums
2 Each	619-G7001	Warning Lights, Type "B"
1 Lump Sum	620-A001	Mobilization
1,124 Linear Feet	626-A002	6" Thermoplastic Double Drop Traffic Stripe, Skip White

1,124	Linear Feet	626-B001	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
1,124	Linear Feet	626-E002	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
463	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
17	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1	Lump Sum	699-A001	Roadway Construction Stakes
2,091	Square Yard	907-202-B001	Removal of Bridge Deck, Hydrodemolition
319	Linear Feet	907-234-A001	Temporary Silt Fence
10	Each	907-619-E3001	Changeable Message Sign

CALL No. 04

Mill & Overlay approximately 8 miles of SR 15 from north of CR 561 to the Winston County Line, known as Federal Aid Project No. HSIP-0022-02(073) / 109143301 in Neshoba County.

PROJECT COMPLETION: 121 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1,276	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
20	Square Yard	202-B009	Removal of Asphalt Pavement, Failed Areas
451	Square Yard	202-B073	Removal of Concrete Pavement, All Depths
2,707	Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
5,806	Linear Feet	202-B240	Removal of Traffic Stripe
800	Cubic Yard	203-G001	Excess Excavation, FM, AH
1,730	Cubic Yard	304-E003	Granular Material, LVM, Crushed Stone
18,579	Ton	403-A002	12.5-mm, MT, Asphalt Pavement
50	Ton	403-B002	12.5-mm, MT, Asphalt Pavement, Leveling
2,212	Ton	403-C002	19-mm, MT, Asphalt Pavement, Trench Widening
41,237	Linear Feet	403-S002	Joint Sealant
154,641	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
15,610	Gallon	407-A001	Asphalt for Tack Coat
25	Mile	423-A001	Rumble Strips, Ground In
1,276	Square Yard	501-A001	6" Reinforced Cement Concrete Pavement, Broom Finish
451	Square Yard	501-A002	8" Reinforced Cement Concrete Pavement, Broom Finish
3,162	Linear Feet	503-C010	Saw Cut, Full Depth
718	Each	503-E002	Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted
1,375	Linear Feet	606-B003	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
12	Each	606-D005	Guard Rail, Bridge End Section, Type A
4	Each	606-D023	Guard Rail, Bridge End Section, Type I, Metal Post
16	Each	606-E005	Guard Rail, Terminal End Section, Flared
12	Each	606-G002	Special Sections, Guard Rail Bridge End Connector
1	Lump Sum	618-A001	Maintenance of Traffic
34	Mile	619-A1001	Temporary Traffic Stripe, Continuous White

42	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
6	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
47,358	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,566	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
611	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
228	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
24	Linear Feet	619-G4001	Barricades, Type III, Double Faced
1	Lump Sum	620-A001	Mobilization
17	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
2	Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
14	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
6,856	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
16,823	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
783	Square Feet	626-H001	Thermoplastic Double Drop Legend, White
2,419	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
40	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,781	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
88	Each	630-F006	Delineators, Guard Rail, White
8	Each	630-G003	Type 3 Object Markers, OM-3L, Post Mounted
8	Each	630-G007	Type 3 Object Markers, OM-3R, Post Mounted
560	Linear Feet	907-415-A001	Asphaltic Plug Joint System
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
1,120	Linear Feet	907-808-A002	Joint Repair
560	Linear Feet	907-823-A001	Prefomed Joint Seal, Type I
1,120	Linear Feet	907-823-B001	Saw Cut, Type I

CALL No. 05

Mill & Overlay approximately 6 miles of I-55 from 0.5 miles south of SR 35 to the Montgomery County Line, known as Federal Aid Project No. IM-0055-03(096) / 108589301 in Carroll County.

PROJECT COMPLETION: 167 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

2 Acre	201-D002	Random Clearing
7,656 Linear Feet	202-B150	Removal of Guard Rail Including Post, Blockouts & Hardware
3,300 Linear Feet	202-B240	Removal of Traffic Stripe
1 Ton	213-C001	Superphosphate
500 Square Yard	217-A001	Ditch Liner
2 Acre	220-A001	Insect Pest Control
2 Acre	223-A001	Mowing
2 Acre	225-A001	Grassing
1 Ton	225-B001	Agricultural Limestone
4 Ton	225-C001	Mulch, Vegetative Mulch
2 Acre	226-A001	Temporary Grassing
500 Linear Feet	237-A002	Wattles, 20"
4,500 Ton	304-B002	Granular Material, Class 3, Group D
8,270 Ton	403-A015	9.5-mm, ST, Asphalt Pavement
24 Mile	403-S001	Joint Sealant
285,950 Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
47,000 Gallon	407-A001	Asphalt for Tack Coat
1,000 Linear Feet	413-B001	Cleaning and Sealing Joints
1,850 Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
24 Mile	423-A001	Rumble Strips, Ground In
200 Pounds	602-A001	Reinforcing Steel
7,656 Linear Feet	606-B001	Guard Rail, Class A, Type 1
14 Each	606-C003	Guard Rail, Cable Anchor, Type 1
12 Each	606-D005	Guard Rail, Bridge End Section, Type A
25 Each	606-E005	Guard Rail, Terminal End Section, Flared

8	Each	606-E007	Guard Rail, Terminal End Section, Non-Flared
1	Lump Sum	618-A001	Maintenance of Traffic
51	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
51	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
48	Mile	619-A3001	Temporary Traffic Stripe, Skip White
12,400	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
48	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
228	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
24	Linear Feet	619-G4001	Barricades, Type III, Double Faced
48	Linear Feet	619-G4005	Barricades, Type III, Single Faced
1	Lump Sum	620-A001	Mobilization
12	Mile	626-A001	6" Thermoplastic Double Drop Traffic Stripe, Skip White
14	Mile	626-B002	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
14	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
5,200	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
400	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
600	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
1,900	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
30	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
164	Each	630-F006	Delineators, Guard Rail, White
83	Each	630-F007	Delineators, Guard Rail, Yellow
72	Each	630-F010	Delineators, Post Mounted, Double White
26	Each	630-F011	Delineators, Post Mounted, Double Yellow
50	Each	630-F012	Delineators, Post Mounted, Single White
14	Each	630-F013	Delineators, Post Mounted, Single Yellow
12	Ton	815-F002	Sediment Control Stone
1,625	Linear Feet	907-234-A001	Temporary Silt Fence
9,700	Ton	907-402-A002	Open Graded Friction Course, 9.5-mm Mixture
13,520	Gallon	907-402-B001	Bituminous Tack Coat
16,400	Ton	907-405-A001	Stone Matrix Asphalt, 9.5 mm Mixture

21,830	Ton	907-405-A002	Stone Matrix Asphalt, 12.5 mm Mixture
12	Each	907-606-PP005	Guard Rail, Bridge Connector, Per Plans
4	Each	907-619-E3001	Changeable Message Sign
3	Cubic Yard	907-824-PP007	Bridge Repair, Concrete End Post

CALL No. 06

Slide Repairs at various locations along SR 25, known as Federal Aid Project Nos. ER-0056-01(109) / 108477301, STBG-9999-05(380) / 107999301, STBG-9999-05(375) / 108002301 & ER-0056-01(108) / 108480301 in Leake and Scott Counties.

PROJECT COMPLETION: 169 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

5 Acre	201-B001	Clearing and Grubbing
13,250 Cubic Yard	203-EX021	Borrow Excavation, AH, FME, Class B9-6
14,095 Cubic Yard	203-G001	Excess Excavation, FM, AH
15,090 Square Yard	203-I002	Site Grading
40 Square Yard	216-A001	Solid Sodding
5 Acre	220-A001	Insect Pest Control
8 Acre	223-A001	Mowing
5 Acre	227-A001	Hydroseeding
1,480 Linear Feet	237-A002	Wattles, 20"
70 Ton	249-A001	Riprap for Erosion Control
5 Cubic Yard	601-B002	Class "C" Structural Concrete, Minor Structures
360 Square Yard	605-AA001	Geotextile for Subsurface Drainage, Type III
265 Linear Feet	605-O002	4" Perforated Sewer Pipe for Underdrains, SDR 23.5
225 Linear Feet	605-O004	6" Perforated Sewer Pipe for Underdrains, SDR 23.5
90 Linear Feet	605-P002	4" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
40 Linear Feet	605-P004	6" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
52 Cubic Yard	605-X002	Filter Material for Filter Beds, Type A
1,730 Cubic Yard	605-X003	Filter Material for Filter Beds, Type B
1 Lump Sum	618-A001	Maintenance of Traffic
48 Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
96 Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
72 Linear Feet	619-G4005	Barricades, Type III, Single Faced
1 Lump Sum	620-A001	Mobilization
1 Lump Sum	699-A001	Roadway Construction Stakes
25 Ton	815-F002	Sediment Control Stone

2,960 Linear Feet

907-234-A001 Temporary Silt Fence

CALL No. 07

Bridge Replacements on SR 149 between SR 13 & US 49 (Bridge Nos. 128.2, 128.6, 131.7 & 131.4), known as Federal Aid Project No. STBG-0064-00(020) / 101838301 in Simpson County.

PROJECT COMPLETION: 603 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

26 Acre	201-B001	Clearing and Grubbing
19,907 Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
1 Each	202-B017	Removal of Box Bridge
1 Each	202-B018	Removal of Box Culvert
3 Each	202-B023	Removal of Bridge
1,142 Linear Feet	202-B150	Removal of Guard Rail Including Post, Blockouts & Hardware
345 Linear Feet	202-B191	Removal of Pipe, 8" And Above
1,000 Linear Feet	202-B240	Removal of Traffic Stripe
18,332 Cubic Yard	203-A001	Unclassified Excavation, FM, AH
121,938 Cubic Yard	203-EX020	Borrow Excavation, AH, FME, Class B9
250 Cubic Yard	203-G001	Excess Excavation, FM, AH
546 Cubic Yard	206-A001	Structure Excavation
50 Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
46,602 Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
13 Ton	213-C001	Superphosphate
249 Square Yard	216-A001	Solid Sodding
1,778 Square Yard	217-A001	Ditch Liner
5 Thousand Gallon	219-A001	Watering
13 Acre	220-A001	Insect Pest Control
31 Cubic Yard	221-A001	Concrete Paved Ditch
26 Acre	223-A001	Mowing
26 Acre	225-A001	Grassing
78 Ton	225-B001	Agricultural Limestone
52 Ton	225-C001	Mulch, Vegetative Mulch
26 Acre	226-A001	Temporary Grassing

2	Each	236-A008	Silt Basin, Type D
1,000	Linear Feet	237-A002	Wattles, 20"
200	Each	246-A002	Sandbags
200	Each	246-B001	Rockbags
60	Ton	249-A001	Riprap for Erosion Control
30	Cubic Yard	249-B001	Remove and Reset Riprap
2,397	Ton	403-A003	12.5-mm, ST, Asphalt Pavement
2,570	Ton	403-A006	19-mm, ST, Asphalt Pavement
1,798	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
1,600	Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
4,674	Gallon	407-A001	Asphalt for Tack Coat
376	Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
1	Mile	423-A001	Rumble Strips, Ground In
375	Linear Feet	501-E001	Expansion Joints, Without Dowels
807	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
7	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
222	Pounds	602-A001	Reinforcing Steel
144	Linear Feet	603-ALT003	18" Type A Alternate Pipe
232	Linear Feet	603-ALT006	24" Type A Alternate Pipe
132	Linear Feet	603-ALT013	36" x 23" Type A Alternate Pipe
120	Linear Feet	603-CA026	24" Reinforced Concrete Pipe, Class III
88	Linear Feet	603-CA066	42" Reinforced Concrete Pipe, Class III
96	Linear Feet	603-CA099	60" Reinforced Concrete Pipe, Class III
120	Linear Feet	603-CA119	72" Reinforced Concrete Pipe, Class III
3	Each	603-CB004	24" Reinforced Concrete End Section
2	Each	603-CB007	42" Reinforced Concrete End Section
1	Each	603-CB010	60" Reinforced Concrete End Section
3	Each	603-CB012	72" Reinforced Concrete End Section
286	Square Yard	605-AA001	Geotextile for Subsurface Drainage, Type III
384	Linear Feet	605-O002	4" Perforated Sewer Pipe for Underdrains, SDR 23.5

131	Linear Feet	605-P002	4" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
19	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
550	Linear Feet	606-B001	Guard Rail, Class A, Type 1
16	Each	606-D022	Guard Rail, Bridge End Section, Type I
14	Each	606-E005	Guard Rail, Terminal End Section, Flared
2	Each	606-E007	Guard Rail, Terminal End Section, Non-Flared
235	Linear Feet	609-D004	Combination Concrete Curb and Gutter Type 2 Modified
160	Linear Feet	615-A002	Concrete Bridge End Barrier, 33.5"
48	Each	617-A001	Right-of-Way Marker
1	Lump Sum	618-A001	Maintenance of Traffic
2,000	Linear Feet	619-A1003	Temporary Traffic Stripe, Continuous White, Paint
2,000	Linear Feet	619-A2003	Temporary Traffic Stripe, Continuous Yellow, Paint
200	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
200	Linear Feet	619-A6004	Temporary Traffic Stripe, Legend, Paint
20	Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
16	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
677	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
17	Each	619-D3001	Remove and Reset Signs, All Sizes
96	Linear Feet	619-F1002	Portable Median Barrier
78	Linear Feet	619-G4001	Barricades, Type III, Double Faced
96	Linear Feet	619-G4005	Barricades, Type III, Single Faced
100	Each	619-G5001	Free Standing Plastic Drums
24	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
1	Each	621-A001	Field Laboratory
15,746	Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White
6,859	Linear Feet	626-D002	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
2,939	Linear Feet	626-E002	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
880	Linear Feet	626-G002	Thermoplastic Detail Stripe, White

364	Linear Feet	626-H005	Thermoplastic Legend, White
142	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
213	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
36	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
40	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
105	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
56	Each	630-F006	Delineators, Guard Rail, White
16	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
1	Lump Sum	699-A001	Roadway Construction Stakes
3,257	Ton	815-A007	Loose Riprap, Size 300
2,611	Square Yard	815-E001	Geotextile under Riprap
48	Ton	815-F002	Sediment Control Stone
3,600	Linear Feet	907-234-A001	Temporary Silt Fence
1,200	Linear Feet	907-234-C001	Super Silt Fence
255	Linear Feet	907-253-A001	Coir Fiber Baffle
4	Each	907-619-E3001	Changeable Message Sign
1,040	Hours	907-906001	Trainees

ALTERNATE GROUP AA NUMBER 1

29,279	Ton	304-F001	3/4" and Down Crushed Stone Base
--------	-----	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

29,279	Ton	304-F002	Size 610 Crushed Stone Base
--------	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

29,279	Ton	304-F003	Size 825B Crushed Stone Base
--------	-----	----------	------------------------------

ALTERNATE GROUP BB NUMBER 1

156	Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
-----	------------	----------	--

ALTERNATE GROUP BB NUMBER 2

156	Cubic Yard	605-W003	Filter Material for Combination Storm Drain and/or Underdrains, Type C, FM
-----	------------	----------	--

Bridge Items

8,889	Square Yard	501-K001	Transverse Grooving
5,815	Linear Feet	803-P002	24" Steel Pipe Piling, Wall Thickness 0.750"
3,940	Linear Feet	803-P004	30" Steel Pipe Piling, Wall Thickness 0.750"

5,850	Linear Feet	803-P008	20" Steel Pipe Piling, Wall Thickness 0.500"
1,345	Linear Feet	804-C170	135' Prestressed Concrete Beam, Type FIB-54
8,495	Linear Feet	804-C186	110' Prestressed Concrete Beam, Type FIB-45
1,193	Linear Feet	804-C188	80' Prestressed Concrete Beam, Type FIB-36
498	Linear Feet	804-C192	100' Prestressed Concrete Beam, Type FIB-36
775	Linear Feet	804-C202	130' Prestressed Concrete Beam, Type FIB-54
895	Linear Feet	804-C207	150' Prestressed Concrete Beam, Type FIB-63
621,558	Pounds	805-A001	Reinforcement
23,665	Pounds	805-C001	Reinforcement, Corrosion Resistant
4,648	Linear Feet	813-A002	Concrete Railing, 32"
12,615	Ton	815-A007	Loose Riprap, Size 300
7,870	Square Yard	815-E001	Geotextile under Riprap
8	Each	907-803-B001	Conventional Static Pile Load Test
16	Each	907-803-I004	PDA Test Pile, Steel Pipe Pile
8	Each	907-803-J001	Pile Restrike
2,423	Cubic Yard	907-804-A001	Bridge Concrete, Class BDY
711	Cubic Yard	907-804-A002	Bridge Concrete, Class AA
34,497	Square Feet	907-804-P001	Precast Concrete Partial-Depth Deck Panels
219	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
203	Linear Feet	907-823-A002	Preformed Joint Seal, Type II

CALL No. 08

Bridge Replacements on SR 145 (Bridge Nos. 35.0 & 43.8), known as Federal Aid Project No. BR-0145-00(006) / 102485302 in Clarke County.

PROJECT COMPLETION: 116 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1 Acre	201-B001	Clearing and Grubbing
2,992 Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
2 Each	202-B023	Removal of Bridge
30 Square Yard	202-B080	Removal of Concrete Sidewalk
100 Linear Feet	202-B088	Removal of Curb & Gutter, All Types
656 Linear Feet	202-B136	Removal of Guard Rail
16 Linear Feet	202-B191	Removal of Pipe, 8" And Above
9 Each	202-B215	Removal of Sign Including Post & Footing
2,432 Cubic Yard	203-A001	Unclassified Excavation, FM, AH
11,271 Cubic Yard	203-EX017	Borrow Excavation, AH, FME, Class B7
4 Cubic Yard	206-A001	Structure Excavation
5,660 Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
1,500 Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
3 Ton	213-C001	Superphosphate
54 Square Yard	216-A001	Solid Sodding
134 Square Yard	217-A001	Ditch Liner
1 Thousand Gallon	219-A001	Watering
5 Acre	220-A001	Insect Pest Control
6 Cubic Yard	221-A001	Concrete Paved Ditch
9 Acre	223-A001	Mowing
5 Acre	225-A001	Grassing
3 Ton	225-B001	Agricultural Limestone
9 Ton	225-C001	Mulch, Vegetative Mulch
5 Acre	226-A001	Temporary Grassing
134 Square Yard	229-A001	Erosion Mat

1	Each	236-A008	Silt Basin, Type D
14,000	Linear Feet	237-A002	Wattles, 20"
400	Linear Feet	239-A001	Temporary Slope Drains
128	Each	246-B001	Rockbags
500	Ton	249-A001	Riprap for Erosion Control
517	Ton	403-A002	12.5-mm, MT, Asphalt Pavement
701	Ton	403-A006	19-mm, ST, Asphalt Pavement
559	Ton	403-A014	9.5-mm, MT, Asphalt Pavement
2,170	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
1,026	Gallon	407-A001	Asphalt for Tack Coat
144	Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
1	Mile	423-A001	Rumble Strips, Ground In
144	Linear Feet	501-E001	Expansion Joints, Without Dowels
48	Square Yard	501-K001	Transverse Grooving
333	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
1	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
40	Linear Feet	603-ALT009	30" Type A Alternate Pipe
16	Linear Feet	603-CA026	24" Reinforced Concrete Pipe, Class III
1	Each	603-CB004	24" Reinforced Concrete End Section
92	Square Yard	605-AA001	Geotextile for Subsurface Drainage, Type III
158	Linear Feet	605-O002	4" Perforated Sewer Pipe for Underdrains, SDR 23.5
120	Linear Feet	605-P003	4" Non-perforated Sewer Pipe for Underdrains, SDR 35
20	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
175	Linear Feet	606-B001	Guard Rail, Class A, Type 1
8	Each	606-D022	Guard Rail, Bridge End Section, Type I
8	Each	606-E005	Guard Rail, Terminal End Section, Flared
30	Square Yard	608-B001	Concrete Sidewalk, With Reinforcement
114	Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 1 Modified
80	Linear Feet	615-A024	Concrete Bridge End Barrier, 37.5"
11	Each	617-A001	Right-of-Way Marker

1	Lump Sum	618-A001	Maintenance of Traffic
3,199	Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
1,690	Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow
623	Linear Feet	619-A4001	Temporary Traffic Stripe, Skip Yellow
40	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
131	Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
711	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
200	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
30	Linear Feet	619-G4001	Barricades, Type III, Double Faced
68	Linear Feet	619-G4005	Barricades, Type III, Single Faced
50	Each	619-G5001	Free Standing Plastic Drums
41	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
3,199	Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White
623	Linear Feet	626-D002	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
1,690	Linear Feet	626-E002	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
685	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
2,222	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
328	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
27	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
131	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
55	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
44	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
66	Linear Feet	630-C002	Steel U-Section Posts, 2.0 lb/ft
187	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
145	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
30	Each	630-F006	Delineators, Guard Rail, White
8	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
42	Linear Feet	630-K002	Welded & Seamless Steel Pipe Posts, 3"

1 Lump Sum	699-A001	Roadway Construction Stakes
230 Ton	815-A003	Loose Riprap, Size 150
357 Square Yard	815-E001	Geotextile under Riprap
100 Ton	815-F002	Sediment Control Stone
4,000 Linear Feet	907-234-A001	Temporary Silt Fence
1,581 Linear Feet	907-234-C001	Super Silt Fence
1 Each	907-234-D001	Inlet Siltation Guard
96 Linear Feet	907-253-A001	Coir Fiber Baffle
20 Square Feet	907-608-C001	Detectable Warning Panels
10 Each	907-619-E3001	Changeable Message Sign
42 Square Feet	907-630-PP002	Roadside Directional Signs, Sheet Aluminum, 0.125" Thickness, Ground Mounted

ALTERNATE GROUP AA NUMBER 1

2,167 Ton	304-F001	3/4" and Down Crushed Stone Base
-----------	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

2,167 Ton	304-F002	Size 610 Crushed Stone Base
-----------	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

2,167 Ton	304-F003	Size 825B Crushed Stone Base
-----------	----------	------------------------------

ALTERNATE GROUP BB NUMBER 1

132 Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
----------------	----------	--

ALTERNATE GROUP BB NUMBER 2

132 Cubic Yard	605-W003	Filter Material for Combination Storm Drain and/or Underdrains, Type C, FM
----------------	----------	--

ALTERNATE GROUP CC NUMBER 1

640 Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
640 Linear Feet	907-624-D002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

ALTERNATE GROUP CC NUMBER 2

640 Linear Feet	628-H001	6" High Performance Cold Plastic Traffic Stripe, Continuous White
640 Linear Feet	628-J001	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

Bridge Items

1,153 Square Yard	501-K001	Transverse Grooving
4,435 Linear Feet	803-D006	HP 14 x 73 Steel Piling
547 Linear Feet	804-C186	110' Prestressed Concrete Beam, Type FIB-45
1,043 Linear Feet	804-C199	70' Prestressed Concrete Beam, Type FIB-36

102,641	Pounds	805-A001	Reinforcement
2,632	Pounds	805-C001	Reinforcement, Corrosion Resistant
648	Linear Feet	813-A004	Concrete Railing, 36"
30,442	Ton	815-A007	Loose Riprap, Size 300
2,550	Square Yard	815-E001	Geotextile under Riprap
2	Each	907-803-B001	Conventional Static Pile Load Test
3	Each	907-803-I003	PDA Test Pile, HP Steel Pile
3	Each	907-803-J001	Pile Restrike
362	Cubic Yard	907-804-A001	Bridge Concrete, Class BDX
182	Cubic Yard	907-804-A002	Bridge Concrete, Class AA
146	Linear Feet	907-823-A001	Preformed Joint Seal, Type I

CALL No. 09

Slide Repairs on SR 13 Northbound approximately 500 feet north of SR 481 & on I-20 Eastbound approximately 1 mile east of SR 481 east of milepost 81, known as Federal Aid Project Nos. ER-0322-00(016) / 108486301 & ER-0020-02(099) / 108482301 in Scott County.

PROJECT COMPLETION: 85 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

2,873	Cubic Yard	203-EX008	Borrow Excavation, AH, FME, Class B15
3,373	Cubic Yard	203-G001	Excess Excavation, FM, AH
8	Square Yard	216-A001	Solid Sodding
1	Thousand Gallon	219-A001	Watering
2	Acre	220-A001	Insect Pest Control
2	Acre	223-A001	Mowing
2	Acre	227-A001	Hydroseeding
400	Linear Feet	237-A002	Wattles, 20"
864	Ton	304-F002	Size 610 Crushed Stone Base
2	Cubic Yard	601-B002	Class "C" Structural Concrete, Minor Structures
681	Square Yard	605-AA001	Geotextile for Subsurface Drainage, Type III
425	Linear Feet	605-O004	6" Perforated Sewer Pipe for Underdrains, SDR 23.5
70	Linear Feet	605-P004	6" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
30	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
1	Lump Sum	618-A001	Maintenance of Traffic
50	Linear Feet	619-A6008	Temporary Traffic Stripe, Legend, Type 1 or 2 Tape
60	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
280	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
300	Linear Feet	619-F1001	Concrete Median Barrier, Precast
24	Linear Feet	619-G4001	Barricades, Type III, Double Faced
48	Linear Feet	619-G4005	Barricades, Type III, Single Faced
1	Each	619-J1005	Impact Attenuator, 70 MPH
1	Each	619-J2005	Impact Attenuator, 70 MPH, Replacement Package
1	Lump Sum	620-A001	Mobilization

1	Lump Sum	699-A001	Roadway Construction Stakes
6,000	Square Feet	802-C001	Temporary Steel Sheet Piling
800	Linear Feet	907-234-A001	Temporary Silt Fence
2	Each	907-619-H2001	Traffic Signal, Portable, Type 1

CALL No. 10

Bridge Repair on SR 403 over the Big Black River (Bridge No. 2.7), known as Federal Aid Project No. STBG-0733-00(012) / 108866301 in Webster County.

PROJECT COMPLETION: 45 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1,600	Linear Feet	202-B240	Removal of Traffic Stripe
1	Lump Sum	618-A001	Maintenance of Traffic
301	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
72	Linear Feet	619-G4001	Barricades, Type III, Double Faced
1	Lump Sum	620-A001	Mobilization
800	Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White
400	Linear Feet	626-D002	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
400	Linear Feet	626-E002	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
10	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
200	Linear Feet	907-234-F001	Turbidity Barrier
2	Each	907-619-E3001	Changeable Message Sign

Bridge Items

5	Each	804-E001	40' Prestressed Concrete Voided Slab, 4'-0" Interior
490	Ton	815-A007	Loose Riprap, Size 300
295	Square Yard	815-E001	Geotextile under Riprap
10	Each	907-824-PP006	Bridge Repair, Weep Hole Cleaning Per Plans

CALL No. 11

Bridge Preservation on SR 145 over Horse Hunters Creek (Bridge No. 135.9), known as Federal Aid Project No. STBG-1679-00(001) / 108843301 in Noxubee County.

PROJECT COMPLETION: 67 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	618-A001	Maintenance of Traffic
16	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
200	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
36	Linear Feet	619-G4001	Barricades, Type III, Double Faced
48	Linear Feet	619-G4005	Barricades, Type III, Single Faced
4	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
2	Each	907-619-E3001	Changeable Message Sign

Bridge Items

53	Cubic Yard	249-B001	Remove and Reset Riprap
122	Ton	815-A007	Loose Riprap, Size 300
111	Square Yard	815-E001	Geotextile under Riprap
5,000	Pounds	907-420-A001	Undersealing
40	Square Feet	907-824-PP003	Bridge Repair, Epoxy Repair
6	Each	907-824-PP006	Bridge Repair, Cap Cleaning
12	Each	907-824-PP006	Bridge Repair, Exterior Beam End Repair
16	Each	907-824-PP006	Bridge Repair, Interior Beam End Repair
1	Lump Sum	907-845-A001	Coating Existing Structural Steel Structural Steel

CALL No. 12

Placement of Audible Stripe on approximately 17 miles of US 80 from Paige McDill Road to Fountain Drive, known as Federal Aid Project Nos. HSIP-2904-00(019) / 109165301 & 302 in Rankin and Scott Counties.

PROJECT COMPLETION: 67 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	618-A001	Maintenance of Traffic
1	Lump Sum	620-A001	Mobilization
33	Mile	626-B002	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
10	Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
22	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
6,354	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
6,105	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
39	Square Feet	626-H001	Thermoplastic Double Drop Legend, White
2,952	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
2,687	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,300	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
10	Mile	907-626-A003	Thermoplastic Audible Traffic Stripe, Centerline Skip - Passing Zone
8	Mile	907-626-A004	Thermoplastic Audible Traffic Stripe, Centerline Skip - No-Passing Zone

CALL No. 13

Slide Repairs at various locations along I-20 & I-55, known as Federal Aid Project Nos. STBG-9999-05(382) / 108001302, STBG-9999-05(384) / 108001303, STBG-9999-05(383) / 108002302 & ER-0055-02(262) / 108475301 in Rankin, Scott, and Hinds Counties.

PROJECT COMPLETION: 112 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

1	Lump Sum	201-A001	Clearing and Grubbing
200	Square Yard	202-B063	Removal of Concrete Paved Ditch
1	Each	202-B143	Removal of Guard Rail Cable Anchor
64	Linear Feet	202-B191	Removal of Pipe, 8" And Above
3,319	Cubic Yard	203-EX020	Borrow Excavation, AH, FME, Class B9
5,278	Cubic Yard	203-G001	Excess Excavation, FM, AH
22	Cubic Yard	206-A001	Structure Excavation
914	Square Yard	209-A009	Geotextile Stabilization, Type VII, Non-Woven
768	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
4	Ton	213-C001	Superphosphate
443	Square Yard	216-A001	Solid Sodding
10	Thousand Gallon	219-A001	Watering
4	Acre	220-A001	Insect Pest Control
89	Cubic Yard	221-A001	Concrete Paved Ditch
4	Acre	225-A001	Grassing
9	Ton	225-B001	Agricultural Limestone
6	Ton	225-C001	Mulch, Vegetative Mulch
4	Acre	226-A001	Temporary Grassing
2,420	Linear Feet	237-A002	Wattles, 20"
1,144	Each	246-B001	Rockbags
38	Ton	304-D004	Granular Material, Size 57
5	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
333	Pounds	602-A001	Reinforcing Steel
16	Linear Feet	603-CA004	15" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets

533	Square Yard	605-AA001	Geotextile for Subsurface Drainage, Type III
218	Linear Feet	605-O004	6" Perforated Sewer Pipe for Underdrains, SDR 23.5
180	Linear Feet	605-P004	6" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
50	Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
1	Lump Sum	605-Z005	Underdrain Appurtenances, Small Animal Guard
150	Linear Feet	606-B001	Guard Rail, Class A, Type 1
1	Each	606-C003	Guard Rail, Cable Anchor, Type 1
1	Each	606-E001	Guard Rail, Terminal End Section
42	Cubic Yard	612-B001	Flowable Fill, Non-Excavatable
1	Lump Sum	618-A001	Maintenance of Traffic
64	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
192	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
102	Linear Feet	619-G4005	Barricades, Type III, Single Faced
1	Lump Sum	620-A001	Mobilization
4	Each	630-F006	Delineators, Guard Rail, White
1	Lump Sum	699-A001	Roadway Construction Stakes
1,398	Ton	815-A007	Loose Riprap, Size 300
2,600	Linear Feet	907-234-A001	Temporary Silt Fence
1	Each	907-619-E3001	Changeable Message Sign
1,180	Square Yard	907-815-G001	Concrete Filled Cellular Confinement System

CALL No. 14

Intersection Improvements on various routes throughout the District, known as Federal Aid Project No. HSIP-9999-05(400) / 108806301 in District 5.

PROJECT COMPLETION: 179 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Acre	201-D002	Random Clearing
966	Each	202-B215	Removal of Sign Including Post & Footing
10,100	Linear Feet	202-B240	Removal of Traffic Stripe
9	Each	202-B272	Removal of Overhead Flashing Beacon
58	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
1	Lump Sum	618-A001	Maintenance of Traffic
1	Lump Sum	620-A001	Mobilization
115,851	Linear Feet	626-A002	6" Thermoplastic Double Drop Traffic Stripe, Skip White
386,541	Linear Feet	626-B001	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
40,934	Linear Feet	626-D002	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
347,569	Linear Feet	626-E002	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
147,171	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
77,072	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
9,861	Square Feet	626-H001	Thermoplastic Double Drop Legend, White
69,563	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
3,644	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
3,233	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
6,817	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1,509	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
10,643	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
6,940	Linear Feet	630-C001	Square Tube Posts, 4.0 lb/ft
7,726	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
1,128	Linear Feet	630-C1001	Square Post Inner Sleeve
74	Each	638-C001	Flasher Assembly - Solar Powered
915	Square Feet	907-630-A001	Standard Roadside Signs, LED Enhanced

759	Each	907-630-N001	Reflective Sign Post Panel
20	Each	907-630-O004	Remove and Reset Sign, All Sizes

CALL No. 15

Sign Replacement on various routes throughout the District, known as Federal Aid Project No. STBG-9999-05(403) / 108811305 in District 5.

PROJECT COMPLETION: 102 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	618-A001	Maintenance of Traffic
11	Square Feet	618-B001	Additional Construction Signs
1	Lump Sum	620-A001	Mobilization
1,937	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
2,628	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
612	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
135	Each	630-G004	Type 3 Object Markers, OM-3R or OM-3L

CALL No. 16

Placement of Audible Stripe and Raised Pavement Markers on various routes throughout District, known as Federal Aid Project No. HSIP-9999-05(409) / 109199301 in District 5.

PROJECT COMPLETION: 164 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
1	Lump Sum	620-A001	Mobilization
130	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
43	Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
77	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
23,203	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
8,550	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
6,836	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
14,263	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
7,185	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
37	Mile	907-626-A003	Thermoplastic Audible Traffic Stripe, Centerline Skip - Passing Zone
18	Mile	907-626-A004	Thermoplastic Audible Traffic Stripe, Centerline Skip - No-Passing Zone
130	Mile	907-626-C003	Thermoplastic Audible Edge Stripe

CALL No. 17

Mill & Overlay approximately 7 miles of US 82 from the Montgomery County Line to west of SR 182, known as State Project No. SP-0011-02(092) / 108224301 in Webster County.

PROJECT COMPLETION: 125 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

50 Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
16 Each	202-B138	Removal of Guard Rail Bridge End Section
2,400 Linear Feet	202-B150	Removal of Guard Rail Including Post, Blockouts & Hardware
16 Each	202-B152	Removal of Guard Rail Terminal End Section
5,960 Linear Feet	202-B240	Removal of Traffic Stripe
50 Cubic Yard	203-G002	Excess Excavation, LVM, AH
6,400 Cubic Yard	304-A003	Granular Material, LVM, Class 3, Group D
900 Ton	403-A001	12.5-mm, HT, Asphalt Pavement
26,500 Ton	403-A013	9.5-mm, HT, Asphalt Pavement
272,000 Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
26,500 Gallon	407-A001	Asphalt for Tack Coat
29 Mile	423-A001	Rumble Strips, Ground In
50 Linear Feet	503-C010	Saw Cut, Full Depth
2,400 Linear Feet	606-B002	Guard Rail, Class A, Type 1, 'W' Beam
16 Each	606-D020	Guard Rail, Bridge End Section, Type H, Metal Post
16 Each	606-E001	Guard Rail, Terminal End Section
1 Lump Sum	618-A001	Maintenance of Traffic
1 Square Feet	618-B001	Additional Construction Signs
26 Mile	619-A1001	Temporary Traffic Stripe, Continuous White
22 Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
28 Mile	619-A3001	Temporary Traffic Stripe, Skip White
40,000 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
8,000 Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
56 Each	619-F3001	Delineators, Guard Rail, White
56 Each	619-F3002	Delineators, Guard Rail, Yellow

1	Lump Sum	620-A001	Mobilization
14	Mile	626-A004	6" Thermoplastic Traffic Stripe, Skip White
13	Mile	626-C004	6" Thermoplastic Edge Stripe, Continuous White
11	Mile	626-F003	6" Thermoplastic Edge Stripe, Continuous Yellow
17,200	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
20,000	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
4,000	Linear Feet	626-H005	Thermoplastic Legend, White
320	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,500	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
910	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers

ALTERNATE GROUP AA NUMBER 1

2,650	Linear Feet	907-624-A002	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White
2,650	Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
2,650	Linear Feet	907-624-D002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

ALTERNATE GROUP AA NUMBER 2

2,650	Linear Feet	628-G001	6" High Performance Cold Plastic Traffic Stripe, Skip White
2,650	Linear Feet	628-H001	6" High Performance Cold Plastic Traffic Stripe, Continuous White
2,650	Linear Feet	628-J001	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

CALL No. 18

Mill & Overlay approximately 5 miles of SR 8 beginning at SR 7 in the Town of Holcomb to the beginning of the 5-Lane section in the City of Grenada, known as State Project No. SP-0016-02(043) / 108948301 in Grenada County.

PROJECT COMPLETION: 102 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

50 Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
1,002 Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
78 Each	202-B215	Removal of Sign Including Post & Footing
50 Cubic Yard	203-G001	Excess Excavation, FM, AH
3,500 Ton	304-B002	Granular Material, Class 3, Group D
50 Ton	403-A006	19-mm, ST, Asphalt Pavement
8,585 Ton	403-A014	9.5-mm, MT, Asphalt Pavement
5,100 Ton	403-B011	9.5-mm, MT, Asphalt Pavement, Leveling
103,485 Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
21,000 Gallon	407-A001	Asphalt for Tack Coat
100 Linear Feet	503-C010	Saw Cut, Full Depth
550 Linear Feet	606-B002	Guard Rail, Class A, Type 1, 'W' Beam
8 Each	606-D005	Guard Rail, Bridge End Section, Type A
8 Each	606-E001	Guard Rail, Terminal End Section
1 Lump Sum	618-A001	Maintenance of Traffic
1 Square Feet	618-B001	Additional Construction Signs
33 Mile	619-A1001	Temporary Traffic Stripe, Continuous White
12 Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
14 Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
4,100 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,339 Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1 Lump Sum	620-A001	Mobilization
11 Mile	626-B002	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
5 Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
4 Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow

2,750	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
1,355	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
81	Square Feet	626-H001	Thermoplastic Double Drop Legend, White
1,339	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
310	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
601	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
136	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
236	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
165	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
135	Linear Feet	630-C001	Square Tube Posts, 4.0 lb/ft
1,014	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
44	Each	630-F006	Delineators, Guard Rail, White
45	Each	630-G004	Type 3 Object Markers, OM-3R or OM-3L
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips

ALTERNATE GROUP AA NUMBER 1

50	Ton	304-F001	3/4" and Down Crushed Stone Base
----	-----	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

50	Ton	304-F002	Size 610 Crushed Stone Base
----	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

50	Ton	304-F003	Size 825B Crushed Stone Base
----	-----	----------	------------------------------

CALL No. 19

Overlay approximately 12 miles of SR 28 from SR 33 to 2.4 miles east of Dennis Cross Road, known as State Project No. MP-3028-32(007) / 307497301 in Jefferson County.

PROJECT COMPLETION: 101 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

64 Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
25 Cubic Yard	203-G001	Excess Excavation, FM, AH
4,200 Ton	304-B004	Granular Material, Class 5, Group D
16,500 Ton	403-A015	9.5-mm, ST, Asphalt Pavement
75 Ton	403-B006	19-mm, ST, Asphalt Pavement, Leveling
1,200 Ton	403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
4,400 Ton	406-D003	Fine Milling of Bituminous Pavement, All Depths
15,300 Gallon	407-A001	Asphalt for Tack Coat
1,740 Square Feet	412-A001	Pre-Grinding
5 Mile	423-A001	Rumble Strips, Ground In
120 Linear Feet	503-C010	Saw Cut, Full Depth
1 Lump Sum	618-A001	Maintenance of Traffic
1 Square Feet	618-B001	Additional Construction Signs
28 Mile	619-A1001	Temporary Traffic Stripe, Continuous White
15 Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
10 Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
1,000 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
500 Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1 Lump Sum	620-A001	Mobilization
23 Mile	626-B002	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
8 Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
12 Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
4,500 Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
1,300 Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
1,600 Linear Feet	626-H002	Thermoplastic Double Drop Legend, White

375	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,100	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
100	Each	630-F006	Delineators, Guard Rail, White
8	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips

CALL No. 20

Overlay approximately 11 miles of SR 149 from Mendenhall to north of Braxton, known as State Project No. MP-7149-64(005) / 307529301 in Simpson County.

PROJECT COMPLETION: 74 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1,783	Cubic Yard	304-A008	Granular Material, LVM, Class 6, Group D
8,548	Ton	403-A014	9.5-mm, MT, Asphalt Pavement
15,659	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
27,392	Gallon	407-A001	Asphalt for Tack Coat
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
39	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
27	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
9	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
29,014	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
10,932	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
19	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
5	Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
13	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
246	Linear Feet	626-G001	Thermoplastic Detail Stripe, Blue-ADA
10,131	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
9,636	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
5,466	Linear Feet	626-H005	Thermoplastic Legend, White
1,174	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
166	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,182	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
3,881	Ton	907-411-A001	Ultra Thin Asphalt Pavement
132	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
2	Each	907-626-H001	Thermoplastic Legend, Blue-ADA Handicap Symbol

CALL No. 01

Grade, Drain, Bridge & Pave 4-Lane approximately 9 miles of SR 57 from I-10 to Vancleave, known as Federal Aid Project No. STP-0066-01(008) / 103060301 in Jackson County.

PROJECT COMPLETION: Contractor Determined

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Bridge Items

27,473	Square Yard	501-K001	Transverse Grooving
2,179	Cubic Yard	801-A001	Foundation Excavation
15,890	Linear Feet	803-C003	16" x 16" Prestressed Concrete Piling
43,680	Linear Feet	803-C004	18" x 18" Prestressed Concrete Piling
3,898	Linear Feet	803-K009	Drilled Shaft, 66" Diameter
3	Each	803-L005	Test Shaft, 66" Diameter
168	Linear Feet	803-M008	Trial Shaft, 66" Diameter
2,977	Linear Feet	804-C002	100' Prestressed Concrete Beam, Type IV
627	Linear Feet	804-C011	105' Prestressed Concrete Beam, Type BT-72
1,254	Linear Feet	804-C012	105' Prestressed Concrete Beam, Type IV
1,318	Linear Feet	804-C026	110' Prestressed Concrete Beam, Type IV
2,400	Linear Feet	804-C032	115' Prestressed Concrete Beam, Type BT-63
777	Linear Feet	804-C051	130' Prestressed Concrete Beam, Type BT-72
15,111	Linear Feet	804-C065	40' Prestressed Concrete Beam, Type I+2
357	Linear Feet	804-C086	60' Prestressed Concrete Beam, Type IV
1,548	Linear Feet	804-C095	65' Prestressed Concrete Beam, Type IV
479	Linear Feet	804-C122	80' Prestressed Concrete Beam, Type IV
7,123	Linear Feet	804-C129	85' Prestressed Concrete Beam, Type IV
1,070	Linear Feet	804-C142	90' Prestressed Concrete Beam, Type IV
662	Linear Feet	804-C150	95' Prestressed Concrete Beam, Type BT-63
4,535	Linear Feet	804-C152	95' Prestressed Concrete Beam, Type IV
2,768,158	Pounds	805-A001	Reinforcement
13,452	Linear Feet	813-A002	Concrete Railing, 32"
4,463	Ton	815-A007	Loose Riprap, Size 300

629	Cubic Yard	815-D001	Concrete Slope Paving
6,058	Square Yard	815-E001	Geotextile under Riprap
35	Each	907-803-I002	PDA Test Pile, Concrete Pile
33	Each	907-803-J001	Pile Restrike
4,803	Cubic Yard	907-804-A002	Bridge Concrete, Class AA
8,217	Cubic Yard	907-804-A004	Bridge Concrete, Class BD

Roadway Items

1	Lump Sum	201-A001	Clearing and Grubbing
6	Acre	201-B001	Clearing and Grubbing
1	Lump Sum	202-A001	Removal of Obstructions
97,946	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
230	Linear Feet	202-B019	Removal of Box Culvert
60	Square Yard	202-B020	Removal of Brick Driveways, All Depths
2,762	Square Yard	202-B052	Removal of Concrete Driveways, All Depths
667	Linear Feet	202-B088	Removal of Curb & Gutter, All Types
390	Linear Feet	202-B092	Removal of Curb, All Types
2	Each	202-B129	Removal of Flared End Section, All Sizes
1,365	Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
3,962	Linear Feet	202-B191	Removal of Pipe, 8" And Above
36,500	Linear Feet	202-B240	Removal of Traffic Stripe
481,198	Cubic Yard	203-A001	Unclassified Excavation, FM, AH
2,172,507	Cubic Yard	203-EX017	Borrow Excavation, AH, FME, Class B7
130,241	Cubic Yard	203-EX018	Borrow Excavation, AH, FME, Class B7-6
555,611	Cubic Yard	203-G001	Excess Excavation, FM, AH
15,588	Cubic Yard	206-A001	Structure Excavation
2,980	Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
728,560	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
64,901	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
121	Ton	213-C001	Superphosphate
16,482	Square Yard	216-A001	Solid Sodding

17,683	Square Yard	217-A001	Ditch Liner
330	Thousand Gallon	219-A001	Watering
241	Acre	220-A001	Insect Pest Control
320	Cubic Yard	221-A001	Concrete Paved Ditch
241	Acre	223-A001	Mowing
241	Acre	225-A001	Grassing
724	Ton	225-B001	Agricultural Limestone
483	Ton	225-C001	Mulch, Vegetative Mulch
243	Acre	226-A001	Temporary Grassing
14,846	Square Yard	229-A001	Erosion Mat
300	Each	230-B049	Tree Planting, Little Gem Magnolia
172	Each	236-A008	Silt Basin, Type D
50,000	Linear Feet	237-A002	Wattles, 20"
12,630	Linear Feet	239-A001	Temporary Slope Drains
20,595	Each	246-B001	Rockbags
5	Each	247-A001	Temporary Stream Diversion
4,000	Ton	249-A001	Riprap for Erosion Control
57,570	Ton	403-A001	12.5-mm, HT, Asphalt Pavement
6,997	Ton	403-A002	12.5-mm, MT, Asphalt Pavement
3,240	Ton	403-A003	12.5-mm, ST, Asphalt Pavement
76,030	Ton	403-A004	19-mm, HT, Asphalt Pavement
7,680	Ton	403-A005	19-mm, MT, Asphalt Pavement
96,060	Ton	403-A006	19-mm, ST, Asphalt Pavement
39,700	Ton	403-A013	9.5-mm, HT, Asphalt Pavement
5,730	Ton	403-A014	9.5-mm, MT, Asphalt Pavement
2,100	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
200	Ton	403-B001	12.5-mm, HT, Asphalt Pavement, Leveling
270	Ton	403-B002	12.5-mm, MT, Asphalt Pavement, Leveling
16,750	Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
116,460	Gallon	407-A001	Asphalt for Tack Coat

1,152	Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
36	Mile	423-A001	Rumble Strips, Ground In
1,152	Linear Feet	501-E001	Expansion Joints, Without Dowels
2,456	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
11,276	Linear Feet	503-C010	Saw Cut, Full Depth
1,433	Cubic Yard	601-A001	Class "B" Structural Concrete
186	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
330,885	Pounds	602-A001	Reinforcing Steel
788	Linear Feet	603-ALT003	18" Type A Alternate Pipe
812	Linear Feet	603-ALT003	18" Type A Alternate Pipe Temporary
4,228	Linear Feet	603-ALT006	24" Type A Alternate Pipe
80	Linear Feet	603-ALT008	29" x 18" Type A Alternate Pipe Temporary
64	Linear Feet	603-ALT009	30" Type A Alternate Pipe Temporary
336	Linear Feet	603-ALT011	36" Type A Alternate Pipe
56	Linear Feet	603-ALT014	42" Type A Alternate Pipe Temporary
64	Linear Feet	603-ALT016	48" Type A Alternate Pipe
6,410	Linear Feet	603-CA012	18" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
2,428	Linear Feet	603-CA027	24" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
208	Linear Feet	603-CA041	30" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
880	Linear Feet	603-CA056	36" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
592	Linear Feet	603-CA061	36" Reinforced Concrete Pipe, Class IV, Rubber Type Gaskets
544	Linear Feet	603-CA067	42" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
240	Linear Feet	603-CA071	42" Reinforced Concrete Pipe, Class IV, Rubber Type Gaskets
1,520	Linear Feet	603-CA077	48" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
416	Linear Feet	603-CA088	54" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
312	Linear Feet	603-CA098	54" Reinforced Concrete Pipe, Class V, Rubber Type Gaskets
1,320	Linear Feet	603-CA100	60" Reinforced Concrete Pipe, Class III, Rubber Type Gasket
488	Linear Feet	603-CA139	48" Reinforced Concrete Pipe, Class V, Rubber Type Gaskets
60	Each	603-CB003	18" Reinforced Concrete End Section
56	Each	603-CB004	24" Reinforced Concrete End Section

4	Each	603-CB005	30" Reinforced Concrete End Section
22	Each	603-CB006	36" Reinforced Concrete End Section
10	Each	603-CB007	42" Reinforced Concrete End Section
22	Each	603-CB008	48" Reinforced Concrete End Section
8	Each	603-CB009	54" Reinforced Concrete End Section
16	Each	603-CB010	60" Reinforced Concrete End Section
336	Linear Feet	603-CE009	29" x 18" Concrete Arch Pipe, Class A III, Flexible Plastic Gaskets
72	Linear Feet	603-CE014	36" x 23" Concrete Arch Pipe, Class A III, Flexible Plastic Gaskets
328	Linear Feet	603-CE019	44" x 27" Concrete Arch Pipe, Class A III, Flexible Plastic Gaskets
192	Linear Feet	603-CE024	51" x 31" Concrete Arch Pipe, Class A III, Flexible Plastic Gaskets
496	Linear Feet	603-CE029	58" x 36" Concrete Arch Pipe, Class A III, Flexible Plastic Gaskets
152	Linear Feet	603-CE035	65" x 40" Concrete Arch Pipe, Class A III, Flexible Plastic Gaskets
10	Each	603-CF003	29" x 18" Concrete Arch Pipe End Section
2	Each	603-CF004	36" x 23" Concrete Arch Pipe End Section
6	Each	603-CF005	44" x 27" Concrete Arch Pipe End Section
6	Each	603-CF006	51" x 31" Concrete Arch Pipe End Section
10	Each	603-CF007	58" x 36" Concrete Arch Pipe End Section
4	Each	603-CF008	65" x 40" Concrete Arch Pipe End Section
2,505	Pounds	604-A001	Castings
24,350	Pounds	604-B001	Gratings
679	Square Yard	605-AA001	Geotextile for Subsurface Drainage, Type III
1,222	Linear Feet	605-O002	4" Perforated Sewer Pipe for Underdrains, SDR 23.5
1,000	Linear Feet	605-O004	6" Perforated Sewer Pipe for Underdrains, SDR 23.5
156	Linear Feet	605-P002	4" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
45	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
4,513	Linear Feet	606-B001	Guard Rail, Class A, Type 1
38	Each	606-D022	Guard Rail, Bridge End Section, Type I
38	Each	606-E005	Guard Rail, Terminal End Section, Flared
58,171	Linear Feet	607-A001	31.5" Type"A" Woven Wire Fence, w/ Barbed Wire as Shown
3,550	Linear Feet	607-E001	Barbed Wire Fence, Single Strand

18	Each	607-G087	Gate, 12' x 52" Aluminum
2,837	Each	607-P1011	Line Post, 7' x 4" Timber
567	Each	607-P1019	Line Post, 9' x 4" Timber
47	Each	607-P1022	Line Post, 10' x 1 1/2" Galvanized Steel
378	Each	607-P1025	Line Post, 10' x 4" Timber
503	Each	607-P2009	Brace Post, 8' x 6" Timber
296	Each	607-P2010	Brace Post, 8' x 6" x 6" Concrete
101	Each	607-P2015	Brace Post, 10' x 6" Timber
59	Each	607-P2016	Brace Post, 10' x 6" x 6" Concrete
67	Each	607-P2019	Brace Post, 12' x 6" Timber
40	Each	607-P2020	Brace Post, 12' x 6" x 6" Concrete
18	Each	607-P3006	Gate Post, 8' x 6" Timber
1,083	Each	607-Z001	Concrete Anchors
1,564	Linear Feet	609-B003	Concrete Curb, Special Design
42	Linear Feet	609-C001	Concrete Integral Curb, Type 1
16,926	Linear Feet	609-D004	Combination Concrete Curb and Gutter Type 2 Modified
7,455	Linear Feet	609-D012	Combination Concrete Curb and Gutter Type 3A Modified
247	Linear Feet	609-D013	Combination Concrete Curb and Gutter Type 3B
786	Square Yard	614-A001	Concrete Driveway, Without Reinforcement
520	Linear Feet	615-A002	Concrete Bridge End Barrier, 33.5"
575	Linear Feet	615-A012	Concrete Type I Modified Cast-in-Place Median Barrier
7,358	Square Yard	616-A001	Concrete Median and/or Island Pavement, 10-inch
1,745	Square Yard	616-A004	Concrete Median and/or Island Pavement, 4-inch
773	Each	617-A001	Right-of-Way Marker
1	Lump Sum	618-A001	Maintenance of Traffic
45	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
29	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
6	Mile	619-A3001	Temporary Traffic Stripe, Skip White
5	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow

155,675	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
5,486	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
2,660	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
500	Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
144	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
5,883	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
1	Each	619-E1001	Flashing Arrow Panel, Type C
1,040	Linear Feet	619-F1001	Concrete Median Barrier, Precast
72	Linear Feet	619-G4001	Barricades, Type III, Double Faced
3,046	Linear Feet	619-G4005	Barricades, Type III, Single Faced
440	Each	619-G5001	Free Standing Plastic Drums
81	Each	619-G7001	Warning Lights, Type "B"
39	Each	619-G8001	Warning Lights, Type "C"
5	Each	619-J1003	Impact Attenuator, 50 MPH
3	Each	619-J2003	Impact Attenuator, 50 MPH, Replacement Package
6	Each	619-K2004	Installation and Removal of Guard Rail, Type I Bridge End Section
6	Each	619-K4001	Installation and Removal of Guardrail, Terminal End Section
1	Lump Sum	620-A001	Mobilization
16	Mile	626-A001	6" Thermoplastic Double Drop Traffic Stripe, Skip White
31	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
40	Linear Feet	626-D002	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
12	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
16	Mile	626-F001	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
109,561	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
55,501	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
5,706	Square Feet	626-H004	Thermoplastic Legend, White
1,988	Linear Feet	626-H005	Thermoplastic Legend, White
1,004	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
4,687	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,806	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers

1	Each	629-A002	Vehicular Impact Attenuator, 50 MPH
1,112	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
960	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
589	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
1,295	Square Feet	630-B002	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
70	Linear Feet	630-C002	Steel U-Section Posts, 2.0 lb/ft
2,710	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
448	Linear Feet	630-D007	Structural Steel Beams, W6 x 15
294	Linear Feet	630-D008	Structural Steel Beams, W6 x 9
724	Pounds	630-E001	Structural Steel Angles & Bars, 3 1/2" x 3 1/2" x 1/4" Angles
259	Pounds	630-E002	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
1,752	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
132	Each	630-F006	Delineators, Guard Rail, White
70	Each	630-F007	Delineators, Guard Rail, Yellow
16	Each	630-G003	Type 3 Object Markers, OM-3L, Post Mounted
16	Each	630-G007	Type 3 Object Markers, OM-3R, Post Mounted
243	Linear Feet	630-K001	Welded & Seamless Steel Pipe Posts, 3 1/2"
121	Linear Feet	630-K002	Welded & Seamless Steel Pipe Posts, 3"
1,603	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
6	Each	635-A059	Traffic Signal Head, Type 1
2	Each	635-A065	Traffic Signal Head, Type 2 FYA
2	Each	635-A070	Traffic Signal Head, Type 3
1	Each	638-A006	Flasher Assembly, Prepare To Stop
1	Lump Sum	647-A001	Removal of Existing Traffic Signal Equipment
1	Lump Sum	699-A001	Roadway Construction Stakes
24,098	Ton	815-A007	Loose Riprap, Size 300
4,970	Square Yard	815-E001	Geotextile under Riprap
3,702	Ton	815-F002	Sediment Control Stone
175,000	Linear Feet	907-234-A001	Temporary Silt Fence
67	Each	907-234-D001	Inlet Siltation Guard

67	Each	907-234-E001	Reset Inlet Siltation Guard
47,212	Square Yard	907-240-A001	Interlocking Flexible Block Erosion Control System
4	Each	907-619-E3001	Changeable Message Sign
1	Each	907-632-A007	Solid State Traffic Cabinet Assembly, Type III Cabinet, Type 1 Controller
1	Each	907-632-J001	Power Service Pedestal
1	Each	907-634-A081	Traffic Signal Equipment Pole, Type II, 17' Shaft, 35' Arm
2	Each	907-634-A082	Traffic Signal Equipment Pole, Type II, 17' Shaft, 40' Arm
1	Each	907-634-A083	Traffic Signal Equipment Pole, Type II, 17' Shaft, 45' Arm
16	Cubic Yard	907-634-C002	Pole Foundations, Class "DS" Concrete
60	Linear Feet	907-634-D003	Slip Casing, 36" Diameter
911	Linear Feet	907-636-B013	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 4 Conductor
468	Linear Feet	907-636-B016	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 8 Conductor
25	Linear Feet	907-636-B028	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 8, 3 Conductor
244	Linear Feet	907-636-D008	Electric Cable, Aerial Supported in Conduit, IMSA 20-1, AWG 14, 8 Conductor
4	Each	907-637-A002	Pullbox Enclosure, Type 2
1	Each	907-637-A003	Pullbox Enclosure, Type 3
889	Linear Feet	907-637-C028	Traffic Signal Conduit, Underground, Type 4, 2"
30	Linear Feet	907-637-C030	Traffic Signal Conduit, Underground, Type 4, 3"
302	Linear Feet	907-637-D003	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
4	Each	907-641-A002	Signal Stop Bar Radar Vehicle Detection Sensor, Type 2
2	Each	907-641-B002	Signal Advanced Radar Vehicle Detection Sensor, Type 2
994	Linear Feet	907-641-D001	Radar Vehicle Detection Cable
1	Each	907-650-A003	On Street Video Equipment, PTZ Type
46	Square Feet	907-653-B001	Street Name Sign
1	Each	907-663-A001	Network Switch, Type A
520	Cubic Yard	907-804-B001	Box Bridge Concrete, Class B
2,080	Hours	907-906001	Trainees

ALTERNATE GROUP AA NUMBER 1

258,050	Ton	304-F001	3/4" and Down Crushed Stone Base
---------	-----	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

258,050 Ton 304-F002 Size 610 Crushed Stone Base

ALTERNATE GROUP AA NUMBER 3

258,050 Ton 304-F003 Size 825B Crushed Stone Base

ALTERNATE GROUP BB NUMBER 1

592 Cubic Yard 605-W002 Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM

ALTERNATE GROUP BB NUMBER 2

592 Cubic Yard 605-W003 Filter Material for Combination Storm Drain and/or Underdrains, Type C, FM

ALTERNATE GROUP CC NUMBER 1

4,542 Linear Feet 907-624-A002 6" Inverted Profile Thermoplastic Traffic Stripe, Skip White

8,684 Linear Feet 907-624-B002 6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White

11,506 Linear Feet 907-624-D002 6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

2,391 Linear Feet 907-624-E003 Inverted Profile Thermoplastic Detail Traffic Stripe, Yellow

ALTERNATE GROUP CC NUMBER 2

4,542 Linear Feet 628-G001 6" High Performance Cold Plastic Traffic Stripe, Skip White

8,684 Linear Feet 628-H001 6" High Performance Cold Plastic Traffic Stripe, Continuous White

11,506 Linear Feet 628-J001 6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

2,391 Linear Feet 628-K002 High Performance Cold Plastic Detail Stripe, Yellow

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Contractors may request permission to bid online at <http://shopmdot.ms.gov> at no cost. Upon approval, contractors shall be eligible to submit a bid using Bid Express at <http://bidx.com>. Specimen proposals may be viewed and downloaded online at no cost at <http://mdot.ms.gov> or purchased online at <http://shopmdot.ms.gov> at a cost of Ten Dollars (\$10.00) per proposal plus a small convenience fee. Cash or checks will not be accepted as payment.

Plans must be purchased online at <https://shopmdot.ms.gov>. Costs of plans will be on a cost per sheet basis plus a small convenience fee. You can contact the MDOT Plans Print Shop at Telephone No. (601) 359-7460 or e-mail at plans@mdot.state.ms.us. Plans will be shipped on receipt of payment. Cash or checks will not be accepted as payment.

Bid bond, signed or countersigned by a Mississippi Resident Agent or qualified non-resident agent, with Power of Attorney attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

BRAD WHITE
EXECUTIVE DIRECTOR