

Proposal & Plan Sales Will Begin on October 3, 2022



**MISSISSIPPI DEPARTMENT OF
TRANSPORTATION**

Notice to Contractors

Letting Date For October - October 25, 2022

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

NOTICE TO CONTRACTORS

LETTING DATE FOR OCTOBER - Tuesday, October 25, 2022

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List is available online at mdot.ms.gov

PROPOSAL AND PLAN SALES WILL BEGIN ON OCTOBER 3, 2022

Proposals must be purchased online at:
<https://shopmdot.ms.gov>
For Information Please Contact:
Contract Administration Division
Jackson, MS
Telephone: (601) 359-7700

Plans must be purchased online at:
<https://shopmdot.ms.gov>
For Information Please Contact:
MDOT Plans Print Shop
Jackson, MS
Telephone: (601) 359-7460
e-mail: plans@mdot.state.ms.us

Electronic bids will be received by the Mississippi Transportation Commission at 10:00 o'clock A.M., Tuesday, October 25, 2022; from the Bid Express Service and shortly thereafter, bids will be publicly read in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

* No plans except Standard Drawings

LIST OF CONTRACTS FOR OCTOBER

CALL	CONTRACT	COUNTY
01	STP-0066-01(008)/103060301	JACKSON
02	ER-0003-01(216)/108757301	HARRISON
03	HSIP-0019-02(066)/102168305	LAFAYETTE
04	HSIP-0020-01(267)/108883301 & HSIP-0055-02(265)/108883302	HINDS, MADISON
05	HSIP-0021-01(068)/108641301	DESOTO
* 06	NHPP-0059-03(101)/109198301	LAUDERDALE
07	HSIP-0074-01(011)/108882301	LAUDERDALE
08	STBG-2712-00(003)/106101301	LEFLORE
09	HSIP-9999-02(391)/108900301	DISTRICT 2
* 10	HSIP-9999-06(392)/109216301	DISTRICT 6
* 11	STBG-9999-06(378)/108777306	JACKSON
* 12	STBG-9999-07(377)/108777307	DISTRICT 7
* 13	STBG-9999-09(337)/109189301	STATEWIDE
* 14	SP-0023-01(095)/108987301	COVINGTON
15	SP-0163-00(008)/108896301	AMITE
* 16	MP-3434-63(002)/307499301	SHARKEY

CALL No. 01

Grade, Drain, Bridge & Pave 4-Lane approximately 9 miles of SR 57 from I-10 to Vancleave, known as Federal Aid Project No. STP-0066-01(008) / 103060301 in Jackson County.

PROJECT COMPLETION: Contractor Determined

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Bridge Items

27,473	Square Yard	501-K001	Transverse Grooving
2,179	Cubic Yard	801-A001	Foundation Excavation
15,890	Linear Feet	803-C003	16" x 16" Prestressed Concrete Piling
43,680	Linear Feet	803-C004	18" x 18" Prestressed Concrete Piling
3,898	Linear Feet	803-K009	Drilled Shaft, 66" Diameter
3	Each	803-L005	Test Shaft, 66" Diameter
168	Linear Feet	803-M008	Trial Shaft, 66" Diameter
2,977	Linear Feet	804-C002	100' Prestressed Concrete Beam, Type IV
627	Linear Feet	804-C011	105' Prestressed Concrete Beam, Type BT-72
1,254	Linear Feet	804-C012	105' Prestressed Concrete Beam, Type IV
1,318	Linear Feet	804-C026	110' Prestressed Concrete Beam, Type IV
2,400	Linear Feet	804-C032	115' Prestressed Concrete Beam, Type BT-63
777	Linear Feet	804-C051	130' Prestressed Concrete Beam, Type BT-72
15,111	Linear Feet	804-C065	40' Prestressed Concrete Beam, Type I+2
357	Linear Feet	804-C086	60' Prestressed Concrete Beam, Type IV
1,548	Linear Feet	804-C095	65' Prestressed Concrete Beam, Type IV
479	Linear Feet	804-C122	80' Prestressed Concrete Beam, Type IV
7,123	Linear Feet	804-C129	85' Prestressed Concrete Beam, Type IV
1,070	Linear Feet	804-C142	90' Prestressed Concrete Beam, Type IV
662	Linear Feet	804-C150	95' Prestressed Concrete Beam, Type BT-63
4,535	Linear Feet	804-C152	95' Prestressed Concrete Beam, Type IV
2,768,158	Pounds	805-A001	Reinforcement
13,452	Linear Feet	813-A002	Concrete Railing, 32"
4,463	Ton	815-A007	Loose Riprap, Size 300

629	Cubic Yard	815-D001	Concrete Slope Paving
6,058	Square Yard	815-E001	Geotextile under Riprap
35	Each	907-803-I002	PDA Test Pile, Concrete Pile
33	Each	907-803-J001	Pile Restrike
4,803	Cubic Yard	907-804-A002	Bridge Concrete, Class AA
8,217	Cubic Yard	907-804-A004	Bridge Concrete, Class BD
Roadway Items			
1	Lump Sum	201-A001	Clearing and Grubbing
6	Acre	201-B001	Clearing and Grubbing
1	Lump Sum	202-A001	Removal of Obstructions
97,946	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
230	Linear Feet	202-B019	Removal of Box Culvert
60	Square Yard	202-B020	Removal of Brick Driveways, All Depths
2,762	Square Yard	202-B052	Removal of Concrete Driveways, All Depths
667	Linear Feet	202-B088	Removal of Curb & Gutter, All Types
390	Linear Feet	202-B092	Removal of Curb, All Types
2	Each	202-B129	Removal of Flared End Section, All Sizes
1,365	Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
3,962	Linear Feet	202-B191	Removal of Pipe, 8" And Above
36,500	Linear Feet	202-B240	Removal of Traffic Stripe
481,198	Cubic Yard	203-A001	Unclassified Excavation, FM, AH
2,172,507	Cubic Yard	203-EX017	Borrow Excavation, AH, FME, Class B7
130,241	Cubic Yard	203-EX018	Borrow Excavation, AH, FME, Class B7-6
555,611	Cubic Yard	203-G001	Excess Excavation, FM, AH
15,588	Cubic Yard	206-A001	Structure Excavation
2,980	Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
728,560	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
64,901	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
121	Ton	213-C001	Superphosphate
16,482	Square Yard	216-A001	Solid Sodding

17,683	Square Yard	217-A001	Ditch Liner
330	Thousand Gallon	219-A001	Watering
241	Acre	220-A001	Insect Pest Control
320	Cubic Yard	221-A001	Concrete Paved Ditch
241	Acre	223-A001	Mowing
241	Acre	225-A001	Grassing
724	Ton	225-B001	Agricultural Limestone
483	Ton	225-C001	Mulch, Vegetative Mulch
243	Acre	226-A001	Temporary Grassing
14,846	Square Yard	229-A001	Erosion Mat
300	Each	230-B049	Tree Planting, Little Gem Magnolia
172	Each	236-A008	Silt Basin, Type D
50,000	Linear Feet	237-A002	Wattles, 20"
12,630	Linear Feet	239-A001	Temporary Slope Drains
20,595	Each	246-B001	Rockbags
5	Each	247-A001	Temporary Stream Diversion
4,000	Ton	249-A001	Riprap for Erosion Control
57,570	Ton	403-A001	12.5-mm, HT, Asphalt Pavement
6,997	Ton	403-A002	12.5-mm, MT, Asphalt Pavement
3,240	Ton	403-A003	12.5-mm, ST, Asphalt Pavement
76,030	Ton	403-A004	19-mm, HT, Asphalt Pavement
7,680	Ton	403-A005	19-mm, MT, Asphalt Pavement
96,060	Ton	403-A006	19-mm, ST, Asphalt Pavement
39,700	Ton	403-A013	9.5-mm, HT, Asphalt Pavement
5,730	Ton	403-A014	9.5-mm, MT, Asphalt Pavement
2,100	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
200	Ton	403-B001	12.5-mm, HT, Asphalt Pavement, Leveling
270	Ton	403-B002	12.5-mm, MT, Asphalt Pavement, Leveling
16,750	Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
116,460	Gallon	407-A001	Asphalt for Tack Coat

1,152	Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
36	Mile	423-A001	Rumble Strips, Ground In
1,152	Linear Feet	501-E001	Expansion Joints, Without Dowels
2,456	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
11,276	Linear Feet	503-C010	Saw Cut, Full Depth
1,433	Cubic Yard	601-A001	Class "B" Structural Concrete
186	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
330,885	Pounds	602-A001	Reinforcing Steel
788	Linear Feet	603-ALT003	18" Type A Alternate Pipe
812	Linear Feet	603-ALT003	18" Type A Alternate Pipe Temporary
4,228	Linear Feet	603-ALT006	24" Type A Alternate Pipe
80	Linear Feet	603-ALT008	29" x 18" Type A Alternate Pipe Temporary
64	Linear Feet	603-ALT009	30" Type A Alternate Pipe Temporary
336	Linear Feet	603-ALT011	36" Type A Alternate Pipe
56	Linear Feet	603-ALT014	42" Type A Alternate Pipe Temporary
64	Linear Feet	603-ALT016	48" Type A Alternate Pipe
6,410	Linear Feet	603-CA012	18" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
2,428	Linear Feet	603-CA027	24" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
208	Linear Feet	603-CA041	30" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
880	Linear Feet	603-CA056	36" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
592	Linear Feet	603-CA061	36" Reinforced Concrete Pipe, Class IV, Rubber Type Gaskets
544	Linear Feet	603-CA067	42" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
240	Linear Feet	603-CA071	42" Reinforced Concrete Pipe, Class IV, Rubber Type Gaskets
1,520	Linear Feet	603-CA077	48" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
416	Linear Feet	603-CA088	54" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
312	Linear Feet	603-CA098	54" Reinforced Concrete Pipe, Class V, Rubber Type Gaskets
1,320	Linear Feet	603-CA100	60" Reinforced Concrete Pipe, Class III, Rubber Type Gasket
488	Linear Feet	603-CA139	48" Reinforced Concrete Pipe, Class V, Rubber Type Gaskets
60	Each	603-CB003	18" Reinforced Concrete End Section
56	Each	603-CB004	24" Reinforced Concrete End Section

4	Each	603-CB005	30" Reinforced Concrete End Section
22	Each	603-CB006	36" Reinforced Concrete End Section
10	Each	603-CB007	42" Reinforced Concrete End Section
22	Each	603-CB008	48" Reinforced Concrete End Section
8	Each	603-CB009	54" Reinforced Concrete End Section
16	Each	603-CB010	60" Reinforced Concrete End Section
336	Linear Feet	603-CE009	29" x 18" Concrete Arch Pipe, Class A III, Flexible Plastic Gaskets
72	Linear Feet	603-CE014	36" x 23" Concrete Arch Pipe, Class A III, Flexible Plastic Gaskets
328	Linear Feet	603-CE019	44" x 27" Concrete Arch Pipe, Class A III, Flexible Plastic Gaskets
192	Linear Feet	603-CE024	51" x 31" Concrete Arch Pipe, Class A III, Flexible Plastic Gaskets
496	Linear Feet	603-CE029	58" x 36" Concrete Arch Pipe, Class A III, Flexible Plastic Gaskets
152	Linear Feet	603-CE035	65" x 40" Concrete Arch Pipe, Class A III, Flexible Plastic Gaskets
10	Each	603-CF003	29" x 18" Concrete Arch Pipe End Section
2	Each	603-CF004	36" x 23" Concrete Arch Pipe End Section
6	Each	603-CF005	44" x 27" Concrete Arch Pipe End Section
6	Each	603-CF006	51" x 31" Concrete Arch Pipe End Section
10	Each	603-CF007	58" x 36" Concrete Arch Pipe End Section
4	Each	603-CF008	65" x 40" Concrete Arch Pipe End Section
2,505	Pounds	604-A001	Castings
24,350	Pounds	604-B001	Gratings
679	Square Yard	605-AA001	Geotextile for Subsurface Drainage, Type III
1,222	Linear Feet	605-O002	4" Perforated Sewer Pipe for Underdrains, SDR 23.5
1,000	Linear Feet	605-O004	6" Perforated Sewer Pipe for Underdrains, SDR 23.5
156	Linear Feet	605-P002	4" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
45	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
4,513	Linear Feet	606-B001	Guard Rail, Class A, Type 1
38	Each	606-D022	Guard Rail, Bridge End Section, Type I
38	Each	606-E005	Guard Rail, Terminal End Section, Flared
58,171	Linear Feet	607-A001	31.5" Type"A" Woven Wire Fence, w/ Barbed Wire as Shown
3,550	Linear Feet	607-E001	Barbed Wire Fence, Single Strand

18	Each	607-G087	Gate, 12' x 52" Aluminum
2,837	Each	607-P1011	Line Post, 7' x 4" Timber
567	Each	607-P1019	Line Post, 9' x 4" Timber
47	Each	607-P1022	Line Post, 10' x 1 1/2" Galvanized Steel
378	Each	607-P1025	Line Post, 10' x 4" Timber
503	Each	607-P2009	Brace Post, 8' x 6" Timber
296	Each	607-P2010	Brace Post, 8' x 6" x 6" Concrete
101	Each	607-P2015	Brace Post, 10' x 6" Timber
59	Each	607-P2016	Brace Post, 10' x 6" x 6" Concrete
67	Each	607-P2019	Brace Post, 12' x 6" Timber
40	Each	607-P2020	Brace Post, 12' x 6" x 6" Concrete
18	Each	607-P3006	Gate Post, 8' x 6" Timber
1,083	Each	607-Z001	Concrete Anchors
1,564	Linear Feet	609-B003	Concrete Curb, Special Design
42	Linear Feet	609-C001	Concrete Integral Curb, Type 1
16,926	Linear Feet	609-D004	Combination Concrete Curb and Gutter Type 2 Modified
7,455	Linear Feet	609-D012	Combination Concrete Curb and Gutter Type 3A Modified
247	Linear Feet	609-D013	Combination Concrete Curb and Gutter Type 3B
786	Square Yard	614-A001	Concrete Driveway, Without Reinforcement
520	Linear Feet	615-A002	Concrete Bridge End Barrier, 33.5"
575	Linear Feet	615-A012	Concrete Type I Modified Cast-in-Place Median Barrier
7,358	Square Yard	616-A001	Concrete Median and/or Island Pavement, 10-inch
1,745	Square Yard	616-A004	Concrete Median and/or Island Pavement, 4-inch
773	Each	617-A001	Right-of-Way Marker
1	Lump Sum	618-A001	Maintenance of Traffic
45	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
29	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
6	Mile	619-A3001	Temporary Traffic Stripe, Skip White
5	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow

155,675	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
5,486	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
2,660	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
500	Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
144	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
5,883	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
1	Each	619-E1001	Flashing Arrow Panel, Type C
1,040	Linear Feet	619-F1001	Concrete Median Barrier, Precast
72	Linear Feet	619-G4001	Barricades, Type III, Double Faced
3,046	Linear Feet	619-G4005	Barricades, Type III, Single Faced
440	Each	619-G5001	Free Standing Plastic Drums
81	Each	619-G7001	Warning Lights, Type "B"
39	Each	619-G8001	Warning Lights, Type "C"
5	Each	619-J1003	Impact Attenuator, 50 MPH
3	Each	619-J2003	Impact Attenuator, 50 MPH, Replacement Package
6	Each	619-K2004	Installation and Removal of Guard Rail, Type I Bridge End Section
6	Each	619-K4001	Installation and Removal of Guardrail, Terminal End Section
1	Lump Sum	620-A001	Mobilization
16	Mile	626-A001	6" Thermoplastic Double Drop Traffic Stripe, Skip White
31	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
40	Linear Feet	626-D002	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
12	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
16	Mile	626-F001	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
109,561	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
55,501	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
5,706	Square Feet	626-H004	Thermoplastic Legend, White
1,988	Linear Feet	626-H005	Thermoplastic Legend, White
1,004	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
4,687	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,806	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers

1	Each	629-A002	Vehicular Impact Attenuator, 50 MPH
1,112	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
960	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
589	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
1,295	Square Feet	630-B002	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
70	Linear Feet	630-C002	Steel U-Section Posts, 2.0 lb/ft
2,710	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
448	Linear Feet	630-D007	Structural Steel Beams, W6 x 15
294	Linear Feet	630-D008	Structural Steel Beams, W6 x 9
724	Pounds	630-E001	Structural Steel Angles & Bars, 3 1/2" x 3 1/2" x 1/4" Angles
259	Pounds	630-E002	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
1,752	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
132	Each	630-F006	Delineators, Guard Rail, White
70	Each	630-F007	Delineators, Guard Rail, Yellow
16	Each	630-G003	Type 3 Object Markers, OM-3L, Post Mounted
16	Each	630-G007	Type 3 Object Markers, OM-3R, Post Mounted
243	Linear Feet	630-K001	Welded & Seamless Steel Pipe Posts, 3 1/2"
121	Linear Feet	630-K002	Welded & Seamless Steel Pipe Posts, 3"
1,603	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
6	Each	635-A059	Traffic Signal Head, Type 1
2	Each	635-A065	Traffic Signal Head, Type 2 FYA
2	Each	635-A070	Traffic Signal Head, Type 3
1	Each	638-A006	Flasher Assembly, Prepare To Stop
1	Lump Sum	647-A001	Removal of Existing Traffic Signal Equipment
1	Lump Sum	699-A001	Roadway Construction Stakes
24,098	Ton	815-A007	Loose Riprap, Size 300
4,970	Square Yard	815-E001	Geotextile under Riprap
3,702	Ton	815-F002	Sediment Control Stone
175,000	Linear Feet	907-234-A001	Temporary Silt Fence
67	Each	907-234-D001	Inlet Siltation Guard

67	Each	907-234-E001	Reset Inlet Siltation Guard
47,212	Square Yard	907-240-A001	Interlocking Flexible Block Erosion Control System
4	Each	907-619-E3001	Changeable Message Sign
1	Each	907-632-A007	Solid State Traffic Cabinet Assembly, Type III Cabinet, Type 1 Controller
1	Each	907-632-J001	Power Service Pedestal
1	Each	907-634-A081	Traffic Signal Equipment Pole, Type II, 17' Shaft, 35' Arm
2	Each	907-634-A082	Traffic Signal Equipment Pole, Type II, 17' Shaft, 40' Arm
1	Each	907-634-A083	Traffic Signal Equipment Pole, Type II, 17' Shaft, 45' Arm
16	Cubic Yard	907-634-C002	Pole Foundations, Class "DS" Concrete
60	Linear Feet	907-634-D003	Slip Casing, 36" Diameter
911	Linear Feet	907-636-B013	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 4 Conductor
468	Linear Feet	907-636-B016	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 8 Conductor
25	Linear Feet	907-636-B028	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 8, 3 Conductor
244	Linear Feet	907-636-D008	Electric Cable, Aerial Supported in Conduit, IMSA 20-1, AWG 14, 8 Conductor
4	Each	907-637-A002	Pullbox Enclosure, Type 2
1	Each	907-637-A003	Pullbox Enclosure, Type 3
889	Linear Feet	907-637-C028	Traffic Signal Conduit, Underground, Type 4, 2"
30	Linear Feet	907-637-C030	Traffic Signal Conduit, Underground, Type 4, 3"
302	Linear Feet	907-637-D003	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
4	Each	907-641-A002	Signal Stop Bar Radar Vehicle Detection Sensor, Type 2
2	Each	907-641-B002	Signal Advanced Radar Vehicle Detection Sensor, Type 2
994	Linear Feet	907-641-D001	Radar Vehicle Detection Cable
1	Each	907-650-A003	On Street Video Equipment, PTZ Type
46	Square Feet	907-653-B001	Street Name Sign
1	Each	907-663-A001	Network Switch, Type A
520	Cubic Yard	907-804-B001	Box Bridge Concrete, Class B
2,080	Hours	907-906001	Trainees

ALTERNATE GROUP AA NUMBER 1

258,050	Ton	304-F001	3/4" and Down Crushed Stone Base
---------	-----	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

258,050 Ton 304-F002 Size 610 Crushed Stone Base

ALTERNATE GROUP AA NUMBER 3

258,050 Ton 304-F003 Size 825B Crushed Stone Base

ALTERNATE GROUP BB NUMBER 1

592 Cubic Yard 605-W002 Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM

ALTERNATE GROUP BB NUMBER 2

592 Cubic Yard 605-W003 Filter Material for Combination Storm Drain and/or Underdrains, Type C, FM

ALTERNATE GROUP CC NUMBER 1

4,542 Linear Feet 907-624-A002 6" Inverted Profile Thermoplastic Traffic Stripe, Skip White

8,684 Linear Feet 907-624-B002 6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White

11,506 Linear Feet 907-624-D002 6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

2,391 Linear Feet 907-624-E003 Inverted Profile Thermoplastic Detail Traffic Stripe, Yellow

ALTERNATE GROUP CC NUMBER 2

4,542 Linear Feet 628-G001 6" High Performance Cold Plastic Traffic Stripe, Skip White

8,684 Linear Feet 628-H001 6" High Performance Cold Plastic Traffic Stripe, Continuous White

11,506 Linear Feet 628-J001 6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

2,391 Linear Feet 628-K002 High Performance Cold Plastic Detail Stripe, Yellow

CALL No. 02

Emergency Traffic Signal & ITS Repairs on US 49, SR 605, I-10, SR 67 and I-110, known as Federal Aid Project No. ER-0003-01(216) / 108757301 in Harrison County.

PROJECT COMPLETION: 362 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

500	Linear Feet	237-A002	Wattles, 20"
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
1	Lump Sum	620-A001	Mobilization
189	Each	635-A059	Traffic Signal Head, Type 1
36	Each	635-A061	Traffic Signal Head, Type 2
60	Each	635-A065	Traffic Signal Head, Type 2 FYA
39	Each	635-A070	Traffic Signal Head, Type 3
14	Each	635-A073	Traffic Signal Head, Type 4
1	Each	635-A074	Traffic Signal Head, Type 4R
2	Each	635-A075	Traffic Signal Head, Type 4A
74	Each	635-A076	Traffic Signal Head, Type 6
5	Each	635-A085	Traffic Signal Heads, Type 2B FYA
4	Each	638-A003	Flashing Assembly, Be Prepared to Stop When Flashing
1	Lump Sum	647-A001	Removal of Existing Traffic Signal Equipment
500	Linear Feet	907-234-A001	Temporary Silt Fence
3	Each	907-632-A007	Solid State Traffic Cabinet Assembly, Type III Cabinet, Type 1 Controller
28	Each	907-632-B007	Remove and Replace Existing Traffic Signal Cabinet Assembly, Type III Cabinet, Type 1 Controller
4	Each	907-632-C001	Modify Existing Traffic Signal Cabinet Assembly
8	Each	907-632-D001	Solid State Traffic Actuated Controller, Type 1
6	Each	907-632-G001	Malfunction Management Unit
3	Each	907-632-J001	Power Service Pedestal
1	Lump Sum	907-632-PP002	Repair of Traffic Signal Equipment Grounding System
6	Each	907-632-PP004	Solid State Traffic Cabinet, Type III Cabinet
2	Each	907-633-A001	Uninterruptable Power Supply

20	Each	907-633-PP001	Replace Power Breaker Box and Breakers
7	Each	907-634-A003	Traffic Signal Equipment Pole, Type 1, 35' Shaft
2	Each	907-634-A047	Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 55' Arm
1	Each	907-634-A086	Traffic Signal Equipment Pole, Type II, 17' Shaft, 50' Arm
1	Each	907-634-A087	Traffic Signal Equipment Pole, Type II, 17' Shaft, 55' Arm
3	Each	907-634-A281	Traffic Signal Equipment Pole, Type III(L), 30' Shaft, 60' & 65' Arm
1	Each	907-634-A282	Traffic Signal Equipment Pole, Type III(L), 30' Shaft, 60' & 70' Arm
5	Each	907-634-A545	Traffic Signal Equipment Pole, Type VI, 8' Shaft
8	Each	907-634-B001	Traffic Signal Equipment Pole Shaft Extension, 10'
78	Cubic Yard	907-634-C002	Pole Foundations, Class "DS" Concrete
255	Linear Feet	907-634-D003	Slip Casing, 36" Diameter
1	Each	907-634-E002	Camera Pole with Foundation, 60' Pole
1	Lump Sum	907-634-PP002	Replace Traffic Signal Equipment Pole Terminal Strips
6	Each	907-634-PP004	Traffic Signal Equipment Pole Luminaire Fixture
2	Each	907-634-PP005	Traffic Signal Equipment Pole , Remove and Reset
3	Each	907-634-PP005	Traffic Signal Equipment Pole Air Ground
156	Each	907-634-PP005	Traffic Signal Equipment Pole Anchor Bolt Nut Cover
18	Each	907-634-PP005	Traffic Signal Equipment Pole Foundation Leveling Grout Repair
1	Each	907-634-PP005	Traffic Signal Equipment Pole Replace Arm Cap
5	Each	907-634-PP005	Traffic Signal Equipment Pole Replace Festoon Cover
23	Each	907-634-PP005	Traffic Signal Equipment Pole Replace Lower Handhole Cover
15	Each	907-634-PP005	Traffic Signal Equipment Pole Replace Pole Cap
5	Each	907-634-PP005	Traffic Signal Equipment Pole Replace Upper Handhole Cover
1	Each	907-635-PP001	Traffic Signal Head Backplate, 1-Section
4	Each	907-635-PP001	Traffic Signal Head Backplate, 3-Section
1	Each	907-635-PP001	Traffic Signal Head Backplate, 4-Section, FYA
28	Each	907-635-PP001	Traffic Signal Head Backplate, 4-Section, Inverted "T"
2	Each	907-635-PP001	Traffic Signal Head Backplate, 5-Section
6	Each	907-635-PP001	Traffic Signal Head Visor
1,745	Linear Feet	907-636-B003	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 10, 2 Conductor

8,170	Linear Feet	907-636-B014	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 5 Conductor
15,270	Linear Feet	907-636-B016	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 8 Conductor
940	Linear Feet	907-636-B028	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 8, 3 Conductor
8,210	Linear Feet	907-636-C007	Electric Cable, Aerial Supported, IMSA 20-1, AWG 14, 5 Conductor
13,050	Linear Feet	907-636-C009	Electric Cable, Aerial Supported, IMSA 20-1, AWG 14, 8 Conductor
1,490	Linear Feet	907-636-C021	Electric Cable, Aerial Supported, IMSA 20-1, AWG 10, 2 Conductor
560	Linear Feet	907-636-D001	Electric Cable, Aerial Supported in Conduit, IMSA 20-1, AWG 10, 2 Conductor
850	Linear Feet	907-636-D006	Electric Cable, Aerial Supported in Conduit, IMSA 20-1, AWG 14, 5 Conductor
4,600	Linear Feet	907-636-D008	Electric Cable, Aerial Supported in Conduit, IMSA 20-1, AWG 14, 8 Conductor
18	Each	907-637-A002	Pullbox Enclosure, Type 2
6	Each	907-637-A003	Pullbox Enclosure, Type 3
100	Linear Feet	907-637-C026	Traffic Signal Conduit, Underground, Type 4, 1"
500	Linear Feet	907-637-C028	Traffic Signal Conduit, Underground, Type 4, 2"
500	Linear Feet	907-637-C030	Traffic Signal Conduit, Underground, Type 4, 3"
1,000	Linear Feet	907-637-D002	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2"
1,000	Linear Feet	907-637-D003	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
33	Each	907-639-J001	Type 3 Intersection Device
1	Each	907-640-C002	Loop Detector Amplifier, 4 Channel
63	Each	907-641-A002	Signal Stop Bar Radar Vehicle Detection Sensor, Type 2
42	Each	907-641-B002	Signal Advanced Radar Vehicle Detection Sensor, Type 2
5	Each	907-641-C001	ITS Radar Detection Sensor
21,575	Linear Feet	907-641-D001	Radar Vehicle Detection Cable
1	Lump Sum	907-641-E001	Radar Vehicle Detection Training
55	Each	907-643-A004	Video Vehicle Detection Sensor, Type 1A
12,900	Linear Feet	907-643-B001	Video Vehicle Detection Cable
36	Each	907-643-E001	Multi-Sensor Vehicle Detection Sensor
10,710	Linear Feet	907-643-F001	Multi-Sensor Vehicle Detection Cable
108	Each	907-645-B001	Accessible Pedestrian Detection Assembly
13	Each	907-650-A002	On Street Video Equipment, Fixed Type

12	Each	907-650-A003	On Street Video Equipment, PTZ Type
4	Each	907-650-PP001	On Street Video Equipment, PTZ Type , Replace Camera Connection
65	Square Feet	907-653-A001	Traffic Sign
882	Square Feet	907-653-B001	Street Name Sign
2	Each	907-653-PP001	Relocate Street Name Sign
1	Lump Sum	907-659-A001	Traffic Management Center Modifications
2	Each	907-660-A002	Equipment Cabinet, Type B
52	Each	907-662-D002	Radio Interconnect, Broadband, Short Range
2	Each	907-662-PP001	Radio Interconnect , Remove and Reset
5	Each	907-662-PP001	Radio Interconnect , Replace Radio Connection
4	Each	907-663-A001	Network Switch, Type A
12	Each	907-663-A006	Network Switch, Type F
3	Each	907-684-PP002	Pole Foundation , 60" Auger Pile

CALL No. 03

Installation of Roadway Lighting at SR 7 and SR 9W, known as Federal Aid Project No. HSIP-0019-02(066) / 1021683052 in Lafayette County.

PROJECT COMPLETION: APRIL 28, 2023

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

1	Lump Sum	618-A001	Maintenance of Traffic
1	Lump Sum	620-A001	Mobilization
752	Linear Feet	682-A010	Underground Branch Circuit, AWG 10, 3 Conductor
68	Linear Feet	682-B010	Underground Branch Circuit, Jacked or Bored, AWG 10, 3 Conductor
2	Each	682-E002	Underground Junction Box
4	Each	682-E003	Underground Junction Box With Concrete Pad
7	Cubic Yard	684-A004	Pole Foundation, 30" Diameter
4	Each	907-683-PP001	Lighting Assembly, Per Plans

CALL No. 04

Installation of Cable Barrier along I-20 from the Natchez Trace Parkway to Robinson Road and along I-55 from SR 463 to the Big Black River, known as Federal Aid Project Nos. HSIP-0020-01(267) / 108883301 & HSIP-0055-02(265) / 108883302 in Hinds and Madison Counties.

PROJECT COMPLETION: 172 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

533	Square Yard	202-B063	Removal of Concrete Paved Ditch
4	Each	202-B165	Removal of Inlets, All Sizes
28	Linear Feet	202-B191	Removal of Pipe, 8" And Above
253	Cubic Yard	203-A001	Unclassified Excavation, FM, AH
20,805	Cubic Yard	203-EX041	Borrow Excavation, AH, LVM, Class B9-6
110	Cubic Yard	206-A001	Structure Excavation
10,532	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
13	Ton	213-C001	Superphosphate
29,733	Square Yard	216-A001	Solid Sodding
7,058	Square Yard	217-A001	Ditch Liner
602	Thousand Gallon	219-A001	Watering
26	Acre	220-A001	Insect Pest Control
2,493	Cubic Yard	221-A001	Concrete Paved Ditch
52	Acre	223-A001	Mowing
26	Acre	225-A001	Grassing
13	Ton	225-B001	Agricultural Limestone
52	Ton	225-C001	Mulch, Vegetative Mulch
26	Acre	226-A001	Temporary Grassing
9,068	Linear Feet	237-A002	Wattles, 20"
4,560	Linear Feet	245-A001	Silt Dike
5,000	Linear Feet	246-A001	Sandbags
15	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
685	Pounds	602-A001	Reinforcing Steel
128	Linear Feet	603-CA011	18" Reinforced Concrete Pipe, Class III

8	Linear Feet	603-CA040	30" Reinforced Concrete Pipe, Class III
2	Each	603-CB003	18" Reinforced Concrete End Section
2,036	Pounds	604-B001	Gratings
66,900	Linear Feet	610-A001	Cable Barrier
46	Each	610-B001	Cable Barrier Terminal Section
1	Lump Sum	618-A001	Maintenance of Traffic
112	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
1,152	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
96	Linear Feet	619-G4005	Barricades, Type III, Single Faced
8	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
1	Lump Sum	699-A001	Roadway Construction Stakes
69,000	Linear Feet	907-234-A001	Temporary Silt Fence
13	Each	907-234-D001	Inlet Siltation Guard

CALL No. 05

Intersection Improvements on SR 302 at Braybourne Main, known as Federal Aid Project No. HSIP-0021-01(068) / 108641301 in Desoto County.

PROJECT COMPLETION: 145 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	201-A001	Clearing and Grubbing
43	Square Yard	202-B004	Removal of Asphalt Driveways, All Depths
2,211	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
85	Square Yard	202-B013	Removal of Base
50	Linear Feet	202-B088	Removal of Curb & Gutter, All Types
3	Each	202-B165	Removal of Inlets, All Sizes
27	Each	202-B215	Removal of Sign Including Post & Footing
37,500	Linear Feet	202-B240	Removal of Traffic Stripe
2,298	Cubic Yard	203-A002	Unclassified Excavation, LVM, AH
836	Cubic Yard	203-G002	Excess Excavation, LVM, AH
11	Cubic Yard	206-A001	Structure Excavation
10,172	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
1,897	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
2	Ton	213-C001	Superphosphate
1,174	Square Yard	216-A001	Solid Sodding
24	Thousand Gallon	219-A001	Watering
30	Cubic Yard	221-A001	Concrete Paved Ditch
4	Acre	225-A001	Grassing
2	Ton	225-B001	Agricultural Limestone
7	Ton	225-C001	Mulch, Vegetative Mulch
4	Acre	226-A001	Temporary Grassing
90	Each	235-A001	Temporary Erosion Checks
254	Linear Feet	237-A002	Wattles, 20"
121	Linear Feet	245-A001	Silt Dike
130	Linear Feet	246-A001	Sandbags

25 Ton	249-A001	Riprap for Erosion Control
3,285 Ton	304-B002	Granular Material, Class 3, Group D
17 Ton	403-A003	12.5-mm, ST, Asphalt Pavement
1,704 Ton	403-A004	19-mm, HT, Asphalt Pavement
1,620 Ton	403-A006	19-mm, ST, Asphalt Pavement
4,883 Ton	403-D001	12.5-mm, HT, Asphalt Pavement, Polymer Modified
25,782 Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
1,893 Gallon	407-A001	Asphalt for Tack Coat
2 Mile	423-A001	Rumble Strips, Ground In
5,224 Linear Feet	503-C010	Saw Cut, Full Depth
7 Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
373 Pounds	602-A001	Reinforcing Steel
112 Linear Feet	603-A049	48" Steel Pipe, Jacked or Bored
32 Linear Feet	603-CA011	18" Reinforced Concrete Pipe, Class III
500 Pounds	604-B001	Gratings
3,026 Linear Feet	609-D004	Combination Concrete Curb and Gutter Type 2 Modified
50 Cubic Yard	612-A001	Flowable Fill, Excavatable
380 Square Yard	616-A003	Concrete Median and/or Island Pavement, 12-inch
1 Lump Sum	618-A001	Maintenance of Traffic
31,543 Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
10,068 Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow
5,658 Linear Feet	619-A3002	Temporary Traffic Stripe, Skip White
1,043 Square Feet	619-A6001	Temporary Traffic Stripe, Legend
288 Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
68 Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
248 Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
36 Linear Feet	619-G4001	Barricades, Type III, Double Faced
48 Linear Feet	619-G4005	Barricades, Type III, Single Faced
184 Each	619-G5001	Free Standing Plastic Drums
4 Each	619-G7001	Warning Lights, Type "B"

1	Lump Sum	620-A001	Mobilization
5,658	Linear Feet	626-A003	6" Thermoplastic Traffic Stripe, Skip White
7,846	Linear Feet	626-B003	6" Thermoplastic Traffic Stripe, Continuous White
575	Linear Feet	626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
14,917	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
4,993	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
660	Square Feet	626-H004	Thermoplastic Legend, White
288	Linear Feet	626-H005	Thermoplastic Legend, White
573	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
3	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
131	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
118	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
129	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
201	Linear Feet	630-C001	Square Tube Posts, 4.0 lb/ft
215	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
48	Linear Feet	630-C1001	Square Post Inner Sleeve
6	Each	635-A059	Traffic Signal Head, Type 1
2	Each	635-A065	Traffic Signal Head, Type 2 FYA
2	Each	635-A070	Traffic Signal Head, Type 3
4	Each	638-A006	Flasher Assembly, Prepare To Stop
1	Lump Sum	699-A001	Roadway Construction Stakes
104	Ton	815-A002	Loose Riprap, Size 100
32	Square Yard	815-E001	Geotextile under Riprap
6,700	Linear Feet	907-234-A001	Temporary Silt Fence
1	Each	907-234-D001	Inlet Siltation Guard
1	Each	907-632-A007	Solid State Traffic Cabinet Assembly, Type III Cabinet, Type 1 Controller
1	Each	907-632-J001	Power Service Pedestal
2	Each	907-634-A053	Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 85' Arm
1	Each	907-634-A108	Traffic Signal Equipment Pole, Type II, 22' Shaft, 45' Arm

1	Each	907-634-A109	Traffic Signal Equipment Pole, Type II, 22' Shaft, 50' Arm
19	Cubic Yard	907-634-C001	Pole Foundations, Class "B" Concrete
340	Linear Feet	907-636-B003	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 10, 2 Conductor
2,435	Linear Feet	907-636-B006	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 12, 4 Conductor
690	Linear Feet	907-636-B016	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 8 Conductor
65	Linear Feet	907-636-B053	Electric Cable, Underground in Conduit, THHN, AWG #6, 3 Conductor
76	Linear Feet	907-636-D001	Electric Cable, Aerial Supported in Conduit, IMSA 20-1, AWG 10, 2 Conductor
64	Linear Feet	907-636-D003	Electric Cable, Aerial Supported in Conduit, IMSA 20-1, AWG 12, 4 Conductor
349	Linear Feet	907-636-D008	Electric Cable, Aerial Supported in Conduit, IMSA 20-1, AWG 14, 8 Conductor
40	Linear Feet	907-636-D020	Electric Cable, Aerial Supported in Conduit, THHN, AWG #6, 3 Conductor
10	Each	907-637-A002	Pullbox Enclosure, Type 2
1	Each	907-637-A003	Pullbox Enclosure, Type 3
2,045	Linear Feet	907-637-C009	Traffic Signal Conduit, Underground, Rolled Pipe, 2"
380	Linear Feet	907-637-C011	Traffic Signal Conduit, Underground, Rolled Pipe, 3"
215	Linear Feet	907-637-C028	Traffic Signal Conduit, Underground, Type 4, 2"
60	Linear Feet	907-637-C030	Traffic Signal Conduit, Underground, Type 4, 3"
40	Linear Feet	907-637-F005	Traffic Signal Conduit, Aerial Supported, Type 1, 2"
4	Each	907-641-A002	Signal Stop Bar Radar Vehicle Detection Sensor, Type 2
2	Each	907-641-B002	Signal Advanced Radar Vehicle Detection Sensor, Type 2
1,030	Linear Feet	907-641-D001	Radar Vehicle Detection Cable
49	Square Feet	907-653-B001	Street Name Sign
1	Each	907-662-D002	Radio Interconnect, Broadband, Short Range
1	Each	907-663-A001	Network Switch, Type A
70	Linear Feet	907-663-D001	Category 6 Cable, Installed in Conduit

ALTERNATE GROUP AA NUMBER 1

4,587	Ton	304-F001	3/4" and Down Crushed Stone Base
-------	-----	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

4,587	Ton	304-F002	Size 610 Crushed Stone Base
-------	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

4,587	Ton	304-F003	Size 825B Crushed Stone Base
-------	-----	----------	------------------------------

CALL No. 06

I-20 / I-59 Sign Truss Replacement near Exit 153, known as Federal Aid Project No. NHPP-0059-03(101) / 109198301 in
Lauderdale County.

PROJECT COMPLETION: 118 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Each	202-B130	Removal of Footing
125	Linear Feet	202-B150	Removal of Guard Rail Including Post, Blockouts & Hardware
1	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
125	Linear Feet	606-B003	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
1	Lump Sum	618-A001	Maintenance of Traffic
24	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
64	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
18	Linear Feet	619-G4001	Barricades, Type III, Double Faced
12	Linear Feet	619-G4005	Barricades, Type III, Single Faced
1	Lump Sum	620-A001	Mobilization
100	Square Feet	630-B002	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
192	Square Feet	630-B003	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Overhead Mounted
24	Linear Feet	630-C002	Steel U-Section Posts, 2.0 lb/ft
40	Linear Feet	630-D003	Structural Steel Beams, W10 x 22
64	Pounds	630-E003	Structural Steel Angles & Bars, 4" x 4" x 5/16" Angles
3	Each	630-F006	Delineators, Guard Rail, White
1	Lump Sum	630-I003	Metal Overhead Sign Supports, Assembly No. 1, Contractor Designed
1	Each	907-619-E3001	Changeable Message Sign

CALL No. 07

Safety Improvements along SR 39 from Dale Drive to North Hills Street, known as Federal Aid Project No. HSIP-0074-01(011) / 108882301 in Lauderdale County.

PROJECT COMPLETION: 113 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1 Acre	201-B001	Clearing and Grubbing
5,956 Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
177 Square Yard	202-B063	Removal of Concrete Paved Ditch
1,019 Linear Feet	202-B088	Removal of Curb & Gutter, All Types
30 Each	202-B117	Removal of Delineator, All Types
2 Each	202-B165	Removal of Inlets, All Sizes
40 Linear Feet	202-B191	Removal of Pipe, 8" And Above
1 Each	202-B272	Removal of Overhead Flashing Beacon
832 Cubic Yard	203-A001	Unclassified Excavation, FM, AH
500 Cubic Yard	203-EX041	Borrow Excavation, AH, LVM, Class B9-6
6,201 Cubic Yard	203-G002	Excess Excavation, LVM, AH
740 Cubic Yard	206-A001	Structure Excavation
100 Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
13,026 Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
184 Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
1 Ton	213-C001	Superphosphate
613 Square Yard	216-A001	Solid Sodding
12 Thousand Gallon	219-A001	Watering
1 Acre	220-A001	Insect Pest Control
15 Cubic Yard	221-A001	Concrete Paved Ditch
2 Acre	223-A001	Mowing
1 Acre	225-A001	Grassing
2 Ton	225-B001	Agricultural Limestone
1 Ton	225-C001	Mulch, Vegetative Mulch
1 Acre	226-A001	Temporary Grassing

988	Linear Feet	237-A002	Wattles, 20"
152	Linear Feet	245-A001	Silt Dike
200	Each	246-B001	Rockbags
6,700	Ton	304-F001	3/4" and Down Crushed Stone Base
6,700	Ton	304-F002	Size 610 Crushed Stone Base
6,700	Ton	304-F003	Size 825B Crushed Stone Base
863	Ton	403-A002	12.5-mm, MT, Asphalt Pavement
1,510	Ton	403-A005	19-mm, MT, Asphalt Pavement
6,800	Ton	403-A014	9.5-mm, MT, Asphalt Pavement
74,575	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
6,769	Gallon	407-A001	Asphalt for Tack Coat
5,738	Linear Feet	503-C010	Saw Cut, Full Depth
37	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
3,029	Pounds	602-A001	Reinforcing Steel
1,104	Linear Feet	603-CA011	18" Reinforced Concrete Pipe, Class III
1	Each	603-CB003	18" Reinforced Concrete End Section
472	Linear Feet	603-CE002	22" x 13" Concrete Arch Pipe, Class A III
711	Pounds	604-A001	Castings
1,750	Pounds	604-B001	Gratings
92	Linear Feet	609-B003	Concrete Curb, Special Design
83	Linear Feet	609-C001	Concrete Integral Curb, Type 1
2,787	Linear Feet	609-D004	Combination Concrete Curb and Gutter Type 2 Modified
1,744	Linear Feet	609-D012	Combination Concrete Curb and Gutter Type 3A Modified
512	Square Yard	616-A001	Concrete Median and/or Island Pavement, 10-inch
74	Square Yard	616-A003	Concrete Median and/or Island Pavement, 12-inch
1,501	Square Yard	616-A004	Concrete Median and/or Island Pavement, 4-inch
1	Lump Sum	618-A001	Maintenance of Traffic
7,389	Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
5,833	Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow
21,132	Linear Feet	619-A3002	Temporary Traffic Stripe, Skip White

28,733	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,858	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
1,028	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
95	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
1,003	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
12	Linear Feet	619-G4001	Barricades, Type III, Double Faced
528	Linear Feet	619-G4005	Barricades, Type III, Single Faced
289	Each	619-G5001	Free Standing Plastic Drums
6	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
10,566	Linear Feet	626-A002	6" Thermoplastic Double Drop Traffic Stripe, Skip White
7,389	Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White
1,483	Linear Feet	626-E002	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
4,350	Linear Feet	626-F002	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
22,862	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
5,871	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
1,858	Square Feet	626-H001	Thermoplastic Double Drop Legend, White
1,028	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
134	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
641	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
12	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
107	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
212	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
144	Linear Feet	630-C001	Square Tube Posts, 4.0 lb/ft
320	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
6	Each	635-A059	Traffic Signal Head, Type 1
2	Each	635-A065	Traffic Signal Head, Type 2 FYA
4	Each	635-A070	Traffic Signal Head, Type 3
1	Lump Sum	647-A001	Removal of Existing Traffic Signal Equipment

1	Lump Sum	699-A001	Roadway Construction Stakes
250	Linear Feet	907-234-A001	Temporary Silt Fence
7	Each	907-234-D001	Inlet Siltation Guard
7	Each	907-234-E001	Reset Inlet Siltation Guard
2	Each	907-604-PP001	Modify Existing Inlet, Per Plans
1	Each	907-632-A004	Solid State Traffic Cabinet Assembly, Type II Cabinet, Type 1 Controller
2	Each	907-632-D001	Solid State Traffic Actuated Controller, Type 1
1	Each	907-634-A003	Traffic Signal Equipment Pole, Type 1, 35' Shaft
3	Cubic Yard	907-634-C001	Pole Foundations, Class "B" Concrete
632	Linear Feet	907-636-C009	Electric Cable, Aerial Supported, IMSA 20-1, AWG 14, 8 Conductor
12	Each	907-641-A002	Signal Stop Bar Radar Vehicle Detection Sensor, Type 2
6	Each	907-641-B002	Signal Advanced Radar Vehicle Detection Sensor, Type 2
1,208	Linear Feet	907-641-D001	Radar Vehicle Detection Cable

CALL No. 08

Bridge Replacements on SR 442 (Bridge Nos. 22.1, 22.5, 24.4, 25.3 & 27.7), known as Federal Aid Project No. STBG-2712-00(003) / 106101301 in Leflore County.

PROJECT COMPLETION: 488 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	201-A001	Clearing and Grubbing
1	Acre	201-B001	Clearing and Grubbing
1	Lump Sum	202-A001	Removal of Obstructions
736	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
2,208	Square Yard	202-B069	Removal of Concrete Pavement w/ Variable Depth Overlay
2,984	Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
77	Linear Feet	202-B191	Removal of Pipe, 8" And Above
2,340	Cubic Yard	203-A001	Unclassified Excavation, FM, AH
8,546	Cubic Yard	203-EX020	Borrow Excavation, AH, FME, Class B9
10,443	Cubic Yard	203-EX021	Borrow Excavation, AH, FME, Class B9-6
10,769	Cubic Yard	203-G001	Excess Excavation, FM, AH
54	Cubic Yard	206-A001	Structure Excavation
13,431	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
7	Ton	213-C001	Superphosphate
418	Square Yard	216-A001	Solid Sodding
171	Square Yard	217-A001	Ditch Liner
8	Thousand Gallon	219-A001	Watering
7	Acre	220-A001	Insect Pest Control
44	Cubic Yard	221-A001	Concrete Paved Ditch
14	Acre	223-A001	Mowing
331	Square Yard	224-A001	Soil Reinforcing Mat
14	Acre	225-A001	Grassing
29	Ton	225-B001	Agricultural Limestone
29	Ton	225-C001	Mulch, Vegetative Mulch
14	Acre	226-A001	Temporary Grassing

480	Linear Feet	237-A002	Wattles, 20"
240	Linear Feet	245-A001	Silt Dike
720	Linear Feet	246-A001	Sandbags
192	Ton	249-A001	Riprap for Erosion Control
60	Cubic Yard	249-B001	Remove and Reset Riprap
3,500	Ton	304-B002	Granular Material, Class 3, Group D
1,340	Ton	403-A006	19-mm, ST, Asphalt Pavement
1,566	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
902	Ton	403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
167	Ton	403-C003	19-mm, ST, Asphalt Pavement, Trench Widening
7,614	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
1,743	Gallon	407-A001	Asphalt for Tack Coat
388	Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
2	Mile	423-A001	Rumble Strips, Ground In
120	Square Yard	501-K001	Transverse Grooving
832	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
240	Linear Feet	503-C010	Saw Cut, Full Depth
1	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
72	Linear Feet	603-ALT003	18" Type A Alternate Pipe
48	Linear Feet	603-ALT006	24" Type A Alternate Pipe
2	Each	603-CB004	24" Reinforced Concrete End Section
256	Square Yard	605-AA001	Geotextile for Subsurface Drainage, Type III
460	Linear Feet	605-O002	4" Perforated Sewer Pipe for Underdrains, SDR 23.5
200	Linear Feet	605-P002	4" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
16	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
563	Linear Feet	606-B001	Guard Rail, Class A, Type 1
20	Each	606-D022	Guard Rail, Bridge End Section, Type I
20	Each	606-E005	Guard Rail, Terminal End Section, Flared
176	Linear Feet	609-D003	Combination Concrete Curb and Gutter Type 2
200	Linear Feet	615-A024	Concrete Bridge End Barrier, 37.5"

39	Each	617-A001	Right-of-Way Marker
1	Lump Sum	618-A001	Maintenance of Traffic
11,378	Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
1,880	Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow
5,184	Linear Feet	619-A4001	Temporary Traffic Stripe, Skip Yellow
970	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
480	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
515	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
1,406	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
24	Linear Feet	619-G4001	Barricades, Type III, Double Faced
336	Linear Feet	619-G4005	Barricades, Type III, Single Faced
37	Each	619-G5001	Free Standing Plastic Drums
42	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
1	Each	621-A001	Field Laboratory
11,378	Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White
5,184	Linear Feet	626-D002	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
1,880	Linear Feet	626-E002	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
844	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
126	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
320	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
53	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
85	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
20	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
129	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
17	Linear Feet	630-C001	Square Tube Posts, 4.0 lb/ft
254	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
78	Each	630-F006	Delineators, Guard Rail, White
10	Each	630-G003	Type 3 Object Markers, OM-3L, Post Mounted

10 Each	630-G007	Type 3 Object Markers, OM-3R, Post Mounted
1 Lump Sum	699-A001	Roadway Construction Stakes
3,900 Ton	815-A007	Loose Riprap, Size 300
350 Square Yard	815-E001	Geotextile under Riprap
20 Ton	815-F002	Sediment Control Stone
9,620 Linear Feet	907-234-A001	Temporary Silt Fence
1,570 Linear Feet	907-234-F001	Turbidity Barrier
2 Each	907-619-E3001	Changeable Message Sign
1,040 Hours	907-906001	Trainees

ALTERNATE GROUP AA NUMBER 1

4,250 Ton	304-F001	3/4" and Down Crushed Stone Base
-----------	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

4,250 Ton	304-F002	Size 610 Crushed Stone Base
-----------	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

4,250 Ton	304-F003	Size 825B Crushed Stone Base
-----------	----------	------------------------------

ALTERNATE GROUP BB NUMBER 1

284 Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
----------------	----------	--

ALTERNATE GROUP BB NUMBER 2

284 Cubic Yard	605-W003	Filter Material for Combination Storm Drain and/or Underdrains, Type C, FM
----------------	----------	--

Bridge Items

3,683 Square Yard	501-K001	Transverse Grooving
2,695 Linear Feet	803-P001	24" Steel Pipe Piling, Wall Thickness 0.500"
1,530 Linear Feet	803-P003	30" Steel Pipe Piling, Wall Thickness 0.500"
1,360 Linear Feet	803-P008	20" Steel Pipe Piling, Wall Thickness 0.500"
3,730 Linear Feet	803-P012	18" Steel Pipe Piling, Wall Thickness 0.375"
596 Linear Feet	804-C193	120' Prestressed Concrete Beam, Type FIB-45
842 Linear Feet	804-C195	85' Prestressed Concrete Beam, Type FIB-36
571 Linear Feet	804-C209	115' Prestressed Concrete Beam, Type FIB-45
397 Linear Feet	804-C220	81' Prestressed Concrete Beam, Type FIB-36
497 Linear Feet	804-C221	101' Prestressed Concrete Beam, Type FIB-36
593 Linear Feet	804-C229	61' Prestressed Concrete Beam, Type FIB-36

1,738	Linear Feet	804-C231	56' Prestressed Concrete Beam, Type MFIB-25
498	Linear Feet	804-C234	102' Prestressed Concrete Beam, Type FIB-36
343,855	Pounds	805-A001	Reinforcement
10,528	Pounds	805-C001	Reinforcement, Corrosion Resistant
2,070	Linear Feet	813-A004	Concrete Railing, 36"
7,767	Ton	815-A007	Loose Riprap, Size 300
6,216	Square Yard	815-E001	Geotextile under Riprap
5	Each	907-803-B001	Conventional Static Pile Load Test
12	Each	907-803-I004	PDA Test Pile, Steel Pipe Pile
12	Each	907-803-J001	Pile Restrike
1,110	Cubic Yard	907-804-A001	Bridge Concrete, Class BDY
575	Cubic Yard	907-804-A002	Bridge Concrete, Class AA
365	Linear Feet	907-823-A001	Preformed Joint Seal, Type I

CALL No. 09

Intersection Improvements on various routes throughout the District, known as Federal Aid Project No. HSIP-9999-02(391) / 108900301 in District 2.

PROJECT COMPLETION: NOVEMBER 06, 2023

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

328	Each	202-B117	Removal of Delineator, All Types
1,169	Each	202-B215	Removal of Sign Including Post & Footing
4	Each	202-B220	Removal of Sign, Overhead Mounted Including Panels, Trust, and Footings
1,088,759	Linear Feet	202-B240	Removal of Traffic Stripe
145	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
235	Each	619-F4001	Snap-Back Delineator
1	Lump Sum	620-A001	Mobilization
122,575	Linear Feet	626-A002	6" Thermoplastic Double Drop Traffic Stripe, Skip White
294,585	Linear Feet	626-B001	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
42,175	Linear Feet	626-D002	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
261,995	Linear Feet	626-E002	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
51,321	Linear Feet	626-F002	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
244,560	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
53,886	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
7,549	Square Feet	626-H001	Thermoplastic Double Drop Legend, White
50,201	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
3,073	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
2,359	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
5,587	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
5,136	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
7,884	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
2,575	Square Feet	630-B002	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
10,798	Linear Feet	630-C001	Square Tube Posts, 4.0 lb/ft

7,810	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
5,152	Linear Feet	630-C1001	Square Post Inner Sleeve
93	Each	630-F003	Delineators, Flexible Post Mounted, Crossover, Type II
34	Each	630-G003	Type 3 Object Markers, OM-3L, Post Mounted
35	Each	630-G007	Type 3 Object Markers, OM-3R, Post Mounted
2	Each	638-A001	Flasher Assembly
44	Each	638-C001	Flasher Assembly - Solar Powered
1	Lump Sum	647-A001	Removal of Existing Traffic Signal Equipment
738	Square Feet	907-630-A001	Standard Roadside Signs, LED Enhanced

CALL No. 10

Installation of Pavement Markings on Various Routes throughout the District, known as Federal Aid Project No. HSIP-9999-06(392) / 109216301 in District 6.

PROJECT COMPLETION: 50 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

3,334	Linear Feet	202-B240	Removal of Traffic Stripe
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
1	Lump Sum	620-A001	Mobilization
88	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
21	Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
60	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
10,646	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
4,957	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
6,124	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
1,770	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
10	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
5,412	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
88	Mile	907-626-C003	Thermoplastic Audible Edge Stripe

ALTERNATE GROUP AA NUMBER 1

2,802	Linear Feet	628-H001	6" High Performance Cold Plastic Traffic Stripe, Continuous White
1,746	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
172	Linear Feet	628-J001	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

ALTERNATE GROUP AA NUMBER 2

2,802	Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
1,746	Linear Feet	907-624-C001	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow
172	Linear Feet	907-624-D002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

CALL No. 11

Bridge Preventive Maintenance on I-10, known as Federal Aid Project No. STBG-9999-06(378) / 108777306 in Jackson County.

PROJECT COMPLETION: 70 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

504	Gallon	413-A001	Joint Sealer Material
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
1	Lump Sum	620-A001	Mobilization
400	Hours	907-618-M2001	Work Zone Law Enforcement

Bridge Items

6,551	Linear Feet	907-808-A002	Joint Repair
3,345	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
572	Linear Feet	907-823-A002	Preformed Joint Seal, Type II
6,600	Linear Feet	907-823-B001	Saw Cut, Type I
896	Linear Feet	907-823-B002	Saw Cut, Type II
4	Cubic Yard	907-824-PP007	Bridge Repair, Elastomeric Concrete
246	Linear Feet	907-824-PP008	Bridge Repair, Endwall Repair

CALL No. 12

Bridge Preventative Maintenance on Various Routes throughout the District, known as Federal Aid Project No. STBG-9999-07(377) / 108777307 in District 7.

PROJECT COMPLETION: 82 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

680	Linear Feet	202-B169	Removal of Joint Material
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
1	Lump Sum	620-A001	Mobilization
1,366	Linear Feet	907-808-A002	Joint Repair
5,292	Linear Feet	907-808-A003	Joint Repair Without Epoxy
2,988	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
677	Linear Feet	907-823-A002	Preformed Joint Seal, Type II
5,976	Linear Feet	907-823-B001	Saw Cut, Type I
1,354	Linear Feet	907-823-B002	Saw Cut, Type II
113	Each	907-824-C001	Cap Cleaning Cap Cleaning
3	Cubic Yard	907-824-PP007	Bridge Repair, Elastomeric Concrete
1	Lump Sum	907-899-A001	Railway-Highway Provisions

CALL No. 13

Installation of Traffic Signs on Various Routes throughout the State, known as Federal Aid Project No. STBG-9999-09(337) / 109189301 Statewide.

PROJECT COMPLETION: 101 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	618-A001	Maintenance of Traffic
6	Square Feet	618-B001	Additional Construction Signs
1	Lump Sum	620-A001	Mobilization
10,960	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
495	Square Feet	630-B002	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
8,809	Linear Feet	630-C001	Square Tube Posts, 4.0 lb/ft
1,648	Linear Feet	630-C1001	Square Post Inner Sleeve
236	Linear Feet	630-D008	Structural Steel Beams, W6 x 9

CALL No. 14

Overlay approximately 10 miles of SR 35 from US 84 to US 49, known as State Project No. SP-0023-01(095) / 108987301 in Covington County.

PROJECT COMPLETION: 49 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

2,816	Cubic Yard	304-A008	Granular Material, LVM, Class 6, Group D
12,962	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
1,000	Ton	403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
1,717	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
13,581	Gallon	407-A001	Asphalt for Tack Coat
21	Mile	423-A001	Rumble Strips, Ground In
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
24	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
10	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
8	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
4,153	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,616	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
21	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
8	Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
7	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
2,587	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
1,566	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
2,696	Linear Feet	626-H005	Thermoplastic Legend, White
380	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
938	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
24	Each	630-F006	Delineators, Guard Rail, White
132	Linear Feet	907-619-B001	Temporary Portable Rumble Strips

CALL No. 15

Mill & Overlay approximately 1 mile of SR 24 from the west City Limits of Liberty to just west of Velma Street, known as State Project No. SP-0163-00(008) / 108896301 in Amite County.

PROJECT COMPLETION: 71 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

3,570	Square Yard	202-B006	Removal of Asphalt Paved Shoulders, All Depths
51	Cubic Yard	203-EX021	Borrow Excavation, AH, FME, Class B9-6
1,578	Cubic Yard	203-G001	Excess Excavation, FM, AH
350	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
1,385	Ton	403-A002	12.5-mm, MT, Asphalt Pavement
986	Ton	403-A005	19-mm, MT, Asphalt Pavement
1,571	Ton	403-A014	9.5-mm, MT, Asphalt Pavement
14,870	Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
6,404	Gallon	407-A001	Asphalt for Tack Coat
2,250	Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
7,644	Linear Feet	503-C010	Saw Cut, Full Depth
7,184	Linear Feet	605-H001	Edge Drain
230	Linear Feet	605-I001	Edge Drain Outlets/Vents
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
4	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
4	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
5,551	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,936	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
1	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
1	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
265	Linear Feet	626-G001	Thermoplastic Detail Stripe, Blue-ADA
2,360	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
431	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow

2,060	Linear Feet	626-H005	Thermoplastic Legend, White
90	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
6	Each	627-P001	Two-Way Blue Reflective High Performance Raised Markers
237,100	Pounds	907-420-A001	Undersealing
2,250	Linear Feet	907-421-B001	Joint Sealing Tape, 12"
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
4	Each	907-626-H001	Thermoplastic Legend, Blue-ADA Handicap Symbol
142	Linear Feet	907-640-A001	Vehicle Loop Assemblies

ALTERNATE GROUP AA NUMBER 1

1,098	Cubic Yard	304-H001	3/4" and Down Crushed Stone Base, LVM
-------	------------	----------	---------------------------------------

ALTERNATE GROUP AA NUMBER 2

1,098	Cubic Yard	304-H002	Size 610 Crushed Stone Base, LVM
-------	------------	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 3

1,098	Cubic Yard	304-H003	Size 825B Crushed Stone Base, LVM
-------	------------	----------	-----------------------------------

CALL No. 16

Overlay approximately 4 miles of SR 434 From US 61 to the EOSM in Delta City, known as State Project No. MP-3434-63(002) / 307499301 in Sharkey County.

PROJECT COMPLETION: 53 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

156 Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
1,300 Linear Feet	202-B240	Removal of Traffic Stripe
52 Cubic Yard	203-G001	Excess Excavation, FM, AH
1,400 Ton	304-B004	Granular Material, Class 5, Group D
4,300 Ton	403-A015	9.5-mm, ST, Asphalt Pavement
158 Ton	403-B006	19-mm, ST, Asphalt Pavement, Leveling
600 Ton	403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
3,200 Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
4,000 Gallon	407-A001	Asphalt for Tack Coat
430 Linear Feet	503-C010	Saw Cut, Full Depth
1 Lump Sum	618-A001	Maintenance of Traffic
1 Square Feet	618-B001	Additional Construction Signs
8 Mile	619-A1001	Temporary Traffic Stripe, Continuous White
2 Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
3 Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
500 Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1 Lump Sum	620-A001	Mobilization
8 Mile	626-B002	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
3 Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
2 Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
650 Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
350 Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
1,000 Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
125 Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
375 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers

66 Linear Feet

907-619-B001 Temporary Portable Rumble Strips

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Contractors may request permission to bid online at <http://shopmdot.ms.gov> at no cost. Upon approval, contractors shall be eligible to submit a bid using Bid Express at <http://bidx.com>. Specimen proposals may be viewed and downloaded online at no cost at <http://mdot.ms.gov> or purchased online at <http://shopmdot.ms.gov> at a cost of Ten Dollars (\$10.00) per proposal plus a small convenience fee. Cash or checks will not be accepted as payment.

Plans must be purchased online at <https://shopmdot.ms.gov>. Costs of plans will be on a cost per sheet basis plus a small convenience fee. You can contact the MDOT Plans Print Shop at Telephone No. (601) 359-7460 or e-mail at plans@mdot.state.ms.us. Plans will be shipped on receipt of payment. Cash or checks will not be accepted as payment.

Bid bond, signed or countersigned by a Mississippi Resident Agent or qualified non-resident agent, with Power of Attorney attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

BRAD WHITE
EXECUTIVE DIRECTOR