## $S \ E \ C \ T \ I \ O \ N \quad 9 \ 0 \ 5 \ -- \ P \ R \ O \ P \ O \ S \ A \ L \quad (CONTINUED)$

I (We) hereby certify by digital signature and electronic submission via Bid Express of the Section 905 proposal below, that all certifications, disclosures and affidavits incorporated herein are deemed to be duly executed in the aggregate, fully enforceable and binding upon delivery of the bid proposal. I (We) further acknowledge that this certification shall not extend to the bid bond or alternate security which must be separately executed for the benefit of the Commission. This signature does not cure deficiencies in any required certifications, disclosures and/or affidavits. I (We) also acknowledge the right of the Commission to require full and final execution on any certification, disclosure or affidavit contained in the proposal at the Commission's election upon award. Failure to so execute at the Commission's request within the time allowed in the Standard Specifications for execution of all contract documents will result in forfeiture of the bid bond or alternate security.

Bidder acknowledges receipt of and has added to and made a part of the proposal and contract documents the following addendum (addenda):

ADDENDUM NO. 1 DATEI ADDENDUM NO DATEI	D ADDE	NDUM NO	DATED			
ADDENDUM NO DATEI Number Description 1 Revised Table of Contents; Added NTB No. No. 4602; Added NTB No. 4707; R Amendment EBSx Download Required.	. 2278; Revised NTB Revised Bid Items; DATE BY TITLE ADDRES CITY, ST	ADDENDUM NO DATED TOTAL ADDENDA: (Must agree with total addenda issued prior to opening of bids) Respectfully Submitted, DATE Contractor BY Signature				
	E-MAIL					
(To be filled in if a corporation) Our corporation is chartered under the Laws of titles and business addresses of the executives a			and	the names,		
thes and business addresses of the executives a	are as follows.					
President		Address				
Secretary		Address				
Treasurer		Address				
The following is my (our) itemized proposal. SP-0925-00(012)/ 108931301000 Union County(ies) Revised 01/26/2016						

# MISSISSIPPI DEPARTMENT OF TRANSPORTATION TABLE OF CONTENTS

# PROJECT: SP-0925-00(012)/108931301 - Union

Section 901 - Advertisement

Section 904 - Notice t	to Bidders
#1	Governing Specification, w/ Supplement
#1 #3	Final Cleanup
#9 #9	Federal Bridge Formula
#13	Safety Edge
#14	Railway-Highway Provision, w/Supplement
#113	Tack Coat
#296	Reduced Speed Limit Signs
#445	Mississippi Agent or Qualified Nonresident Agent
#447	Traffic on Milled Surface in Rural Areas
#516	Errata and Modifications to the 2017 Standard Specifications
#1225	Early Notice to Proceed
#1226	Material Storage Under Bridges
#1241	Fuel and Material Adjustments
#2206	MASH Compliant Devices
#2273	Mississippi Special Fuel Tax Law
#2278	Smoothness Tolerances
#2654	Disadvantaged Business Enterprises In Special Funded Projects, w/ Supplement
#2954	Reflective Sheeting for Signs
#3318	DBE Prebid Meeting
#3676	Asphalt Gyratory Compactor Internal Angle Calibration
#4601	Contract Time
#4602	Pay Item Correction and Additional Quantity Information
#4603	Temporary Transverse Joints
#4692	Additional Scrub Seal Requirements
#4707	Additional Traffic Control Information
Section 907 - Special	
907-102-2	Bidding Requirements and Conditions
907-103-2	Award and Execution of Contract
907-105-1	Authority of the Engineer
907-108-4	Subletting of Contract
907-109-4	Measurement and Payment
907-204-1	Geogrid
907-414-1	Polymer Modified Asphalt Rejuvenating Scrub Seal
907-619-6	Temporary Portable Rumble Strips
907-624-1	Inverted Profile Thermoplastic Traffic Stripe
907-701-3	Hydraulic Cement
907-702-4	Bituminous Materials
907-703-1	Gradation
907-705-1	Stone Riprap
907-707-3	Joint Materials
907-711-2	Plain Steel Wire

# PROJECT: SP-0925-00(012)/108931301 - Union

907-712-1	Fence and Guardrail
907-714-3	Miscellaneous Materials
907-718-1	Timber and Dimension Lumber
907-720-2	Acceptance Procedure for Glass Beads
907-721-4	Materials for Signing
907-899-1	<b>Railway-Highway Provisions</b>

Section 905 - Proposal, Proposal Bid Items, Combination Bid Proposal State Board of Contractors Requirement State Certification Regarding Non-Collusion, Debarment and Suspensions Section 902 - Contract Form Section 903 - Contract Bond Forms

OCR-485 Progress Schedule

#### (REVISIONS TO THE ABOVE WILL BE INDICATED ON THE SECOND SHEET OF SECTION 905 AS ADDENDA) 11/17/2022 09:42 AM

# MISSISSIPPI DEPARTMENT OF TRANSPORTATION

### **SECTION 904- NOTICE TO BIDDERS NO. 2278**

CODE: (SP)

DATE: 03/04/2020

#### **SUBJECT:** Smoothness Tolerances

Bidders are hereby advised that the smoothness tolerances for this project shall meet the requirements of a Category C project according to Subsection 403.03.2.1. Bidders are responsible for the collection of a preliminary smoothness profile prior to any work being performed.

# **MISSISSIPPI DEPARTMENT OF TRANSPORTATION**

### SECTION 904 - NOTICE TO BIDDERS NO. 4602

CODE: (SP)

### DATE: 11/17/2022

### SUBJECT: Pay Item Corrections and Additional Quantity Information

### **PROJECT:** SP-0925-00(012) / 108931301 – Union County

Bidders are hereby advised that the quantities for the pay items shown in the table below have been revised from what is shown on the Summary of Quantities sheets in the Plans. The bid sheets are correct.

Pay Item No.	Description	Plan Quantity	Revised Quantity
503-C010	Saw Cut, Full Depth		2,842 LF
907-619-B001	07-619-B001 Temporary Portable Rumble Strips		66 LF
907-899-A001 Railway-Highway Provisions		0 LS	1 LS
304-F001 3/4" and Down Crushed Stone Base		5,086 Tons	5,286 Tons
	OR		
304-F002 Size 610 Crushed Stone Base		5,086 Tons	5,286 Tons
	OR		
304-F003 Size 825B Crushed Stone Base		5,086 Tons	5,286 Tons

Bidders are also advised that any references in the Contract Plans to saw cuts being absorbed in other bid items when needed for removal of failed areas should be disregarded.

Bidders are further advised of the following:

- The Quantity for Pay Item No. 403-A015, 9.5-mm, ST, Asphalt Pavement, includes 165 Tons for local roads and 470 Tons for driveway pads.
- The Quantities for Pay Item No. 304-F001, 3/4" and Down Crushed Stone Base, Pay Item No. 304-F002, Size 610 Crushed Stone Base and Pay Item No. 304-F003, Size 825B Crushed Stone Base, include 200 Tons to be used on driveways throughout the project as directed by the Project Engineer.

# MISSISSIPPI DEPARTMENT OF TRANSPORTATION

### SECTION 904 - NOTICE TO BIDDERS NO. 4707

CODE: (SP)

DATE: 11/17/2022

### SUBJECT: Additional Traffic Control Information

#### **PROJECT:** SP-0925-00(012) / 108931301 – Union County

Bidders are hereby advised that the following sign information was inadvertently left off the Contract Plans.

- <u>13</u> W20-1 "AHEAD" signs required. One (1) W20-1 "AHEAD" sign is required at each local road or street entering the project.
- 123 R4-1 "DO NOT PASS" signs required.
- <u>17</u> R4-2 "PASS WITH CARE" signs required.
- <u>17</u> W14-3 "NO PASSING ZONE" signs required.

R4-1 "DO NOT PASS", R4-2 "PASS WITH CARE", and W14-3 "NO PASSING ZONE" signs are required in accordance with Subsection 618.03.3, the Contract Plans, and as specified in the Manual on Uniform Traffic Control Devices.

All construction signs and barricades shown on this page shall be included in the bid price for Pay Item 618-A, Maintenance of Traffic. Fluorescent orange sheeting shall be used on all construction and traffic control signs except for R4-1 and R4-2 signs which shall be black legend and border on white background.

#### Section 905

#### Proposal (Sheet 2 - 1)

#### Overlay approximately 5 miles of SR 9 from SR 178 to SR 348, known as State Project No. SP-0925-00(012) / 108931301 in Union County.

Line No.	Item Code	Adj Code	Quantity Road	Units way Items	Description [Fixed Unit Price]
0010	202-B007		2,478	Square Yard	Removal of Asphalt Pavement, All Depths
0020	202-B240		544	Linear Feet	Removal of Traffic Stripe
0030	203-G001	(E)	3,717	Cubic Yard	Excess Excavation, FM, AH
0040	209-A009		2,478	Square Yard	Geotextile Stabilization, Type VII, Non-Woven
0050	304-A002	(GY)	1,000	Cubic Yard	Granular Material, LVM, Class 3, Group C
0060	403-A006	(BA1)	4,308	Ton	19-mm, ST, Asphalt Pavement
0070	403-A015	(BA1)	7,166	Ton	9.5-mm, ST, Asphalt Pavement
0080	406-D001		20,134	Square Yard	Fine Milling of Bituminous Pavement, All Depths
0090	407-A001	(A2)	6,140	Gallon	Asphalt for Tack Coat
0100	618-A001		1	Lump Sum	Maintenance of Traffic
0102	503-C010		2,842	Linear Feet	Saw Cut, Full Depth
0110	618-B001		1	Square Feet	Additional Construction Signs [\$10.00]
0120	619-A1001		21	Mile	Temporary Traffic Stripe, Continuous White
0130	619-A2001		19	Mile	Temporary Traffic Stripe, Continuous Yellow
0140	619-A4002		3	Mile	Temporary Traffic Stripe, Skip Yellow
0150	619-A5001		1,928	Linear Feet	Temporary Traffic Stripe, Detail
0160	619-A6001		126	Square Feet	Temporary Traffic Stripe, Legend
0170	619-A6002		1,504	Linear Feet	Temporary Traffic Stripe, Legend
0180	620-A001		1	Lump Sum	Mobilization
0190	626-C004		11	Mile	6" Thermoplastic Edge Stripe, Continuous White
0200	626-D003		2	Mile	6" Thermoplastic Traffic Stripe, Skip Yellow
0210	626-E004		10	Mile	6" Thermoplastic Traffic Stripe, Continuous Yellow
0220	626-G002		1,354	Linear Feet	Thermoplastic Detail Stripe, White
0230	626-G003		574	Linear Feet	Thermoplastic Detail Stripe, Yellow
0240	626-H004		126	Square Feet	Thermoplastic Legend, White
0250	626-H005		1,504	Linear Feet	Thermoplastic Legend, White
0260	627-J001		440	Each	Two-Way Clear Reflective High Performance Raised Markers
0270	627-L001		1,000	Each	Two-Way Yellow Reflective High Performance Raised Markers
0280	627-M001		1,250	Each	One-Way Clear Reflective High Performance Raised Markers
0290	630-F006		34	Each	Delineators, Guard Rail, White
0300	907-204-A003		2,478	Square Yard	Geogrid, Type II, Biaxial
0310	907-414-A001		50,400	Square Yard	Scrub Seal
0320	907-619-B001		66	Linear Feet	Temporary Portable Rumble Strips

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]	
0330	907-899-A001		1	Lump Sum	Railway-Highway Provisions	
			ALTERNATE GR	OUP AA NUMBER	1	
0340	304-F001	(GT)	5,286	Ton	3/4" and Down Crushed Stone Base	
			ALTERNATE GR	OUP AA NUMBER	2	
0350	304-F002	(GT)	5,286	Ton	Size 610 Crushed Stone Base	
			ALTERNATE GROUP AA NUMBER 3			
0360	304-F003	(GT)	5,286	Ton	Size 825B Crushed Stone Base	
			ALTERNATE GROUP BB NUMBER 1			
0370	907-624-B002		484	Linear Feet	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White	
0380	907-624-C001		242	Linear Feet	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow	
ALTERNATE GROUP BB NUMBER 2						
0390	628-H001		484	Linear Feet	6" High Performance Cold Plastic Traffic Stripe, Continuous White	
0400	628-1002		242	Linear Feet	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow	