

Proposal & Plan Sales Will Begin on October 31, 2022



**MISSISSIPPI DEPARTMENT OF
TRANSPORTATION**

Notice to Contractors

Letting Date For November - November 22, 2022

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

NOTICE TO CONTRACTORS

LETTING DATE FOR NOVEMBER - Tuesday, November 22, 2022

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List is available online at [mdot.ms.gov](https://shop.mdot.ms.gov)

PROPOSAL AND PLAN SALES WILL BEGIN ON OCTOBER 31, 2022

Proposals must be purchased online at:
<https://shop.mdot.ms.gov>
For Information Please Contact:
Contract Administration Division
Jackson, MS
Telephone: (601) 359-7700

Plans must be purchased online at:
<https://shop.mdot.ms.gov>
For Information Please Contact:
MDOT Plans Print Shop
Jackson, MS
Telephone: (601) 359-7460
e-mail: plans@mdot.state.ms.us

Electronic bids will be received by the Mississippi Transportation Commission at 10:00 o'clock A.M., Tuesday, November 22, 2022; from the Bid Express Service and shortly thereafter, bids will be publicly read in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

* No plans except Standard Drawings

LIST OF CONTRACTS FOR NOVEMBER

CALL	CONTRACT	COUNTY
*	01 NHPP-0015-02(130)/108936301 & MP-6084-34(011)/307890301	JONES
	02 NHPP-0020-01(273)/109185301	RANKIN
	03 STBG-0055-02(263)/107569304	HINDS
*	04 IM-0055-04(111)/108140301	PANOLA
*	05 STBG-0065-02(010)/108707301	CLARKE
*	06 STBG-0066-02(007)/108688302	GEORGE
*	07 NH-2901-00(038)/108270301	GRENADA
*	08 SP-0060-03(025)/108962301 & SP-0060-03(025)/108962302	MARSHALL, BENTON
	09 SP-0925-00(012)/108931301	UNION
	10 MP-1032-09(008)/307465301	CHICKASAW
*	11 MP-2014-04(008)/307902301	ATTALA
*	12 MP-2309-47(008)/307901301	MARSHALL
*	13 SP-2791-00(009)/108265301	YALOBUSHA
*	14 MP-3432-82(006)/307923301	YAZOO
*	15 MP-5015-50(010)/307911301	NESHOBA
*	16 MP-5043-61(011)/307913301	RANKIN
*	17 MP-7084-43(006)/308346301	LINCOLN

CALL No. 01

Overlay approximately 11 miles of US 84 from the BOSM in Laurel to the Wayne County Line, known as Federal Aid Project No. NHPP-0015-02(130) / 108936301 and State Project No. MP-6084-34(011) / 307890301 in Jones County.

PROJECT COMPLETION: 117 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

37 Station	201-D001	Random Clearing
1,852 Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
3,320 Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
14,770 Linear Feet	202-B240	Removal of Traffic Stripe
18,480 Ton	304-F003	Size 825B Crushed Stone Base
650 Ton	403-A004	19-mm, HT, Asphalt Pavement
12,950 Ton	403-A015	9.5-mm, ST, Asphalt Pavement
32,300 Ton	403-D007	9.5-mm, HT, Asphalt Pavement, Polymer Modified
83,170 Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
63,897 Gallon	407-A001	Asphalt for Tack Coat
31 Mile	423-A001	Rumble Strips, Ground In
2,209 Linear Feet	606-B002	Guard Rail, Class A, Type 1, 'W' Beam
2 Each	606-C003	Guard Rail, Cable Anchor, Type 1
22 Each	606-D001	Guard Rail, Bridge End Section
21 Each	606-E005	Guard Rail, Terminal End Section, Flared
2 Each	606-E007	Guard Rail, Terminal End Section, Non-Flared
1 Lump Sum	618-A001	Maintenance of Traffic
2 Square Feet	618-B001	Additional Construction Signs
39 Mile	619-A1001	Temporary Traffic Stripe, Continuous White
39 Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
44 Mile	619-A3001	Temporary Traffic Stripe, Skip White
2 Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
93,349 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,093 Square Feet	619-A6001	Temporary Traffic Stripe, Legend

7,116	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
21	Mile	626-A004	6" Thermoplastic Traffic Stripe, Skip White
19	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
1	Mile	626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
3	Mile	626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
13	Mile	626-F001	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
49,193	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
40,947	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
2,737	Square Feet	626-H004	Thermoplastic Legend, White
7,116	Linear Feet	626-H005	Thermoplastic Legend, White
1,938	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
3,911	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
2,840	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
3	Each	627-P001	Two-Way Blue Reflective High Performance Raised Markers
136	Each	630-F006	Delineators, Guard Rail, White
44	Each	630-F007	Delineators, Guard Rail, Yellow
271	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
14,500	Ton	907-411-A001	Ultra Thin Asphalt Pavement
3	Each	907-626-H002	Thermoplastic Legend, Interstate Shield
1,420	Linear Feet	907-640-A001	Vehicle Loop Assemblies
520	Hours	907-906001	Trainees
ALTERNATE GROUP AA NUMBER 1			
1,020	Linear Feet	907-624-A002	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White
4,075	Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
5,975	Linear Feet	907-624-D002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow
672	Linear Feet	907-624-E003	Inverted Profile Thermoplastic Detail Traffic Stripe, Yellow
ALTERNATE GROUP AA NUMBER 2			
1,020	Linear Feet	628-G001	6" High Performance Cold Plastic Traffic Stripe, Skip White
4,075	Linear Feet	628-H001	6" High Performance Cold Plastic Traffic Stripe, Continuous White

5,975 Linear Feet

628-J001 6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

672 Linear Feet

628-K002 High Performance Cold Plastic Detail Stripe, Yellow

CALL No. 02

Bridge Preservation on I-20 over Noblin Bridge Road (Bridge No. 72.3A), known as Federal Aid Project No. NHPP-0020-01(273) / 109185301 in Rankin County.

PROJECT COMPLETION: 44 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Each	202-B259	Removal of and Replacement of Bridge End Section
1	Lump Sum	618-A001	Maintenance of Traffic
200	Linear Feet	619-F1001	Concrete Median Barrier, Precast
200	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
1	Each	619-J1004	Impact Attenuator, 60 MPH
1	Each	619-J2004	Impact Attenuator, 60 MPH, Replacement Package
1	Each	619-J3001	Remove and Reset Impact Attenuator
1	Lump Sum	620-A001	Mobilization
150	Linear Feet	626-A002	6" Thermoplastic Double Drop Traffic Stripe, Skip White
150	Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White
150	Linear Feet	626-F002	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
1	Lump Sum	699-A001	Roadway Construction Stakes
1	Each	907-619-E3001	Changeable Message Sign

Bridge Items

43	Square Yard	907-202-B001	Removal of Bridge Deck, Hydrodemolition
2	Cubic Yard	907-804-O001	Bridge Deck Overlay Concrete
82	Linear Feet	907-808-A002	Joint Repair
82	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
164	Linear Feet	907-823-B001	Saw Cut, Type I
48	Square Feet	907-824-PP003	Bridge Repair, Removal of Bridge Deck
1	Lump Sum	907-824-PP004	Bridge Repair, Pressure Washing & Bridge Cleaning
42	Linear Feet	907-824-PP008	Bridge Repair, Endwall Repair

CALL No. 03

Jetty Repair on I-20 / I-55 over the Pearl River (Bridge Nos. 46.4A & B), known as Federal Aid Project No. STBG-0055-02(263) / 107569304 in Hinds County.

PROJECT COMPLETION: 115 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

9 Acre	201-D002	Random Clearing
188 Cubic Yard	203-A001	Unclassified Excavation, FM, AH
26,339 Cubic Yard	203-G001	Excess Excavation, FM, AH
5 Ton	213-C001	Superphosphate
10 Acre	220-A001	Insect Pest Control
10 Acre	225-A001	Grassing
5 Ton	225-B001	Agricultural Limestone
20 Ton	225-C001	Mulch, Vegetative Mulch
100 Linear Feet	237-A002	Wattles, 20"
300 Ton	249-A001	Riprap for Erosion Control
66 Ton	304-F002	Size 610 Crushed Stone Base
7 Each	617-B001	Permanent Easement Marker
1 Lump Sum	618-A001	Maintenance of Traffic
32 Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
64 Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
42 Linear Feet	619-G4005	Barricades, Type III, Single Faced
1 Lump Sum	620-A001	Mobilization
1 Lump Sum	699-A001	Roadway Construction Stakes
11,471 Ton	815-A007	Loose Riprap, Size 300
11,486 Square Yard	815-E001	Geotextile under Riprap
90 Ton	815-F002	Sediment Control Stone
8,145 Square Yard	907-228-A002	Erosion Control Blanket, Type II
4,000 Linear Feet	907-234-A001	Temporary Silt Fence
1,000 Linear Feet	907-234-C001	Super Silt Fence
700 Linear Feet	907-234-F001	Turbidity Barrier

CALL No. 04

Mill & Overlay approximately 13 miles of I-55 from 1.8 miles north of SR 35 to the Tate County Line and Mill & Overlay SR 310 & SR 315 through the No-Access Limits, known as Federal Aid Project No. IM-0055-04(111) / 108140301 in Panola County.

PROJECT COMPLETION: 223 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

100 Linear Feet	202-B060	Removal of Concrete Median Barrier
188 Square Yard	202-B063	Removal of Concrete Paved Ditch
9,266 Linear Feet	202-B136	Removal of Guard Rail
3,000 Linear Feet	202-B240	Removal of Traffic Stripe
9 Cubic Yard	221-A001	Concrete Paved Ditch
1,550 Ton	304-B004	Granular Material, Class 5, Group D
15,217 Ton	403-A015	9.5-mm, ST, Asphalt Pavement
593,850 Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
106,500 Gallon	407-A001	Asphalt for Tack Coat
50 Mile	423-A001	Rumble Strips, Ground In
2 Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
525 Pounds	602-A001	Reinforcing Steel
1,053 Pounds	604-B001	Gratings
96 Each	606-A002	Guard Post, Type II Modified
7,350 Linear Feet	606-B001	Guard Rail, Class A, Type 1
34 Each	606-C003	Guard Rail, Cable Anchor, Type 1
5 Each	606-D006	Guard Rail, Bridge End Section, Type A Modified
2 Each	606-D022	Guard Rail, Bridge End Section, Type I
36 Each	606-E005	Guard Rail, Terminal End Section, Flared
204 Linear Feet	615-A007	Concrete Pier Protection Barrier, 54"
1 Lump Sum	618-A001	Maintenance of Traffic
58 Mile	619-A1001	Temporary Traffic Stripe, Continuous White
56 Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
52 Mile	619-A3001	Temporary Traffic Stripe, Skip White
28,302 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail

1,840	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
42	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
272	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
60	Linear Feet	619-G4001	Barricades, Type III, Double Faced
48	Linear Feet	619-G4005	Barricades, Type III, Single Faced
1	Lump Sum	620-A001	Mobilization
26	Mile	626-A001	6" Thermoplastic Double Drop Traffic Stripe, Skip White
29	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
4,000	Linear Feet	626-E002	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
27	Mile	626-F001	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
15,300	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
920	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
2,665	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
152	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
194	Each	630-F006	Delineators, Guard Rail, White
97	Each	630-F007	Delineators, Guard Rail, Yellow
151	Each	630-F010	Delineators, Post Mounted, Double White
36	Each	630-F011	Delineators, Post Mounted, Double Yellow
47	Each	630-F012	Delineators, Post Mounted, Single White
28	Each	630-F013	Delineators, Post Mounted, Single Yellow
2	Each	630-G007	Type 3 Object Markers, OM-3R, Post Mounted
19,588	Ton	907-402-A002	Open Graded Friction Course, 9.5-mm Mixture
33,774	Ton	907-405-A001	Stone Matrix Asphalt, 9.5 mm Mixture
45,031	Ton	907-405-A002	Stone Matrix Asphalt, 12.5 mm Mixture
5	Each	907-606-PP005	Guard Rail, Bridge Connector, Per Plans
4	Each	907-619-E3001	Changeable Message Sign
5	Cubic Yard	907-824-PP007	Bridge Repair, Concrete End Post
720	Hours	907-906001	Trainees
ALTERNATE GROUP AA NUMBER 1			
100	Ton	304-F001	3/4" and Down Crushed Stone Base

ALTERNATE GROUP AA NUMBER 2

100 Ton 304-F002 Size 610 Crushed Stone Base

ALTERNATE GROUP AA NUMBER 3

100 Ton 304-F003 Size 825B Crushed Stone Base

CALL No. 05

Overlay approximately 5 miles of SR 18 from Jasper County Line to SR 512, known as Federal Aid Project No. STBG-0065-02(010) / 108707301 in Clarke County.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

30 Station	201-D001	Random Clearing
2,721 Square Yard	202-B188	Removal of Pavement, All Types and Depths
3,500 Ton	304-F003	Size 825B Crushed Stone Base
1,467 Ton	403-A006	19-mm, ST, Asphalt Pavement
22,000 Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
8,000 Gallon	407-A001	Asphalt for Tack Coat
10 Mile	423-A001	Rumble Strips, Ground In
1 Lump Sum	618-A001	Maintenance of Traffic
1 Square Feet	618-B001	Additional Construction Signs
20 Mile	619-A1001	Temporary Traffic Stripe, Continuous White
9 Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
8 Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
300 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
635 Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1 Lump Sum	620-A001	Mobilization
10 Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
4 Mile	626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
5 Mile	626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
1,700 Linear Feet	626-G002	Thermoplastic Detail Stripe, White
2,500 Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
300 Square Feet	626-H004	Thermoplastic Legend, White
635 Linear Feet	626-H005	Thermoplastic Legend, White
34 Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
958 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
20 Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted

8,000 Ton	907-411-A001	Ultra Thin Asphalt Pavement
66 Linear Feet	907-619-B001	Temporary Portable Rumble Strips
1 Lump Sum	907-899-A001	Railway-Highway Provisions

CALL No. 06

Overlay approximately 11 miles of SR 57 from the Jackson County Line to SR 26, known as Federal Aid Project No. STBG-0066-02(007) / 108688302 in George County.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

625 Station	201-D001	Random Clearing
1,956 Linear Feet	202-B136	Removal of Guard Rail
2,275 Linear Feet	202-B240	Removal of Traffic Stripe
5,034 Ton	304-F003	Size 825B Crushed Stone Base
14,583 Ton	403-A015	9.5-mm, ST, Asphalt Pavement
14,967 Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
20,447 Gallon	407-A001	Asphalt for Tack Coat
17 Mile	423-A001	Rumble Strips, Ground In
1,200 Linear Feet	606-B003	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
12 Each	606-D001	Guard Rail, Bridge End Section
12 Each	606-E001	Guard Rail, Terminal End Section
1 Lump Sum	618-A001	Maintenance of Traffic
1 Square Feet	618-B001	Additional Construction Signs
44 Mile	619-A1001	Temporary Traffic Stripe, Continuous White
18 Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
18 Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
3,791 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,756 Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
66 Each	619-F3001	Delineators, Guard Rail, White
1 Lump Sum	620-A001	Mobilization
22 Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
9 Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
9 Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
4,364 Linear Feet	626-G002	Thermoplastic Detail Stripe, White
1,322 Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow

1,840	Linear Feet	626-H005	Thermoplastic Legend, White
630	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,452	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
12	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
8,144	Ton	907-411-A001	Ultra Thin Asphalt Pavement
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips

ALTERNATE GROUP AA NUMBER 1

1,630	Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
655	Linear Feet	907-624-C001	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow
480	Linear Feet	907-624-D002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

ALTERNATE GROUP AA NUMBER 2

1,630	Linear Feet	628-H001	6" High Performance Cold Plastic Traffic Stripe, Continuous White
655	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
480	Linear Feet	628-J001	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

CALL No. 07

Mill & Overlay approximately 6 miles of US 51 from Geeslin Corner to the Yalobusha County Line, known as Federal Aid Project No. NH-2901-00(038) / 108270301 in Grenada County.

PROJECT COMPLETION: 192 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1,026 Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
1,234 Square Yard	202-B069	Removal of Concrete Pavement w/ Variable Depth Overlay
1,095 Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
77 Each	202-B215	Removal of Sign Including Post & Footing
100 Cubic Yard	203-G001	Excess Excavation, FM, AH
2,750 Ton	304-B004	Granular Material, Class 5, Group D
1,475 Ton	403-A006	19-mm, ST, Asphalt Pavement
8,700 Ton	403-A015	9.5-mm, ST, Asphalt Pavement
650 Ton	403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
1,100 Ton	403-C003	19-mm, ST, Asphalt Pavement, Trench Widening
98,600 Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
21,000 Gallon	407-A001	Asphalt for Tack Coat
17,500 Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
12 Mile	423-A001	Rumble Strips, Ground In
5,260 Linear Feet	503-C010	Saw Cut, Full Depth
800 Linear Feet	606-B002	Guard Rail, Class A, Type 1, 'W' Beam
8 Each	606-E001	Guard Rail, Terminal End Section
1 Lump Sum	618-A001	Maintenance of Traffic
1 Square Feet	618-B001	Additional Construction Signs
34 Mile	619-A1001	Temporary Traffic Stripe, Continuous White
12 Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
15 Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
3,400 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,375 Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1 Lump Sum	620-A001	Mobilization

12 Mile	626-B002	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
5 Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
4 Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
2,400 Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
1,000 Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
25 Square Feet	626-H001	Thermoplastic Double Drop Legend, White
1,375 Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
250 Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
615 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
107 Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
228 Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
148 Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
90 Linear Feet	630-C001	Square Tube Posts, 4.0 lb/ft
1,011 Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
54 Each	630-F006	Delineators, Guard Rail, White
56 Each	630-G004	Type 3 Object Markers, OM-3R or OM-3L
66 Linear Feet	907-619-B001	Temporary Portable Rumble Strips

ALTERNATE GROUP AA NUMBER 1

175 Ton	304-F001	3/4" and Down Crushed Stone Base
---------	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

175 Ton	304-F002	Size 610 Crushed Stone Base
---------	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

175 Ton	304-F003	Size 825B Crushed Stone Base
---------	----------	------------------------------

CALL No. 08

Overlay approximately 14 miles of SR 4 from the Holly Springs Bypass to SR 5, known as State Project Nos. SP-0060-03(025) / 108962301 & 302 in Marshall & Benton Counties.

PROJECT COMPLETION: 126 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

989	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
2,250	Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
112	Each	202-B215	Removal of Sign Including Post & Footing
2,260	Linear Feet	202-B240	Removal of Traffic Stripe
173	Cubic Yard	203-G001	Excess Excavation, FM, AH
7,320	Ton	304-B004	Granular Material, Class 5, Group D
700	Ton	403-A006	19-mm, ST, Asphalt Pavement
21,675	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
12,250	Ton	403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
5,775	Ton	403-C003	19-mm, ST, Asphalt Pavement, Trench Widening
18,007	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
99,650	Gallon	407-A001	Asphalt for Tack Coat
29	Mile	423-A001	Rumble Strips, Ground In
1,260	Linear Feet	503-C010	Saw Cut, Full Depth
1,250	Linear Feet	606-B002	Guard Rail, Class A, Type 1, 'W' Beam
16	Each	606-D019	Guard Rail, Bridge End Section, Type H
16	Each	606-E001	Guard Rail, Terminal End Section
1	Lump Sum	618-A001	Maintenance of Traffic
2	Square Feet	618-B001	Additional Construction Signs
58	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
40	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
16	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
6,800	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
7,275	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization

29	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
8	Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
21	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
3,940	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
2,865	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
58	Square Feet	626-H001	Thermoplastic Double Drop Legend, White
3,625	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
565	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
14	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,227	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
186	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
485	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
105	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
1,335	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
84	Each	630-F006	Delineators, Guard Rail, White
26	Each	630-G004	Type 3 Object Markers, OM-3R or OM-3L
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips

CALL No. 09

Overlay approximately 5 miles of SR 9 from SR 178 to SR 348, known as State Project No. SP-0925-00(012) / 108931301 in Union County.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

2,478	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
544	Linear Feet	202-B240	Removal of Traffic Stripe
3,717	Cubic Yard	203-G001	Excess Excavation, FM, AH
2,478	Square Yard	209-A009	Geotextile Stabilization, Type VII, Non-Woven
1,000	Cubic Yard	304-A002	Granular Material, LVM, Class 3, Group C
4,308	Ton	403-A006	19-mm, ST, Asphalt Pavement
7,166	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
20,134	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
6,140	Gallon	407-A001	Asphalt for Tack Coat
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
21	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
19	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
3	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
1,928	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
126	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
1,504	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
11	Mile	626-C004	6" Thermoplastic Edge Stripe, Continuous White
2	Mile	626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
10	Mile	626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
1,354	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
574	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
126	Square Feet	626-H004	Thermoplastic Legend, White
1,504	Linear Feet	626-H005	Thermoplastic Legend, White

440	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,000	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1,250	Each	627-M001	One-Way Clear Reflective High Performance Raised Markers
34	Each	630-F006	Delineators, Guard Rail, White
2,478	Square Yard	907-204-A003	Geogrid, Type II, Biaxial
50,400	Square Yard	907-414-A001	Scrub Seal
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
1	Lump Sum	907-899-A001	Railway-Highway Provisions

ALTERNATE GROUP AA NUMBER 1

5,086	Ton	304-F001	3/4" and Down Crushed Stone Base
-------	-----	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

5,086	Ton	304-F002	Size 610 Crushed Stone Base
-------	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

5,086	Ton	304-F003	Size 825B Crushed Stone Base
-------	-----	----------	------------------------------

ALTERNATE GROUP BB NUMBER 1

484	Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
-----	-------------	--------------	--

242	Linear Feet	907-624-C001	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow
-----	-------------	--------------	---

ALTERNATE GROUP BB NUMBER 2

484	Linear Feet	628-H001	6" High Performance Cold Plastic Traffic Stripe, Continuous White
-----	-------------	----------	---

242	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
-----	-------------	----------	--

CALL No. 10

Mill & Overlay approximately 9 miles of SR 32 from the Calhoun County Line to SR 15, known as State Project No. MP-1032-09(008) / 307465301 in Chickasaw County.

PROJECT COMPLETION: 50 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

100 Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
3,589 Linear Feet	202-B240	Removal of Traffic Stripe
100 Cubic Yard	203-G001	Excess Excavation, FM, AH
100 Square Yard	209-A009	Geotextile Stabilization, Type VII, Non-Woven
3,041 Cubic Yard	304-A002	Granular Material, LVM, Class 3, Group C
14,931 Ton	403-A015	9.5-mm, ST, Asphalt Pavement
159,152 Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
11,141 Gallon	407-A001	Asphalt for Tack Coat
19 Mile	423-A001	Rumble Strips, Ground In
112 Linear Feet	503-C010	Saw Cut, Full Depth
1 Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
1 Lump Sum	618-A001	Maintenance of Traffic
1 Square Feet	618-B001	Additional Construction Signs
37 Mile	619-A1001	Temporary Traffic Stripe, Continuous White
12 Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
14 Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
3,128 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
2,712 Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1 Lump Sum	620-A001	Mobilization
19 Mile	626-C004	6" Thermoplastic Edge Stripe, Continuous White
7 Mile	626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
6 Mile	626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
2,214 Linear Feet	626-G002	Thermoplastic Detail Stripe, White
914 Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
2,712 Linear Feet	626-H005	Thermoplastic Legend, White

750	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,394	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1,810	Each	627-M001	One-Way Clear Reflective High Performance Raised Markers
14	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
126	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
64	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
77	Linear Feet	630-C001	Square Tube Posts, 4.0 lb/ft
209	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
176	Each	630-F006	Delineators, Guard Rail, White
1	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
100	Square Yard	907-204-A003	Geogrid, Type II, Biaxial
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
ALTERNATE GROUP AA NUMBER 1			
226	Ton	304-F001	3/4" and Down Crushed Stone Base
ALTERNATE GROUP AA NUMBER 2			
226	Ton	304-F002	Size 610 Crushed Stone Base
ALTERNATE GROUP AA NUMBER 3			
226	Ton	304-F003	Size 825B Crushed Stone Base
ALTERNATE GROUP BB NUMBER 1			
2,832	Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
1,416	Linear Feet	907-624-C001	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow
403	Linear Feet	907-624-D002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow
ALTERNATE GROUP BB NUMBER 2			
2,832	Linear Feet	628-H001	6" High Performance Cold Plastic Traffic Stripe, Continuous White
1,416	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
403	Linear Feet	628-J001	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

CALL No. 11

Scrub Seal & Overlay approximately 6 miles of SR 14 from SR 35 to 0.75 miles west of SR 19, known as State Project No. MP-2014-04(008) / 307902301 in Attala County.

PROJECT COMPLETION: 52 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

850 Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
7 Each	202-B215	Removal of Sign Including Post & Footing
50 Cubic Yard	203-G001	Excess Excavation, FM, AH
2,200 Ton	304-B004	Granular Material, Class 5, Group D
575 Ton	403-A006	19-mm, ST, Asphalt Pavement
8,275 Ton	403-A015	9.5-mm, ST, Asphalt Pavement
600 Ton	403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
1,300 Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
7,800 Gallon	407-A001	Asphalt for Tack Coat
12 Mile	423-A001	Rumble Strips, Ground In
900 Linear Feet	503-C010	Saw Cut, Full Depth
1 Lump Sum	618-A001	Maintenance of Traffic
1 Square Feet	618-B001	Additional Construction Signs
24 Mile	619-A1001	Temporary Traffic Stripe, Continuous White
8 Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
8 Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
11,650 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
4,000 Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1 Lump Sum	620-A001	Mobilization
12 Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
4 Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
4 Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
3,810 Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
2,010 Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
1,972 Linear Feet	626-H002	Thermoplastic Double Drop Legend, White

586	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
682	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
168	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
195	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
201	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
105	Linear Feet	630-C001	Square Tube Posts, 4.0 lb/ft
945	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
95,600	Square Yard	907-414-A001	Scrub Seal
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips

CALL No. 12

Mill & Overlay approximately 9 miles of SR 309 from the end of the 4-Lane section north of I-22 to the Tennessee State Line, known as State Project No. MP-2309-47(008) / 307901301 in Marshall County.

PROJECT COMPLETION: 111 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1,087	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
82	Each	202-B215	Removal of Sign Including Post & Footing
48	Cubic Yard	203-G001	Excess Excavation, FM, AH
4,900	Ton	304-B004	Granular Material, Class 5, Group D
750	Ton	403-A005	19-mm, MT, Asphalt Pavement
13,000	Ton	403-A014	9.5-mm, MT, Asphalt Pavement
1,075	Ton	403-B011	9.5-mm, MT, Asphalt Pavement, Leveling
150,350	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
34,850	Gallon	407-A001	Asphalt for Tack Coat
56	Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
13	Mile	423-A001	Rumble Strips, Ground In
3,200	Linear Feet	503-C010	Saw Cut, Full Depth
11	Each	613-D005	Adjustment of Manhole
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
31	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
22	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
10	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
465	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
454	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
16	Mile	626-B002	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
5	Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
11	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
158	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White

307	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
213	Square Feet	626-H001	Thermoplastic Double Drop Legend, White
454	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
731	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
53	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,570	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
220	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
36	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
200	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
960	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
35	Each	630-G004	Type 3 Object Markers, OM-3R or OM-3L
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
1	Each	907-632-B001	Remove and Replace Existing Traffic Signal Cabinet Assembly, Type I Cabinet, Type 1 Controller
1	Each	907-632-C001	Modify Existing Traffic Signal Cabinet Assembly
8	Each	907-641-A002	Signal Stop Bar Radar Vehicle Detection Sensor, Type 2
2	Each	907-641-B002	Signal Advanced Radar Vehicle Detection Sensor, Type 2
1,600	Linear Feet	907-641-D001	Radar Vehicle Detection Cable
1	Lump Sum	907-899-A001	Railway-Highway Provisions

ALTERNATE GROUP AA NUMBER 1

100	Ton	304-F001	3/4" and Down Crushed Stone Base
-----	-----	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

100	Ton	304-F002	Size 610 Crushed Stone Base
-----	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

100	Ton	304-F003	Size 825B Crushed Stone Base
-----	-----	----------	------------------------------

CALL No. 13

Mill & Overlay approximately 10 miles of SR 32 from SR 315 (Old SR 7) to the Calhoun County Line, known as State Project No. SP-2791-00(009) / 108265301 in Yalobusha County.

PROJECT COMPLETION: 144 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

50 Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
95 Square Yard	202-B052	Removal of Concrete Driveways, All Depths
186 Each	202-B213	Removal of Sign
900 Linear Feet	202-B240	Removal of Traffic Stripe
50 Cubic Yard	203-G001	Excess Excavation, FM, AH
5,425 Ton	304-B004	Granular Material, Class 5, Group D
15 Ton	304-D004	Granular Material, Size 57
100 Ton	403-A006	19-mm, ST, Asphalt Pavement
14,200 Ton	403-A015	9.5-mm, ST, Asphalt Pavement
2,525 Ton	403-B003	12.5-mm, ST, Asphalt Pavement, Leveling
11,140 Ton	403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
17,300 Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
16,000 Gallon	407-A001	Asphalt for Tack Coat
1,300 Linear Feet	503-C010	Saw Cut, Full Depth
125 Square Yard	605-AA001	Geotextile for Subsurface Drainage, Type III
130 Linear Feet	605-H001	Edge Drain
20 Linear Feet	605-I001	Edge Drain Outlets/Vents
1 Lump Sum	618-A001	Maintenance of Traffic
1 Square Feet	618-B001	Additional Construction Signs
45 Mile	619-A1001	Temporary Traffic Stripe, Continuous White
41 Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
5 Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
4,000 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
765 Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1 Lump Sum	620-A001	Mobilization

23	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
3	Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
21	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
3,270	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
1,260	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
30	Square Feet	626-H001	Thermoplastic Double Drop Legend, White
765	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
220	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,445	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
164	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
486	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
158	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
2,478	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
188	Each	630-G004	Type 3 Object Markers, OM-3R or OM-3L
1	Lump Sum	699-A001	Roadway Construction Stakes
67,850	Gallon	907-410-A002	Asphalt for Surface Treatment, Grade CRS-2P
1,425	Cubic Yard	907-410-B002	Seal Aggregate Cover Material, Size 89, Limestone
153,050	Square Yard	907-424-A001	Roadbed Reclamation with Cement
2,800	Ton	907-424-B001	Cement
2	Each	907-619-E3001	Changeable Message Sign
3	Mile	907-626-A003	Thermoplastic Audible Traffic Stripe, Centerline Skip - Passing Zone
9	Mile	907-626-A004	Thermoplastic Audible Traffic Stripe, Centerline Skip - No-Passing Zone
23	Mile	907-626-C003	Thermoplastic Audible Edge Stripe

ALTERNATE GROUP AA NUMBER 1

100	Ton	304-F001	3/4" and Down Crushed Stone Base
-----	-----	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

100	Ton	304-F002	Size 610 Crushed Stone Base
-----	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

100	Ton	304-F003	Size 825B Crushed Stone Base
-----	-----	----------	------------------------------

CALL No. 14

Overlay approximately 3 miles of SR 432 from east of I-55 to US 51, known as State Project No. MP-3432-82(006) / 307923301 in Yazoo County.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

800 Linear Feet	202-B240	Removal of Traffic Stripe
3,000 Ton	304-B004	Granular Material, Class 5, Group D
3,700 Ton	403-A015	9.5-mm, ST, Asphalt Pavement
4,100 Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
3,100 Gallon	407-A001	Asphalt for Tack Coat
1 Lump Sum	618-A001	Maintenance of Traffic
1 Square Feet	618-B001	Additional Construction Signs
5 Mile	619-A1001	Temporary Traffic Stripe, Continuous White
4 Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
1 Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
50 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
50 Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1 Lump Sum	620-A001	Mobilization
5 Mile	626-B002	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
1 Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
4 Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
100 Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
50 Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
25 Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
300 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
66 Linear Feet	907-619-B001	Temporary Portable Rumble Strips

CALL No. 15

Mill & Overlay approximately 2 miles of SR 15 from 0.60 miles south of the SR 21 / SR 15 Intersection to 0.5 miles north of the SR 15 / SR 16 Intersection, approximately 0.15 miles of SR 885 (SR 15 / SR 16 Connector Road), and the CR 383 Intersection located approximately 0.75 miles north of the EOP, known as State Project No. MP-5015-50(010) / 307911301 in Neshoba County.

PROJECT COMPLETION: 70 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

10 Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
122 Square Yard	202-B009	Removal of Asphalt Pavement, Failed Areas
21 Square Yard	202-B045	Removal of Cement Treated Base, All Depths
18 Square Yard	202-B063	Removal of Concrete Paved Ditch
10 Square Yard	202-B069	Removal of Concrete Pavement w/ Variable Depth Overlay
8 Each	202-B117	Removal of Delineator, All Types
384 Linear Feet	202-B153	Removal of Guard Rail, Double Faced Rail Including Hardware, Post & Rail
1,529 Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
3,435 Linear Feet	202-B240	Removal of Traffic Stripe
100 Cubic Yard	203-G002	Excess Excavation, LVM, AH
2 Cubic Yard	221-A001	Concrete Paved Ditch
1,500 Cubic Yard	304-A004	Granular Material, LVM, Class 5, Group C
100 Cubic Yard	310-B006	Size III Stabilizer Aggregate, Coarse
15,650 Ton	403-A002	12.5-mm, MT, Asphalt Pavement
100 Ton	403-B002	12.5-mm, MT, Asphalt Pavement, Leveling
129,478 Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
12,948 Gallon	407-A001	Asphalt for Tack Coat
1,229 Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
6 Mile	423-A001	Rumble Strips, Ground In
10 Square Yard	503-A001	8" and Variable Continuously Reinforced Concrete Pavement, Broom Finish
25 Linear Feet	503-B001	Saw Cut, Longitudinal Joints
38 Linear Feet	503-C004	Saw Cut, 3-inch
489 Linear Feet	503-C010	Saw Cut, Full Depth
1 Cubic Yard	503-D001	Concrete for Base Repair

4	Each	503-E002	Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted
822	Linear Feet	606-B003	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
485	Linear Feet	606-B007	Guard Rail, Class A, Type 1, Double Faced, Metal Post
10	Each	606-D012	Guard Rail, Bridge End Section, Type D Modified
5	Each	606-E003	Guard Rail, Terminal End Section, Double Faced
5	Each	606-E005	Guard Rail, Terminal End Section, Flared
1	Lump Sum	618-A001	Maintenance of Traffic
8	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
8	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
9	Mile	619-A3001	Temporary Traffic Stripe, Skip White
111,100	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
5,200	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
113	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
84	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
36	Linear Feet	619-G4001	Barricades, Type III, Double Faced
1	Lump Sum	620-A001	Mobilization
3	Mile	626-A001	6" Thermoplastic Double Drop Traffic Stripe, Skip White
4	Mile	626-B002	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
4	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
21,700	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
33,850	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
2,600	Square Feet	626-H001	Thermoplastic Double Drop Legend, White
200	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
985	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,972	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
32	Each	630-F003	Delineators, Flexible Post Mounted, Crossover, Type II
35	Each	630-F006	Delineators, Guard Rail, White
35	Each	630-F007	Delineators, Guard Rail, Yellow
8	Each	630-F014	Delineators, Surface Mounted, White
5	Each	630-G003	Type 3 Object Markers, OM-3L, Post Mounted

5	Each	630-G007	Type 3 Object Markers, OM-3R, Post Mounted
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
1	Each	907-632-D001	Solid State Traffic Actuated Controller, Type 1
200	Linear Feet	907-637-C028	Traffic Signal Conduit, Underground, Type 4, 2"
200	Linear Feet	907-637-D002	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2"
4	Each	907-643-A004	Video Vehicle Detection Sensor, Type 1A
960	Linear Feet	907-643-B001	Video Vehicle Detection Cable
4	Each	907-643-E001	Multi-Sensor Vehicle Detection Sensor
1,060	Linear Feet	907-643-F001	Multi-Sensor Vehicle Detection Cable
2	Each	907-662-D002	Radio Interconnect, Broadband, Short Range
2	Each	907-663-A001	Network Switch, Type A

CALL No. 16

Mill & Overlay approximately 3 miles of SR 43 from south of I-20 to Pelahatchie, known as State Project No. MP-5043-61(011) / 307913301 in Rankin County.

PROJECT COMPLETION: 49 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

35	Square Yard	202-B009	Removal of Asphalt Pavement, Failed Areas
47	Square Yard	202-B063	Removal of Concrete Paved Ditch
2,550	Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
1,263	Linear Feet	202-B240	Removal of Traffic Stripe
300	Cubic Yard	203-G002	Excess Excavation, LVM, AH
3	Cubic Yard	221-A001	Concrete Paved Ditch
557	Ton	304-D002	Granular Material, Crushed Stone
7,924	Ton	403-A002	12.5-mm, MT, Asphalt Pavement
50	Ton	403-B002	12.5-mm, MT, Asphalt Pavement, Leveling
68,345	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
5,468	Gallon	407-A001	Asphalt for Tack Coat
104	Linear Feet	503-C010	Saw Cut, Full Depth
800	Linear Feet	605-H001	Edge Drain
84	Linear Feet	605-I001	Edge Drain Outlets/Vents
1,800	Linear Feet	606-B003	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
12	Each	606-D012	Guard Rail, Bridge End Section, Type D Modified
12	Each	606-E007	Guard Rail, Terminal End Section, Non-Flared
1	Lump Sum	618-A001	Maintenance of Traffic
10	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
9	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
6	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
29,100	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
6,588	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
224	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
148	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More

24	Linear Feet	619-G4001	Barricades, Type III, Double Faced
1	Lump Sum	620-A001	Mobilization
5	Mile	626-B002	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
2	Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
3	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
15,576	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
6,757	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
236	Square Feet	626-H001	Thermoplastic Double Drop Legend, White
2,194	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
1,098	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
541	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
52	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
63	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
82	Each	630-F006	Delineators, Guard Rail, White
12	Each	630-G004	Type 3 Object Markers, OM-3R or OM-3L
88	Ton	815-A007	Loose Riprap, Size 300
140	Square Yard	815-E001	Geotextile under Riprap
3,000	Pounds	907-420-A001	Undersealing
132	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
420	Linear Feet	907-808-A003	Joint Repair Without Epoxy
210	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
420	Linear Feet	907-823-B001	Saw Cut, Type I
1	Lump Sum	907-899-A001	Railway-Highway Provisions

CALL No. 17

Mill & Overlay of the asphalt paved shoulders, local roads, and crossovers of approximately 5 miles along US 84 from US 51 to Monticello Street NE, known as State Project No. MP-7084-43(006) / 308346301 in Lincoln County.

PROJECT COMPLETION: 70 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

433	Square Yard	202-B074	Removal of Concrete Pavement, Continuous Reinforcement, All Depths
2,644	Ton	304-B007	Granular Material, Class 6, Group D
9,872	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
110,327	Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
7,401	Gallon	407-A001	Asphalt for Tack Coat
60	Each	501-H001	Dowels, Installed
433	Square Yard	503-A003	9" and Variable Reinforced Concrete Pavement, Broom Finish
325	Linear Feet	503-B001	Saw Cut, Longitudinal Joints
288	Linear Feet	503-C010	Saw Cut, Full Depth
72	Cubic Yard	503-D001	Concrete for Base Repair
261	Each	503-E002	Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
10	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
10	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
1	Mile	619-A3001	Temporary Traffic Stripe, Skip White
18,126	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
77	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
1,140	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
1	Mile	626-A001	6" Thermoplastic Double Drop Traffic Stripe, Skip White
10	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
10	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
11,966	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
6,160	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow

77	Square Feet	626-H004	Thermoplastic Legend, White
1,140	Linear Feet	626-H005	Thermoplastic Legend, White
942	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
217	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,014	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
38	Each	630-F003	Delineators, Flexible Post Mounted, Crossover, Type II

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Contractors may request permission to bid online at <http://shop.mdot.ms.gov> at no cost. Upon approval, contractors shall be eligible to submit a bid using Bid Express at <http://bidx.com>. Specimen proposals may be viewed and downloaded online at no cost at <http://mdot.ms.gov> or purchased online at <http://shop.mdot.ms.gov> at a cost of Ten Dollars (\$10.00) per proposal plus a small convenience fee. Cash or checks will not be accepted as payment.

Plans must be purchased online at <https://shop.mdot.ms.gov>. Costs of plans will be on a cost per sheet basis plus a small convenience fee. You can contact the MDOT Plans Print Shop at Telephone No. (601) 359-7460 or e-mail at plans@mdot.state.ms.us. Plans will be shipped on receipt of payment. Cash or checks will not be accepted as payment.

Bid bond, signed or countersigned by a Mississippi Resident Agent or qualified non-resident agent, with Power of Attorney attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

BRAD WHITE
EXECUTIVE DIRECTOR