

Proposal & Plan Sales Will Begin on February 6, 2023



**MISSISSIPPI DEPARTMENT OF
TRANSPORTATION**

Notice to Contractors

Letting Date For February - February 28, 2023

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

NOTICE TO CONTRACTORS

LETTING DATE FOR FEBRUARY - Tuesday, February 28, 2023

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List is available online at mdot.ms.gov

PROPOSAL AND PLAN SALES WILL BEGIN ON FEBRUARY 6, 2023

Proposals must be purchased online at:
<https://shop.mdot.ms.gov>
For Information Please Contact:
Contract Administration Division
Jackson, MS
Telephone: (601) 359-7700

Plans must be purchased online at:
<https://shop.mdot.ms.gov>
For Information Please Contact:
MDOT Plans Print Shop
Jackson, MS
Telephone: (601) 359-7460
e-mail: plans@mdot.state.ms.us

Electronic bids will be received by the Mississippi Transportation Commission at 10:00 o'clock A.M., Tuesday, February 28, 2023; from the Bid Express Service and shortly thereafter, bids will be publicly read in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

* No plans except Standard Drawings

LIST OF CONTRACTS FOR FEBRUARY

CALL	CONTRACT	COUNTY
01	HSIP-0007-01(096)/108776301	BENTON
02	BR-0023-02(053)/106105301	ATTALA
03	STP-0032-01(036)/106973301	PEARL RIVER
04	IM-0059-01(127)/108138301	PEARL RIVER
*	05 STBG-2171-00(027)/108685301	PEARL RIVER
*	06 STBG-9999-05(394)/1087773050 & STBG-9999-05(394)/1087773051	KEMPER, LAUDERDALE

CALL No. 01

Construction of a Roundabout on US 72 at SR 7, known as Federal Aid Project No. HSIP-0007-01(096) / 108776301 in Benton County.

PROJECT COMPLETION: JUNE 21, 2024

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

1 Acre	201-B001	Clearing and Grubbing
5,646 Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
1,373 Square Yard	202-B059	Removal of Concrete Median & Island Pavement, All Depths
500 Square Yard	202-B063	Removal of Concrete Paved Ditch
2,542 Linear Feet	202-B092	Removal of Curb, All Types
126 Linear Feet	202-B191	Removal of Pipe, 8" And Above
1,550 Linear Feet	202-B240	Removal of Traffic Stripe
376 Linear Feet	202-B273	Removal of Debris and Sand From Box Culvert, 6-foot to Less than 10-foot Width
26,493 Cubic Yard	203-EX040	Borrow Excavation, AH, LVM, Class B9
468 Cubic Yard	206-A001	Structure Excavation
10,568 Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
2,693 Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
3 Ton	213-C001	Superphosphate
1,028 Square Yard	216-A001	Solid Sodding
150 Square Yard	217-A001	Ditch Liner
21 Thousand Gallon	219-A001	Watering
3 Acre	220-A001	Insect Pest Control
132 Cubic Yard	221-A001	Concrete Paved Ditch
18 Acre	223-A001	Mowing
323 Square Yard	224-A001	Soil Reinforcing Mat
6 Acre	225-A001	Grassing
3 Ton	225-B001	Agricultural Limestone
10 Ton	225-C001	Mulch, Vegetative Mulch
6 Acre	226-A001	Temporary Grassing

170	Each	235-A001	Temporary Erosion Checks
260	Linear Feet	237-A001	Wattles, 12"
300	Linear Feet	237-A002	Wattles, 20"
300	Linear Feet	245-A001	Silt Dike
550	Linear Feet	246-B002	Rockbags
50	Ton	249-A001	Riprap for Erosion Control
2,950	Ton	304-B002	Granular Material, Class 3, Group D
123	Ton	403-A003	12.5-mm, ST, Asphalt Pavement
1,803	Ton	403-A004	19-mm, HT, Asphalt Pavement
2,055	Ton	403-A006	19-mm, ST, Asphalt Pavement
92	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
2,069	Ton	403-B003	12.5-mm, ST, Asphalt Pavement, Leveling
1,476	Ton	403-D001	12.5-mm, HT, Asphalt Pavement, Polymer Modified
1,250	Ton	403-D007	9.5-mm, HT, Asphalt Pavement, Polymer Modified
2,408	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
3,616	Gallon	407-A001	Asphalt for Tack Coat
1	Mile	423-A001	Rumble Strips, Ground In
4,000	Linear Feet	503-C010	Saw Cut, Full Depth
54	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
4,022	Pounds	602-A001	Reinforcing Steel
648	Linear Feet	603-CA011	18" Reinforced Concrete Pipe, Class III
216	Linear Feet	603-CA026	24" Reinforced Concrete Pipe, Class III
48	Linear Feet	603-CA055	36" Reinforced Concrete Pipe, Class III
1	Each	603-CB003	18" Reinforced Concrete End Section
1	Each	603-SB028	24" Branch Connections, Stub into Box Culvert
1,464	Pounds	604-A001	Castings
2,505	Pounds	604-B001	Gratings
728	Linear Feet	609-B003	Concrete Curb, Special Design
568	Linear Feet	609-C001	Concrete Integral Curb, Type 1
1,806	Linear Feet	609-D004	Combination Concrete Curb and Gutter Type 2 Modified

4,494	Linear Feet	609-D007	Combination Concrete Curb and Gutter Type 3 Modified
67	Square Yard	614-A001	Concrete Driveway, Without Reinforcement
1,894	Square Yard	616-A003	Concrete Median and/or Island Pavement, 12-inch
1	Lump Sum	618-A001	Maintenance of Traffic
3	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
4	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
2,496	Linear Feet	619-A3002	Temporary Traffic Stripe, Skip White
21,274	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
604	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
768	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
464	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
1,890	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
4	Each	619-E1001	Flashing Arrow Panel, Type C
660	Linear Feet	619-G4001	Barricades, Type III, Double Faced
441	Each	619-G5001	Free Standing Plastic Drums
18	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
1	Each	621-A001	Field Laboratory
2,496	Linear Feet	626-A002	6" Thermoplastic Double Drop Traffic Stripe, Skip White
356	Linear Feet	626-B001	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
2,137	Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White
774	Linear Feet	626-E002	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
1,601	Linear Feet	626-F002	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
9,988	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
4,825	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
583	Square Feet	626-H001	Thermoplastic Double Drop Legend, White
160	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
490	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
177	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
164	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness

252	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
84	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
168	Square Feet	630-B002	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
3,060	Square Feet	630-B003	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Overhead Mounted
408	Linear Feet	630-C001	Square Tube Posts, 4.0 lb/ft
266	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
16	Linear Feet	630-C1001	Square Post Inner Sleeve
74	Linear Feet	630-D008	Structural Steel Beams, W6 x 9
74	Pounds	630-E002	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
1	Lump Sum	630-I003	Metal Overhead Sign Supports, Assembly No. 1, Contractor Designed
1	Lump Sum	630-I015	Metal Overhead Sign Supports, Assembly No. 2, Contractor Designed
1	Lump Sum	630-I020	Metal Overhead Sign Supports, Assembly No. 3, Contractor Designed
1	Lump Sum	630-I022	Metal Overhead Sign Supports, Assembly No. 4, Contractor Designed
1,409	Linear Feet	682-A018	Underground Branch Circuit, AWG 2, 3 Conductor
2,914	Linear Feet	682-A034	Underground Branch Circuit, AWG 6, 3 Conductor
450	Linear Feet	682-B016	Underground Branch Circuit, Jacked or Bored, AWG 2, 3 Conductor
60	Linear Feet	682-B032	Underground Branch Circuit, Jacked or Bored, AWG 6, 3 Conductor
26	Each	682-E003	Underground Junction Box With Concrete Pad
1	Each	682-F001	Secondary Power Controller
34	Cubic Yard	684-A004	Pole Foundation, 30" Diameter
7	Linear Feet	684-B004	Slip Casing, 30" Diameter
1	Lump Sum	699-A001	Roadway Construction Stakes
4,000	Linear Feet	907-234-A001	Temporary Silt Fence
5	Each	907-234-D001	Inlet Siltation Guard
1,816	Square Feet	907-616-C003	Colored and Imprinted Concrete Median and Island Pavement, 4-inch Thickness
4	Each	907-619-E3001	Changeable Message Sign
4	Each	907-673-A001	Radar Speed Display Assembly
20	Each	907-683-PP001	Lighting Assembly, Per Plans LOW MAST, LED TYPE 30-1-10-263
2	Each	907-683-PP001	Lighting Assembly, Per Plans LOW MAST, LED TYPE 40-1-10-263
4	Each	907-683-PP001	Lighting Assembly, Per Plans LOW MAST. LED, TYPE 30-2-10-263

1 Lump Sum

907-899-A001 Railway-Highway Provisions

ALTERNATE GROUP AA NUMBER 1

4,750 Ton

304-F001 3/4" and Down Crushed Stone Base

ALTERNATE GROUP AA NUMBER 2

4,750 Ton

304-F002 Size 610 Crushed Stone Base

ALTERNATE GROUP AA NUMBER 3

4,750 Ton

304-F003 Size 825B Crushed Stone Base

CALL No. 02

Bridge Replacement on SR 35 (Bridge No. 163.7), known as Federal Aid Project No. BR-0023-02(053) / 106105301 in Attala County.

PROJECT COMPLETION: 263 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Bridge Items

449	Square Yard	501-K001	Transverse Grooving
2,660	Linear Feet	803-D006	HP 14 x 73 Steel Piling
655	Linear Feet	804-C186	110' Prestressed Concrete Beam, Type FIB-45
128,228	Pounds	805-A001	Reinforcement
225	Linear Feet	813-A004	Concrete Railing, 36"
840	Ton	815-A007	Loose Riprap, Size 300
498	Square Yard	815-E001	Geotextile under Riprap
1	Each	907-803-B001	Conventional Static Pile Load Test
2	Each	907-803-I003	PDA Test Pile, HP Steel Pile
2	Each	907-803-J001	Pile Restrike
135	Cubic Yard	907-804-A001	Bridge Concrete, Class BDY
90	Cubic Yard	907-804-A002	Bridge Concrete, Class AA
545	Cubic Yard	907-804-B001	Box Bridge Concrete, Class B
84	Linear Feet	907-823-A001	Preformed Joint Seal, Type I

Roadway Items

1	Lump Sum	201-A001	Clearing and Grubbing
2	Acre	201-B001	Clearing and Grubbing
1	Lump Sum	202-A001	Removal of Obstructions
9,324	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
39	Linear Feet	202-B019	Removal of Box Culvert
994	Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
21	Linear Feet	202-B191	Removal of Pipe, 8" And Above
450	Square Yard	202-B208	Removal of Riprap
2,268	Linear Feet	202-B240	Removal of Traffic Stripe
5,987	Cubic Yard	203-A001	Unclassified Excavation, FM, AH

20,475	Cubic Yard	203-EX020	Borrow Excavation, AH, FME, Class B9
12,274	Cubic Yard	203-G001	Excess Excavation, FM, AH
2,306	Cubic Yard	206-A001	Structure Excavation
1,113	Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
6,672	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
2,456	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
5	Ton	213-C001	Superphosphate
265	Square Yard	216-A001	Solid Sodding
5	Thousand Gallon	219-A001	Watering
9	Acre	220-A001	Insect Pest Control
48	Cubic Yard	221-A001	Concrete Paved Ditch
9	Acre	225-A001	Grassing
27	Ton	225-B001	Agricultural Limestone
18	Ton	225-C001	Mulch, Vegetative Mulch
12	Acre	226-A001	Temporary Grassing
2	Each	236-A008	Silt Basin, Type D
363	Linear Feet	237-A002	Wattles, 20"
500	Linear Feet	239-A001	Temporary Slope Drains
150	Linear Feet	245-A001	Silt Dike
770	Each	246-B001	Rockbags
1	Each	247-A001	Temporary Stream Diversion
409	Ton	249-A001	Riprap for Erosion Control
205	Cubic Yard	249-B001	Remove and Reset Riprap
4,800	Ton	304-B002	Granular Material, Class 3, Group D
407	Ton	403-A002	12.5-mm, MT, Asphalt Pavement
695	Ton	403-A003	12.5-mm, ST, Asphalt Pavement
549	Ton	403-A005	19-mm, MT, Asphalt Pavement
847	Ton	403-A006	19-mm, ST, Asphalt Pavement
792	Ton	403-A014	9.5-mm, MT, Asphalt Pavement
521	Ton	403-A015	9.5-mm, ST, Asphalt Pavement

50	Ton	403-B002	12.5-mm, MT, Asphalt Pavement, Leveling
5,702	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
1,888	Gallon	407-A001	Asphalt for Tack Coat
2,340	Gallon	408-A001	Asphalt for Prime Coat, Cut-Back MC-70
80	Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
1	Mile	423-A001	Rumble Strips, Ground In
24	Square Yard	501-K001	Transverse Grooving
166	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
559	Linear Feet	503-C010	Saw Cut, Full Depth
40	Linear Feet	603-ALT003	18" Type A Alternate Pipe
104	Linear Feet	603-ALT006	24" Type A Alternate Pipe
216	Linear Feet	603-ALT011	36" Type A Alternate Pipe
44	Square Yard	605-AA001	Geotextile for Subsurface Drainage, Type III
80	Linear Feet	605-O002	4" Perforated Sewer Pipe for Underdrains, SDR 23.5
12	Linear Feet	605-P002	4" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
3	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
250	Linear Feet	606-B001	Guard Rail, Class A, Type 1
12	Each	606-D022	Guard Rail, Bridge End Section, Type I
12	Each	606-E005	Guard Rail, Terminal End Section, Flared
40	Linear Feet	615-A024	Concrete Bridge End Barrier, 37.5"
410	Linear Feet	615-B001	Precast Concrete Median Barrier
21	Each	617-A001	Right-of-Way Marker
1	Lump Sum	618-A001	Maintenance of Traffic
1	Lump Sum	618-C001	Construction and Removal of Detour Bridge
3,990	Linear Feet	618-E001	Detour Bridge Piling
1	Lump Sum	618-F001	Detour Bridge PDA Test Pile
17,063	Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
440	Linear Feet	619-A1005	Temporary Traffic Stripe, Continuous White, Type 1 Tape
17,063	Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow
440	Linear Feet	619-A2006	Temporary Traffic Stripe, Continuous Yellow, Type 1 Tape

48	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
484	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
24	Linear Feet	619-G4001	Barricades, Type III, Double Faced
144	Linear Feet	619-G4005	Barricades, Type III, Single Faced
41	Each	619-G5001	Free Standing Plastic Drums
8	Each	619-G7001	Warning Lights, Type "B"
2	Each	619-J1002	Impact Attenuator, 45 MPH
1	Lump Sum	620-A001	Mobilization
5,830	Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White
5,830	Linear Feet	626-E002	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
38	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
18	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
32	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
42	Each	630-F006	Delineators, Guard Rail, White
4	Each	630-G004	Type 3 Object Markers, OM-3R or OM-3L
1	Lump Sum	699-A001	Roadway Construction Stakes
2,613	Ton	815-A007	Loose Riprap, Size 300
2,298	Square Yard	815-E001	Geotextile under Riprap
86	Ton	815-F002	Sediment Control Stone
468	Square Yard	907-228-A003	Erosion Control Blanket, Type III
6,500	Linear Feet	907-234-A001	Temporary Silt Fence
800	Linear Feet	907-234-C001	Super Silt Fence
226	Linear Feet	907-253-A001	Coir Fiber Baffle

ALTERNATE GROUP AA NUMBER 1

2,650	Ton	304-F001	3/4" and Down Crushed Stone Base
-------	-----	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

2,650	Ton	304-F002	Size 610 Crushed Stone Base
-------	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

2,650	Ton	304-F003	Size 825B Crushed Stone Base
-------	-----	----------	------------------------------

ALTERNATE GROUP BB NUMBER 1

40 Cubic Yard

605-W002 Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM

ALTERNATE GROUP BB NUMBER 2

40 Cubic Yard

605-W003 Filter Material for Combination Storm Drain and/or Underdrains, Type C, FM

CALL No. 03

Bridge Replacement on SR 43 over Hogpen Branch (Bridge No. 33.0), known as Federal Aid Project No. STP-0032-01(036) / 106973301 in Pearl River County.

PROJECT COMPLETION: 93 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Bridge A Items

648	Square Yard	501-K001	Transverse Grooving
585	Linear Feet	803-P001	24" Steel Pipe Piling, Wall Thickness 0.500"
1,105	Linear Feet	803-P007	18" Steel Pipe Piling, Wall Thickness 0.500"
443	Linear Feet	804-C197	45' Prestressed Concrete Beam, Type FIB-36
448	Linear Feet	804-C198	90' Prestressed Concrete Beam, Type FIB-36
59,730	Pounds	805-A001	Reinforcement
2,740	Pounds	805-C001	Reinforcement, Corrosion Resistant
364	Linear Feet	813-A004	Concrete Railing, 36"
708	Ton	815-A007	Loose Riprap, Size 300
568	Square Yard	815-E001	Geotextile under Riprap
1	Each	907-803-B001	Conventional Static Pile Load Test
3	Each	907-803-I004	PDA Test Pile, Steel Pipe Pile
2	Each	907-803-J001	Pile Restrike
204	Cubic Yard	907-804-A001	Bridge Concrete, Class BDX
97	Cubic Yard	907-804-A002	Bridge Concrete, Class AA
74	Linear Feet	907-823-A001	Preformed Joint Seal, Type I

Roadway Items

11	Acre	201-B001	Clearing and Grubbing
1	Lump Sum	202-A001	Removal of Obstructions
136	Square Yard	202-B004	Removal of Asphalt Driveways, All Depths
4,865	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
408	Linear Feet	202-B136	Removal of Guard Rail
368	Linear Feet	202-B191	Removal of Pipe, 8" And Above
11,850	Cubic Yard	203-A001	Unclassified Excavation, FM, AH
14,600	Cubic Yard	203-EX018	Borrow Excavation, AH, FME, Class B7-6

6,700	Cubic Yard	203-G001	Excess Excavation, FM, AH
170	Cubic Yard	206-A001	Structure Excavation
20	Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
7,700	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
100	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
5	Ton	213-A001	Agricultural Limestone
5	Ton	213-C001	Superphosphate
300	Square Yard	216-A001	Solid Sodding
295	Square Yard	217-A001	Ditch Liner
6	Thousand Gallon	219-A001	Watering
9	Acre	220-A001	Insect Pest Control
15	Cubic Yard	221-A001	Concrete Paved Ditch
9	Acre	223-A001	Mowing
4,360	Square Yard	224-A001	Soil Reinforcing Mat
9	Acre	225-A001	Grassing
18	Ton	225-C001	Mulch, Vegetative Mulch
9	Acre	226-A001	Temporary Grassing
40	Each	235-A001	Temporary Erosion Checks
570	Linear Feet	237-A002	Wattles, 20"
798	Ton	403-A003	12.5-mm, ST, Asphalt Pavement
1,311	Ton	403-A006	19-mm, ST, Asphalt Pavement
757	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
52	Ton	403-C003	19-mm, ST, Asphalt Pavement, Trench Widening
290	Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
1,614	Gallon	407-A001	Asphalt for Tack Coat
78	Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
1	Mile	423-A001	Rumble Strips, Ground In
50	Square Yard	501-K001	Transverse Grooving
212	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
1	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures

40	Linear Feet	603-ALT003	18" Type A Alternate Pipe
184	Linear Feet	603-ALT006	24" Type A Alternate Pipe
64	Linear Feet	603-ALT009	30" Type A Alternate Pipe
56	Linear Feet	603-CA027	24" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
72	Linear Feet	603-CA041	30" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
2	Each	603-CB005	30" Reinforced Concrete End Section
32	Linear Feet	603-CE009	29" x 18" Concrete Arch Pipe, Class A III, Flexible Plastic Gaskets
2	Each	603-CF005	44" x 27" Concrete Arch Pipe End Section
61	Square Yard	605-AA001	Geotextile for Subsurface Drainage, Type III
100	Linear Feet	605-O002	4" Perforated Sewer Pipe for Underdrains, SDR 23.5
5	Linear Feet	605-P002	4" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
4	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
400	Linear Feet	606-B001	Guard Rail, Class A, Type 1
4	Each	606-D022	Guard Rail, Bridge End Section, Type I
4	Each	606-E005	Guard Rail, Terminal End Section, Flared
40	Linear Feet	615-A024	Concrete Bridge End Barrier, 37.5"
23	Each	617-A001	Right-of-Way Marker
1	Lump Sum	618-A001	Maintenance of Traffic
5,294	Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
6,464	Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow
1,371	Linear Feet	619-A4001	Temporary Traffic Stripe, Skip Yellow
144	Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
237	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
594	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
24	Linear Feet	619-G4001	Barricades, Type III, Double Faced
48	Linear Feet	619-G4005	Barricades, Type III, Single Faced
20	Each	619-G5001	Free Standing Plastic Drums
18	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
5,294	Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White

1,371	Linear Feet	626-D002	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
6,464	Linear Feet	626-E002	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
54	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
84	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
26	Each	630-F006	Delineators, Guard Rail, White
4	Each	630-G004	Type 3 Object Markers, OM-3R or OM-3L
1	Lump Sum	699-A001	Roadway Construction Stakes
600	Ton	815-A007	Loose Riprap, Size 300
875	Square Yard	815-E001	Geotextile under Riprap
5,700	Linear Feet	907-234-A001	Temporary Silt Fence
600	Linear Feet	907-234-C001	Super Silt Fence
2	Each	907-619-E3001	Changeable Message Sign

ALTERNATE GROUP AA NUMBER 1

3,775	Ton	304-F001	3/4" and Down Crushed Stone Base
-------	-----	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

3,775	Ton	304-F002	Size 610 Crushed Stone Base
-------	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

3,775	Ton	304-F003	Size 825B Crushed Stone Base
-------	-----	----------	------------------------------

ALTERNATE GROUP BB NUMBER 1

50	Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
----	------------	----------	--

ALTERNATE GROUP BB NUMBER 2

50	Cubic Yard	605-W003	Filter Material for Combination Storm Drain and/or Underdrains, Type C, FM
----	------------	----------	--

ALTERNATE GROUP CC NUMBER 1

386	Linear Feet	907-624-B003	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White, High Contrast
-----	-------------	--------------	---

386	Linear Feet	907-624-D001	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow, High Contrast
-----	-------------	--------------	--

ALTERNATE GROUP CC NUMBER 2

386	Linear Feet	628-H001	6" High Performance Cold Plastic Traffic Stripe, Continuous White
-----	-------------	----------	---

386	Linear Feet	628-J001	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
-----	-------------	----------	--

CALL No. 04

Mill & Overlay approximately 15 miles of I-59 from 0.5 north of the Louisiana State Line to McNeill, known as Federal Aid Project No. IM-0059-01(127) / 108138301 in Pearl River County.

PROJECT COMPLETION: 196 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

301	Station	201-D001	Random Clearing
470	Linear Feet	202-B088	Removal of Curb & Gutter, All Types
8,248	Linear Feet	202-B136	Removal of Guard Rail
24,848	Linear Feet	202-B240	Removal of Traffic Stripe
74	Ton	403-A001	12.5-mm, HT, Asphalt Pavement
4,120	Ton	403-A013	9.5-mm, HT, Asphalt Pavement
19,412	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
60	Mile	403-S001	Joint Sealant
511,992	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
2,668	Square Yard	406-E002	Fine Milling of Concrete Pavement, All Depths
162,960	Gallon	407-A001	Asphalt for Tack Coat
2,284	Linear Feet	413-D002	Cleaning and Filling Joints
866	Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
60	Mile	423-A001	Rumble Strips, Ground In
4,538	Linear Feet	606-B003	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
20	Each	606-D005	Guard Rail, Bridge End Section, Type A
2	Each	606-D019	Guard Rail, Bridge End Section, Type H
18	Each	606-D022	Guard Rail, Bridge End Section, Type I
32	Each	606-E005	Guard Rail, Terminal End Section, Flared
8	Each	606-E007	Guard Rail, Terminal End Section, Non-Flared
576	Linear Feet	615-A005	Concrete Pier Protection Barrier, 32"
806	Linear Feet	615-A006	Concrete Pier Protection Barrier, 42"
644	Linear Feet	615-A007	Concrete Pier Protection Barrier, 54"
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs

96 Mile	619-A1001	Temporary Traffic Stripe, Continuous White
96 Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
96 Mile	619-A3001	Temporary Traffic Stripe, Skip White
21,000 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,600 Linear Feet	619-F1001	Concrete Median Barrier, Precast
1,296 Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
10 Each	619-J1005	Impact Attenuator, 70 MPH
10 Each	619-J3001	Remove and Reset Impact Attenuator
1 Lump Sum	620-A001	Mobilization
32 Mile	626-A001	6" Thermoplastic Double Drop Traffic Stripe, Skip White
32 Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
32 Mile	626-F001	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
422 Linear Feet	626-G001	Thermoplastic Detail Stripe, Blue-ADA
42,005 Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
828 Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
240 Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
4,120 Each	627-K001	Red-Clear Reflective High Performance Raised Markers
119 Each	630-F006	Delineators, Guard Rail, White
130 Each	630-F007	Delineators, Guard Rail, Yellow
40 Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
23,672 Ton	907-402-A002	Open Graded Friction Course, 9.5-mm Mixture
48,004 Gallon	907-402-B001	Bituminous Tack Coat
41,225 Ton	907-405-A001	Stone Matrix Asphalt, 9.5 mm Mixture
54,881 Ton	907-405-A002	Stone Matrix Asphalt, 12.5 mm Mixture
1,600 Hours	907-618-M2001	Work Zone Law Enforcement
4 Each	907-626-H001	Thermoplastic Legend, Blue-ADA Handicap Symbol
1 Each	907-688-A002	Traffic Recorder WIM Kistler System, 4-Lane
520 Hours	907-906001	Trainees
ALTERNATE GROUP AA NUMBER 1		
17,925 Ton	304-F001	3/4" and Down Crushed Stone Base

ALTERNATE GROUP AA NUMBER 2

17,925 Ton 304-F002 Size 610 Crushed Stone Base

ALTERNATE GROUP AA NUMBER 3

17,925 Ton 304-F003 Size 825B Crushed Stone Base

ALTERNATE GROUP BB NUMBER 1

3,996 Linear Feet 907-624-A002 6" Inverted Profile Thermoplastic Traffic Stripe, Skip White

11,232 Linear Feet 907-624-B002 6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White

11,232 Linear Feet 907-624-D002 6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

ALTERNATE GROUP BB NUMBER 2

3,996 Linear Feet 628-G001 6" High Performance Cold Plastic Traffic Stripe, Skip White

11,232 Linear Feet 628-H001 6" High Performance Cold Plastic Traffic Stripe, Continuous White

11,232 Linear Feet 628-J001 6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

CALL No. 05

Overlay approximately 10 miles of US 11 from the Poplarville City Limits to the Lamar County Line, known as Federal Aid Project No. STBG-2171-00(027) / 108685301 in Pearl River County.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

805 Station	201-D001	Random Clearing
1,500 Linear Feet	202-B240	Removal of Traffic Stripe
3,200 Ton	304-F003	Size 825B Crushed Stone Base
735 Ton	403-A015	9.5-mm, ST, Asphalt Pavement
3,400 Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
16,000 Gallon	407-A001	Asphalt for Tack Coat
20 Mile	423-A001	Rumble Strips, Ground In
1 Lump Sum	618-A001	Maintenance of Traffic
1 Square Feet	618-B001	Additional Construction Signs
40 Mile	619-A1001	Temporary Traffic Stripe, Continuous White
24 Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
13 Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
2,000 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
42 Each	619-F3001	Delineators, Guard Rail, White
1 Lump Sum	620-A001	Mobilization
20 Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
7 Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
12 Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
1,400 Linear Feet	626-G002	Thermoplastic Detail Stripe, White
700 Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
850 Linear Feet	626-H005	Thermoplastic Legend, White
1,552 Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,400 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
8 Each	630-G004	Type 3 Object Markers, OM-3R or OM-3L
16 Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted

66	Each	630-G006	Type 3 Object Markers, OM-3R or OM-3L, 2 Markers Per Post, Post Mounted
14,500	Ton	907-411-A001	Ultra Thin Asphalt Pavement
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips

ALTERNATE GROUP AA NUMBER 1

966	Mile	907-624-B001	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
483	Linear Feet	907-624-C001	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow
161	Mile	907-624-D003	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

ALTERNATE GROUP AA NUMBER 2

966	Linear Feet	628-H001	6" High Performance Cold Plastic Traffic Stripe, Continuous White
483	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
161	Linear Feet	628-J001	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

CALL No. 06

Bridge Preventive Maintenance on US 45 over Porterville Road / KCS Railroad (Bridge Nos. 103.8A & 103.8B) & on I-59 over Toomsba Creek (Bridge No. 164.6B), known as Federal Aid Project No. STBG-9999-05(394) / 1087773050 & 3051 in Kemper & Lauderdale Counties.

PROJECT COMPLETION: 134 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Bridge Items

417	Linear Feet	907-808-A003	Joint Repair Without Epoxy
370	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
741	Linear Feet	907-823-B001	Saw Cut, Type I
4	Square Feet	907-824-A003	General Epoxy Repair
16	Each	907-824-C001	Cap Cleaning
80	Each	907-824-D001	Bearing Replacements
3	Cubic Yard	907-824-PP007	Bridge Repair, Elastomeric Concrete

Roadway Items

324	Linear Feet	202-B169	Removal of Joint Material
1	Lump Sum	618-A001	Maintenance of Traffic
56	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
192	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
78	Linear Feet	619-G4005	Barricades, Type III, Single Faced
1	Lump Sum	620-A001	Mobilization
1	Lump Sum	907-899-A001	Railway-Highway Provisions

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Contractors may request permission to bid online at <http://shop.mdot.ms.gov> at no cost. Upon approval, contractors shall be eligible to submit a bid using Bid Express at <http://bidx.com>. Specimen proposals may be viewed and downloaded online at no cost at <http://mdot.ms.gov> or purchased online at <http://shop.mdot.ms.gov> at a cost of Ten Dollars (\$10.00) per proposal plus a small convenience fee. Cash or checks will not be accepted as payment.

Plans must be purchased online at <https://shop.mdot.ms.gov>. Costs of plans will be on a cost per sheet basis plus a small convenience fee. You can contact the MDOT Plans Print Shop at Telephone No. (601) 359-7460 or e-mail at plans@mdot.state.ms.us. Plans will be shipped on receipt of payment. Cash or checks will not be accepted as payment.

Bid bond, signed or countersigned by a Mississippi Resident Agent or qualified non-resident agent, with Power of Attorney attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

BRAD WHITE
EXECUTIVE DIRECTOR