

Proposal & Plan Sales Will Begin on March 6, 2023



**MISSISSIPPI DEPARTMENT OF
TRANSPORTATION**

Notice to Contractors

Letting Date For March - March 28, 2023

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

NOTICE TO CONTRACTORS

LETTING DATE FOR MARCH - Tuesday, March 28, 2023

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List is available online at mdot.ms.gov

PROPOSAL AND PLAN SALES WILL BEGIN ON MARCH 6, 2023

Proposals must be purchased online at:
<https://shop.mdot.ms.gov>
For Information Please Contact:
Contract Administration Division
Jackson, MS
Telephone: (601) 359-7700

Plans must be purchased online at:
<https://shop.mdot.ms.gov>
For Information Please Contact:
MDOT Plans Print Shop
Jackson, MS
Telephone: (601) 359-7460
e-mail: plans@mdot.state.ms.us

Electronic bids will be received by the Mississippi Transportation Commission at 10:00 o'clock A.M., Tuesday, March 28, 2023; from the Bid Express Service and shortly thereafter, bids will be publicly read in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

* No plans except Standard Drawings

LIST OF CONTRACTS FOR MARCH

CALL	CONTRACT	COUNTY
01	HSIP-0030-01(012)/108638301	DESOTO
02	STBG-0040-03(022)/108867301	TISHOMINGO
03	STP-2906-00(005)/106088301	UNION
* 04	SP-0043-01(037)/108213301	WASHINGTON
* 05	SP-1210-00(001) /109272301	LAWRENCE

CALL No. 02

Bridge Repairs on SR 25 over the Tenn-Tom Waterway (Bridge No. 215.4), known as Federal Aid Project No. STBG-0040-03(022) / 108867301 in Tishomingo County.

PROJECT COMPLETION: 235 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

44	Square Yard	202-B063	Removal of Concrete Paved Ditch
6,000	Linear Feet	202-B240	Removal of Traffic Stripe
15	Square Yard	216-A001	Solid Sodding
1	Thousand Gallon	219-A001	Watering
10	Cubic Yard	221-A001	Concrete Paved Ditch
1	Lump Sum	618-A001	Maintenance of Traffic
96	Linear Feet	619-A6008	Temporary Traffic Stripe, Legend, Type 1 or 2 Tape
36	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
448	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
2,400	Linear Feet	619-F1001	Concrete Median Barrier, Precast
2,400	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
24	Linear Feet	619-G4001	Barricades, Type III, Double Faced
20	Each	619-G5001	Free Standing Plastic Drums
16	Each	619-G7001	Warning Lights, Type "B"
12	Each	619-G8001	Warning Lights, Type "C"
2	Each	619-H2002	Traffic Signal, Portable, Type 2
1	Lump Sum	620-A001	Mobilization
4,000	Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White
2,000	Linear Feet	626-D002	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
50	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
3	Each	907-619-E3001	Changeable Message Sign

Bridge Items

8,455	Square Yard	907-202-B001	Removal of Bridge Deck, Hydrodemolition
472	Cubic Yard	907-804-O001	Bridge Deck Overlay Concrete

82	Linear Feet	907-808-A003	Joint Repair Without Epoxy
82	Linear Feet	907-823-A002	Preformed Joint Seal, Type II
25,000	Square Feet	907-824-PP003	Bridge Repair, Encapsulating Field Paint
83	Square Feet	907-824-PP003	Bridge Repair, Epoxy Repair, Per Plans
318	Square Feet	907-824-PP003	Bridge Repair, Removal of Bridge Deck, Per Plans
10	Each	907-824-PP006	Bridge Repair, Bearing Assembly Replacement, Per Plans
4	Each	907-824-PP006	Bridge Repair, Cap Cleaning, Per Plans
16	Each	907-824-PP006	Bridge Repair, Drain Scupper Cleaning, Per Plans
2	Each	907-824-PP006	Bridge Repair, Finger Joint Cleaning, Per Plans
5	Each	907-824-PP006	Bridge Repair, Install Girder Support Plates and Angles, 100' Steel Plate Girder Span, Per Plans
5	Each	907-824-PP006	Bridge Repair, Install Girder Support Plates and Angles, 150' Steel Plate Girder Span, Per Plans
20	Each	907-824-PP006	Bridge Repair, Steel Beam Stiffener Repair, Per Plans
4,007	Linear Feet	907-824-PP008	Bridge Repair, Class 2, Spray Finish, Per Plans

CALL No. 03

Bridge Replacement on SR 178 over East Branch Lockes Creek (Bridge No. 55.3), known as Federal Aid Project No. STP-2906-00(005) / 106088301 in Union County.

PROJECT COMPLETION: AUGUST 14, 2024

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

7 Acre	201-B001	Clearing and Grubbing
1 Lump Sum	202-A001	Removal of Obstructions
5,920 Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
390 Linear Feet	202-B150	Removal of Guard Rail Including Post, Blockouts & Hardware
89 Linear Feet	202-B191	Removal of Pipe, 8" And Above
4 Each	202-B215	Removal of Sign Including Post & Footing
9,548 Cubic Yard	203-A001	Unclassified Excavation, FM, AH
2,302 Cubic Yard	203-EX020	Borrow Excavation, AH, FME, Class B9
1,751 Cubic Yard	203-F001	Channel Excavation, FM
1,000 Cubic Yard	203-G001	Excess Excavation, FM, AH
8,626 Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
4 Ton	213-C001	Superphosphate
522 Square Yard	216-A001	Solid Sodding
178 Square Yard	217-A001	Ditch Liner
11 Thousand Gallon	219-A001	Watering
4 Acre	220-A001	Insect Pest Control
13 Cubic Yard	221-A001	Concrete Paved Ditch
14 Acre	223-A001	Mowing
7 Acre	225-A001	Grassing
4 Ton	225-B001	Agricultural Limestone
14 Ton	225-C001	Mulch, Vegetative Mulch
7 Acre	226-A001	Temporary Grassing
50 Each	235-A001	Temporary Erosion Checks
1,000 Linear Feet	237-A002	Wattles, 20"
200 Linear Feet	239-A001	Temporary Slope Drains

100	Each	246-B001	Rockbags
200	Ton	249-A001	Riprap for Erosion Control
62	Cubic Yard	249-B001	Remove and Reset Riprap
2,106	Ton	304-B001	Granular Material, Class 3, Group C
736	Ton	403-A002	12.5-mm, MT, Asphalt Pavement
1,017	Ton	403-A005	19-mm, MT, Asphalt Pavement
725	Ton	403-A014	9.5-mm, MT, Asphalt Pavement
1,893	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
1,191	Gallon	407-A001	Asphalt for Tack Coat
79	Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
1	Mile	423-A001	Rumble Strips, Ground In
82	Linear Feet	501-E001	Expansion Joints, Without Dowels
165	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
48	Linear Feet	603-ALT003	18" Type A Alternate Pipe
48	Linear Feet	603-ALT006	24" Type A Alternate Pipe
45	Square Yard	605-AA001	Geotextile for Subsurface Drainage, Type III
80	Linear Feet	605-O002	4" Perforated Sewer Pipe for Underdrains, SDR 23.5
10	Linear Feet	605-P002	4" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
3	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
225	Linear Feet	606-B001	Guard Rail, Class A, Type 1
4	Each	606-D022	Guard Rail, Bridge End Section, Type I
4	Each	606-E002	Guard Rail, Terminal End Section, Bi-Directional
40	Linear Feet	615-A024	Concrete Bridge End Barrier, 37.5"
5	Each	617-A001	Right-of-Way Marker
1	Lump Sum	618-A001	Maintenance of Traffic
11,200	Linear Feet	619-A1003	Temporary Traffic Stripe, Continuous White, Paint
1,200	Linear Feet	619-A2003	Temporary Traffic Stripe, Continuous Yellow, Paint
4,800	Linear Feet	619-A4003	Temporary Traffic Stripe, Skip Yellow, Paint
1,732	Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint
66	Square Feet	619-A6007	Temporary Traffic Stripe, Legend, Type 1 or 2 Tape

157	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
388	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
72	Linear Feet	619-G4001	Barricades, Type III, Double Faced
48	Linear Feet	619-G4005	Barricades, Type III, Single Faced
50	Each	619-G5001	Free Standing Plastic Drums
12	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
4,262	Linear Feet	626-B001	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
1,656	Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White
2,303	Linear Feet	626-D002	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
500	Linear Feet	626-E002	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
244	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
622	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
39	Square Feet	626-H001	Thermoplastic Double Drop Legend, White
15	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
5	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
106	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
25	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
36	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
60	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
4	Linear Feet	630-C1001	Square Post Inner Sleeve
14	Each	630-F006	Delineators, Guard Rail, White
4	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
1	Lump Sum	699-A001	Roadway Construction Stakes
753	Ton	815-A007	Loose Riprap, Size 300
200	Ton	815-F002	Sediment Control Stone
5,700	Linear Feet	907-234-A001	Temporary Silt Fence
900	Linear Feet	907-234-C001	Super Silt Fence
2	Each	907-619-E3001	Changeable Message Sign

1	Lump Sum	907-899-A001	Railway-Highway Provisions
ALTERNATE GROUP AA NUMBER 1			
4,637	Ton	304-F001	3/4" and Down Crushed Stone Base
ALTERNATE GROUP AA NUMBER 2			
4,637	Ton	304-F002	Size 610 Crushed Stone Base
ALTERNATE GROUP AA NUMBER 3			
4,637	Ton	304-F003	Size 825B Crushed Stone Base
ALTERNATE GROUP BB NUMBER 1			
57	Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
ALTERNATE GROUP BB NUMBER 2			
57	Cubic Yard	605-W003	Filter Material for Combination Storm Drain and/or Underdrains, Type C, FM
ALTERNATE GROUP CC NUMBER 1			
400	Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
200	Linear Feet	907-624-C001	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow
ALTERNATE GROUP CC NUMBER 2			
400	Linear Feet	628-H001	6" High Performance Cold Plastic Traffic Stripe, Continuous White
200	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
Bridge Items			
371	Cubic Yard	203-F001	Channel Excavation, FM
719	Square Yard	501-K001	Transverse Grooving
825	Linear Feet	803-P001	24" Steel Pipe Piling, Wall Thickness 0.500"
850	Linear Feet	803-P007	18" Steel Pipe Piling, Wall Thickness 0.500"
715	Linear Feet	804-C193	120' Prestressed Concrete Beam, Type FIB-45
472	Linear Feet	804-C210	40' Prestressed Concrete Beam, Type MFIB-25
74,694	Pounds	805-A001	Reinforcement
3,030	Pounds	805-C001	Reinforcement, Corrosion Resistant
405	Linear Feet	813-A004	Concrete Railing, 36"
1,567	Ton	815-A007	Loose Riprap, Size 300
1,255	Square Yard	815-E001	Geotextile under Riprap
1	Each	907-803-B001	Conventional Static Pile Load Test
2	Each	907-803-I004	PDA Test Pile, Steel Pipe Pile
2	Each	907-803-J001	Pile Restrike

226	Cubic Yard	907-804-A001	Bridge Concrete, Class BD
160	Cubic Yard	907-804-A002	Bridge Concrete, Class AA
78	Linear Feet	907-823-A001	Preformed Joint Seal, Type I

CALL No. 04

Mill & Overlay approximately 3.4 miles of SR 1 from 0.43 miles south of SR 438 to the end of the 4-lane Section near Dycus Road, known as State Project No. SP-0043-01(037) / 108213301 in Washington County.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

117	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
117	Square Yard	202-B073	Removal of Concrete Pavement, All Depths
894	Linear Feet	202-B136	Removal of Guard Rail
820	Linear Feet	202-B240	Removal of Traffic Stripe
40	Cubic Yard	203-G001	Excess Excavation, FM, AH
7,000	Ton	304-D002	Granular Material, Crushed Stone
650	Ton	403-A002	12.5-mm, MT, Asphalt Pavement
10,000	Ton	403-A014	9.5-mm, MT, Asphalt Pavement
75	Ton	403-B006	19-mm, ST, Asphalt Pavement, Leveling
9,000	Ton	403-B011	9.5-mm, MT, Asphalt Pavement, Leveling
39,000	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
19,500	Gallon	407-A001	Asphalt for Tack Coat
7,300	Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
11	Mile	423-A001	Rumble Strips, Ground In
220	Linear Feet	503-C010	Saw Cut, Full Depth
650	Linear Feet	606-B001	Guard Rail, Class A, Type 1
2	Each	606-D019	Guard Rail, Bridge End Section, Type H
2	Each	606-D022	Guard Rail, Bridge End Section, Type I
4	Each	606-E005	Guard Rail, Terminal End Section, Flared
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
15	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
8	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
13	Mile	619-A3001	Temporary Traffic Stripe, Skip White
2	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow

20,000	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
250	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
250	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
6	Mile	626-A001	6" Thermoplastic Double Drop Traffic Stripe, Skip White
7	Mile	626-B002	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
2	Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
4	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
10,500	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
27,000	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
600	Square Feet	626-H001	Thermoplastic Double Drop Legend, White
350	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
125	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
600	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
425	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
44	Each	630-F002	Delineators, Flexible Post Mounted, Crossover, Type I, Yellow
14	Each	630-F006	Delineators, Guard Rail, White
14	Each	630-F007	Delineators, Guard Rail, Yellow
4	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Contractors may request permission to bid online at <http://shop.mdot.ms.gov> at no cost. Upon approval, contractors shall be eligible to submit a bid using Bid Express at <http://bidx.com>. Specimen proposals may be viewed and downloaded online at no cost at <http://mdot.ms.gov> or purchased online at <http://shop.mdot.ms.gov> at a cost of Ten Dollars (\$10.00) per proposal plus a small convenience fee. Cash or checks will not be accepted as payment.

Plans must be purchased online at <https://shop.mdot.ms.gov>. Costs of plans will be on a cost per sheet basis plus a small convenience fee. You can contact the MDOT Plans Print Shop at Telephone No. (601) 359-7460 or e-mail at plans@mdot.state.ms.us. Plans will be shipped on receipt of payment. Cash or checks will not be accepted as payment.

Bid bond, signed or countersigned by a Mississippi Resident Agent or qualified non-resident agent, with Power of Attorney attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

BRAD WHITE
EXECUTIVE DIRECTOR