

Proposal & Plan Sales Will Begin on April 3, 2023



**MISSISSIPPI DEPARTMENT OF
TRANSPORTATION**

Notice to Contractors

Letting Date For April - April 25, 2023

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

NOTICE TO CONTRACTORS

LETTING DATE FOR APRIL - Tuesday, April 25, 2023

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List is available online at [mdot.ms.gov](https://shop.mdot.ms.gov)

PROPOSAL AND PLAN SALES WILL BEGIN ON APRIL 3, 2023

Proposals must be purchased online at:
<https://shop.mdot.ms.gov>
For Information Please Contact:
Contract Administration Division
Jackson, MS
Telephone: (601) 359-7700

Plans must be purchased online at:
<https://shop.mdot.ms.gov>
For Information Please Contact:
MDOT Plans Print Shop
Jackson, MS
Telephone: (601) 359-7460
e-mail: plans@mdot.state.ms.us

Electronic bids will be received by the Mississippi Transportation Commission at 10:00 o'clock A.M., Tuesday, April 25, 2023; from the Bid Express Service and shortly thereafter, bids will be publicly read in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

* No plans except Standard Drawings

LIST OF CONTRACTS FOR APRIL

CALL	CONTRACT	COUNTY
01	STP-0009-01(152)/107541301	WILKINSON
* 02	IM-0020-01(269)/1089023010 & IM-0020-01(269)/1089023020 & IM-0020-01(269)/1089023030 & HSIP-0020-01(269)/1089023031 & IM-0020-01(269)/1089023040	WITHDRAWN RANKIN, HINDS, RANKIN
* 03	STBG-0024-02(033)/108681301 & MP-5043-45(011)/308301301	MADISON
* 04	NH-0026-01(082)/108176301	LAUDERDALE
05	HSIP-0030-01(012)/108638301	DESOTO
06	BR-0054-02(025)/106113302 & BR-0054-02(025)/106113303	COPIAH, HINDS
07	STBG-0057-00(019)/107973301	PIKE
08	STP-0722-00(010)/102406302	CHOCTAW
09	BR-2177-00(013)/107013301	COPIAH
* 10	STBG-9999-02(380)/108777302	PANOLA
* 11	HSIP-9999-05(414)/109326301	DISTRICT 5
* 12	SP-0013-03(032)/109271301	SIMPSON
13	MP-1009-79(005)/307873301	WEBSTER
* 14	MP-3012-26(017)/308278301	HOLMES

* 15 MP-3018-11(010)/308321301 & MP-3018-
15(004)/308321302
* 16 MP-7084-01(012)/308316301

CLAIBORNE, COPIAH

ADAMS

CALL No. 01

Slide Repair on US 61 at SR 563, known as Federal Aid Project No. STP-0009-01(152) / 107541301 in Wilkinson County.

PROJECT COMPLETION: 143 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

3 Acre	201-B001	Clearing and Grubbing
8,341 Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
1 Each	202-B129	Removal of Flared End Section, All Sizes
1 Each	202-B165	Removal of Inlets, All Sizes
1 Each	202-B170	Removal of Junction Box
358 Linear Feet	202-B191	Removal of Pipe, 8" And Above
1 Each	202-B206	Removal of Right-Of-Way Marker
1 Each	202-B219	Removal of Sign, Ground Mounted with Posts
5,713 Square Yard	202-B229	Removal of Soil Cement, All Depths
4,250 Linear Feet	202-B240	Removal of Traffic Stripe
9,060 Cubic Yard	203-A001	Unclassified Excavation, FM, AH
42,289 Cubic Yard	203-EX021	Borrow Excavation, AH, FME, Class B9-6
61,877 Cubic Yard	203-G002	Excess Excavation, LVM, AH
460 Cubic Yard	206-A001	Structure Excavation
4,273 Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
2,563 Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
4 Ton	213-C001	Superphosphate
7 Square Yard	216-A001	Solid Sodding
1 Thousand Gallon	219-A001	Watering
3 Acre	220-A001	Insect Pest Control
7 Acre	223-A001	Mowing
7 Acre	225-A001	Grassing
4 Ton	225-B001	Agricultural Limestone
13 Ton	225-C001	Mulch, Vegetative Mulch
7 Acre	226-A001	Temporary Grassing

1,250	Linear Feet	237-A002	Wattles, 20"
400	Linear Feet	245-A001	Silt Dike
40	Linear Feet	246-B002	Rockbags
2	Ton	249-A001	Riprap for Erosion Control
1,527	Cubic Yard	304-A008	Granular Material, LVM, Class 6, Group D
917	Ton	403-A002	12.5-mm, MT, Asphalt Pavement
1,146	Ton	403-A005	19-mm, MT, Asphalt Pavement
853	Ton	403-A006	19-mm, ST, Asphalt Pavement
1,932	Ton	403-A014	9.5-mm, MT, Asphalt Pavement
15,019	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
2,843	Gallon	407-A001	Asphalt for Tack Coat
3	Mile	423-A001	Rumble Strips, Ground In
56	Linear Feet	503-C010	Saw Cut, Full Depth
4	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
217	Pounds	602-A001	Reinforcing Steel
240	Linear Feet	603-CA011	18" Reinforced Concrete Pipe, Class III
160	Linear Feet	603-CA026	24" Reinforced Concrete Pipe, Class III
1	Each	603-CB003	18" Reinforced Concrete End Section
1	Each	603-CB004	24" Reinforced Concrete End Section
550	Pounds	604-A001	Castings
250	Pounds	604-B001	Gratings
16	Linear Feet	604-C001	Precast Manhole, 48" Diameter
4	Each	617-A001	Right-of-Way Marker
1	Lump Sum	618-A001	Maintenance of Traffic
3,435	Linear Feet	619-A1003	Temporary Traffic Stripe, Continuous White, Paint
2	Mile	619-A1004	Temporary Traffic Stripe, Continuous White, Paint
1	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
3,160	Linear Feet	619-A2003	Temporary Traffic Stripe, Continuous Yellow, Paint
2	Mile	619-A3003	Temporary Traffic Stripe, Skip White, Paint
5,782	Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint

60	Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
472	Each	619-C8001	One-Way Clear Reflective High Performance Raised Marker
328	Each	619-C9001	One-Way Yellow Reflective High Performance Raised Marker
141	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
830	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
21	Each	619-D3001	Remove and Reset Signs, All Sizes
2	Each	619-E1001	Flashing Arrow Panel, Type C
144	Linear Feet	619-G4001	Barricades, Type III, Double Faced
84	Linear Feet	619-G4005	Barricades, Type III, Single Faced
153	Each	619-G5001	Free Standing Plastic Drums
25	Each	619-G7001	Warning Lights, Type "B"
52	Each	619-G8001	Warning Lights, Type "C"
1	Lump Sum	620-A001	Mobilization
1	Mile	626-A001	6" Thermoplastic Double Drop Traffic Stripe, Skip White
2	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
1	Mile	626-F001	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
1,867	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
253	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
136	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
189	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
13	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
13	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
25	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
114	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
1	Lump Sum	699-A001	Roadway Construction Stakes
47	Ton	815-A007	Loose Riprap, Size 300
140	Square Yard	815-E001	Geotextile under Riprap
2,190	Linear Feet	907-234-A001	Temporary Silt Fence
1	Each	907-234-D001	Inlet Siltation Guard
2	Each	907-619-E3001	Changeable Message Sign

ALTERNATE GROUP AA NUMBER 1

4,008 Ton 304-F001 3/4" and Down Crushed Stone Base

ALTERNATE GROUP AA NUMBER 2

4,008 Ton 304-F002 Size 610 Crushed Stone Base

ALTERNATE GROUP AA NUMBER 3

4,008 Ton 304-F003 Size 825B Crushed Stone Base

CALL No. 03

Mill & Overlay approximately 11 miles of SR 16 from SR 43 to Farmhaven and Remove & Replace asphalt on SR 43 at the intersection of SR 16, known as Federal Aid Project No. STBG-0024-02(033) / 108681301 and State Project No. MP-5043-45(011) / 308301301 in Madison County.

PROJECT COMPLETION: 156 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

800 Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
1,562 Square Yard	202-B009	Removal of Asphalt Pavement, Failed Areas
480 Square Yard	202-B069	Removal of Concrete Pavement w/ Variable Depth Overlay
2,752 Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
100 Cubic Yard	203-G001	Excess Excavation, FM, AH
4,995 Ton	304-D002	Granular Material, Crushed Stone
22,143 Ton	403-A002	12.5-mm, MT, Asphalt Pavement
1,191 Ton	403-B002	12.5-mm, MT, Asphalt Pavement, Leveling
201,329 Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
20,133 Gallon	407-A001	Asphalt for Tack Coat
13,970 Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
20 Mile	423-A001	Rumble Strips, Ground In
2,151 Linear Feet	503-C010	Saw Cut, Full Depth
1,750 Linear Feet	606-B003	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
12 Each	606-D022	Guard Rail, Bridge End Section, Type I
20 Each	606-E005	Guard Rail, Terminal End Section, Flared
1 Lump Sum	618-A001	Maintenance of Traffic
43 Mile	619-A1001	Temporary Traffic Stripe, Continuous White
19 Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
33 Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
7,367 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
627 Square Feet	619-A6001	Temporary Traffic Stripe, Legend
1,791 Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
783 Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet

20	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
114	Each	619-F3001	Delineators, Guard Rail, White
24	Linear Feet	619-G4001	Barricades, Type III, Double Faced
1	Lump Sum	620-A001	Mobilization
21	Mile	626-B002	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
11	Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
7	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
2,262	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
1,669	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
336	Square Feet	626-H001	Thermoplastic Double Drop Legend, White
2,121	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
2,500	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
6	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,104	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
13	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
26	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
12	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
800	Square Yard	907-504-A004	6" Fiber-reinforced Concrete Pavement

CALL No. 04

Mill & Overlay approximately 5 miles of SR 19 beginning approximately 0.5 miles north of North Hills Street to 0.2 miles north of SR 494, known as Federal Aid Project No. NH-0026-01(082) / 108176301 in Lauderdale County.

PROJECT COMPLETION: 104 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

34	Station	201-D001	Random Clearing
1,259	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
342	Linear Feet	202-B088	Removal of Curb & Gutter, All Types
620	Linear Feet	202-B096	Removal of Debris and Sand From Box Culvert, 10-foot and Greater Width
2,975	Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
246	Square Yard	202-B168	Removal of Island Pavement, All Types
5,964	Linear Feet	202-B240	Removal of Traffic Stripe
8	Each	202-B264	Removal of Trees Greater Than 10"
210	Linear Feet	202-B273	Removal of Debris and Sand From Box Culvert, 6-foot to Less than 10-foot Width
125	Linear Feet	202-B276	Removal of Debris from Drainage Channel
506	Cubic Yard	203-G002	Excess Excavation, LVM, AH
100	Ton	304-D002	Granular Material, Crushed Stone
21,205	Ton	403-A002	12.5-mm, MT, Asphalt Pavement
600	Ton	403-A005	19-mm, MT, Asphalt Pavement
320	Ton	403-B002	12.5-mm, MT, Asphalt Pavement, Leveling
186,955	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
18,695	Gallon	407-A001	Asphalt for Tack Coat
15	Mile	423-A001	Rumble Strips, Ground In
731	Linear Feet	503-C010	Saw Cut, Full Depth
1,869	Linear Feet	606-B003	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
1	Each	606-C003	Guard Rail, Cable Anchor, Type 1
14	Each	606-D020	Guard Rail, Bridge End Section, Type H, Metal Post
14	Each	606-E005	Guard Rail, Terminal End Section, Flared
1	Each	606-E007	Guard Rail, Terminal End Section, Non-Flared
500	Linear Feet	609-D003	Combination Concrete Curb and Gutter Type 2

17	Square Yard	616-A001	Concrete Median and/or Island Pavement, 10-inch
1	Lump Sum	618-A001	Maintenance of Traffic
18	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
16	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
30	Mile	619-A3001	Temporary Traffic Stripe, Skip White
64,260	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
262	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
2,592	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
32	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
408	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
48	Linear Feet	619-G4005	Barricades, Type III, Single Faced
1	Lump Sum	620-A001	Mobilization
10	Mile	626-A001	6" Thermoplastic Double Drop Traffic Stripe, Skip White
9	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
8	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
18,061	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
14,069	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
131	Square Feet	626-H001	Thermoplastic Double Drop Legend, White
1,296	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
946	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,000	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
70	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
10	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
96	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
56	Linear Feet	630-C001	Square Tube Posts, 4.0 lb/ft
36	Each	630-F002	Delineators, Flexible Post Mounted, Crossover, Type I, Yellow
53	Each	630-F006	Delineators, Guard Rail, White
47	Each	630-F007	Delineators, Guard Rail, Yellow
7	Each	630-G003	Type 3 Object Markers, OM-3L, Post Mounted
8	Each	630-G007	Type 3 Object Markers, OM-3R, Post Mounted

Bridge Items

52	Linear Feet	907-808-A002	Joint Repair
1,700	Linear Feet	907-808-A003	Joint Repair Without Epoxy
1,248	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
505	Linear Feet	907-823-A002	Preformed Joint Seal, Type II
2,496	Linear Feet	907-823-B001	Saw Cut, Type I
1,010	Linear Feet	907-823-B002	Saw Cut, Type II

Construction of a Roundabout on SR 301 at Star Landing Road, known as Federal Aid Project No. HSIP-0030-01(012) / 108638301 in Desoto County.

PROJECT COMPLETION: APRIL 19, 2024

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	201-A001	Clearing and Grubbing
1,661	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
404	Square Yard	202-B059	Removal of Concrete Median & Island Pavement, All Depths
1,248	Linear Feet	202-B088	Removal of Curb & Gutter, All Types
1	Each	202-B129	Removal of Flared End Section, All Sizes
4,054	Cubic Yard	203-EX040	Borrow Excavation, AH, LVM, Class B9
5,732	Cubic Yard	203-G001	Excess Excavation, FM, AH
2,524	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
1,156	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
1	Ton	213-C001	Superphosphate
881	Square Yard	216-A001	Solid Sodding
1,122	Square Yard	217-A001	Ditch Liner
139	Thousand Gallon	219-A001	Watering
2	Acre	220-A001	Insect Pest Control
25	Cubic Yard	221-A001	Concrete Paved Ditch
2	Acre	223-A001	Mowing
2	Acre	225-A001	Grassing
1	Ton	225-B001	Agricultural Limestone
3	Ton	225-C001	Mulch, Vegetative Mulch
2	Acre	226-A001	Temporary Grassing
220	Linear Feet	237-A002	Wattles, 20"
3,507	Cubic Yard	304-A005	Granular Material, LVM, Class 5, Group D
326	Ton	403-A003	12.5-mm, ST, Asphalt Pavement
402	Ton	403-A006	19-mm, ST, Asphalt Pavement
617	Ton	403-A015	9.5-mm, ST, Asphalt Pavement

2,035	Ton	403-B003	12.5-mm, ST, Asphalt Pavement, Leveling
14,269	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
1,934	Gallon	407-A001	Asphalt for Tack Coat
1,486	Linear Feet	503-C010	Saw Cut, Full Depth
226	Pounds	602-A001	Reinforcing Steel
8	Linear Feet	603-CA026	24" Reinforced Concrete Pipe, Class III
8	Linear Feet	603-CA055	36" Reinforced Concrete Pipe, Class III
8	Linear Feet	603-CA076	48" Reinforced Concrete Pipe, Class III
1	Each	603-CB004	24" Reinforced Concrete End Section
1	Each	603-CB006	36" Reinforced Concrete End Section
2	Each	603-CB008	48" Reinforced Concrete End Section
308	Linear Feet	609-B003	Concrete Curb, Special Design
211	Linear Feet	609-C001	Concrete Integral Curb, Type 1
1,481	Linear Feet	609-D012	Combination Concrete Curb and Gutter Type 3A Modified
50	Square Yard	616-A001	Concrete Median and/or Island Pavement, 10-inch
699	Square Yard	616-A003	Concrete Median and/or Island Pavement, 12-inch
447	Square Yard	616-A004	Concrete Median and/or Island Pavement, 4-inch
1	Lump Sum	618-A001	Maintenance of Traffic
3,157	Linear Feet	619-A1003	Temporary Traffic Stripe, Continuous White, Paint
1,112	Linear Feet	619-A2003	Temporary Traffic Stripe, Continuous Yellow, Paint
6,066	Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint
575	Square Feet	619-A6003	Temporary Traffic Stripe, Legend, Paint
364	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
513	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
48	Linear Feet	619-G4001	Barricades, Type III, Double Faced
104	Linear Feet	619-G4005	Barricades, Type III, Single Faced
12	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
3,157	Linear Feet	626-B001	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
1,112	Linear Feet	626-F002	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow

234	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
5,831	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
575	Square Feet	626-H001	Thermoplastic Double Drop Legend, White
204	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
152	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
100	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
381	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
1,440	Linear Feet	682-A034	Underground Branch Circuit, AWG 6, 3 Conductor
160	Linear Feet	682-B032	Underground Branch Circuit, Jacked or Bored, AWG 6, 3 Conductor
1	Each	682-E001	Structure Mounted Junction Box
1	Each	682-E002	Underground Junction Box
1	Each	682-F002	Secondary Power Controllers
1	Lump Sum	699-A001	Roadway Construction Stakes
195	Ton	815-A007	Loose Riprap, Size 300
300	Square Yard	815-E001	Geotextile under Riprap
2,853	Linear Feet	907-234-A001	Temporary Silt Fence
8	Each	907-619-E3001	Changeable Message Sign
9	Square Feet	907-630-PP001	Roadside Directional Signs, Sheet Aluminum, 0.080" Thickness, Ground Mounted
12	Each	907-683-PP001	Lighting Assembly, Per Plans
12	Each	907-684-PP002	Pole Foundation

ALTERNATE GROUP AA NUMBER 1

830	Ton	304-F001	3/4" and Down Crushed Stone Base
-----	-----	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

830	Ton	304-F002	Size 610 Crushed Stone Base
-----	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

830	Ton	304-F003	Size 825B Crushed Stone Base
-----	-----	----------	------------------------------

CALL No. 06

Bridge Replacement on SR 27 over Little White Oak Creek (Bridge No. 93.1), known as Federal Aid Project Nos. BR-0054-02(025) / 106113302 & 303 in Copiah & Hinds Counties.

PROJECT COMPLETION: 241 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

7 Acre	201-B001	Clearing and Grubbing
1 Lump Sum	202-A001	Removal of Obstructions
6,348 Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
2 Each	202-B018	Removal of Box Culvert
516 Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
21 Linear Feet	202-B191	Removal of Pipe, 8" And Above
2,000 Linear Feet	202-B240	Removal of Traffic Stripe
4,353 Cubic Yard	203-A001	Unclassified Excavation, FM, AH
21,546 Cubic Yard	203-EX021	Borrow Excavation, AH, FME, Class B9-6
3,556 Cubic Yard	203-F001	Channel Excavation, FM
13,312 Cubic Yard	203-G001	Excess Excavation, FM, AH
835 Cubic Yard	206-A001	Structure Excavation
82 Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
3,100 Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
5 Ton	213-C001	Superphosphate
98 Square Yard	216-A001	Solid Sodding
359 Square Yard	217-A001	Ditch Liner
2 Thousand Gallon	219-A001	Watering
5 Acre	220-A001	Insect Pest Control
11 Cubic Yard	221-A001	Concrete Paved Ditch
18 Acre	223-A001	Mowing
196 Square Yard	224-A001	Soil Reinforcing Mat
9 Acre	225-A001	Grassing
27 Ton	225-B001	Agricultural Limestone
19 Ton	225-C001	Mulch, Vegetative Mulch

9 Acre	226-A001	Temporary Grassing
264 Square Yard	229-A001	Erosion Mat
260 Linear Feet	237-A002	Wattles, 20"
520 Linear Feet	246-B002	Rockbags
2 Each	247-A001	Temporary Stream Diversion
260 Ton	249-A001	Riprap for Erosion Control
2,300 Cubic Yard	304-A005	Granular Material, LVM, Class 5, Group D
750 Ton	403-A001	12.5-mm, HT, Asphalt Pavement
1,161 Ton	403-A004	19-mm, HT, Asphalt Pavement
532 Ton	403-A013	9.5-mm, HT, Asphalt Pavement
534 Ton	403-B004	19-mm, HT, Asphalt Pavement, Leveling
494 Ton	403-D001	12.5-mm, HT, Asphalt Pavement, Polymer Modified
669 Ton	403-D007	9.5-mm, HT, Asphalt Pavement, Polymer Modified
1,000 Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
1,885 Gallon	407-A001	Asphalt for Tack Coat
2,197 Gallon	408-A002	Asphalt for Prime Coat, Cut-Back MC-70 or Emulsified EA-1
86 Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
2 Mile	423-A001	Rumble Strips, Ground In
27 Square Yard	501-K001	Transverse Grooving
184 Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
310 Cubic Yard	601-A001	Class "B" Structural Concrete
58,934 Pounds	602-A001	Reinforcing Steel
112 Linear Feet	603-ALT016	48" Type A Alternate Pipe
104 Linear Feet	603-CA131	84" Reinforced Concrete Pipe, Class III
70 Square Yard	605-AA001	Geotextile for Subsurface Drainage, Type III
88 Linear Feet	605-T001	4" Perforated Pipe for Underdrains
36 Linear Feet	605-U001	4" Non-perforated Pipe for Underdrains
5 Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
250 Linear Feet	606-B001	Guard Rail, Class A, Type 1
4 Each	606-D022	Guard Rail, Bridge End Section, Type I

4	Each	606-E005	Guard Rail, Terminal End Section, Flared
40	Linear Feet	615-A024	Concrete Bridge End Barrier, 37.5"
34	Each	617-A001	Right-of-Way Marker
1	Lump Sum	618-A001	Maintenance of Traffic
1	Lump Sum	618-C001	Construction and Removal of Detour Bridge
1,700	Linear Feet	618-E001	Detour Bridge Piling
1	Lump Sum	618-F001	Detour Bridge PDA Test Pile
10,200	Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
10,110	Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow
1,950	Linear Feet	619-A2008	Temporary Traffic Stripe, Continuous Yellow, Type 1 or 2 Tape
3,500	Linear Feet	619-A4001	Temporary Traffic Stripe, Skip Yellow
2,625	Linear Feet	619-A5003	Temporary Traffic Stripe, Detail, Type 1 Tape
48	Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
114	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
348	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
16	Each	619-F3001	Delineators, Guard Rail, White
24	Linear Feet	619-G4001	Barricades, Type III, Double Faced
48	Linear Feet	619-G4005	Barricades, Type III, Single Faced
53	Each	619-G5001	Free Standing Plastic Drums
8	Each	619-G7001	Warning Lights, Type "B"
100	Linear Feet	619-K1001	Installation and Removal of Guard Rail, Type I, Class A
4	Each	619-K2001	Installation and Removal of Guard Rail, Bridge End Section
4	Each	619-K4001	Installation and Removal of Guardrail, Terminal End Section
1	Lump Sum	620-A001	Mobilization
5,124	Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White
1,775	Linear Feet	626-D002	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
3,059	Linear Feet	626-E002	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
35	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
6	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness

37	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
117	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
18	Each	630-F006	Delineators, Guard Rail, White
4	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
1	Lump Sum	699-A001	Roadway Construction Stakes
3,341	Ton	815-A007	Loose Riprap, Size 300
2,600	Square Yard	815-E001	Geotextile under Riprap
2,600	Linear Feet	907-234-C001	Super Silt Fence
472	Linear Feet	907-234-F001	Turbidity Barrier
12	Square Feet	907-630-PP002	Roadside Directional Signs, Sheet Aluminum, 0.125" Thickness, Ground Mounted

ALTERNATE GROUP AA NUMBER 1

840	Cubic Yard	304-H001	3/4" and Down Crushed Stone Base, LVM
-----	------------	----------	---------------------------------------

ALTERNATE GROUP AA NUMBER 2

840	Cubic Yard	304-H002	Size 610 Crushed Stone Base, LVM
-----	------------	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 3

840	Cubic Yard	304-H003	Size 825B Crushed Stone Base, LVM
-----	------------	----------	-----------------------------------

ALTERNATE GROUP BB NUMBER 1

66	Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
----	------------	----------	--

ALTERNATE GROUP BB NUMBER 2

66	Cubic Yard	605-W003	Filter Material for Combination Storm Drain and/or Underdrains, Type C, FM
----	------------	----------	--

Bridge Items

889	Square Yard	501-K001	Transverse Grooving
855	Linear Feet	803-P001	24" Steel Pipe Piling, Wall Thickness 0.500"
1,260	Linear Feet	803-P007	18" Steel Pipe Piling, Wall Thickness 0.500"
694	Linear Feet	804-C192	100' Prestressed Concrete Beam, Type FIB-36
833	Linear Feet	804-C208	60' Prestressed Concrete Beam, Type FIB-36
72,602	Pounds	805-A001	Reinforcement
3,028	Pounds	805-C001	Reinforcement, Corrosion Resistant
445	Linear Feet	813-A004	Concrete Railing, 36"
1,514	Ton	815-A007	Loose Riprap, Size 300
894	Square Yard	815-E001	Geotextile under Riprap

1	Each	907-803-B001	Conventional Static Pile Load Test
2	Each	907-803-I004	PDA Test Pile, Steel Pipe Pile
2	Each	907-803-J001	Pile Restrike
291	Cubic Yard	907-804-A001	Bridge Concrete, Class BDY
162	Cubic Yard	907-804-A002	Bridge Concrete, Class AA
85	Linear Feet	907-823-A001	Preformed Joint Seal, Type I

CALL No. 07

Bridge Replacement on SR 927 (Bridge No. 0.4), known as Federal Aid Project No. STBG-0057-00(019) / 107973301 in Pike County.

PROJECT COMPLETION: 47 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1 Acre	201-B001	Clearing and Grubbing
496 Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
1 Each	202-B023	Removal of Bridge
22 Linear Feet	202-B191	Removal of Pipe, 8" And Above
10 Cubic Yard	203-A001	Unclassified Excavation, FM, AH
1,034 Cubic Yard	203-EX021	Borrow Excavation, AH, FME, Class B9-6
274 Cubic Yard	206-A001	Structure Excavation
31 Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
628 Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
445 Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
2,441 Square Yard	216-A001	Solid Sodding
48 Thousand Gallon	219-A001	Watering
1 Acre	220-A001	Insect Pest Control
1 Acre	223-A001	Mowing
250 Linear Feet	237-A002	Wattles, 20"
172 Ton	304-B006	Granular Material, Class 6, Group C
80 Ton	403-A006	19-mm, ST, Asphalt Pavement
129 Ton	403-A015	9.5-mm, ST, Asphalt Pavement
561 Ton	403-B006	19-mm, ST, Asphalt Pavement, Leveling
267 Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
129 Gallon	407-A001	Asphalt for Tack Coat
129 Cubic Yard	601-A001	Class "B" Structural Concrete
21,674 Pounds	602-A001	Reinforcing Steel
12 Each	617-A001	Right-of-Way Marker
1 Lump Sum	618-A001	Maintenance of Traffic

1,000	Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
1,000	Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow
15	Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
314	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
47	Square Feet	619-D2002	Standard Roadside Construction Signs, 10 Square Feet or More, Permanent
66	Linear Feet	619-G4001	Barricades, Type III, Double Faced
48	Linear Feet	619-G4005	Barricades, Type III, Single Faced
16	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
1,000	Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White
1,000	Linear Feet	626-E002	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
7	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
6	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
30	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
4	Each	630-G004	Type 3 Object Markers, OM-3R or OM-3L
1	Lump Sum	699-A001	Roadway Construction Stakes
1,000	Linear Feet	907-234-A001	Temporary Silt Fence
2	Each	907-619-E3001	Changeable Message Sign
ALTERNATE GROUP AA NUMBER 1			
200	Cubic Yard	304-H001	3/4" and Down Crushed Stone Base, LVM
ALTERNATE GROUP AA NUMBER 2			
200	Cubic Yard	304-H002	Size 610 Crushed Stone Base, LVM
ALTERNATE GROUP AA NUMBER 3			
200	Cubic Yard	304-H003	Size 825B Crushed Stone Base, LVM

CALL No. 08

Bridge Replacement on SR 415 over Bowie Branch between SR 9 and the Natchez Trace Parkway (Bridge No. 6.4), known as Federal Aid Project No. STP-0722-00(010) / 102406302 in Choctaw County.

PROJECT COMPLETION: 79 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	201-A001	Clearing and Grubbing
1	Acre	201-B001	Clearing and Grubbing
2,755	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
1	Each	202-B023	Removal of Bridge
420	Linear Feet	202-B150	Removal of Guard Rail Including Post, Blockouts & Hardware
53	Linear Feet	202-B191	Removal of Pipe, 8" And Above
7,871	Cubic Yard	203-A001	Unclassified Excavation, FM, AH
4,188	Cubic Yard	203-EX020	Borrow Excavation, AH, FME, Class B9
1,000	Cubic Yard	203-G001	Excess Excavation, FM, AH
5,536	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
1,626	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
3	Ton	213-C001	Superphosphate
9,815	Square Yard	216-A001	Solid Sodding
568	Square Yard	217-A001	Ditch Liner
99	Thousand Gallon	219-A001	Watering
5	Acre	220-A001	Insect Pest Control
5	Cubic Yard	221-A001	Concrete Paved Ditch
10	Acre	223-A001	Mowing
5	Acre	225-A001	Grassing
3	Ton	225-B001	Agricultural Limestone
9	Ton	225-C001	Mulch, Vegetative Mulch
7	Acre	226-A001	Temporary Grassing
540	Linear Feet	237-A002	Wattles, 20"
100	Each	246-A002	Sandbags
100	Each	246-B001	Rockbags

100 Ton	249-A001	Riprap for Erosion Control
998 Cubic Yard	304-A002	Granular Material, LVM, Class 3, Group C
862 Ton	403-A006	19-mm, ST, Asphalt Pavement
728 Ton	403-A015	9.5-mm, ST, Asphalt Pavement
46 Ton	403-C003	19-mm, ST, Asphalt Pavement, Trench Widening
911 Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
410 Gallon	407-A001	Asphalt for Tack Coat
73 Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
1 Mile	423-A001	Rumble Strips, Ground In
163 Square Yard	501-K001	Transverse Grooving
163 Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
48 Linear Feet	503-C010	Saw Cut, Full Depth
64 Linear Feet	603-ALT006	24" Type A Alternate Pipe
32 Linear Feet	603-ALT008	29" x 18" Type A Alternate Pipe
279 Square Yard	605-AA001	Geotextile for Subsurface Drainage, Type III
324 Linear Feet	605-O002	4" Perforated Sewer Pipe for Underdrains, SDR 23.5
74 Linear Feet	605-P002	4" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
24 Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
138 Linear Feet	606-B001	Guard Rail, Class A, Type 1
4 Each	606-D022	Guard Rail, Bridge End Section, Type I
4 Each	606-E005	Guard Rail, Terminal End Section, Flared
40 Linear Feet	615-A024	Concrete Bridge End Barrier, 37.5"
18 Each	617-A001	Right-of-Way Marker
1 Lump Sum	618-A001	Maintenance of Traffic
1 Square Feet	618-B001	Additional Construction Signs
6,800 Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
6,800 Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow
16 Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
369 Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
24 Linear Feet	619-G4001	Barricades, Type III, Double Faced

84	Linear Feet	619-G4005	Barricades, Type III, Single Faced
6	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
3,400	Linear Feet	626-B001	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
3,400	Linear Feet	626-E002	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
45	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
18	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
32	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
14	Each	630-F006	Delineators, Guard Rail, White
4	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
1	Lump Sum	699-A001	Roadway Construction Stakes
3,450	Ton	815-A007	Loose Riprap, Size 300
4,260	Square Yard	815-E001	Geotextile under Riprap
9,752	Square Yard	907-228-A002	Erosion Control Blanket, Type II
3,000	Linear Feet	907-234-A001	Temporary Silt Fence
400	Linear Feet	907-234-C001	Super Silt Fence
3	Each	907-619-E3001	Changeable Message Sign

ALTERNATE GROUP AA NUMBER 1

1,428	Cubic Yard	304-G001	Size 3/4" and Down Crushed Stone Base, AEA
-------	------------	----------	--

ALTERNATE GROUP AA NUMBER 2

1,428	Cubic Yard	304-G002	Size 610 Crushed Stone Base, AEA
-------	------------	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 3

1,428	Cubic Yard	304-G003	Size 825B Crushed Stone Base, AEA
-------	------------	----------	-----------------------------------

ALTERNATE GROUP BB NUMBER 1

76	Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
----	------------	----------	--

ALTERNATE GROUP BB NUMBER 2

76	Cubic Yard	605-W003	Filter Material for Combination Storm Drain and/or Underdrains, Type C, FM
----	------------	----------	--

Bridge Items

341	Square Yard	501-K001	Transverse Grooving
1,560	Linear Feet	803-D007	HP 14 x 89 Steel Piling
498	Linear Feet	804-C192	100' Prestressed Concrete Beam, Type FIB-36

35,302 Pounds	805-A001 Reinforcement
204 Linear Feet	813-A004 Concrete Railing, 36"
698 Ton	815-A007 Loose Riprap, Size 300
644 Square Yard	815-E001 Geotextile under Riprap
1 Each	907-803-B001 Conventional Static Pile Load Test
2 Each	907-803-I003 PDA Test Pile, HP Steel Pile
2 Each	907-803-J001 Pile Restrike
107 Cubic Yard	907-804-A001 Bridge Concrete, Class BDx
62 Cubic Yard	907-804-A002 Bridge Concrete, Class AA
69 Linear Feet	907-823-A001 Prefomed Joint Seal, Type I

CALL No. 09

Bridge Replacement on US 51 over Unnamed Stream (Bridge No. 66.8), known as Federal Aid Project No. BR-2177-00(013) / 107013301 in Copiah County.

PROJECT COMPLETION: 164 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

2 Acre	201-B001	Clearing and Grubbing
1 Lump Sum	202-A001	Removal of Obstructions
3,200 Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
515 Linear Feet	202-B126	Removal of Fence, All Types
898 Linear Feet	202-B136	Removal of Guard Rail
4 Each	202-B215	Removal of Sign Including Post & Footing
1,768 Cubic Yard	203-A001	Unclassified Excavation, FM, AH
1,240 Cubic Yard	203-EX020	Borrow Excavation, AH, FME, Class B9
500 Cubic Yard	203-G002	Excess Excavation, LVM, AH
3,122 Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
1 Ton	213-C001	Superphosphate
75 Square Yard	216-A001	Solid Sodding
1,800 Square Yard	217-A001	Ditch Liner
2 Thousand Gallon	219-A001	Watering
2 Acre	220-A001	Insect Pest Control
4 Acre	223-A001	Mowing
2 Acre	225-A001	Grassing
4 Ton	225-B001	Agricultural Limestone
4 Ton	225-C001	Mulch, Vegetative Mulch
2 Acre	226-A001	Temporary Grassing
250 Square Yard	229-A001	Erosion Mat
200 Linear Feet	237-A002	Wattles, 20"
120 Each	246-B001	Rockbags
100 Ton	249-A001	Riprap for Erosion Control
800 Ton	304-B004	Granular Material, Class 5, Group D

464	Ton	403-A002	12.5-mm, MT, Asphalt Pavement
265	Ton	403-A005	19-mm, MT, Asphalt Pavement
279	Ton	403-A014	9.5-mm, MT, Asphalt Pavement
20	Ton	403-C002	19-mm, MT, Asphalt Pavement, Trench Widening
275	Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
3,480	Gallon	407-A001	Asphalt for Tack Coat
69	Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
380	Square Yard	501-K001	Transverse Grooving
150	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
5	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
43	Square Yard	605-AA001	Geotextile for Subsurface Drainage, Type III
85	Linear Feet	605-O002	4" Perforated Sewer Pipe for Underdrains, SDR 23.5
30	Linear Feet	605-P003	4" Non-perforated Sewer Pipe for Underdrains, SDR 35
3	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
310	Linear Feet	606-B001	Guard Rail, Class A, Type 1
4	Each	606-D022	Guard Rail, Bridge End Section, Type I
4	Each	606-E005	Guard Rail, Terminal End Section, Flared
73	Linear Feet	615-A024	Concrete Bridge End Barrier, 37.5"
12	Each	617-A001	Right-of-Way Marker
1	Lump Sum	618-A001	Maintenance of Traffic
2,500	Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
400	Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow
1,250	Linear Feet	619-A4001	Temporary Traffic Stripe, Skip Yellow
286	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
348	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
24	Linear Feet	619-G4001	Barricades, Type III, Double Faced
48	Linear Feet	619-G4005	Barricades, Type III, Single Faced
6	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
2,500	Linear Feet	626-B001	6" Thermoplastic Double Drop Traffic Stripe, Continuous White

1,250	Linear Feet	626-D002	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
400	Linear Feet	626-E002	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
16	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
30	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
80	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
18	Each	630-F006	Delineators, Guard Rail, White
1	Lump Sum	699-A001	Roadway Construction Stakes
1,000	Linear Feet	907-234-A001	Temporary Silt Fence
1,540	Linear Feet	907-234-C001	Super Silt Fence
40	Linear Feet	907-234-F001	Turbidity Barrier
2	Each	907-619-E3001	Changeable Message Sign

ALTERNATE GROUP AA NUMBER 1

1,450	Ton	304-F001	3/4" and Down Crushed Stone Base
-------	-----	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

1,450	Ton	304-F002	Size 610 Crushed Stone Base
-------	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

1,450	Ton	304-F003	Size 825B Crushed Stone Base
-------	-----	----------	------------------------------

ALTERNATE GROUP BB NUMBER 1

66	Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
----	------------	----------	--

ALTERNATE GROUP BB NUMBER 2

66	Cubic Yard	605-W003	Filter Material for Combination Storm Drain and/or Underdrains, Type C, FM
----	------------	----------	--

Bridge Items

380	Square Yard	501-K001	Transverse Grooving
1,170	Linear Feet	803-P001	24" Steel Pipe Piling, Wall Thickness 0.500"
717	Linear Feet	804-C226	122' Prestressed Concrete Beam, Type FIB-45
35,177	Pounds	805-A001	Reinforcement
244	Linear Feet	813-A004	Concrete Railing, 36"
2,324	Ton	815-A007	Loose Riprap, Size 300
1,354	Square Yard	815-E001	Geotextile under Riprap
1	Each	907-803-B001	Conventional Static Pile Load Test
2	Each	907-803-I004	PDA Test Pile, Steel Pipe Pile

2	Each	907-803-J001	Pile Restrike
119	Cubic Yard	907-804-A001	Bridge Concrete, Class BDX
73	Cubic Yard	907-804-A002	Bridge Concrete, Class AA
65	Linear Feet	907-823-A001	Preformed Joint Seal, Type I

CALL No. 10

Bridge Preventative Maintenance along I-55 (Bridge Nos. 238.6A, 238.6B, 240.2A, 240.2B, 241.1A, 241.1B, 243.3A, 243.3B, 246.2A, & 246.2B), known as Federal Aid Project No. STBG-9999-02(380) / 108777302 in Panola County.

PROJECT COMPLETION: 198 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	618-A001	Maintenance of Traffic
1	Lump Sum	620-A001	Mobilization
136	Square Feet	907-824-A003	General Epoxy Repair
42	Each	907-824-C001	Cap Cleaning
84	Each	907-824-D001	Bearing Replacements

CALL No. 11

Placement of Audible Stripe and Raised Pavement Markers along various routes throughout the District, known as Federal Project No. HSIP-9999-05(414) / 109326301 in District 5.

PROJECT COMPLETION: 181 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	618-A001	Maintenance of Traffic
1	Lump Sum	620-A001	Mobilization
1	Mile	626-A001	6" Thermoplastic Double Drop Traffic Stripe, Skip White
134	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
28	Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
110	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
31,266	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
21,094	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
9,328	Square Feet	626-H001	Thermoplastic Double Drop Legend, White
15,083	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
74	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
9,018	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
22	Mile	907-626-A003	Thermoplastic Audible Traffic Stripe, Centerline Skip - Passing Zone
23	Mile	907-626-A004	Thermoplastic Audible Traffic Stripe, Centerline Skip - No-Passing Zone
134	Mile	907-626-C003	Thermoplastic Audible Edge Stripe

CALL No. 12

Scrub Seal & Overlay approximately 4 miles of SR 28 from Magee to the Smith County Line, known as State Project No. SP-0013-03(032) / 109271301 in Simpson County.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

500	Linear Feet	202-B240	Removal of Traffic Stripe
963	Cubic Yard	304-A008	Granular Material, LVM, Class 6, Group D
7,353	Ton	403-A014	9.5-mm, MT, Asphalt Pavement
5,757	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
6,177	Gallon	407-A001	Asphalt for Tack Coat
9	Mile	423-A001	Rumble Strips, Ground In
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
17	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
11	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
5	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
9,838	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
126	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
5,128	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
8	Mile	626-C004	6" Thermoplastic Edge Stripe, Continuous White
3	Mile	626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
6	Mile	626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
3,371	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
1,548	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
63	Square Feet	626-H004	Thermoplastic Legend, White
2,564	Linear Feet	626-H005	Thermoplastic Legend, White
462	Each	627-H001	Chip Seal Reflective Raised Markers
466	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
576	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers

18	Each	630-F006	Delineators, Guard Rail, White
62,655	Square Yard	907-414-A001	Scrub Seal
132	Linear Feet	907-619-B001	Temporary Portable Rumble Strips

CALL No. 13

Mill & Overlay approximately 15 miles of SR 9 from East Figgat Avenue to the Calhoun County Line, known as State Project No. MP-1009-79(005) / 307873301 in Webster County.

PROJECT COMPLETION: 88 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

50 Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
600 Linear Feet	202-B240	Removal of Traffic Stripe
50 Cubic Yard	203-G002	Excess Excavation, LVM, AH
6,500 Cubic Yard	304-A003	Granular Material, LVM, Class 3, Group D
22,000 Ton	403-A015	9.5-mm, ST, Asphalt Pavement
228,000 Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
12,000 Gallon	407-A001	Asphalt for Tack Coat
23 Mile	423-A001	Rumble Strips, Ground In
50 Linear Feet	503-C010	Saw Cut, Full Depth
1 Lump Sum	618-A001	Maintenance of Traffic
1 Square Feet	618-B001	Additional Construction Signs
58 Mile	619-A1001	Temporary Traffic Stripe, Continuous White
35 Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
22 Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
13,000 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
220 Square Feet	619-A6001	Temporary Traffic Stripe, Legend
2,925 Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1 Lump Sum	620-A001	Mobilization
29 Mile	626-B002	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
11 Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
15 Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
4,500 Linear Feet	626-G002	Thermoplastic Detail Stripe, White
1,900 Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
220 Square Feet	626-H004	Thermoplastic Legend, White
1,950 Linear Feet	626-H005	Thermoplastic Legend, White

600	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
25	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,800	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1,000	Each	627-M001	One-Way Clear Reflective High Performance Raised Markers
344	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
88	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
544	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
90	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips

ALTERNATE GROUP AA NUMBER 1

50	Ton	304-F001	3/4" and Down Crushed Stone Base
----	-----	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

50	Ton	304-F002	Size 610 Crushed Stone Base
----	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

50	Ton	304-F003	Size 825B Crushed Stone Base
----	-----	----------	------------------------------

ALTERNATE GROUP BB NUMBER 1

300	Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
300	Linear Feet	907-624-D002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

ALTERNATE GROUP BB NUMBER 2

300	Linear Feet	628-H001	6" High Performance Cold Plastic Traffic Stripe, Continuous White
300	Linear Feet	628-J001	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

CALL No. 14

Mill & Overlay approximately 3 miles of SR 12 from Ellington Road to US 51, known as State Project No. MP-3012-26(017) / 308278301 in Holmes County.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

150 Station	201-C001	Random Clearing and Grubbing
37 Square Yard	202-B076	Removal of Concrete Pavement, Failed Areas
460 Linear Feet	202-B136	Removal of Guard Rail
500 Ton	304-D002	Granular Material, Crushed Stone
5,000 Ton	403-A014	9.5-mm, MT, Asphalt Pavement
4,600 Ton	406-D003	Fine Milling of Bituminous Pavement, All Depths
2,900 Gallon	407-A001	Asphalt for Tack Coat
5 Mile	423-A001	Rumble Strips, Ground In
4 Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
300 Linear Feet	606-B001	Guard Rail, Class A, Type 1
1 Each	606-C003	Guard Rail, Cable Anchor, Type 1
2 Each	606-D022	Guard Rail, Bridge End Section, Type I
1 Each	606-E005	Guard Rail, Terminal End Section, Flared
2 Each	606-E007	Guard Rail, Terminal End Section, Non-Flared
1 Lump Sum	618-A001	Maintenance of Traffic
1 Square Feet	618-B001	Additional Construction Signs
10 Mile	619-A1001	Temporary Traffic Stripe, Continuous White
5 Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
1 Mile	619-A3001	Temporary Traffic Stripe, Skip White
4 Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
7,500 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
500 Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1 Lump Sum	620-A001	Mobilization
1 Mile	626-A001	6" Thermoplastic Double Drop Traffic Stripe, Skip White
5 Mile	626-B002	6" Thermoplastic Double Drop Traffic Stripe, Continuous White

2 Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
3 Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
1,000 Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
11,500 Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
75 Square Feet	626-H001	Thermoplastic Double Drop Legend, White
800 Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
200 Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
50 Each	627-K001	Red-Clear Reflective High Performance Raised Markers
600 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
8 Each	630-F006	Delineators, Guard Rail, White
6 Each	630-F007	Delineators, Guard Rail, Yellow
66 Linear Feet	907-619-B001	Temporary Portable Rumble Strips

CALL No. 15

Mill & Overlay approximately 7 miles of SR 18 from 0.4 miles west of Lemon Road to 1 mile west of Carpenter Road, known as State Project Nos. MP-3018-11(010) / 308321301 & MP-3018-15(004) / 308321302 in Claiborne & Copiah Counties.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

20 Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
1,854 Linear Feet	202-B136	Removal of Guard Rail
500 Linear Feet	202-B240	Removal of Traffic Stripe
6 Cubic Yard	203-G001	Excess Excavation, FM, AH
1,500 Ton	304-B004	Granular Material, Class 5, Group D
8,400 Ton	403-A015	9.5-mm, ST, Asphalt Pavement
14 Ton	403-B006	19-mm, ST, Asphalt Pavement, Leveling
7,900 Ton	406-D003	Fine Milling of Bituminous Pavement, All Depths
6,400 Gallon	407-A001	Asphalt for Tack Coat
69 Linear Feet	503-C010	Saw Cut, Full Depth
1,125 Linear Feet	606-B001	Guard Rail, Class A, Type 1
4 Each	606-D006	Guard Rail, Bridge End Section, Type A Modified
4 Each	606-D025	Guard Rail, Bridge End Section, Type Modified
12 Each	606-E007	Guard Rail, Terminal End Section, Non-Flared
1 Lump Sum	618-A001	Maintenance of Traffic
2 Square Feet	618-B001	Additional Construction Signs
27 Mile	619-A1001	Temporary Traffic Stripe, Continuous White
13 Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
7 Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
1,300 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
800 Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1 Lump Sum	620-A001	Mobilization
14 Mile	626-B002	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
4 Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
6 Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow

1,600	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
1,050	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
1,050	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
1,500	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
678	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
44	Each	630-F006	Delineators, Guard Rail, White
12	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
20,000	Pounds	907-420-A001	Undersealing
4	Each	907-606-PP005	Guard Rail, Bridge Connector, Per Plans
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips

CALL No. 16

Mill & Overlay approximately 5 miles of US 84 from US 61 to Dunbarton Road, known as State Project No. MP-7084-01(012) / 308316301 in Adams County.

PROJECT COMPLETION: 99 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

5,647	Cubic Yard	304-A008	Granular Material, LVM, Class 6, Group D
401	Ton	403-A005	19-mm, MT, Asphalt Pavement
18,571	Ton	403-A014	9.5-mm, MT, Asphalt Pavement
2,427	Ton	403-B011	9.5-mm, MT, Asphalt Pavement, Leveling
11,040	Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
25,700	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
24,018	Gallon	407-A001	Asphalt for Tack Coat
624	Square Feet	412-A001	Pre-Grinding
22	Mile	423-A001	Rumble Strips, Ground In
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
16	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
14	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
16	Mile	619-A3001	Temporary Traffic Stripe, Skip White
53,844	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
672	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
2,232	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
11	Mile	626-A001	6" Thermoplastic Double Drop Traffic Stripe, Skip White
11	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
11	Mile	626-F001	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
22,209	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
12,975	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
457	Square Feet	626-H004	Thermoplastic Legend, White
3,008	Linear Feet	626-H005	Thermoplastic Legend, White

485	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,105	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
124	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
56	Each	630-F002	Delineators, Flexible Post Mounted, Crossover, Type I, Yellow

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Contractors may request permission to bid online at <http://shop.mdot.ms.gov> at no cost. Upon approval, contractors shall be eligible to submit a bid using Bid Express at <http://bidx.com>. Specimen proposals may be viewed and downloaded online at no cost at <http://mdot.ms.gov> or purchased online at <http://shop.mdot.ms.gov> at a cost of Ten Dollars (\$10.00) per proposal plus a small convenience fee. Cash or checks will not be accepted as payment.

Plans must be purchased online at <https://shop.mdot.ms.gov>. Costs of plans will be on a cost per sheet basis plus a small convenience fee. You can contact the MDOT Plans Print Shop at Telephone No. (601) 359-7460 or e-mail at plans@mdot.state.ms.us. Plans will be shipped on receipt of payment. Cash or checks will not be accepted as payment.

Bid bond, signed or countersigned by a Mississippi Resident Agent or qualified non-resident agent, with Power of Attorney attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

BRAD WHITE
EXECUTIVE DIRECTOR