

Proposal & Plan Sales Will Begin on May 1, 2023



**MISSISSIPPI DEPARTMENT OF
TRANSPORTATION**

Notice to Contractors

Letting Date For June - June 27, 2023

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

NOTICE TO CONTRACTORS

LETTING DATE FOR JUNE - Tuesday, June 27, 2023

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List is available online at mdot.ms.gov

PROPOSAL AND PLAN SALES WILL BEGIN ON MAY 1, 2023

Proposals must be purchased online at:
<https://shop.mdot.ms.gov>
For Information Please Contact:
Contract Administration Division
Jackson, MS
Telephone: (601) 359-7700

Plans must be purchased online at:
<https://shop.mdot.ms.gov>
For Information Please Contact:
MDOT Plans Print Shop
Jackson, MS
Telephone: (601) 359-7460
e-mail: plans@mdot.state.ms.us

Electronic bids will be received by the Mississippi Transportation Commission at 10:00 o'clock A.M., Tuesday, June 27, 2023; from the Bid Express Service and shortly thereafter, bids will be publicly read in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

* No plans except Standard Drawings

LIST OF CONTRACTS FOR JUNE

CALL	CONTRACT	COUNTY
01	STP-0022-04(071)/102607302	UNION
* 02	IM-0020-01(269)/1089023010 & IM-0020-01(269)/1089023020 & IM-0020-01(269)/1089023030 & HSIP-0020-01(269)/1089023031 & IM-0020-01(269)/1089023040 & IM-0020-01(269)/1089023050	RANKIN, HINDS, RANKIN, HINDS
03	NHPP-0011-00(017)/108646301 & HSIP-0011-00(019)/108646302	LOWNDES
* 04	SP-0013-03(032)/1092713010 & HRRR-0013-03(032)/1092713011	SIMPSON
05	BR-0016-01(034)/106912301	SUNFLOWER
06	NHPP-0020-01(266)/108877301	WARREN
* 07	HRRR-9999-06(395)/109325301	DISTRICT 6
08	STBG-9999-05(381)/108001301	RANKIN
* 09	STBG-9999-07(395)/1088113071	DISTRICT 7
* 10	MP-1000-00(133)/308312301	DISTRICT 1
11	MP-5000-00(162)/307930301	DISTRICT 5

Electronic bids will be received by the Mississippi Transportation Commission at 10:00 o'clock A.M., Tuesday, June 27, 2023; from the Bid Express Service and shortly thereafter, bids will be publicly read in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

* No plans except Standard Drawings

LIST OF CONTRACTS FOR JUNE

CALL	CONTRACT	COUNTY
01	STP-0022-04(071)/102607302	UNION

CALL No. 01

Grade, Bridge, Pave 2-Lanes approximately 6 miles of SR 15 from the Pontotoc County Line to King's Creek south of New Albany (Bridge No. 292.6), known as Federal Aid Project No. STP-0022-04(071) / 102607302 in Union County.

PROJECT COMPLETION: 541 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

1	Lump Sum	201-A001	Clearing and Grubbing
1	Acre	201-B001	Clearing and Grubbing
1	Lump Sum	202-A001	Removal of Obstructions
1,133	Square Yard	202-B004	Removal of Asphalt Driveways, All Depths
36,646	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
3	Each	202-B023	Removal of Bridge
1,700	Square Yard	202-B052	Removal of Concrete Driveways, All Depths
1,401	Square Yard	202-B059	Removal of Concrete Median & Island Pavement, All Depths
6,395	Linear Feet	202-B092	Removal of Curb, All Types
2,076	Linear Feet	202-B136	Removal of Guard Rail
9	Each	202-B165	Removal of Inlets, All Sizes
4,454	Linear Feet	202-B191	Removal of Pipe, 8" And Above
3,388	Square Yard	202-B226	Removal of Soil Cement Treated Base, All Depths
1	Mile	202-B241	Removal of Traffic Stripe
433,933	Cubic Yard	203-A001	Unclassified Excavation, FM, AH
1,700	Cubic Yard	203-B001	Rock Excavation, FM, AH
13,371	Cubic Yard	203-EX021	Borrow Excavation, AH, FME, Class B9-6
256,156	Cubic Yard	203-G001	Excess Excavation, FM, AH
7,647	Cubic Yard	206-A001	Structure Excavation
79	Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
30,920	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
76	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
96	Ton	213-C001	Superphosphate
10,676	Square Yard	216-A001	Solid Sodding

669	Square Yard	217-A001	Ditch Liner
214	Thousand Gallon	219-A001	Watering
96	Acre	220-A001	Insect Pest Control
282	Cubic Yard	221-A001	Concrete Paved Ditch
384	Acre	223-A001	Mowing
192	Acre	225-A001	Grassing
96	Ton	225-B001	Agricultural Limestone
384	Ton	225-C001	Mulch, Vegetative Mulch
192	Acre	226-A001	Temporary Grassing
347	Each	235-A001	Temporary Erosion Checks
39	Each	236-A008	Silt Basin, Type D
1,380	Linear Feet	237-A002	Wattles, 20"
10,000	Linear Feet	239-A001	Temporary Slope Drains
1,160	Linear Feet	245-A001	Silt Dike
570	Linear Feet	246-A001	Sandbags
570	Each	246-B001	Rockbags
4	Each	247-A001	Temporary Stream Diversion
1,044	Ton	249-A001	Riprap for Erosion Control
460	Cubic Yard	249-B001	Remove and Reset Riprap
106,153	Cubic Yard	304-C001	Granular Material, AEA, Class 3, Group C
21,362	Cubic Yard	304-C009	Granular Material, AEA, Class 9, Group C
63,086	Square Yard	307-B001	10" Soil-Lime-Water Mixing, Class B
1,619	Ton	307-D001	Lime
15,772	Gallon	307-S001	Bituminous Curing Seal
2,521	Ton	308-A001	Cement
63,086	Square Yard	308-B002	Soil-Cement-Water Mixing, Optional Mixers, Base
96,131	Square Yard	308-B003	Soil-Cement-Water Mixing, Optional Mixers, Design Soil
39,805	Gallon	308-S001	Bituminous Curing Seal
26,460	Ton	403-A002	12.5-mm, MT, Asphalt Pavement
28,387	Ton	403-A005	19-mm, MT, Asphalt Pavement

22,267	Ton	403-A014	9.5-mm, MT, Asphalt Pavement
298	Ton	403-B002	12.5-mm, MT, Asphalt Pavement, Leveling
19,256	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
19,803	Gallon	407-A001	Asphalt for Tack Coat
517	Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
20	Mile	423-A001	Rumble Strips, Ground In
1,179	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
176	Linear Feet	503-C010	Saw Cut, Full Depth
310	Cubic Yard	601-A001	Class "B" Structural Concrete
81	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
56,563	Pounds	602-A001	Reinforcing Steel
2,312	Linear Feet	603-ALT003	18" Type A Alternate Pipe
320	Linear Feet	603-ALT006	24" Type A Alternate Pipe
40	Linear Feet	603-ALT009	30" Type A Alternate Pipe
3,264	Linear Feet	603-CA011	18" Reinforced Concrete Pipe, Class III
3,352	Linear Feet	603-CA026	24" Reinforced Concrete Pipe, Class III
664	Linear Feet	603-CA040	30" Reinforced Concrete Pipe, Class III
320	Linear Feet	603-CA055	36" Reinforced Concrete Pipe, Class III
268	Linear Feet	603-CA066	42" Reinforced Concrete Pipe, Class III
632	Linear Feet	603-CA076	48" Reinforced Concrete Pipe, Class III
28	Each	603-CB003	18" Reinforced Concrete End Section
35	Each	603-CB004	24" Reinforced Concrete End Section
7	Each	603-CB005	30" Reinforced Concrete End Section
2	Each	603-CB006	36" Reinforced Concrete End Section
1	Each	603-CB007	42" Reinforced Concrete End Section
4	Each	603-CB008	48" Reinforced Concrete End Section
288	Linear Feet	603-CE002	22" x 13" Concrete Arch Pipe, Class A III
120	Linear Feet	603-CE008	29" x 18" Concrete Arch Pipe, Class A III
6	Each	603-CF002	22" x 13" Concrete Arch Pipe End Section
3	Each	603-CF003	29" x 18" Concrete Arch Pipe End Section

3	Each	603-SB012	18" Branch Connections, Stub into Box Culvert
1	Each	603-SB028	24" Branch Connections, Stub into Box Culvert
1,106	Pounds	604-A001	Castings
3,822	Pounds	604-B001	Gratings
1,682	Square Yard	605-AA001	Geotextile for Subsurface Drainage, Type III
563	Linear Feet	605-O002	4" Perforated Sewer Pipe for Underdrains, SDR 23.5
104	Linear Feet	605-P002	4" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
130	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
1,300	Linear Feet	606-B001	Guard Rail, Class A, Type 1
12	Each	606-D022	Guard Rail, Bridge End Section, Type I
8	Each	606-E005	Guard Rail, Terminal End Section, Flared
5	Each	606-E007	Guard Rail, Terminal End Section, Non-Flared
6,014	Linear Feet	609-D004	Combination Concrete Curb and Gutter Type 2 Modified
3,801	Linear Feet	609-D012	Combination Concrete Curb and Gutter Type 3A Modified
1,176	Square Yard	614-A001	Concrete Driveway, Without Reinforcement
200	Linear Feet	615-A024	Concrete Bridge End Barrier, 37.5"
1,792	Square Yard	616-A001	Concrete Median and/or Island Pavement, 10-inch
19,055	Square Yard	616-A004	Concrete Median and/or Island Pavement, 4-inch
303	Each	617-A001	Right-of-Way Marker
1	Lump Sum	618-A001	Maintenance of Traffic
22	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
18	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
12	Mile	619-A3001	Temporary Traffic Stripe, Skip White
6	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
62,939	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
5,000	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
4,204	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
918	Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
70	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
5,000	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More

500	Linear Feet	619-F1001	Concrete Median Barrier, Precast
500	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
24	Linear Feet	619-G4001	Barricades, Type III, Double Faced
3,564	Linear Feet	619-G4005	Barricades, Type III, Single Faced
1,760	Each	619-G5001	Free Standing Plastic Drums
5	Each	619-G7001	Warning Lights, Type "B"
25	Each	619-G8001	Warning Lights, Type "C"
2	Each	619-J1003	Impact Attenuator, 50 MPH
2	Each	619-J2003	Impact Attenuator, 50 MPH, Replacement Package
2	Each	619-J3001	Remove and Reset Impact Attenuator
4	Each	619-K2004	Installation and Removal of Guard Rail, Type I Bridge End Section
4	Each	619-K4001	Installation and Removal of Guardrail, Terminal End Section
1	Lump Sum	620-A001	Mobilization
1	Each	621-A001	Field Laboratory
12	Mile	626-A004	6" Thermoplastic Traffic Stripe, Skip White
12	Mile	626-C004	6" Thermoplastic Edge Stripe, Continuous White
2	Mile	626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
4	Mile	626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
8	Mile	626-F003	6" Thermoplastic Edge Stripe, Continuous Yellow
40,653	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
17,657	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
898	Square Feet	626-H004	Thermoplastic Legend, White
2,180	Linear Feet	626-H005	Thermoplastic Legend, White
674	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,401	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
674	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
605	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
852	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
506	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness

3,541	Linear Feet	630-C001	Square Tube Posts, 4.0 lb/ft
18	Linear Feet	630-C002	Steel U-Section Posts, 2.0 lb/ft
22	Pounds	630-E005	Structural Steel Angles & Bars, Aluminum Unistrut
39	Each	630-F002	Delineators, Flexible Post Mounted, Crossover, Type I, Yellow
68	Each	630-F006	Delineators, Guard Rail, White
54	Each	630-F007	Delineators, Guard Rail, Yellow
20	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
30	Linear Feet	630-K002	Welded & Seamless Steel Pipe Posts, 3"
6	Each	635-A059	Traffic Signal Head, Type 1
2	Each	635-A065	Traffic Signal Head, Type 2 FYA
2	Each	635-A070	Traffic Signal Head, Type 3
4	Each	638-A006	Flasher Assembly, Prepare To Stop
1	Lump Sum	699-A001	Roadway Construction Stakes
11,179	Ton	815-A007	Loose Riprap, Size 300
2,854	Square Yard	815-E001	Geotextile under Riprap
1,517	Ton	815-F002	Sediment Control Stone
30,000	Linear Feet	907-234-A001	Temporary Silt Fence
1,750	Linear Feet	907-234-C001	Super Silt Fence
45	Each	907-234-D001	Inlet Siltation Guard
200	Linear Feet	907-234-F001	Turbidity Barrier
7,181	Linear Feet	907-253-A001	Coir Fiber Baffle
15,244	Square Yard	907-424-A001	Roadbed Reclamation with Cement
6	Each	907-619-E3001	Changeable Message Sign
269	Square Feet	907-630-PP002	Roadside Directional Signs, Sheet Aluminum, 0.125" Thickness, Ground Mounted
1	Each	907-632-A010	Solid State Traffic Cabinet Assembly, Type IV Cabinet, Type 1 Controller
1	Each	907-632-J001	Power Service Pedestal
1	Each	907-633-A001	Uninterruptable Power Supply
3	Each	907-634-A080	Traffic Signal Equipment Pole, Type II, 17' Shaft, 30' Arm
1	Each	907-634-A081	Traffic Signal Equipment Pole, Type II, 17' Shaft, 35' Arm
2	Each	907-634-A083	Traffic Signal Equipment Pole, Type II, 17' Shaft, 45' Arm

12	Cubic Yard	907-634-C001	Pole Foundations, Class "B" Concrete
2,875	Linear Feet	907-636-B014	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 5 Conductor
1,640	Linear Feet	907-636-B016	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 8 Conductor
300	Linear Feet	907-636-B053	Electric Cable, Underground in Conduit, THHN, AWG #6, 3 Conductor
299	Linear Feet	907-636-D008	Electric Cable, Aerial Supported in Conduit, IMSA 20-1, AWG 14, 8 Conductor
13	Each	907-637-A002	Pullbox Enclosure, Type 2
2	Each	907-637-A003	Pullbox Enclosure, Type 3
2,445	Linear Feet	907-637-C028	Traffic Signal Conduit, Underground, Type 4, 2"
45	Linear Feet	907-637-C030	Traffic Signal Conduit, Underground, Type 4, 3"
1,510	Linear Feet	907-637-D003	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
4	Each	907-641-A002	Signal Stop Bar Radar Vehicle Detection Sensor, Type 2
2	Each	907-641-B002	Signal Advanced Radar Vehicle Detection Sensor, Type 2
1,964	Linear Feet	907-641-D001	Radar Vehicle Detection Cable
47	Square Feet	907-653-B001	Street Name Sign
1,040	Hours	907-906001	Trainees

ALTERNATE GROUP AA NUMBER 1

25,700	Ton	304-F001	3/4" and Down Crushed Stone Base
--------	-----	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

25,700	Ton	304-F002	Size 610 Crushed Stone Base
--------	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

25,700	Ton	304-F003	Size 825B Crushed Stone Base
--------	-----	----------	------------------------------

ALTERNATE GROUP BB NUMBER 2

229	Cubic Yard	605-W003	Filter Material for Combination Storm Drain and/or Underdrains, Type C, FM
-----	------------	----------	--

ALTERNATE GROUP CC NUMBER 1

1,855	Linear Feet	907-624-A002	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White
625	Linear Feet	907-624-C001	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow
2,668	Linear Feet	907-624-E001	Inverted Profile Thermoplastic Detail Traffic Stripe, White
1,855	Linear Feet	907-624-E003	Inverted Profile Thermoplastic Detail Traffic Stripe, Yellow

ALTERNATE GROUP CC NUMBER 2

1,855	Linear Feet	628-G001	6" High Performance Cold Plastic Traffic Stripe, Skip White
625	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow

2,668	Linear Feet	628-K001	High Performance Cold Plastic Detail Stripe, White
1,855	Linear Feet	628-K002	High Performance Cold Plastic Detail Stripe, Yellow

Bridge Items

910	Cubic Yard	206-A001	Structure Excavation
7,707	Square Yard	501-K001	Transverse Grooving
1,085	Linear Feet	803-F007	18" Pre-Formed Pile Hole
880	Linear Feet	803-F013	26" Pre-Formed Pile Hole
35	Linear Feet	803-F013	26" Pre-Formed Pile Hole For Out of Position Indicator Pile
713	Linear Feet	803-F014	30" Pre-Formed Pile Hole
3,520	Linear Feet	803-P001	24" Steel Pipe Piling, Wall Thickness 0.500"
1,035	Linear Feet	803-P003	30" Steel Pipe Piling, Wall Thickness 0.500"
4,995	Linear Feet	803-P007	18" Steel Pipe Piling, Wall Thickness 0.500"
6,520	Linear Feet	804-C188	80' Prestressed Concrete Beam, Type FIB-36
1,194	Linear Feet	804-C192	100' Prestressed Concrete Beam, Type FIB-36
1,794	Linear Feet	804-C207	150' Prestressed Concrete Beam, Type FIB-63
1,190	Linear Feet	804-C208	60' Prestressed Concrete Beam, Type FIB-36
799,656	Pounds	805-A001	Reinforcement
25,530	Pounds	805-C001	Reinforcement, Corrosion Resistant
3,120	Linear Feet	813-A004	Concrete Railing, 36"
14,596	Ton	815-A007	Loose Riprap, Size 300
10,310	Square Yard	815-E001	Geotextile under Riprap
5	Each	907-803-B001	Conventional Static Pile Load Test
14	Each	907-803-I004	PDA Test Pile, Steel Pipe Pile
13	Each	907-803-J001	Pile Restrike
2,278	Cubic Yard	907-804-A001	Bridge Concrete, Class BDX
772	Cubic Yard	907-804-A002	Bridge Concrete, Class AA
1,503	Cubic Yard	907-804-A003	Bridge Concrete, Class B
327	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
168	Linear Feet	907-823-A002	Preformed Joint Seal, Type II

CALL No. 02

Remove existing OGFC on I-20 from McRaven Road to the I-20/I-55 Split, I-220 from I-20 to Lynch Street, & I-55 from McDowell Road to the Rankin County Line; Mill & Overlay on I-55 from north of the Hinds County Line to the Hinds County Line; placement of HFST on I-55 from 0.420 miles north of the Hinds County Line to the Hinds County Line; Mill & Overlay I-20 from just east of the SR 468 Interchange to the I-20/I-55 Split; Mill & Overlay the Gallatin Street connector ramp to I-20 Westbound & loop to I-20 Eastbound, known as Federal Aid Project Nos. IM-0020-01(269) / 1089023010, 3020, 3030, 3040 & 3050 & HSIP-0020-01(269) / 1089023031 in Hinds & Rankin Counties.

PROJECT COMPLETION: APRIL 12, 2024

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

1,301	Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
2	Each	202-B162	Removal of Impact Attenuator
211,727	Linear Feet	202-B240	Removal of Traffic Stripe
508	Square Yard	202-B009	Removal of Asphalt Pavement, Failed Areas
814	Ton	304-D002	Granular Material, Crushed Stone
940	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
468	Ton	403-B001	12.5-mm, HT, Asphalt Pavement, Leveling
8	Mile	403-S001	Joint Sealant
14,450	Linear Feet	403-S002	Joint Sealant
343,970	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
11,305	Gallon	407-A001	Asphalt for Tack Coat
4	Mile	423-A001	Rumble Strips, Ground In
1,120	Linear Feet	606-B003	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
2	Each	606-D005	Guard Rail, Bridge End Section, Type A
1	Each	606-D023	Guard Rail, Bridge End Section, Type I, Metal Post
3	Each	606-E005	Guard Rail, Terminal End Section, Flared
1	Lump Sum	618-A001	Maintenance of Traffic
44	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
1,550	Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
41	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
1,550	Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow
76	Mile	619-A3001	Temporary Traffic Stripe, Skip White
1,550	Linear Feet	619-A3002	Temporary Traffic Stripe, Skip White

117,538	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
2,260	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
756	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
520	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
80	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
17	Each	619-F3001	Delineators, Guard Rail, White
25	Each	619-F3002	Delineators, Guard Rail, Yellow
72	Linear Feet	619-G4005	Barricades, Type III, Single Faced
1	Lump Sum	620-A001	Mobilization
52	Mile	626-A001	6" Thermoplastic Double Drop Traffic Stripe, Skip White
600	Linear Feet	626-A002	6" Thermoplastic Double Drop Traffic Stripe, Skip White
600	Linear Feet	626-B001	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
42	Mile	626-B002	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
39	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
600	Linear Feet	626-E002	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
101,340	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
14,979	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
1,424	Square Feet	626-H001	Thermoplastic Double Drop Legend, White
548	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
13,910	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
2	Each	629-A004	Vehicular Impact Attenuator, 60 MPH
576	Each	630-F010	Delineators, Post Mounted, Double White
572	Each	630-F011	Delineators, Post Mounted, Double Yellow
444	Each	630-F012	Delineators, Post Mounted, Single White
267	Each	630-F013	Delineators, Post Mounted, Single Yellow
3	Each	630-G004	Type 3 Object Markers, OM-3R or OM-3L
8,407	Ton	907-405-A001	Stone Matrix Asphalt, 9.5 mm Mixture
33,843	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
4,300	Square Yard	907-416-A001	High Friction Surface Treatment

1 Lump Sum	907-416-B001	High Friction Surface Treatment Training
1,000 Hours	907-618-M2001	Work Zone Law Enforcement
3 Each	907-619-E3001	Changeable Message Sign

CALL No. 03

Mill, Overlay & Safety Improvements on approximately 7 miles of US 82 from US 45 to 1 mile east of Military Road, known as Federal Aid Project Nos. NHPP-0011-00(017) / 108646301 & HSIP-0011-00(019) / 108646302 in Lowndes County.

PROJECT COMPLETION: 130 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1,237 Square Yard	202-B006	Removal of Asphalt Paved Shoulders, All Depths
9,750 Linear Feet	202-B039	Removal of Cable Barrier
13 Each	202-B040	Removal of Cable Barrier Terminal Section
17,000 Linear Feet	202-B136	Removal of Guard Rail
36,000 Linear Feet	202-B240	Removal of Traffic Stripe
1,161 Cubic Yard	203-A001	Unclassified Excavation, FM, AH
12,655 Cubic Yard	203-G001	Excess Excavation, FM, AH
1 Acre	203-I001	Site Grading
2,417 Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
2 Ton	213-C001	Superphosphate
2,333 Square Yard	216-A001	Solid Sodding
47 Thousand Gallon	219-A001	Watering
3 Acre	220-A001	Insect Pest Control
1,371 Cubic Yard	221-A001	Concrete Paved Ditch
6 Acre	223-A001	Mowing
3 Acre	225-A001	Grassing
2 Ton	225-B001	Agricultural Limestone
6 Ton	225-C001	Mulch, Vegetative Mulch
6 Acre	226-A001	Temporary Grassing
6,705 Cubic Yard	304-A003	Granular Material, LVM, Class 3, Group D
20,322 Ton	403-A001	12.5-mm, HT, Asphalt Pavement
804 Ton	403-A004	19-mm, HT, Asphalt Pavement
6,000 Ton	403-A014	9.5-mm, MT, Asphalt Pavement
3,000 Ton	403-A015	9.5-mm, ST, Asphalt Pavement
1,728 Ton	403-B010	9.5-mm, HT, Asphalt Pavement, Leveling

27	Mile	403-S001	Joint Sealant
300,000	Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
25,000	Gallon	407-A001	Asphalt for Tack Coat
22	Mile	423-A001	Rumble Strips, Ground In
12,000	Linear Feet	606-B001	Guard Rail, Class A, Type 1
3,000	Linear Feet	606-B006	Guard Rail, Class A, Type 1, Double Faced
54	Each	606-D012	Guard Rail, Bridge End Section, Type D Modified
32	Each	606-E001	Guard Rail, Terminal End Section
22	Each	606-E003	Guard Rail, Terminal End Section, Double Faced
10,510	Linear Feet	610-A001	Cable Barrier
23	Each	610-B001	Cable Barrier Terminal Section
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
38	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
37	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
37	Mile	619-A3001	Temporary Traffic Stripe, Skip White
19,000	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
3,500	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
13	Mile	626-A001	6" Thermoplastic Double Drop Traffic Stripe, Skip White
14	Mile	626-B002	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
14	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
21,180	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
1,000	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
509	Square Feet	626-H001	Thermoplastic Double Drop Legend, White
3,400	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
125	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
4,382	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,751	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
70	Square Feet	628-L002	High Performance Cold Plastic Legend, White

34	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
870	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
26	Square Feet	630-B002	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
888	Linear Feet	630-C001	Square Tube Posts, 4.0 lb/ft
189	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
26	Linear Feet	630-D007	Structural Steel Beams, W6 x 15
6	Each	630-F003	Delineators, Flexible Post Mounted, Crossover, Type II
175	Each	630-F006	Delineators, Guard Rail, White
175	Each	630-F007	Delineators, Guard Rail, Yellow
55	Linear Feet	630-K002	Welded & Seamless Steel Pipe Posts, 3"
4,055	Linear Feet	682-A028	Underground Branch Circuit, AWG 4, 3 Conductor
170	Linear Feet	682-B025	Underground Branch Circuit, Jacked or Bored, AWG 4, 3 Conductor
700	Linear Feet	682-C022	Structure Mounted Branch Circuit, AWG 4, 3 Conductor
5	Each	682-E001	Structure Mounted Junction Box
22	Each	682-E002	Underground Junction Box
1	Lump Sum	699-A001	Roadway Construction Stakes
19,500	Linear Feet	907-234-A001	Temporary Silt Fence
23	Each	907-234-D001	Inlet Siltation Guard
15,242	Ton	907-405-A001	Stone Matrix Asphalt, 9.5 mm Mixture
16,407	Square Yard	907-416-A001	High Friction Surface Treatment
32	Linear Feet	907-604-T001	12" Trench Drain
228	Square Feet	907-630-A001	Standard Roadside Signs, LED Enhanced
26	Each	907-630-N001	Reflective Sign Post Panel
3,000	Each	907-630-PP007	Delineators, Guard Rail, Per Plans
165	Each	907-630-PP008	Delineators, Concrete Barrier, Per Plans
2	Each	907-673-A001	Radar Speed Display Assembly
ALTERNATE GROUP AA NUMBER 1			
911	Ton	304-F001	3/4" and Down Crushed Stone Base
ALTERNATE GROUP AA NUMBER 2			
911	Ton	304-F002	Size 610 Crushed Stone Base

CALL No. 04

Widen & Overlay approximately 4 miles of SR 28 from SR 149 in Magee to the Smith County Line, known as Federal Aid Project No. HRRR-0013-03(032) / 1092713011 & State Project No. SP-0013-03(032) / 1092713010 in Simpson County.

PROJECT COMPLETION: 58 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

500	Linear Feet	202-B240	Removal of Traffic Stripe
963	Cubic Yard	304-A008	Granular Material, LVM, Class 6, Group D
7,353	Ton	403-A014	9.5-mm, MT, Asphalt Pavement
450	Ton	403-B011	9.5-mm, MT, Asphalt Pavement, Leveling
1,669	Ton	403-C002	19-mm, MT, Asphalt Pavement, Trench Widening
5,757	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
6,177	Gallon	407-A001	Asphalt for Tack Coat
9	Mile	423-A001	Rumble Strips, Ground In
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
17	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
11	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
5	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
9,838	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
126	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
5,128	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
8	Mile	626-C004	6" Thermoplastic Edge Stripe, Continuous White
3	Mile	626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
6	Mile	626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
3,371	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
1,548	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
63	Square Feet	626-H004	Thermoplastic Legend, White
2,564	Linear Feet	626-H005	Thermoplastic Legend, White
462	Each	627-H001	Chip Seal Reflective Raised Markers

466	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
576	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
18	Each	630-F006	Delineators, Guard Rail, White
62,655	Square Yard	907-414-A001	Scrub Seal
132	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
1	Lump Sum	907-899-A001	Railway-Highway Provisions

CALL No. 05

Bridge Replacement on SR 8 over the Quiver River (Bridge No. 31.2), known as Federal Aid Project No. BR-0016-01(034) / 106912301 in Sunflower County.

PROJECT COMPLETION: 258 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Bridge Items

1,789	Square Yard	501-K001	Transverse Grooving
1,155	Linear Feet	803-P001	24" Steel Pipe Piling, Wall Thickness 0.500"
1,615	Linear Feet	803-P007	18" Steel Pipe Piling, Wall Thickness 0.500"
1,070	Linear Feet	803-P008	20" Steel Pipe Piling, Wall Thickness 0.500"
805	Linear Feet	804-C170	135' Prestressed Concrete Beam, Type FIB-54
1,130	Linear Feet	804-C201	95' Prestressed Concrete Beam, Type FIB-36
712	Linear Feet	804-C208	60' Prestressed Concrete Beam, Type FIB-36
255,704	Pounds	805-A001	Reinforcement
6,060	Pounds	805-C001	Reinforcement, Corrosion Resistant
894	Linear Feet	813-A004	Concrete Railing, 36"
940	Ton	815-A007	Loose Riprap, Size 300
752	Square Yard	815-E001	Geotextile under Riprap
1	Each	907-803-B001	Conventional Static Pile Load Test
3	Each	907-803-I004	PDA Test Pile, Steel Pipe Pile
3	Each	907-803-J001	Pile Restrike
548	Cubic Yard	907-804-A001	Bridge Concrete, Class BDY
225	Cubic Yard	907-804-A002	Bridge Concrete, Class AA
88	Linear Feet	907-823-A002	Preformed Joint Seal, Type II

Roadway Items

7	Acre	201-B001	Clearing and Grubbing
1	Lump Sum	202-A001	Removal of Obstructions
4,490	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
600	Linear Feet	202-B136	Removal of Guard Rail
16	Linear Feet	202-B191	Removal of Pipe, 8" And Above
1,831	Cubic Yard	203-A001	Unclassified Excavation, FM, AH

12,625	Cubic Yard	203-EX020	Borrow Excavation, AH, FME, Class B9
49	Square Yard	209-A001	Geotextile Stabilization, Type III
5,525	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
14	Ton	213-A001	Agricultural Limestone
4	Ton	213-C001	Superphosphate
14	Ton	215-A001	Vegetative Materials for Mulch
83	Square Yard	216-A001	Solid Sodding
1,111	Square Yard	217-A001	Ditch Liner
2	Thousand Gallon	219-A001	Watering
4	Acre	220-A001	Insect Pest Control
14	Cubic Yard	221-A001	Concrete Paved Ditch
14	Acre	223-A001	Mowing
7	Acre	225-A001	Grassing
7	Acre	226-A001	Temporary Grassing
56	Each	235-A001	Temporary Erosion Checks
250	Linear Feet	237-A002	Wattles, 20"
400	Linear Feet	239-A001	Temporary Slope Drains
100	Each	246-B001	Rockbags
1,000	Ton	304-B004	Granular Material, Class 5, Group D
550	Ton	403-A003	12.5-mm, ST, Asphalt Pavement
671	Ton	403-A006	19-mm, ST, Asphalt Pavement
650	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
902	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
966	Gallon	407-A001	Asphalt for Tack Coat
1	Mile	423-A001	Rumble Strips, Ground In
89	Linear Feet	501-E001	Expansion Joints, Without Dowels
89	Linear Feet	501-I001	Joint Filler, Wooden Board
183	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
3	Cubic Yard	601-B002	Class "C" Structural Concrete, Minor Structures
48	Linear Feet	603-CA011	18" Reinforced Concrete Pipe, Class III

89	Linear Feet	605-O002	4" Perforated Sewer Pipe for Underdrains, SDR 23.5
10	Linear Feet	605-P002	4" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
4	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
300	Linear Feet	606-B001	Guard Rail, Class A, Type 1
4	Each	606-D022	Guard Rail, Bridge End Section, Type I
4	Each	606-E001	Guard Rail, Terminal End Section
40	Linear Feet	615-A024	Concrete Bridge End Barrier, 37.5"
8	Each	617-A001	Right-of-Way Marker
1	Lump Sum	618-A001	Maintenance of Traffic
4,000	Linear Feet	619-A1003	Temporary Traffic Stripe, Continuous White, Paint
2,000	Linear Feet	619-A4003	Temporary Traffic Stripe, Skip Yellow, Paint
25	Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
197	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
340	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
18	Each	619-F3001	Delineators, Guard Rail, White
24	Linear Feet	619-G4001	Barricades, Type III, Double Faced
48	Linear Feet	619-G4005	Barricades, Type III, Single Faced
12	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
4,000	Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White
2,000	Linear Feet	626-D002	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
25	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
18	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
36	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
30	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
6	Linear Feet	630-C1001	Square Post Inner Sleeve
4	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
1	Lump Sum	699-A001	Roadway Construction Stakes
130	Linear Feet	907-234-A001	Temporary Silt Fence
400	Linear Feet	907-234-C001	Super Silt Fence

500 Linear Feet 907-234-F001 Turbidity Barrier

4 Each 907-619-E3001 Changeable Message Sign

ALTERNATE GROUP AA NUMBER 1

1,500 Ton 304-F001 3/4" and Down Crushed Stone Base

ALTERNATE GROUP AA NUMBER 2

1,500 Ton 304-F002 Size 610 Crushed Stone Base

ALTERNATE GROUP AA NUMBER 3

1,500 Ton 304-F003 Size 825B Crushed Stone Base

ALTERNATE GROUP BB NUMBER 1

54 Cubic Yard 605-W002 Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM

ALTERNATE GROUP BB NUMBER 2

54 Cubic Yard 605-W003 Filter Material for Combination Storm Drain and/or Underdrains, Type C, FM

CALL No. 06

Bridge Repairs on I-20 over Iowa Avenue, Stouts Bayou, & the KCS Railroad (Bridge Nos. 1.3A, 1.3B, 1.3C & 1.3D), known as Federal Aid Project No. NHPP-0020-01(266) / 108877301 in Warren County.

PROJECT COMPLETION: 166 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1,098	Each	202-B198	Removal of Raised Jiggle Pavement Marker
1	Lump Sum	618-A001	Maintenance of Traffic
2,333	Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
2,339	Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow
2,054	Linear Feet	619-A3002	Temporary Traffic Stripe, Skip White
741	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
138	Linear Feet	619-G4001	Barricades, Type III, Double Faced
132	Each	619-G5001	Free Standing Plastic Drums
92	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
2,054	Linear Feet	626-A002	6" Thermoplastic Double Drop Traffic Stripe, Skip White
2,333	Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White
2,339	Linear Feet	626-F002	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
741	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
1,098	Each	627-A001	Type A, Non-Reflective White Raised Jiggle Markers
102	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
550	Linear Feet	907-234-F001	Turbidity Barrier
120	Hours	907-618-M2001	Work Zone Law Enforcement
10	Each	907-619-E3001	Changeable Message Sign
1	Lump Sum	907-899-A001	Railway-Highway Provisions

Bridge Items

349	Square Yard	202-B083	Removal of Concrete Slope Paving
3,696	Ton	815-A007	Loose Riprap, Size 300
49	Cubic Yard	815-D001	Concrete Slope Paving
2,206	Square Yard	815-E001	Geotextile under Riprap

5,000 Pounds	907-420-A001	Undersealing
795 Linear Feet	907-808-A003	Joint Repair Without Epoxy
186 Linear Feet	907-823-A001	Preformed Joint Seal, Type I
609 Linear Feet	907-823-A002	Preformed Joint Seal, Type II
186 Linear Feet	907-823-B001	Saw Cut, Type I
1,218 Linear Feet	907-823-B002	Saw Cut, Type II
245 Square Feet	907-824-A003	General Epoxy Repair
4,400 Square Feet	907-824-B003	FRP Wrap, Bi-directional
18 Each	907-824-C001	Cap Cleaning
125 Each	907-824-D001	Bearing Replacements
11 Each	907-824-PP006	Bridge Repair, T-Girder Support, Per Plans
144 Cubic Yard	907-824-PP007	Bridge Repair, Hybrid Polymer Concrete Overlay, Per Plans
4,551 Linear Feet	907-824-PP008	Bridge Repair, Class 2, Spray Finish, Per Plans

ALTERNATE GROUP AA NUMBER 1

941 Ton	304-F001	3/4" and Down Crushed Stone Base
---------	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

941 Ton	304-F002	Size 610 Crushed Stone Base
---------	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

941 Ton	304-F003	Size 825B Crushed Stone Base
---------	----------	------------------------------

CALL No. 07

Placement of Audible Stripe on various routes throughout the District, known as Federal Project No. HRRR-9999-06(395) / 109325301 in District 6.

PROJECT COMPLETION: 48 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

3,726	Linear Feet	202-B240	Removal of Traffic Stripe
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
1	Lump Sum	620-A001	Mobilization
120	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
34	Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
87	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
5,390	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
1,666	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
4,426	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
1,024	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
7,967	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
2,876	Linear Feet	628-H001	6" High Performance Cold Plastic Traffic Stripe, Continuous White
1,158	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
560	Linear Feet	628-J001	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
120	Mile	907-626-C003	Thermoplastic Audible Edge Stripe

CALL No. 08

Slide Repair at the SR 25 / SR 43 Interchange, known as Federal Aid Project No. STBG-9999-05(381) / 108001301 in Rankin County.

PROJECT COMPLETION: NOVEMBER 10, 2023

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

25	Square Yard	202-B063	Removal of Concrete Paved Ditch
115	Square Yard	202-B083	Removal of Concrete Slope Paving
16	Linear Feet	202-B191	Removal of Pipe, 8" And Above
16,968	Cubic Yard	203-EX021	Borrow Excavation, AH, FME, Class B9-6
8,358	Cubic Yard	203-G001	Excess Excavation, FM, AH
68	Cubic Yard	206-A001	Structure Excavation
850	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
1	Ton	213-C001	Superphosphate
39	Square Yard	216-A001	Solid Sodding
200	Square Yard	217-A001	Ditch Liner
1	Thousand Gallon	219-A001	Watering
1	Acre	220-A001	Insect Pest Control
6	Cubic Yard	221-A001	Concrete Paved Ditch
2	Acre	223-A001	Mowing
3	Acre	225-A001	Grassing
5	Ton	225-B001	Agricultural Limestone
5	Ton	225-C001	Mulch, Vegetative Mulch
3	Acre	226-A001	Temporary Grassing
500	Linear Feet	237-A002	Wattles, 20"
100	Each	246-B001	Rockbags
120	Ton	249-A001	Riprap for Erosion Control
100	Cubic Yard	304-A004	Granular Material, LVM, Class 5, Group C
4	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
608	Pounds	602-A001	Reinforcing Steel
8	Linear Feet	603-CA011	18" Reinforced Concrete Pipe, Class III

112	Linear Feet	603-CA026	24" Reinforced Concrete Pipe, Class III
1	Each	603-CB004	24" Reinforced Concrete End Section
250	Pounds	604-B001	Gratings
130	Square Yard	605-AA001	Geotextile for Subsurface Drainage, Type III
205	Linear Feet	605-O004	6" Perforated Sewer Pipe for Underdrains, SDR 23.5
88	Linear Feet	605-P004	6" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
11	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
521	Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
1	Lump Sum	620-A001	Mobilization
1	Lump Sum	699-A001	Roadway Construction Stakes
5	Cubic Yard	815-D001	Concrete Slope Paving
60	Ton	815-F002	Sediment Control Stone
4,840	Linear Feet	907-208-A001	Recycled Plastic Pin
1,000	Linear Feet	907-234-A001	Temporary Silt Fence
15,000	Pounds	907-420-A001	Undersealing
2	Each	907-630-O004	Remove and Reset Sign, All Sizes
1,357	Square Yard	907-815-G001	Concrete Filled Cellular Confinement System

CALL No. 09

Placement of Stripe and Raised Pavement Markers on various routes throughout the District, known as Federal Aid Project No. STBG-9999-07(395) / 1088113071 in District 7.

PROJECT COMPLETION: 92 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
1	Lump Sum	620-A001	Mobilization
1	Mile	626-A001	6" Thermoplastic Double Drop Traffic Stripe, Skip White
42	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
9	Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
32	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
4,291	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
2,014	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
15,106	Linear Feet	626-H005	Thermoplastic Legend, White
1,336	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
6,539	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
15,365	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers

CALL No. 10

Placement of Raised Pavement Markers on various routes throughout the District, known as State Project No. MP-1000-00(133) / 308312301 in District 1.

PROJECT COMPLETION: 118 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

1	Lump Sum	618-A001	Maintenance of Traffic
49,225	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
43,083	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers

CALL No. 11

Placement of Raised Pavement Markers on various routes throughout the District, known as State Project No. MP-5000-00(162) / 307930301 in District 5.

PROJECT COMPLETION: 157 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	618-A001	Maintenance of Traffic
1	Lump Sum	620-A001	Mobilization
54,895	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
49,474	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
34,715	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers

CALL No. 01

Grade, Bridge, Pave 2-Lanes approximately 6 miles of SR 15 from the Pontotoc County Line to King's Creek south of New Albany (Bridge No. 292.6), known as Federal Aid Project No. STP-0022-04(071) / 102607302 in Union County.

PROJECT COMPLETION: 541 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

1	Lump Sum	201-A001	Clearing and Grubbing
1	Acre	201-B001	Clearing and Grubbing
1	Lump Sum	202-A001	Removal of Obstructions
1,133	Square Yard	202-B004	Removal of Asphalt Driveways, All Depths
36,646	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
3	Each	202-B023	Removal of Bridge
1,700	Square Yard	202-B052	Removal of Concrete Driveways, All Depths
1,401	Square Yard	202-B059	Removal of Concrete Median & Island Pavement, All Depths
6,395	Linear Feet	202-B092	Removal of Curb, All Types
2,076	Linear Feet	202-B136	Removal of Guard Rail
9	Each	202-B165	Removal of Inlets, All Sizes
4,454	Linear Feet	202-B191	Removal of Pipe, 8" And Above
3,388	Square Yard	202-B226	Removal of Soil Cement Treated Base, All Depths
1	Mile	202-B241	Removal of Traffic Stripe
433,933	Cubic Yard	203-A001	Unclassified Excavation, FM, AH
1,700	Cubic Yard	203-B001	Rock Excavation, FM, AH
13,371	Cubic Yard	203-EX021	Borrow Excavation, AH, FME, Class B9-6
256,156	Cubic Yard	203-G001	Excess Excavation, FM, AH
7,647	Cubic Yard	206-A001	Structure Excavation
79	Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
30,920	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
76	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
96	Ton	213-C001	Superphosphate
10,676	Square Yard	216-A001	Solid Sodding

669	Square Yard	217-A001	Ditch Liner
214	Thousand Gallon	219-A001	Watering
96	Acre	220-A001	Insect Pest Control
282	Cubic Yard	221-A001	Concrete Paved Ditch
384	Acre	223-A001	Mowing
192	Acre	225-A001	Grassing
96	Ton	225-B001	Agricultural Limestone
384	Ton	225-C001	Mulch, Vegetative Mulch
192	Acre	226-A001	Temporary Grassing
347	Each	235-A001	Temporary Erosion Checks
39	Each	236-A008	Silt Basin, Type D
1,380	Linear Feet	237-A002	Wattles, 20"
10,000	Linear Feet	239-A001	Temporary Slope Drains
1,160	Linear Feet	245-A001	Silt Dike
570	Linear Feet	246-A001	Sandbags
570	Each	246-B001	Rockbags
4	Each	247-A001	Temporary Stream Diversion
1,044	Ton	249-A001	Riprap for Erosion Control
460	Cubic Yard	249-B001	Remove and Reset Riprap
106,153	Cubic Yard	304-C001	Granular Material, AEA, Class 3, Group C
21,362	Cubic Yard	304-C009	Granular Material, AEA, Class 9, Group C
63,086	Square Yard	307-B001	10" Soil-Lime-Water Mixing, Class B
1,619	Ton	307-D001	Lime
15,772	Gallon	307-S001	Bituminous Curing Seal
2,521	Ton	308-A001	Cement
63,086	Square Yard	308-B002	Soil-Cement-Water Mixing, Optional Mixers, Base
96,131	Square Yard	308-B003	Soil-Cement-Water Mixing, Optional Mixers, Design Soil
39,805	Gallon	308-S001	Bituminous Curing Seal
26,460	Ton	403-A002	12.5-mm, MT, Asphalt Pavement
28,387	Ton	403-A005	19-mm, MT, Asphalt Pavement

22,267	Ton	403-A014	9.5-mm, MT, Asphalt Pavement
298	Ton	403-B002	12.5-mm, MT, Asphalt Pavement, Leveling
19,256	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
19,803	Gallon	407-A001	Asphalt for Tack Coat
517	Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
20	Mile	423-A001	Rumble Strips, Ground In
1,179	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
176	Linear Feet	503-C010	Saw Cut, Full Depth
310	Cubic Yard	601-A001	Class "B" Structural Concrete
81	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
56,563	Pounds	602-A001	Reinforcing Steel
2,312	Linear Feet	603-ALT003	18" Type A Alternate Pipe
320	Linear Feet	603-ALT006	24" Type A Alternate Pipe
40	Linear Feet	603-ALT009	30" Type A Alternate Pipe
3,264	Linear Feet	603-CA011	18" Reinforced Concrete Pipe, Class III
3,352	Linear Feet	603-CA026	24" Reinforced Concrete Pipe, Class III
664	Linear Feet	603-CA040	30" Reinforced Concrete Pipe, Class III
320	Linear Feet	603-CA055	36" Reinforced Concrete Pipe, Class III
268	Linear Feet	603-CA066	42" Reinforced Concrete Pipe, Class III
632	Linear Feet	603-CA076	48" Reinforced Concrete Pipe, Class III
28	Each	603-CB003	18" Reinforced Concrete End Section
35	Each	603-CB004	24" Reinforced Concrete End Section
7	Each	603-CB005	30" Reinforced Concrete End Section
2	Each	603-CB006	36" Reinforced Concrete End Section
1	Each	603-CB007	42" Reinforced Concrete End Section
4	Each	603-CB008	48" Reinforced Concrete End Section
288	Linear Feet	603-CE002	22" x 13" Concrete Arch Pipe, Class A III
120	Linear Feet	603-CE008	29" x 18" Concrete Arch Pipe, Class A III
6	Each	603-CF002	22" x 13" Concrete Arch Pipe End Section
3	Each	603-CF003	29" x 18" Concrete Arch Pipe End Section

3	Each	603-SB012	18" Branch Connections, Stub into Box Culvert
1	Each	603-SB028	24" Branch Connections, Stub into Box Culvert
1,106	Pounds	604-A001	Castings
3,822	Pounds	604-B001	Gratings
1,682	Square Yard	605-AA001	Geotextile for Subsurface Drainage, Type III
563	Linear Feet	605-O002	4" Perforated Sewer Pipe for Underdrains, SDR 23.5
104	Linear Feet	605-P002	4" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
130	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
1,300	Linear Feet	606-B001	Guard Rail, Class A, Type 1
12	Each	606-D022	Guard Rail, Bridge End Section, Type I
8	Each	606-E005	Guard Rail, Terminal End Section, Flared
5	Each	606-E007	Guard Rail, Terminal End Section, Non-Flared
6,014	Linear Feet	609-D004	Combination Concrete Curb and Gutter Type 2 Modified
3,801	Linear Feet	609-D012	Combination Concrete Curb and Gutter Type 3A Modified
1,176	Square Yard	614-A001	Concrete Driveway, Without Reinforcement
200	Linear Feet	615-A024	Concrete Bridge End Barrier, 37.5"
1,792	Square Yard	616-A001	Concrete Median and/or Island Pavement, 10-inch
19,055	Square Yard	616-A004	Concrete Median and/or Island Pavement, 4-inch
303	Each	617-A001	Right-of-Way Marker
1	Lump Sum	618-A001	Maintenance of Traffic
22	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
18	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
12	Mile	619-A3001	Temporary Traffic Stripe, Skip White
6	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
62,939	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
5,000	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
4,204	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
918	Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
70	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
5,000	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More

500	Linear Feet	619-F1001	Concrete Median Barrier, Precast
500	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
24	Linear Feet	619-G4001	Barricades, Type III, Double Faced
3,564	Linear Feet	619-G4005	Barricades, Type III, Single Faced
1,760	Each	619-G5001	Free Standing Plastic Drums
5	Each	619-G7001	Warning Lights, Type "B"
25	Each	619-G8001	Warning Lights, Type "C"
2	Each	619-J1003	Impact Attenuator, 50 MPH
2	Each	619-J2003	Impact Attenuator, 50 MPH, Replacement Package
2	Each	619-J3001	Remove and Reset Impact Attenuator
4	Each	619-K2004	Installation and Removal of Guard Rail, Type I Bridge End Section
4	Each	619-K4001	Installation and Removal of Guardrail, Terminal End Section
1	Lump Sum	620-A001	Mobilization
1	Each	621-A001	Field Laboratory
12	Mile	626-A004	6" Thermoplastic Traffic Stripe, Skip White
12	Mile	626-C004	6" Thermoplastic Edge Stripe, Continuous White
2	Mile	626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
4	Mile	626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
8	Mile	626-F003	6" Thermoplastic Edge Stripe, Continuous Yellow
40,653	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
17,657	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
898	Square Feet	626-H004	Thermoplastic Legend, White
2,180	Linear Feet	626-H005	Thermoplastic Legend, White
674	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,401	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
674	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
605	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
852	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
506	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness

3,541	Linear Feet	630-C001	Square Tube Posts, 4.0 lb/ft
18	Linear Feet	630-C002	Steel U-Section Posts, 2.0 lb/ft
22	Pounds	630-E005	Structural Steel Angles & Bars, Aluminum Unistrut
39	Each	630-F002	Delineators, Flexible Post Mounted, Crossover, Type I, Yellow
68	Each	630-F006	Delineators, Guard Rail, White
54	Each	630-F007	Delineators, Guard Rail, Yellow
20	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
30	Linear Feet	630-K002	Welded & Seamless Steel Pipe Posts, 3"
6	Each	635-A059	Traffic Signal Head, Type 1
2	Each	635-A065	Traffic Signal Head, Type 2 FYA
2	Each	635-A070	Traffic Signal Head, Type 3
4	Each	638-A006	Flasher Assembly, Prepare To Stop
1	Lump Sum	699-A001	Roadway Construction Stakes
11,179	Ton	815-A007	Loose Riprap, Size 300
2,854	Square Yard	815-E001	Geotextile under Riprap
1,517	Ton	815-F002	Sediment Control Stone
30,000	Linear Feet	907-234-A001	Temporary Silt Fence
1,750	Linear Feet	907-234-C001	Super Silt Fence
45	Each	907-234-D001	Inlet Siltation Guard
200	Linear Feet	907-234-F001	Turbidity Barrier
7,181	Linear Feet	907-253-A001	Coir Fiber Baffle
15,244	Square Yard	907-424-A001	Roadbed Reclamation with Cement
6	Each	907-619-E3001	Changeable Message Sign
269	Square Feet	907-630-PP002	Roadside Directional Signs, Sheet Aluminum, 0.125" Thickness, Ground Mounted
1	Each	907-632-A010	Solid State Traffic Cabinet Assembly, Type IV Cabinet, Type 1 Controller
1	Each	907-632-J001	Power Service Pedestal
1	Each	907-633-A001	Uninterruptable Power Supply
3	Each	907-634-A080	Traffic Signal Equipment Pole, Type II, 17' Shaft, 30' Arm
1	Each	907-634-A081	Traffic Signal Equipment Pole, Type II, 17' Shaft, 35' Arm
2	Each	907-634-A083	Traffic Signal Equipment Pole, Type II, 17' Shaft, 45' Arm

12	Cubic Yard	907-634-C001	Pole Foundations, Class "B" Concrete
2,875	Linear Feet	907-636-B014	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 5 Conductor
1,640	Linear Feet	907-636-B016	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 8 Conductor
300	Linear Feet	907-636-B053	Electric Cable, Underground in Conduit, THHN, AWG #6, 3 Conductor
299	Linear Feet	907-636-D008	Electric Cable, Aerial Supported in Conduit, IMSA 20-1, AWG 14, 8 Conductor
13	Each	907-637-A002	Pullbox Enclosure, Type 2
2	Each	907-637-A003	Pullbox Enclosure, Type 3
2,445	Linear Feet	907-637-C028	Traffic Signal Conduit, Underground, Type 4, 2"
45	Linear Feet	907-637-C030	Traffic Signal Conduit, Underground, Type 4, 3"
1,510	Linear Feet	907-637-D003	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
4	Each	907-641-A002	Signal Stop Bar Radar Vehicle Detection Sensor, Type 2
2	Each	907-641-B002	Signal Advanced Radar Vehicle Detection Sensor, Type 2
1,964	Linear Feet	907-641-D001	Radar Vehicle Detection Cable
47	Square Feet	907-653-B001	Street Name Sign
1,040	Hours	907-906001	Trainees

ALTERNATE GROUP AA NUMBER 1

25,700	Ton	304-F001	3/4" and Down Crushed Stone Base
--------	-----	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

25,700	Ton	304-F002	Size 610 Crushed Stone Base
--------	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

25,700	Ton	304-F003	Size 825B Crushed Stone Base
--------	-----	----------	------------------------------

ALTERNATE GROUP BB NUMBER 2

229	Cubic Yard	605-W003	Filter Material for Combination Storm Drain and/or Underdrains, Type C, FM
-----	------------	----------	--

ALTERNATE GROUP CC NUMBER 1

1,855	Linear Feet	907-624-A002	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White
625	Linear Feet	907-624-C001	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow
2,668	Linear Feet	907-624-E001	Inverted Profile Thermoplastic Detail Traffic Stripe, White
1,855	Linear Feet	907-624-E003	Inverted Profile Thermoplastic Detail Traffic Stripe, Yellow

ALTERNATE GROUP CC NUMBER 2

1,855	Linear Feet	628-G001	6" High Performance Cold Plastic Traffic Stripe, Skip White
625	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow

2,668	Linear Feet	628-K001	High Performance Cold Plastic Detail Stripe, White
1,855	Linear Feet	628-K002	High Performance Cold Plastic Detail Stripe, Yellow

Bridge Items

910	Cubic Yard	206-A001	Structure Excavation
7,707	Square Yard	501-K001	Transverse Grooving
1,085	Linear Feet	803-F007	18" Pre-Formed Pile Hole
880	Linear Feet	803-F013	26" Pre-Formed Pile Hole
35	Linear Feet	803-F013	26" Pre-Formed Pile Hole For Out of Position Indicator Pile
713	Linear Feet	803-F014	30" Pre-Formed Pile Hole
3,520	Linear Feet	803-P001	24" Steel Pipe Piling, Wall Thickness 0.500"
1,035	Linear Feet	803-P003	30" Steel Pipe Piling, Wall Thickness 0.500"
4,995	Linear Feet	803-P007	18" Steel Pipe Piling, Wall Thickness 0.500"
6,520	Linear Feet	804-C188	80' Prestressed Concrete Beam, Type FIB-36
1,194	Linear Feet	804-C192	100' Prestressed Concrete Beam, Type FIB-36
1,794	Linear Feet	804-C207	150' Prestressed Concrete Beam, Type FIB-63
1,190	Linear Feet	804-C208	60' Prestressed Concrete Beam, Type FIB-36
799,656	Pounds	805-A001	Reinforcement
25,530	Pounds	805-C001	Reinforcement, Corrosion Resistant
3,120	Linear Feet	813-A004	Concrete Railing, 36"
14,596	Ton	815-A007	Loose Riprap, Size 300
10,310	Square Yard	815-E001	Geotextile under Riprap
5	Each	907-803-B001	Conventional Static Pile Load Test
14	Each	907-803-I004	PDA Test Pile, Steel Pipe Pile
13	Each	907-803-J001	Pile Restrike
2,278	Cubic Yard	907-804-A001	Bridge Concrete, Class BDX
772	Cubic Yard	907-804-A002	Bridge Concrete, Class AA
1,503	Cubic Yard	907-804-A003	Bridge Concrete, Class B
327	Linear Feet	907-823-A001	Prefomed Joint Seal, Type I
168	Linear Feet	907-823-A002	Prefomed Joint Seal, Type II

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Contractors may request permission to bid online at <http://shop.mdot.ms.gov> at no cost. Upon approval, contractors shall be eligible to submit a bid using Bid Express at <http://bidx.com>. Specimen proposals may be viewed and downloaded online at no cost at <http://mdot.ms.gov> or purchased online at <http://shop.mdot.ms.gov> at a cost of Ten Dollars (\$10.00) per proposal plus a small convenience fee. Cash or checks will not be accepted as payment.

Plans must be purchased online at <https://shop.mdot.ms.gov>. Costs of plans will be on a cost per sheet basis plus a small convenience fee. You can contact the MDOT Plans Print Shop at Telephone No. (601) 359-7460 or e-mail at plans@mdot.state.ms.us. Plans will be shipped on receipt of payment. Cash or checks will not be accepted as payment.

Bid bond, signed or countersigned by a Mississippi Resident Agent or qualified non-resident agent, with Power of Attorney attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

BRAD WHITE
EXECUTIVE DIRECTOR