

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

Notice to Contractors

Letting Date For July - July 25, 2023

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

NOTICE TO CONTRACTORS

LETTING DATE FOR JULY - Tuesday, July 25, 2023

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List is available online at mdot.ms.gov

PROPOSAL AND PLAN SALES WILL BEGIN ON JULY 3, 2023

Proposals must be purchased online at: https://shop.mdot.ms.gov For Information Please Contact: Contract Administration Division Jackson, MS

Telephone: (601) 359-7700

Plans must be purchased online at: https://shop.mdot.ms.gov For Information Please Contact: MDOT Plans Print Shop Jackson, MS Telephone: (601) 359-7460


Telephone: (601) 359-7460 e-mail: plans@mdot.state.ms.us

Electronic bids will be received by the Mississippi Transportation Commission at 10:00 o'clock A.M., Tuesday, July 25, 2023; from the Bid Express Service and shortly thereafter, bids will be publicly read in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

LIST OF CONTRACTS FOR JULY

	CALL	CONTRACT	COUNTY
	01	STP-0022-04(071)/102607302	UNION
*	02	NHPP-0032-01(046)/108704301	PEARL RIVER
	03	STBG-0041-02(027)/109300301	CARROLL
*	04	HRRR-0389- 00(004)/109395301 & SP-0389-00(012)/108985301	SIMPSON
*	05	SP-0607-00(011)/108693301	BOLIVAR
*	06	SP-0610-00(018)/108694301	BOLIVAR
	07	SP-0742-00(018)/108909301	CHICKASAW
*	08	SP-0835-00(006)/109224301 & SP-0835- 00(007)/109224302	COAHOMA, QUITMAN
	09	SP-0938-00(011)/108910301	TIPPAH
*	10	SP-1515-00(013)/108941301 & SP-1515- 00(012)/108695301	HOLMES, YAZOO
	11	MP-5000-00(162)/307930301	DISTRICT 5

^{*} No plans except Standard Drawings



Grade, Bridge, Pave 2-Lanes approximately 6 miles of SR 15 from the Pontotoc County Line to King's Creek south of New Albany (Bridge No. 292.6), known as Federal Aid Project No. STP-0022-04(071) / 102607302 in Union County.

PROJECT COMPLETION: 595 Working Days

1	Lump Sum	201-A001	Clearing and Grubbing
1	Acre	201-B001	Clearing and Grubbing
1	Lump Sum	202-A001	Removal of Obstructions
1,133	Square Yard	202-B004	Removal of Asphalt Driveways, All Depths
36,646	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
3	Each	202-B023	Removal of Bridge
1,700	Square Yard	202-B052	Removal of Concrete Driveways, All Depths
1,401	Square Yard	202-B059	Removal of Concrete Median & Island Pavement, All Depths
6,395	Linear Feet	202-B092	Removal of Curb, All Types
2,076	Linear Feet	202-B136	Removal of Guard Rail
9	Each	202-B165	Removal of Inlets, All Sizes
4,454	Linear Feet	202-B191	Removal of Pipe, 8" And Above
3,388	Square Yard	202-B226	Removal of Soil Cement Treated Base, All Depths
1	Mile	202-B241	Removal of Traffic Stripe
380,466	Cubic Yard	203-A001	Unclassified Excavation, FM, AH
1,700	Cubic Yard	203-B001	Rock Excavation, FM, AH
128,087	Cubic Yard	203-EX020	Borrow Excavation, AH, FME, Class B9
159,742	Cubic Yard	203-G001	Excess Excavation, FM, AH
7,647	Cubic Yard	206-A001	Structure Excavation
79	Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
30,920	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
76	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
96	Ton	213-C001	Superphosphate
10,676	Square Yard	216-A001	Solid Sodding

669	Square Yard	217-A001	Ditch Liner
214	Thousand Gallon	219-A001	Watering
96	Acre	220-A001	Insect Pest Control
282	Cubic Yard	221-A001	Concrete Paved Ditch
384	Acre	223-A001	Mowing
192	Acre	225-A001	Grassing
96	Ton	225-B001	Agricultural Limestone
384	Ton	225-C001	Mulch, Vegetative Mulch
192	Acre	226-A001	Temporary Grassing
347	Each	235-A001	Temporary Erosion Checks
39	Each	236-A008	Silt Basin, Type D
1,380	Linear Feet	237-A002	Wattles, 20"
10,000	Linear Feet	239-A001	Temporary Slope Drains
1,160	Linear Feet	245-A001	Silt Dike
570	Linear Feet	246-A001	Sandbags
570	Each	246-B001	Rockbags
4	Each	247-A001	Temporary Stream Diversion
1,044	Ton	249-A001	Riprap for Erosion Control
460	Cubic Yard	249-B001	Remove and Reset Riprap
106,153	Cubic Yard	304-C001	Granular Material, AEA, Class 3, Group C
21,362	Cubic Yard	304-C009	Granular Material, AEA, Class 9, Group C
63,086	Square Yard	307-B001	10" Soil-Lime-Water Mixing, Class B
1,619	Ton	307-D001	Lime
15,772	Gallon	307-S001	Bituminous Curing Seal
2,521	Ton	308-A001	Cement
63,086	Square Yard	308-B002	Soil-Cement-Water Mixing, Optional Mixers, Base
96,131	Square Yard	308-B003	Soil-Cement-Water Mixing, Optional Mixers, Design Soil
39,805	Gallon	308-S001	Bituminous Curing Seal
26,460	Ton	403-A002	12.5-mm, MT, Asphalt Pavement
28,387	Ton	403-A005	19-mm, MT, Asphalt Pavement

22,267	Ton	403-A014	9.5-mm, MT, Asphalt Pavement
298	Ton	403-B002	12.5-mm, MT, Asphalt Pavement, Leveling
19,256	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
19,803	Gallon	407-A001	Asphalt for Tack Coat
10,000	Gallon	408-A003	Asphalt for Prime Coat, Emulsified Asphalt EA-1
20	Mile	423-A001	Rumble Strips, Ground In
1,179	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
176	Linear Feet	503-C010	Saw Cut, Full Depth
310	Cubic Yard	601-A001	Class "B" Structural Concrete
81	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
56,563	Pounds	602-A001	Reinforcing Steel
2,312	Linear Feet	603-ALT003	18" Type A Alternate Pipe
320	Linear Feet	603-ALT006	24" Type A Alternate Pipe
40	Linear Feet	603-ALT009	30" Type A Alternate Pipe
3,264	Linear Feet	603-CA011	18" Reinforced Concrete Pipe, Class III
3,352	Linear Feet	603-CA026	24" Reinforced Concrete Pipe, Class III
664	Linear Feet	603-CA040	30" Reinforced Concrete Pipe, Class III
320	Linear Feet	603-CA055	36" Reinforced Concrete Pipe, Class III
268	Linear Feet	603-CA066	42" Reinforced Concrete Pipe, Class III
632	Linear Feet	603-CA076	48" Reinforced Concrete Pipe, Class III
28	Each	603-CB003	18" Reinforced Concrete End Section
35	Each	603-CB004	24" Reinforced Concrete End Section
7	Each	603-CB005	30" Reinforced Concrete End Section
2	Each	603-CB006	36" Reinforced Concrete End Section
1	Each	603-CB007	42" Reinforced Concrete End Section
4	Each	603-CB008	48" Reinforced Concrete End Section
288	Linear Feet	603-CE002	22" x 13" Concrete Arch Pipe, Class A III
120	Linear Feet	603-CE008	29" x 18" Concrete Arch Pipe, Class A III
6	Each	603-CF002	22" x 13" Concrete Arch Pipe End Section
3	Each	603-CF003	29" x 18" Concrete Arch Pipe End Section

3	Each	603-SB012	18" Branch Connections, Stub into Box Culvert
1	Each	603-SB028	24" Branch Connections, Stub into Box Culvert
1,106	Pounds	604-A001	Castings
3,822	Pounds	604-B001	Gratings
1,682	Square Yard	605-AA001	Geotextile for Subsurface Drainage, Type III
563	Linear Feet	605-O002	4" Perforated Sewer Pipe for Underdrains, SDR 23.5
104	Linear Feet	605-P002	4" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
130	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
144	Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
1,300	Linear Feet	606-B001	Guard Rail, Class A, Type 1
12	Each	606-D022	Guard Rail, Bridge End Section, Type I
8	Each	606-E005	Guard Rail, Terminal End Section, Flared
5	Each	606-E007	Guard Rail, Terminal End Section, Non-Flared
6,014	Linear Feet	609-D004	Combination Concrete Curb and Gutter Type 2 Modified
3,801	Linear Feet	609-D012	Combination Concrete Curb and Gutter Type 3A Modified
1,176	Square Yard	614-A001	Concrete Driveway, Without Reinforcement
200	Linear Feet	615-A024	Concrete Bridge End Barrier, 37.5"
1,792	Square Yard	616-A001	Concrete Median and/or Island Pavement, 10-inch
19,055	Square Yard	616-A004	Concrete Median and/or Island Pavement, 4-inch
303	Each	617-A001	Right-of-Way Marker
1	Lump Sum	618-A001	Maintenance of Traffic
22	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
18	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
12	Mile	619-A3001	Temporary Traffic Stripe, Skip White
6	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
62,939	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
5,000	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
4,204	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
918	Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
70	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet

5,000	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
500	Linear Feet	619-F1001	Concrete Median Barrier, Precast
500	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
24	Linear Feet	619-G4001	Barricades, Type III, Double Faced
3,564	Linear Feet	619-G4005	Barricades, Type III, Single Faced
1,760	Each	619-G5001	Free Standing Plastic Drums
5	Each	619-G7001	Warning Lights, Type "B"
25	Each	619-G8001	Warning Lights, Type "C"
2	Each	619-J1003	Impact Attenuator, 50 MPH
2	Each	619-J2003	Impact Attenuator, 50 MPH, Replacement Package
2	Each	619-J3001	Remove and Reset Impact Attenuator
4	Each	619-K2004	Installation and Removal of Guard Rail, Type I Bridge End Section
4	Each	619-K4001	Installation and Removal of Guardrail, Terminal End Section
1	Lump Sum	620-A001	Mobilization
1	Each	621-A001	Field Laboratory
12	Mile	626-A004	6" Thermoplastic Traffic Stripe, Skip White
12	Mile	626-C004	6" Thermoplastic Edge Stripe, Continuous White
2	Mile	626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
4	Mile	626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
8	Mile	626-F003	6" Thermoplastic Edge Stripe, Continuous Yellow
40,653	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
17,657	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
898	Square Feet	626-H004	Thermoplastic Legend, White
2,180	Linear Feet	626-H005	Thermoplastic Legend, White
674	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,401	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
674	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
605	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
852	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness

506	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
3,541	Linear Feet	630-C001	Square Tube Posts, 4.0 lb/ft
18	Linear Feet	630-C002	Steel U-Section Posts, 2.0 lb/ft
22	Pounds	630-E005	Structural Steel Angles & Bars, Aluminum Unistrut
39	Each	630-F002	Delineators, Flexible Post Mounted, Crossover, Type I, Yellow
68	Each	630-F006	Delineators, Guard Rail, White
54	Each	630-F007	Delineators, Guard Rail, Yellow
20	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
30	Linear Feet	630-K002	Welded & Seamless Steel Pipe Posts, 3"
6	Each	635-A059	Traffic Signal Head, Type 1
2	Each	635-A065	Traffic Signal Head, Type 2 FYA
2	Each	635-A070	Traffic Signal Head, Type 3
4	Each	638-A006	Flasher Assembly, Prepare To Stop
1	Lump Sum	699-A001	Roadway Construction Stakes
11,179	Ton	815-A007	Loose Riprap, Size 300
2,854	Square Yard	815-E001	Geotextile under Riprap
1,517	Ton	815-F002	Sediment Control Stone
30,000	Linear Feet	907-234-A001	Temporary Silt Fence
1,750	Linear Feet	907-234-C001	Super Silt Fence
45	Each	907-234-D001	Inlet Siltation Guard
200	Linear Feet	907-234-F001	Turbidity Barrier
7,181	Linear Feet	907-253-A001	Coir Fiber Baffle
517	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
15,244	Square Yard	907-424-A001	Roadbed Reclamation with Cement
6	Each	907-619-E3001	Changeable Message Sign
269	Square Feet	907-630-PP002	Roadside Directional Signs, Sheet Aluminum, 0.125" Thickness, Ground Mounted
1	Each	907-632-A010	Solid State Traffic Cabinet Assembly, Type IV Cabinet, Type 1 Controller
1	Each	907-632-J001	Power Service Pedestal
1	Each	907-633-A001	Uninterruptable Power Supply
3	Each	907-634-A080	Traffic Signal Equipment Pole, Type II, 17' Shaft, 30' Arm

1	Each	907-634-A081	Traffic Signal Equipment Pole, Type II, 17' Shaft, 35' Arm
2	Each	907-634-A083	Traffic Signal Equipment Pole, Type II, 17' Shaft, 45' Arm
12	Cubic Yard	907-634-C001	Pole Foundations, Class "B" Concrete
2,875	Linear Feet	907-636-B014	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 5 Conductor
1,640	Linear Feet	907-636-B016	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 8 Conductor
300	Linear Feet	907-636-B053	Electric Cable, Underground in Conduit, THHN, AWG #6, 3 Conductor
299	Linear Feet	907-636-D008	Electric Cable, Aerial Supported in Conduit, IMSA 20-1, AWG 14, 8 Conductor
13	Each	907-637-A002	Pullbox Enclosure, Type 2
2	Each	907-637-A003	Pullbox Enclosure, Type 3
2,445	Linear Feet	907-637-C028	Traffic Signal Conduit, Underground, Type 4, 2"
45	Linear Feet	907-637-C030	Traffic Signal Conduit, Underground, Type 4, 3"
1,510	Linear Feet	907-637-D003	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
4	Each	907-641-A002	Signal Stop Bar Radar Vehicle Detection Sensor, Type 2
2	Each	907-641-B002	Signal Advanced Radar Vehicle Detection Sensor, Type 2
1,964	Linear Feet	907-641-D001	Radar Vehicle Detection Cable
47	Square Feet	907-653-B001	Street Name Sign
1,040	Hours	907-906001	Trainees
			ALTERNATE GROUP AA NUMBER 1
25,700	Ton	304-F001	3/4" and Down Crushed Stone Base
			ALTERNATE GROUP AA NUMBER 2
25,700	Ton	304-F002	Size 610 Crushed Stone Base
			ALTERNATE GROUP AA NUMBER 3
25,700	Ton	304-F003	Size 825B Crushed Stone Base
			ALTERNATE GROUP BB NUMBER 1
229	Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains,Type B, FM
			ALTERNATE GROUP BB NUMBER 2
229	Cubic Yard	605-W003	Filter Material for Combination Storm Drain and/or Underdrains,Type C, FM
			ALTERNATE GROUP CC NUMBER 1
1,855	Linear Feet	907-624-A002	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White
625	Linear Feet	907-624-C001	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow
2,668	Linear Feet	907-624-E001	Inverted Profile Thermoplastic Detail Traffic Stripe, White

1,855	Linear Feet	907-624-E003	Inverted Profile Thermoplastic Detail Traffic Stripe, Yellow
			ALTERNATE GROUP CC NUMBER 2
1,855	Linear Feet	628-G001	6" High Performance Cold Plastic Traffic Stripe, Skip White
625	Linear Feet	628-1002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
2,668	Linear Feet	628-K001	High Performance Cold Plastic Detail Stripe, White
1,855	Linear Feet	628-K002	High Performance Cold Plastic Detail Stripe, Yellow
			Bridge Items
910	Cubic Yard	206-A001	Structure Excavation
7,707	Square Yard	501-K001	Transverse Grooving
1,085	Linear Feet	803-F007	18" Pre-Formed Pile Hole
880	Linear Feet	803-F013	26" Pre-Formed Pile Hole
35	Linear Feet	803-F013	26" Pre-Formed Pile Hole For Out of Position Indicator Pile
713	Linear Feet	803-F014	30" Pre-Formed Pile Hole
3,520	Linear Feet	803-P001	24" Steel Pipe Piling, Wall Thickness 0.500"
1,035	Linear Feet	803-P003	30" Steel Pipe Piling, Wall Thickness 0.500"
4,995	Linear Feet	803-P007	18" Steel Pipe Piling, Wall Thickness 0.500"
6,520	Linear Feet	804-C188	80' Prestressed Concrete Beam, Type FIB-36
1,194	Linear Feet	804-C192	100' Prestressed Concrete Beam, Type FIB-36
1,794	Linear Feet	804-C207	150' Prestressed Concrete Beam, Type FIB-63
1,190	Linear Feet	804-C208	60' Prestressed Concrete Beam, Type FIB-36
799,656	Pounds	805-A001	Reinforcement
25,530	Pounds	805-C001	Reinforcement, Corrosion Resistant
3,120	Linear Feet	813-A004	Concrete Railing, 36"
14,596	Ton	815-A007	Loose Riprap, Size 300
10,310	Square Yard	815-E001	Geotextile under Riprap
5	Each	907-803-B001	Conventional Static Pile Load Test
14	Each	907-803-1004	PDA Test Pile, Steel Pipe Pile
13	Each	907-803-J001	Pile Restrike
2,278	Cubic Yard	907-804-A001	Bridge Concrete, Class BDX
772	Cubic Yard	907-804-A002	Bridge Concrete, Class AA

1,503	Cubic Yard	907-804-A003	Bridge Concrete, Class B
327	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
168	Linear Feet	907-823-A002	Preformed Joint Seal, Type II

CALL No. 02

Thin Lift Overlay approximately 6 miles of SR 43 from I-59 To Walkiah Bluff Road, known as Federal Aid Project No. NHPP-0032-01(046) / 108704301 in Pearl River County.

PROJECT COMPLETION: Flexible

			Roadway items
65	Station 20	1-D001	Random Clearing
934	Square Yard 202	2-B007	Removal of Asphalt Pavement, All Depths
60	Linear Feet 202	2-B191	Removal of Pipe, 8" And Above
3,550	Linear Feet 20:	2-B240	Removal of Traffic Stripe
200	Cubic Yard 203-	-EX040	Borrow Excavation, AH, LVM, Class B9
200	Cubic Yard 203	3-G002	Excess Excavation, LVM, AH
960	Square Yard 209	9-A005	Geotextile Stabilization, Type V, Non-Woven
300	Cubic Yard 21	1-B001	Topsoil for Slope Treatment, Contractor Furnished
1	Acre 22	7-A001	Hydroseeding
2,792	Ton 30	4-F003	Size 825B Crushed Stone Base
172	Ton 403	3-A002	12.5-mm, MT, Asphalt Pavement
125	Ton 403	3-A003	12.5-mm, ST, Asphalt Pavement
433	Ton 403	3-A006	19-mm, ST, Asphalt Pavement
6,609	Ton 403	3-A014	9.5-mm, MT, Asphalt Pavement
1,250	Ton 403	3-A015	9.5-mm, ST, Asphalt Pavement
71,850	Square Yard 406	6-D001	Fine Milling of Bituminous Pavement, All Depths
12,820	Gallon 40	7-A001	Asphalt for Tack Coat
2,244	Square Feet 412	2-A001	Pre-Grinding
7	Mile 423	3-A001	Rumble Strips, Ground In
60	Linear Feet 603-	CA027	24" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
2	Each 603-	CB004	24" Reinforced Concrete End Section
1	Lump Sum 618	8-A001	Maintenance of Traffic
1	Square Feet 618	8-B001	Additional Construction Signs
21	Mile 619	-A1001	Temporary Traffic Stripe, Continuous White
8	Mile 619	-A2001	Temporary Traffic Stripe, Continuous Yellow

5	Mile	619-A3001	Temporary Traffic Stripe, Skip White
8	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
2,100	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1	Each	619-D3001	Remove and Reset Signs, All Sizes
156	Each	619-F3001	Delineators, Guard Rail, White
1	Lump Sum	620-A001	Mobilization
3	Mile	626-A004	6" Thermoplastic Traffic Stripe, Skip White
11	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
4	Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
4	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
11,100	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
20,252	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
1,468	Square Feet	626-H004	Thermoplastic Legend, White
4,350	Linear Feet	626-H005	Thermoplastic Legend, White
565	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
460	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,081	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
20	Each	630-G004	Type 3 Object Markers, OM-3R or OM-3L
22	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
7,975	Ton	907-411-A001	Ultra Thin Asphalt Pavement
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
			ALTERNATE GROUP AA NUMBER 1
568	Linear Feet	907-624-A002	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White
2,474	Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
790	Linear Feet	907-624-C001	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow
934	Linear Feet	907-624-D002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow
			ALTERNATE GROUP AA NUMBER 2
568	Linear Feet	628-G001	6" High Performance Cold Plastic Traffic Stripe, Skip White
2,474	Linear Feet	628-H001	6" High Performance Cold Plastic Traffic Stripe, Continuous White
790	Linear Feet	628-1002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow

934	Linear Feet	628-J001	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

Bridge Repair on SR 35 at Petacocowa Creek (Bridge No. 211.3), known as Federal Aid Project No. STBG-0041-02(027) / 109300301 in Carroll County.

PROJECT COMPLETION: 124 Working Days

1	Lump Sum	201-A001	Clearing and Grubbing
780	Linear Feet	202-B240	Removal of Traffic Stripe
1	Acre	225-A001	Grassing
1	Acre	226-A001	Temporary Grassing
500	Linear Feet	237-A002	Wattles, 20"
1	Lump Sum	618-A001	Maintenance of Traffic
520	Linear Feet	619-A1003	Temporary Traffic Stripe, Continuous White, Paint
260	Linear Feet	619-A4003	Temporary Traffic Stripe, Skip Yellow, Paint
63	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
358	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
24	Linear Feet	619-G4001	Barricades, Type III, Double Faced
48	Linear Feet	619-G4005	Barricades, Type III, Single Faced
14	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
520	Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White
260	Linear Feet	626-D002	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
3	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
500	Linear Feet	907-234-A001	Temporary Silt Fence
4	Each	907-619-E3001	Changeable Message Sign
			Bridge Items
694	Square Yard	907-417-A001	Polymer Cement Surface System
2,500	Pounds	907-420-A001	Undersealing
1	Each	907-803-1003	PDA Test Pile, HP Steel Pile
1	Each	907-803-J001	Pile Restrike
202	Linear Feet	907-808-A002	Joint Repair

101	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
2	Square Feet	907-824-A003	General Epoxy Repair
6	Each	907-824-C001	Cap Cleaning
2,000	Square Feet	907-824-F001	Encapsulating Field Painting
1	Lump Sum	907-824-PP004	Bridge Repair, Remove Debris Off Deflector
2	Each	907-824-PP006	Bridge Repair, Installation of HP Piling False Bents
1	Lump Sum	907-845-A001	Coating Existing Structural Steel

Widen & Overlay approximately 8 miles of SR 43 from SR 28 to SR 13, known as Federal Aid Project No. HRRR-0389-00(004) / 109395301 & State Project No. SP-0389-00(012) / 108985301 in Simpson County.

PROJECT COMPLETION: 92 Working Days

1,467	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
1,132	Linear Feet	202-B240	Removal of Traffic Stripe
2,192	Cubic Yard	304-A008	Granular Material, LVM, Class 6, Group D
242	Ton	403-A006	19-mm, ST, Asphalt Pavement
9,610	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
2,550	Ton	403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
159	Ton	403-C003	19-mm, ST, Asphalt Pavement, Trench Widening
3,811	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
11,610	Gallon	407-A001	Asphalt for Tack Coat
4,644	Square Feet	412-A001	Pre-Grinding
16	Mile	423-A001	Rumble Strips, Ground In
1,316	Linear Feet	503-C010	Saw Cut, Full Depth
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
17	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
13	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
3	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
3,984	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,508	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
14	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
3	Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
11	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
2,692	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
1,292	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow

1,508	Linear Feet	626-H005	Thermoplastic Legend, White
235	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
514	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
11	Each	630-F006	Delineators, Guard Rail, White
132	Linear Feet	907-619-B001	Temporary Portable Rumble Strips

Overlay approximately 15 miles of SR 446 from SR 1 to US 61, known as State Project No. SP-0607-00(011) / 108693301 in Bolivar County.

PROJECT COMPLETION: 166 Working Days

			Roadway items
200	Station	201-D001	Random Clearing
355	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
1,816	Linear Feet	202-B150	Removal of Guard Rail Including Post, Blockouts & Hardware
2	Each	202-B162	Removal of Impact Attenuator
1,755	Linear Feet	202-B240	Removal of Traffic Stripe
119	Cubic Yard	203-G001	Excess Excavation, FM, AH
5,000	Ton	304-D002	Granular Material, Crushed Stone
16,500	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
241	Ton	403-B006	19-mm, ST, Asphalt Pavement, Leveling
4,500	Ton	403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
16,500	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
15,500	Gallon	407-A001	Asphalt for Tack Coat
4,248	Square Feet	412-A001	Pre-Grinding
646	Linear Feet	503-C010	Saw Cut, Full Depth
875	Linear Feet	606-B001	Guard Rail, Class A, Type 1
4	Each	606-D006	Guard Rail, Bridge End Section, Type A Modified
1	Each	606-D012	Guard Rail, Bridge End Section, Type D Modified
8	Each	606-D019	Guard Rail, Bridge End Section, Type H
12	Each	606-E005	Guard Rail, Terminal End Section, Flared
1	Each	606-E007	Guard Rail, Terminal End Section, Non-Flared
2	Each	606-G004	Special Sections, Thrie Beam, Transition Section
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
39	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
3	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow

19	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
2,500	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
800	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
30	Mile	626-B002	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
15	Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
2	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
3,000	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
1,200	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
1,600	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
700	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,250	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
2	Each	629-A001	Vehicular Impact Attenuator, 40 MPH
66	Each	630-F006	Delineators, Guard Rail, White
16	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
6	Each	907-606-PP005	Guard Rail, Bridge Connector, Per Plans Bridge Connector
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips

Overlay approximately 16 miles of SR 448 from SR 1 to US 61, known as State Project No. SP-0610-00(018) / 108694301 in Bolivar County.

PROJECT COMPLETION: 181 Working Days

			Roduway items
165	Station	201-D001	Random Clearing
302	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
42	Square Yard	202-B073	Removal of Concrete Pavement, All Depths
2,562	Linear Feet	202-B150	Removal of Guard Rail Including Post, Blockouts & Hardware
1,250	Linear Feet	202-B240	Removal of Traffic Stripe
101	Cubic Yard	203-G001	Excess Excavation, FM, AH
5,000	Ton	304-D002	Granular Material, Crushed Stone
17,000	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
206	Ton	403-B006	19-mm, ST, Asphalt Pavement, Leveling
6,500	Ton	403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
16,500	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
18,500	Gallon	407-A001	Asphalt for Tack Coat
11,328	Square Feet	412-A001	Pre-Grinding
761	Linear Feet	503-C010	Saw Cut, Full Depth
1,450	Linear Feet	606-B001	Guard Rail, Class A, Type 1
4	Each	606-D019	Guard Rail, Bridge End Section, Type H
12	Each	606-D022	Guard Rail, Bridge End Section, Type I
16	Each	606-E005	Guard Rail, Terminal End Section, Flared
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
45	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
19	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
14	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
3,000	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
500	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend

1	Lump Sum	620-A001	Mobilization
31	Mile	626-B002	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
13	Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
10	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
3,425	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
1,625	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
1,900	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
700	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,550	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
104	Each	630-F006	Delineators, Guard Rail, White
16	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips

Mill & Overlay approximately 9.5 miles of SR 389 from the Clay County Line to SR 8, known as State Project No. SP-0742-00(018) / 108909301 in Chickasaw County.

PROJECT COMPLETION: 102 Working Days

			Roduway items
50	Square Yard 202	2-B007	Removal of Asphalt Pavement, All Depths
50	Cubic Yard 203	-G002	Excess Excavation, LVM, AH
4,000	Cubic Yard 304	I-A003	Granular Material, LVM, Class 3, Group D
13,000	Ton 403	3-A015	9.5-mm, ST, Asphalt Pavement
147,000	Square Yard 406	5-D001	Fine Milling of Bituminous Pavement, All Depths
8,000	Gallon 407	'-A001	Asphalt for Tack Coat
50	Linear Feet 503	s-C010	Saw Cut, Full Depth
1	Lump Sum 618	3-A001	Maintenance of Traffic
1	Square Feet 618	3-B001	Additional Construction Signs
38	Mile 619-	A1001	Temporary Traffic Stripe, Continuous White
18	Mile 619-	A2001	Temporary Traffic Stripe, Continuous Yellow
16	Mile 619-	A4002	Temporary Traffic Stripe, Skip Yellow
11,250	Linear Feet 619-	A5001	Temporary Traffic Stripe, Detail
270	Square Feet 619-	A6001	Temporary Traffic Stripe, Legend
3,000	Linear Feet 619-	A6002	Temporary Traffic Stripe, Legend
1	Lump Sum 620)-A001	Mobilization
19	Mile 626	-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
8	Mile 626	5-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
9	Mile 626	6-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
5,700	Linear Feet 626	-G002	Thermoplastic Detail Stripe, White
1,800	Linear Feet 626	-G003	Thermoplastic Detail Stripe, Yellow
180	Square Feet 626	5-H004	Thermoplastic Legend, White
2,000	Linear Feet 626	5-H005	Thermoplastic Legend, White
400	Each 627	7-J001	Two-Way Clear Reflective High Performance Raised Markers
65	Each 627	'-K001	Red-Clear Reflective High Performance Raised Markers

1,400	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
650	Each	627-M001	One-Way Clear Reflective High Performance Raised Markers
40	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
16	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
173	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
14	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
6	Each	630-G004	Type 3 Object Markers, OM-3R or OM-3L
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
			ALTERNATE GROUP AA NUMBER 1
50	Ton	304-F001	3/4" and Down Crushed Stone Base
			ALTERNATE GROUP AA NUMBER 2
50	Ton	304-F002	Size 610 Crushed Stone Base
			ALTERNATE GROUP AA NUMBER 3
50	Ton	304-F003	Size 825B Crushed Stone Base

Full Depth Reclamation & DBST approximately 10 miles of SR 316 from the BOSM in Jonestown to SR 6 / US 278, known as State Project Nos. SP-0835-00(006) / 109224301 & SP-0835-00(007) / 109224302 in Coahoma & Quitman Counties.

PROJECT COMPLETION: Flexible

			Roduway items
84	Each	202-B213	Removal of Sign
1,395	Linear Feet	202-B240	Removal of Traffic Stripe
1	Lump Sum	618-A001	Maintenance of Traffic
2	Square Feet	618-B001	Additional Construction Signs
44	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
24	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
12	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
1	Lump Sum	620-A001	Mobilization
22	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
6	Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
13	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
600	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
280	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
173	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
914	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
174	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
466	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
208	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
1,545	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
8	Each	630-G004	Type 3 Object Markers, OM-3R or OM-3L
1	Lump Sum	699-A001	Roadway Construction Stakes
131,225	Gallon	907-410-A002	Asphalt for Surface Treatment, Grade CRS-2P
1,485	Cubic Yard	907-410-B001	Seal Aggregate Cover Material, Size 7, Limestone
1,375	Cubic Yard	907-410-B002	Seal Aggregate Cover Material, Size 89, Limestone
16,400	Gallon	907-414-B001	Asphalt for Fog Seal

133,770 Square Yard 907-424-A001 Roadbed Reclamation with Cement

2,550 Ton 907-424-B001 Cement

2 Each 907-619-E3001 Changeable Message Sign

Mill & Overlay approximately 9 miles of SR 370 from SR 4 to 0.1 miles east of the Dumas Fire Department, known as State Project No. SP-0938-00(011) / 108910301 in Tippah County.

PROJECT COMPLETION: 110 Working Days

			Roadway items
765	Square Yard 202	2-B007	Removal of Asphalt Pavement, All Depths
765	Cubic Yard 203	3-G001	Excess Excavation, FM, AH
765	Square Yard 209	9-A009	Geotextile Stabilization, Type VII, Non-Woven
1,000	Cubic Yard 304	4-A002	Granular Material, LVM, Class 3, Group C
12,764	Ton 403	3-A015	9.5-mm, ST, Asphalt Pavement
122,163	Square Yard 406	6-D001	Fine Milling of Bituminous Pavement, All Depths
7,000	Gallon 407	7-A001	Asphalt for Tack Coat
860	Linear Feet 503	3-C010	Saw Cut, Full Depth
1	Lump Sum 618	8-A001	Maintenance of Traffic
1	Square Feet 618	8-B001	Additional Construction Signs
36	Mile 619-	-A1001	Temporary Traffic Stripe, Continuous White
36	Mile 619-	-A2001	Temporary Traffic Stripe, Continuous Yellow
800	Linear Feet 619-	-A4003	Temporary Traffic Stripe, Skip Yellow, Paint
3,287	Linear Feet 619-	-A5001	Temporary Traffic Stripe, Detail
1,416	Linear Feet 619-	-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum 620	0-A001	Mobilization
18	Mile 626	6-B004	6" Thermoplastic Traffic Stripe, Continuous White
400	Linear Feet 626	6-D004	6" Thermoplastic Traffic Stripe, Skip Yellow
18	Mile 626	6-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
2,167	Linear Feet 626	6-G002	Thermoplastic Detail Stripe, White
1,120	Linear Feet 626	6-G003	Thermoplastic Detail Stripe, Yellow
2,736	Linear Feet 626	6-H005	Thermoplastic Legend, White
760	Each 62	7-J001	Two-Way Clear Reflective High Performance Raised Markers
2,448	Each 62	7-L001	Two-Way Yellow Reflective High Performance Raised Markers
4,744	Each 627	7-M001	One-Way Clear Reflective High Performance Raised Markers

45	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
133	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
173	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
385	Linear Feet	630-C001	Square Tube Posts, 4.0 lb/ft
111	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
3	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
1,320	Ton	815-A002	Loose Riprap, Size 100
2,423	Square Yard	815-E001	Geotextile under Riprap
765	Square Yard	907-204-A003	Geogrid, Type II, Biaxial
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
			ALTERNATE GROUP AA NUMBER 1
924	Ton	304-F001	3/4" and Down Crushed Stone Base
			ALTERNATE GROUP AA NUMBER 2
924	Ton	304-F002	Size 610 Crushed Stone Base
			ALTERNATE GROUP AA NUMBER 3
924	Ton	304-F003	Size 825B Crushed Stone Base

Overlay approximately 15 miles of SR 433 from Benton to the EOSM at Ebenezer-Coxburg Road, known as State Project Nos. SP-1515-00(013) / 108941301 & SP-1515-00(012) / 108695301 in Holmes & Yazoo Counties.

PROJECT COMPLETION: 209 Working Days

			Roduway items
1,010	Station	201-D001	Random Clearing
228	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
2,234	Linear Feet	202-B150	Removal of Guard Rail Including Post, Blockouts & Hardware
800	Linear Feet	202-B240	Removal of Traffic Stripe
76	Cubic Yard	203-G001	Excess Excavation, FM, AH
6,100	Ton	304-D002	Granular Material, Crushed Stone
19,850	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
235	Ton	403-B006	19-mm, ST, Asphalt Pavement, Leveling
8,100	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
13,500	Gallon	407-A001	Asphalt for Tack Coat
8,256	Square Feet	412-A001	Pre-Grinding
736	Linear Feet	503-C010	Saw Cut, Full Depth
1,200	Linear Feet	606-B001	Guard Rail, Class A, Type 1
16	Each	606-D019	Guard Rail, Bridge End Section, Type H
16	Each	606-E005	Guard Rail, Terminal End Section, Flared
1	Lump Sum	618-A001	Maintenance of Traffic
2	Square Feet	618-B001	Additional Construction Signs
31	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
21	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
8	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
2,250	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
950	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
31	Mile	626-B002	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
8	Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow

21	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
4,500	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
825	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
1,575	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
460	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,700	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
102	Each	630-F006	Delineators, Guard Rail, White
16	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips

CALL No. 11

Placement of Raised Pavement Markers on various routes throughout the District, known as State Project No. MP-5000-00(162) / 307930301 in District 5.

PROJECT COMPLETION: 157 Working Days

1	Lump Sum	618-A001	Maintenance of Traffic
1	Lump Sum	620-A001	Mobilization
54,895	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
49,474	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
34,715	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Contractors may request permission to bid online at http://shop.mdot.ms.gov at no cost. Upon approval, contractors shall be eligible to submit a bid using Bid Express at http://bidx.com. Specimen proposals may be viewed and downloaded online at no cost at http://mdot.ms.gov or purchased online at http://shop.mdot.ms.gov at a cost of Ten Dollars (\$10.00) per proposal plus a small convenience fee. Cash or checks will not be accepted as payment.

Plans must be purchased online at https://shop.mdot.ms.gov. Costs of plans will be on a cost per sheet basis plus a small convenience fee. You can contact the MDOT Plans Print Shop at Telephone No. (601) 359-7460 or e-mail at plans@mdot.state.ms.us. Plans will be shipped on receipt of payment. Cash or checks will not be accepted as payment.

Bid bond, signed or countersigned by a Mississippi Resident Agent or qualified non-resident agent, with Power of Attorney attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

BRAD WHITE EXECUTIVE DIRECTOR