

Proposal & Plan Sales Will Begin on July 25, 2023



**MISSISSIPPI DEPARTMENT OF
TRANSPORTATION**

Notice to Contractors

Letting Date For August - August 01, 2023

MISSISSIPPI DEPARTMENT OF TRANSPORTATION
NOTICE TO CONTRACTORS

LETTING DATE FOR AUGUST - Tuesday, August 1, 2023

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List is available online at mdot.ms.gov

PROPOSAL AND PLAN SALES WILL BEGIN ON JULY 25, 2023

Proposals must be purchased online at:
<https://shop.mdot.ms.gov>
For Information Please Contact:
Contract Administration Division
Jackson, MS
Telephone: (601) 359-7700

Plans must be purchased online at:
<https://shop.mdot.ms.gov>
For Information Please Contact:
MDOT Plans Print Shop
Jackson, MS
Telephone: (601) 359-7460
e-mail: plans@mdot.state.ms.us

Electronic bids will be received by the Mississippi Transportation Commission at 10:00 o'clock A.M., Tuesday, August 1, 2023; from the Bid Express Service and shortly thereafter, bids will be publicly read in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

LIST OF CONTRACTS FOR AUGUST

CALL	CONTRACT	COUNTY
01	STP-0022-04(071)/102607302	UNION
02	SP-0020-02(106)/109421301 & SP-0020-02(106)/109421302	LAUDERDALE

CALL No. 01

Grade, Bridge, Pave 2-Lanes approximately 6 miles of SR 15 from the Pontotoc County Line to King's Creek south of New Albany (Bridge No. 292.6), known as Federal Aid Project No. STP-0022-04(071) / 102607302 in Union County.

PROJECT COMPLETION: 595 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

1	Lump Sum	201-A001	Clearing and Grubbing
1	Acre	201-B001	Clearing and Grubbing
1	Lump Sum	202-A001	Removal of Obstructions
1,133	Square Yard	202-B004	Removal of Asphalt Driveways, All Depths
36,646	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
3	Each	202-B023	Removal of Bridge
1,700	Square Yard	202-B052	Removal of Concrete Driveways, All Depths
1,401	Square Yard	202-B059	Removal of Concrete Median & Island Pavement, All Depths
6,395	Linear Feet	202-B092	Removal of Curb, All Types
2,076	Linear Feet	202-B136	Removal of Guard Rail
9	Each	202-B165	Removal of Inlets, All Sizes
4,454	Linear Feet	202-B191	Removal of Pipe, 8" And Above
3,388	Square Yard	202-B226	Removal of Soil Cement Treated Base, All Depths
1	Mile	202-B241	Removal of Traffic Stripe
380,466	Cubic Yard	203-A001	Unclassified Excavation, FM, AH
1,700	Cubic Yard	203-B001	Rock Excavation, FM, AH
128,087	Cubic Yard	203-EX020	Borrow Excavation, AH, FME, Class B9
159,742	Cubic Yard	203-G001	Excess Excavation, FM, AH
7,647	Cubic Yard	206-A001	Structure Excavation
79	Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
30,920	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
76	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
96	Ton	213-C001	Superphosphate
10,676	Square Yard	216-A001	Solid Sodding

669	Square Yard	217-A001	Ditch Liner
214	Thousand Gallon	219-A001	Watering
96	Acre	220-A001	Insect Pest Control
282	Cubic Yard	221-A001	Concrete Paved Ditch
384	Acre	223-A001	Mowing
192	Acre	225-A001	Grassing
96	Ton	225-B001	Agricultural Limestone
384	Ton	225-C001	Mulch, Vegetative Mulch
192	Acre	226-A001	Temporary Grassing
347	Each	235-A001	Temporary Erosion Checks
39	Each	236-A008	Silt Basin, Type D
1,380	Linear Feet	237-A002	Wattles, 20"
10,000	Linear Feet	239-A001	Temporary Slope Drains
1,160	Linear Feet	245-A001	Silt Dike
570	Linear Feet	246-A001	Sandbags
570	Each	246-B001	Rockbags
4	Each	247-A001	Temporary Stream Diversion
1,044	Ton	249-A001	Riprap for Erosion Control
460	Cubic Yard	249-B001	Remove and Reset Riprap
40,715	Cubic Yard	304-C001	Granular Material, AEA, Class 3, Group C
21,362	Cubic Yard	304-C009	Granular Material, AEA, Class 9, Group C
63,086	Square Yard	307-B001	10" Soil-Lime-Water Mixing, Class B
1,619	Ton	307-D001	Lime
15,772	Gallon	307-S001	Bituminous Curing Seal
2,521	Ton	308-A001	Cement
63,086	Square Yard	308-B002	Soil-Cement-Water Mixing, Optional Mixers, Base
96,131	Square Yard	308-B003	Soil-Cement-Water Mixing, Optional Mixers, Design Soil
39,805	Gallon	308-S001	Bituminous Curing Seal
26,460	Ton	403-A002	12.5-mm, MT, Asphalt Pavement
28,387	Ton	403-A005	19-mm, MT, Asphalt Pavement

22,267	Ton	403-A014	9.5-mm, MT, Asphalt Pavement
298	Ton	403-B002	12.5-mm, MT, Asphalt Pavement, Leveling
19,256	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
19,803	Gallon	407-A001	Asphalt for Tack Coat
10,000	Gallon	408-A003	Asphalt for Prime Coat, Emulsified Asphalt EA-1
20	Mile	423-A001	Rumble Strips, Ground In
1,179	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
176	Linear Feet	503-C010	Saw Cut, Full Depth
310	Cubic Yard	601-A001	Class "B" Structural Concrete
81	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
56,563	Pounds	602-A001	Reinforcing Steel
2,312	Linear Feet	603-ALT003	18" Type A Alternate Pipe
320	Linear Feet	603-ALT006	24" Type A Alternate Pipe
40	Linear Feet	603-ALT009	30" Type A Alternate Pipe
3,264	Linear Feet	603-CA011	18" Reinforced Concrete Pipe, Class III
3,352	Linear Feet	603-CA026	24" Reinforced Concrete Pipe, Class III
664	Linear Feet	603-CA040	30" Reinforced Concrete Pipe, Class III
320	Linear Feet	603-CA055	36" Reinforced Concrete Pipe, Class III
268	Linear Feet	603-CA066	42" Reinforced Concrete Pipe, Class III
632	Linear Feet	603-CA076	48" Reinforced Concrete Pipe, Class III
28	Each	603-CB003	18" Reinforced Concrete End Section
35	Each	603-CB004	24" Reinforced Concrete End Section
7	Each	603-CB005	30" Reinforced Concrete End Section
2	Each	603-CB006	36" Reinforced Concrete End Section
1	Each	603-CB007	42" Reinforced Concrete End Section
4	Each	603-CB008	48" Reinforced Concrete End Section
288	Linear Feet	603-CE002	22" x 13" Concrete Arch Pipe, Class A III
120	Linear Feet	603-CE008	29" x 18" Concrete Arch Pipe, Class A III
6	Each	603-CF002	22" x 13" Concrete Arch Pipe End Section
3	Each	603-CF003	29" x 18" Concrete Arch Pipe End Section

3	Each	603-SB012	18" Branch Connections, Stub into Box Culvert
1	Each	603-SB028	24" Branch Connections, Stub into Box Culvert
1,106	Pounds	604-A001	Castings
3,822	Pounds	604-B001	Gratings
1,682	Square Yard	605-AA001	Geotextile for Subsurface Drainage, Type III
563	Linear Feet	605-O002	4" Perforated Sewer Pipe for Underdrains, SDR 23.5
104	Linear Feet	605-P002	4" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
130	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
144	Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
1,300	Linear Feet	606-B001	Guard Rail, Class A, Type 1
12	Each	606-D022	Guard Rail, Bridge End Section, Type I
8	Each	606-E005	Guard Rail, Terminal End Section, Flared
5	Each	606-E007	Guard Rail, Terminal End Section, Non-Flared
6,014	Linear Feet	609-D004	Combination Concrete Curb and Gutter Type 2 Modified
3,801	Linear Feet	609-D012	Combination Concrete Curb and Gutter Type 3A Modified
1,176	Square Yard	614-A001	Concrete Driveway, Without Reinforcement
200	Linear Feet	615-A024	Concrete Bridge End Barrier, 37.5"
1,792	Square Yard	616-A001	Concrete Median and/or Island Pavement, 10-inch
19,055	Square Yard	616-A004	Concrete Median and/or Island Pavement, 4-inch
303	Each	617-A001	Right-of-Way Marker
1	Lump Sum	618-A001	Maintenance of Traffic
22	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
18	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
12	Mile	619-A3001	Temporary Traffic Stripe, Skip White
6	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
62,939	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
5,000	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
4,204	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
918	Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
70	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet

5,000	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
500	Linear Feet	619-F1001	Concrete Median Barrier, Precast
500	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
24	Linear Feet	619-G4001	Barricades, Type III, Double Faced
3,564	Linear Feet	619-G4005	Barricades, Type III, Single Faced
1,760	Each	619-G5001	Free Standing Plastic Drums
5	Each	619-G7001	Warning Lights, Type "B"
25	Each	619-G8001	Warning Lights, Type "C"
2	Each	619-J1003	Impact Attenuator, 50 MPH
2	Each	619-J2003	Impact Attenuator, 50 MPH, Replacement Package
2	Each	619-J3001	Remove and Reset Impact Attenuator
4	Each	619-K2004	Installation and Removal of Guard Rail, Type I Bridge End Section
4	Each	619-K4001	Installation and Removal of Guardrail, Terminal End Section
1	Lump Sum	620-A001	Mobilization
1	Each	621-A001	Field Laboratory
12	Mile	626-A004	6" Thermoplastic Traffic Stripe, Skip White
12	Mile	626-C004	6" Thermoplastic Edge Stripe, Continuous White
2	Mile	626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
4	Mile	626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
8	Mile	626-F003	6" Thermoplastic Edge Stripe, Continuous Yellow
40,653	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
17,657	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
898	Square Feet	626-H004	Thermoplastic Legend, White
2,180	Linear Feet	626-H005	Thermoplastic Legend, White
674	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,401	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
674	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
605	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
852	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness

506	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
3,541	Linear Feet	630-C001	Square Tube Posts, 4.0 lb/ft
18	Linear Feet	630-C002	Steel U-Section Posts, 2.0 lb/ft
22	Pounds	630-E005	Structural Steel Angles & Bars, Aluminum Unistrut
39	Each	630-F002	Delineators, Flexible Post Mounted, Crossover, Type I, Yellow
68	Each	630-F006	Delineators, Guard Rail, White
54	Each	630-F007	Delineators, Guard Rail, Yellow
20	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
30	Linear Feet	630-K002	Welded & Seamless Steel Pipe Posts, 3"
6	Each	635-A059	Traffic Signal Head, Type 1
2	Each	635-A065	Traffic Signal Head, Type 2 FYA
2	Each	635-A070	Traffic Signal Head, Type 3
4	Each	638-A006	Flasher Assembly, Prepare To Stop
1	Lump Sum	699-A001	Roadway Construction Stakes
11,179	Ton	815-A007	Loose Riprap, Size 300
2,854	Square Yard	815-E001	Geotextile under Riprap
1,517	Ton	815-F002	Sediment Control Stone
30,000	Linear Feet	907-234-A001	Temporary Silt Fence
1,750	Linear Feet	907-234-C001	Super Silt Fence
45	Each	907-234-D001	Inlet Siltation Guard
200	Linear Feet	907-234-F001	Turbidity Barrier
7,181	Linear Feet	907-253-A001	Coir Fiber Baffle
517	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
15,244	Square Yard	907-424-A001	Roadbed Reclamation with Cement
6	Each	907-619-E3001	Changeable Message Sign
269	Square Feet	907-630-PP002	Roadside Directional Signs, Sheet Aluminum, 0.125" Thickness, Ground Mounted
1	Each	907-632-A010	Solid State Traffic Cabinet Assembly, Type IV Cabinet, Type 1 Controller
1	Each	907-632-J001	Power Service Pedestal
1	Each	907-633-A001	Uninterruptable Power Supply
3	Each	907-634-A080	Traffic Signal Equipment Pole, Type II, 17' Shaft, 30' Arm

1	Each	907-634-A081	Traffic Signal Equipment Pole, Type II, 17' Shaft, 35' Arm
2	Each	907-634-A083	Traffic Signal Equipment Pole, Type II, 17' Shaft, 45' Arm
12	Cubic Yard	907-634-C001	Pole Foundations, Class "B" Concrete
2,875	Linear Feet	907-636-B014	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 5 Conductor
1,640	Linear Feet	907-636-B016	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 8 Conductor
300	Linear Feet	907-636-B053	Electric Cable, Underground in Conduit, THHN, AWG #6, 3 Conductor
299	Linear Feet	907-636-D008	Electric Cable, Aerial Supported in Conduit, IMSA 20-1, AWG 14, 8 Conductor
13	Each	907-637-A002	Pullbox Enclosure, Type 2
2	Each	907-637-A003	Pullbox Enclosure, Type 3
2,445	Linear Feet	907-637-C028	Traffic Signal Conduit, Underground, Type 4, 2"
45	Linear Feet	907-637-C030	Traffic Signal Conduit, Underground, Type 4, 3"
1,510	Linear Feet	907-637-D003	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
4	Each	907-641-A002	Signal Stop Bar Radar Vehicle Detection Sensor, Type 2
2	Each	907-641-B002	Signal Advanced Radar Vehicle Detection Sensor, Type 2
1,964	Linear Feet	907-641-D001	Radar Vehicle Detection Cable
47	Square Feet	907-653-B001	Street Name Sign
1,040	Hours	907-906001	Trainees

ALTERNATE GROUP AA NUMBER 1

25,700	Ton	304-F001	3/4" and Down Crushed Stone Base
--------	-----	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

25,700	Ton	304-F002	Size 610 Crushed Stone Base
--------	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

25,700	Ton	304-F003	Size 825B Crushed Stone Base
--------	-----	----------	------------------------------

ALTERNATE GROUP BB NUMBER 1

229	Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
-----	------------	----------	--

ALTERNATE GROUP BB NUMBER 2

229	Cubic Yard	605-W003	Filter Material for Combination Storm Drain and/or Underdrains, Type C, FM
-----	------------	----------	--

ALTERNATE GROUP CC NUMBER 1

1,855	Linear Feet	907-624-A002	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White
625	Linear Feet	907-624-C001	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow
2,668	Linear Feet	907-624-E001	Inverted Profile Thermoplastic Detail Traffic Stripe, White

1,855 Linear Feet 907-624-E003 Inverted Profile Thermoplastic Detail Traffic Stripe, Yellow

ALTERNATE GROUP CC NUMBER 2

1,855 Linear Feet 628-G001 6" High Performance Cold Plastic Traffic Stripe, Skip White
625 Linear Feet 628-I002 6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
2,668 Linear Feet 628-K001 High Performance Cold Plastic Detail Stripe, White
1,855 Linear Feet 628-K002 High Performance Cold Plastic Detail Stripe, Yellow

Bridge Items

910 Cubic Yard 206-A001 Structure Excavation
7,707 Square Yard 501-K001 Transverse Grooving
1,085 Linear Feet 803-F007 18" Pre-Formed Pile Hole
880 Linear Feet 803-F013 26" Pre-Formed Pile Hole
35 Linear Feet 803-F013 26" Pre-Formed Pile Hole For Out of Position Indicator Pile
713 Linear Feet 803-F014 30" Pre-Formed Pile Hole
3,520 Linear Feet 803-P001 24" Steel Pipe Piling, Wall Thickness 0.500"
1,035 Linear Feet 803-P003 30" Steel Pipe Piling, Wall Thickness 0.500"
4,995 Linear Feet 803-P007 18" Steel Pipe Piling, Wall Thickness 0.500"
6,520 Linear Feet 804-C188 80' Prestressed Concrete Beam, Type FIB-36
1,194 Linear Feet 804-C192 100' Prestressed Concrete Beam, Type FIB-36
1,794 Linear Feet 804-C207 150' Prestressed Concrete Beam, Type FIB-63
1,190 Linear Feet 804-C208 60' Prestressed Concrete Beam, Type FIB-36
799,656 Pounds 805-A001 Reinforcement
25,530 Pounds 805-C001 Reinforcement, Corrosion Resistant
3,120 Linear Feet 813-A004 Concrete Railing, 36"
14,596 Ton 815-A007 Loose Riprap, Size 300
10,310 Square Yard 815-E001 Geotextile under Riprap
5 Each 907-803-B001 Conventional Static Pile Load Test
14 Each 907-803-I004 PDA Test Pile, Steel Pipe Pile
13 Each 907-803-J001 Pile Restrike
2,278 Cubic Yard 907-804-A001 Bridge Concrete, Class BD
772 Cubic Yard 907-804-A002 Bridge Concrete, Class AA

1,503	Cubic Yard	907-804-A003	Bridge Concrete, Class B
327	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
168	Linear Feet	907-823-A002	Preformed Joint Seal, Type II

CALL No. 02

Emergency Bridge Repair on I-20 Eastbound 8.4 miles east of the Newton County Line (Bridge No. 131.5B), known as State Project No. SP-0020-02(106) / 109421301 & 302 in Lauderdale County.

PROJECT COMPLETION: NOVEMBER 10, 2023

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

600	Linear Feet	202-B061	Removal of Concrete Median Barrier, Precast
900	Linear Feet	202-B240	Removal of Traffic Stripe
1	Lump Sum	618-A001	Maintenance of Traffic
600	Linear Feet	619-A1007	Temporary Traffic Stripe, Continuous White, Type 1 or 2 Tape
600	Linear Feet	619-A2008	Temporary Traffic Stripe, Continuous Yellow, Type 1 or 2 Tape
600	Linear Feet	619-A3008	Temporary Traffic Stripe, Skip White, Type 1 or 2 Tape
24	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
156	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
1	Each	619-E1001	Flashing Arrow Panel, Type C
900	Linear Feet	619-F1001	Concrete Median Barrier, Precast
900	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
36	Linear Feet	619-G4005	Barricades, Type III, Single Faced
56	Each	619-G5001	Free Standing Plastic Drums
12	Each	619-G7001	Warning Lights, Type "B"
6	Each	619-G8001	Warning Lights, Type "C"
1	Lump Sum	620-A001	Mobilization
600	Linear Feet	626-A002	6" Thermoplastic Double Drop Traffic Stripe, Skip White
600	Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White
600	Linear Feet	626-F002	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
8	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
2	Each	907-619-E3001	Changeable Message Sign

Bridge Items

112	Linear Feet	202-B169	Removal of Joint Material
1,647	Square Yard	907-202-B001	Removal of Bridge Deck, Hydrodemolition
113	Cubic Yard	907-804-O001	Bridge Deck Overlay Concrete

168	Linear Feet	907-808-A002	Joint Repair
228	Linear Feet	907-823-A001	Prefomed Joint Seal, Type I
1,540	Square Feet	907-824-PP003	Bridge Repair, Removal of Bridge Deck, Per Plans
1	Lump Sum	907-824-PP004	Bridge Repair, Temporary Shoring

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Contractors may request permission to bid online at <http://shop.mdot.ms.gov> at no cost. Upon approval, contractors shall be eligible to submit a bid using Bid Express at <http://bidx.com>. Specimen proposals may be viewed and downloaded online at no cost at <http://mdot.ms.gov> or purchased online at <http://shop.mdot.ms.gov> at a cost of Ten Dollars (\$10.00) per proposal plus a small convenience fee. Cash or checks will not be accepted as payment.

Plans must be purchased online at <https://shop.mdot.ms.gov>. Costs of plans will be on a cost per sheet basis plus a small convenience fee. You can contact the MDOT Plans Print Shop at Telephone No. (601) 359-7460 or e-mail at plans@mdot.state.ms.us. Plans will be shipped on receipt of payment. Cash or checks will not be accepted as payment.

Bid bond, signed or countersigned by a Mississippi Resident Agent or qualified non-resident agent, with Power of Attorney attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

BRAD WHITE
EXECUTIVE DIRECTOR