

**Proposal & Plan Sales Will Begin on July 31, 2023**



**MISSISSIPPI DEPARTMENT OF  
TRANSPORTATION**

***Notice to Contractors***

**Letting Date For August - August 22, 2023**

# MISSISSIPPI DEPARTMENT OF TRANSPORTATION

## NOTICE TO CONTRACTORS

### LETTING DATE FOR AUGUST - Tuesday, August 22, 2023

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List is available online at [mdot.ms.gov](https://mdot.ms.gov)

### PROPOSAL AND PLAN SALES WILL BEGIN ON JULY 31, 2023

Proposals must be purchased online at:  
<https://shop.mdot.ms.gov>  
For Information Please Contact:  
Contract Administration Division  
Jackson, MS  
Telephone: (601) 359-7700

Plans must be purchased online at:  
<https://shop.mdot.ms.gov>  
For Information Please Contact:  
MDOT Plans Print Shop  
Jackson, MS  
Telephone: (601) 359-7460  
e-mail: [plans@mdot.state.ms.us](mailto:plans@mdot.state.ms.us)

Electronic bids will be received by the Mississippi Transportation Commission at 10:00 o'clock A.M., Tuesday, August 22, 2023; from the Bid Express Service and shortly thereafter, bids will be publicly read in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

\* No plans except Standard Drawings

#### LIST OF CONTRACTS FOR AUGUST

CALL	CONTRACT	COUNTY
01	NHPP-0006-01(103)/108847301 & NHPP-0006-01(102)/108847302	DESOTO, MARSHALL
* 02	NHPP-0008-03(059)/108245301	RANKIN
03	BR-0046-01(016)/100888301	FRANKLIN
* 04	STP-0054-02(032)/108725301	HINDS
05	STBG-0086-00(009)/108824301	HARRISON
* 06	HRRR-0167-00(029)/109367301 & SP-0167-00(028)/108986301	AMITE
07	STP-6928-01(016)/108504301	MADISON
* 08	STBG-9999-03(378)/108777303	BOLIVAR
* 09	SP-0153-00(009)/109248301	WILKINSON

Electronic bids will be received by the Mississippi Transportation Commission at 10:00 o'clock A.M., Wednesday, September 27, 2023; from the Bid Express Service and shortly thereafter, bids will be publicly read in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

\* No plans except Standard Drawings

**LIST OF CONTRACTS FOR SEPTEMBER**

CALL	CONTRACT	COUNTY
01	NHPP-0010-01(179)/1069473010 & NHPP-0010-01(179)/1069473011 & NHPP-0010-01(179)/1069473012 & NHPP-0010-01(179)/1069473020 & NHPP-0010-01(179)/1069473021	HANCOCK, HARRISON

CALL No. 01

Bridge Preservation on US 78 & SR 305 (Bridge Nos. 2.6A, 2.6B, & 14.6) and I-22 over Musgray Road (Bridge Nos. 34.5A & 34.5B), known as Federal Aid Project Nos. NHPP-0006-01(103) / 108847301 & NHPP-0006-01(102) / 108847302 in Desoto and Marshall Counties.

PROJECT COMPLETION: 264 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**  
**Roadway Items**

1,600	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
1,600	Square Yard	202-B045	Removal of Cement Treated Base, All Depths
800	Linear Feet	202-B150	Removal of Guard Rail Including Post, Blockouts & Hardware
2,400	Square Yard	209-A004	Geotextile Stabilization, Type V
550	Ton	403-A004	19-mm, HT, Asphalt Pavement
190	Ton	403-A013	9.5-mm, HT, Asphalt Pavement
500	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
360	Gallon	407-A001	Asphalt for Tack Coat
4,800	Linear Feet	503-C010	Saw Cut, Full Depth
680	Linear Feet	606-B001	Guard Rail, Class A, Type 1
4	Each	606-D022	Guard Rail, Bridge End Section, Type I
4	Each	606-E005	Guard Rail, Terminal End Section, Flared
3,040	Linear Feet	615-B001	Precast Concrete Median Barrier
1	Lump Sum	618-A001	Maintenance of Traffic
5,500	Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
2,800	Linear Feet	619-A1003	Temporary Traffic Stripe, Continuous White, Paint
3,100	Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow
2,800	Linear Feet	619-A2003	Temporary Traffic Stripe, Continuous Yellow, Paint
144	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
92	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
864	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
4	Each	619-E1001	Flashing Arrow Panel, Type C
3,040	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
4	Linear Feet	619-G4005	Barricades, Type III, Single Faced

100	Each	619-G5001	Free Standing Plastic Drums
51	Each	619-G7001	Warning Lights, Type "B"
28	Each	619-G8001	Warning Lights, Type "C"
1	Lump Sum	620-A001	Mobilization
7,300	Linear Feet	626-A002	6" Thermoplastic Double Drop Traffic Stripe, Skip White
7,000	Linear Feet	626-B001	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
4,600	Linear Feet	626-E002	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
15	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
10	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
72	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
2	Each	907-619-H2001	Traffic Signal, Portable, Type 1
2	Each	907-643-A005	Video Vehicle Detection Sensor, Type 1B

**ALTERNATE GROUP AA NUMBER 1**

600	Ton	304-F001	3/4" and Down Crushed Stone Base
-----	-----	----------	----------------------------------

**ALTERNATE GROUP AA NUMBER 2**

600	Ton	304-F002	Size 610 Crushed Stone Base
-----	-----	----------	-----------------------------

**ALTERNATE GROUP AA NUMBER 3**

600	Ton	304-F003	Size 825B Crushed Stone Base
-----	-----	----------	------------------------------

**Bridge Items**

48	Square Yard	202-B083	Removal of Concrete Slope Paving
384	Linear Feet	202-B169	Removal of Joint Material
7	Cubic Yard	815-D001	Concrete Slope Paving
4,729	Square Yard	907-202-B001	Removal of Bridge Deck, Hydrodemolition
2,500	Pounds	907-420-A001	Undersealing
337	Cubic Yard	907-804-O001	Bridge Deck Overlay Concrete
1,545	Linear Feet	907-808-A002	Joint Repair
441	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
773	Linear Feet	907-823-A002	Preformed Joint Seal, Type II
1,545	Linear Feet	907-823-B001	Saw Cut, Type I
881	Linear Feet	907-823-B002	Saw Cut, Type II
54	Square Feet	907-824-A003	General Epoxy Repair

36	Square Feet	907-824-B004	FRP Wrap, Uni-directional
21	Each	907-824-C001	Cap Cleaning
90	Each	907-824-D001	Bearing Replacements
600	Square Feet	907-824-PP003	Bridge Repair, Removal of Bridge Deck, Per Plans
1	Lump Sum	907-824-PP004	Bridge Repair, Temporary Shoring, Per Plans
1,580	Linear Feet	907-824-PP008	Bridge Repair, Bridge Railing Cleaning, Per Plans
2,368	Linear Feet	907-824-PP008	Bridge Repair, Class 2, Spray Finish, Per Plans
356	Linear Feet	907-824-PP008	Bridge Repair, End Wall Repair, Per Plans

CALL No. 02

Mill & Overlay approximately 9 miles of US 49 from the Simpson County Line to south of Florence, known as Federal Aid Project No. NHPP-0008-03(059) / 108245301 in Rankin County.

PROJECT COMPLETION: APRIL 04, 2025

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

406 Square Yard	202-B009	Removal of Asphalt Pavement, Failed Areas
384 Square Yard	202-B045	Removal of Cement Treated Base, All Depths
767 Square Yard	202-B069	Removal of Concrete Pavement w/ Variable Depth Overlay
111 Linear Feet	202-B092	Removal of Curb, All Types
8 Linear Feet	202-B114	Removal of Debris and Sand From Pipe, All Sizes
4,305 Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
685 Linear Feet	202-B240	Removal of Traffic Stripe
173 Cubic Yard	203-EX040	Borrow Excavation, AH, LVM, Class B9
195 Cubic Yard	203-G002	Excess Excavation, LVM, AH
387 Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
736 Square Yard	229-A001	Erosion Mat
6,156 Ton	304-B003	Granular Material, Class 5, Group C
109 Ton	304-F002	Size 610 Crushed Stone Base
15,173 Ton	403-A001	12.5-mm, HT, Asphalt Pavement
255 Ton	403-B001	12.5-mm, HT, Asphalt Pavement, Leveling
34,426 Ton	403-D001	12.5-mm, HT, Asphalt Pavement, Polymer Modified
431,915 Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
42,217 Gallon	407-A001	Asphalt for Tack Coat
31 Mile	423-A001	Rumble Strips, Ground In
210 Square Yard	503-A001	8" and Variable Continuously Reinforced Concrete Pavement, Broom Finish
557 Square Yard	503-A006	6" and Variable Reinforced Concrete Pavement, Broom Finish
500 Linear Feet	503-B001	Saw Cut, Longitudinal Joints
260 Linear Feet	503-C004	Saw Cut, 3-inch
1,536 Linear Feet	503-C010	Saw Cut, Full Depth
25 Cubic Yard	503-D001	Concrete for Base Repair

275	Each	503-E002	Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted
214	Each	503-F002	1" Smooth Dowel Bars, Drilled & Epoxied or Grouted
3,500	Linear Feet	606-B003	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
11	Each	606-C003	Guard Rail, Cable Anchor, Type 1
4	Each	606-D005	Guard Rail, Bridge End Section, Type A
4	Each	606-E005	Guard Rail, Terminal End Section, Flared
11	Each	606-E007	Guard Rail, Terminal End Section, Non-Flared
4	Each	606-G002	Special Sections, Guard Rail Bridge End Connector
1	Lump Sum	618-A001	Maintenance of Traffic
38	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
30	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
42	Mile	619-A3001	Temporary Traffic Stripe, Skip White
47,850	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
870	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
2,896	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
94	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
952	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
96	Linear Feet	619-G4005	Barricades, Type III, Single Faced
4	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
21	Mile	626-A001	6" Thermoplastic Double Drop Traffic Stripe, Skip White
19	Mile	626-B002	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
15	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
24,305	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
23,504	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
868	Square Feet	626-H001	Thermoplastic Double Drop Legend, White
2,896	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
743	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
5,871	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
99	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers



50	Each	630-F003	Delineators, Flexible Post Mounted, Crossover, Type II
105	Each	630-F006	Delineators, Guard Rail, White
13	Each	630-F007	Delineators, Guard Rail, Yellow
17	Each	630-G004	Type 3 Object Markers, OM-3R or OM-3L
100,000	Pounds	907-403-P001	Asphalt for Pothole Patching
34,545	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
164	Each	907-512-A001	Holes
740	Pounds	907-512-B001	Cement Pressure Grout Slurry, Type 5
520	Hours	907-906001	Trainees

CALL No. 03

Bridge Replacements on US 98 over the Homochitto River (Bridge Nos. 44.7 & 45.0), known as Federal Aid Project No. BR-0046-01(016) / 100888301 in Franklin County.

PROJECT COMPLETION: 350 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

15 Acre	201-B001	Clearing and Grubbing
1 Lump Sum	202-A001	Removal of Obstructions
10,178 Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
1 Each	202-B017	Removal of Box Bridge
1 Each	202-B018	Removal of Box Culvert
539 Linear Feet	202-B136	Removal of Guard Rail
6,160 Linear Feet	202-B240	Removal of Traffic Stripe
16,837 Cubic Yard	203-A001	Unclassified Excavation, FM, AH
68,306 Cubic Yard	203-EX021	Borrow Excavation, AH, FME, Class B9-6
1,511 Cubic Yard	206-A001	Structure Excavation
200 Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
8,503 Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
11 Ton	213-C001	Superphosphate
196 Square Yard	216-A001	Solid Sodding
1,572 Square Yard	217-A001	Ditch Liner
4 Thousand Gallon	219-A001	Watering
11 Acre	220-A001	Insect Pest Control
13 Cubic Yard	221-A001	Concrete Paved Ditch
42 Acre	223-A001	Mowing
1,063 Square Yard	224-A001	Soil Reinforcing Mat
21 Acre	225-A001	Grassing
11 Ton	225-B001	Agricultural Limestone
42 Ton	225-C001	Mulch, Vegetative Mulch
21 Acre	226-A001	Temporary Grassing
140 Each	235-A001	Temporary Erosion Checks

1	Each	236-A008	Silt Basin, Type D
504	Linear Feet	237-A002	Wattles, 20"
310	Linear Feet	239-A001	Temporary Slope Drains
504	Linear Feet	245-A001	Silt Dike
466	Each	246-B001	Rockbags
2	Each	247-A001	Temporary Stream Diversion
504	Ton	249-A001	Riprap for Erosion Control
14,100	Ton	304-B006	Granular Material, Class 6, Group C
550	Ton	304-D001	Granular Material, Crushed Concrete
124	Ton	308-A001	Cement
14,700	Square Yard	308-B002	Soil-Cement-Water Mixing, Optional Mixers, Base
3,675	Gallon	308-S001	Bituminous Curing Seal
1,765	Ton	403-A002	12.5-mm, MT, Asphalt Pavement
4,103	Ton	403-A005	19-mm, MT, Asphalt Pavement
1,785	Ton	403-A014	9.5-mm, MT, Asphalt Pavement
11,021	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
744	Ton	403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
15,192	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
12,227	Gallon	407-A001	Asphalt for Tack Coat
515	Gallon	408-A001	Asphalt for Prime Coat, Cut-Back MC-70
1	Mile	423-A001	Rumble Strips, Ground In
203	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
348	Cubic Yard	601-A001	Class "B" Structural Concrete
1	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
231,303	Pounds	602-A001	Reinforcing Steel
68	Linear Feet	603-ALT003	18" Type A Alternate Pipe
80	Linear Feet	603-ALT006	24" Type A Alternate Pipe
104	Linear Feet	603-CA026	24" Reinforced Concrete Pipe, Class III
2	Each	603-CB004	24" Reinforced Concrete End Section
63	Square Yard	605-AA001	Geotextile for Subsurface Drainage, Type III

112	Linear Feet	605-O002	4" Perforated Sewer Pipe for Underdrains, SDR 23.5
10	Linear Feet	605-P002	4" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
4	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
275	Linear Feet	606-B001	Guard Rail, Class A, Type 1
2	Each	606-D018	Guard Rail, Bridge End Section, Type G, Modified
4	Each	606-D022	Guard Rail, Bridge End Section, Type I
6	Each	606-E005	Guard Rail, Terminal End Section, Flared
429	Linear Feet	609-D004	Combination Concrete Curb and Gutter Type 2 Modified
8	Each	613-D005	Adjustment of Manhole
40	Linear Feet	615-A024	Concrete Bridge End Barrier, 37.5"
26	Each	617-A001	Right-of-Way Marker
1	Lump Sum	618-A001	Maintenance of Traffic
37	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
8,975	Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
22	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
3,601	Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow
3,880	Linear Feet	619-A4001	Temporary Traffic Stripe, Skip Yellow
5	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
17,432	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
286	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
6,346	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1,345	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
1,417	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
174	Linear Feet	619-G4001	Barricades, Type III, Double Faced
96	Linear Feet	619-G4005	Barricades, Type III, Single Faced
28	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
8,975	Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White
3	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White

2 Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
3,880 Linear Feet	626-D004	6" Thermoplastic Traffic Stripe, Skip Yellow
15 Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
3,416 Linear Feet	626-E002	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
7,254 Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
2,290 Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
143 Square Feet	626-H001	Thermoplastic Double Drop Legend, White
3,267 Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
390 Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
853 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
16 Each	627-P001	Two-Way Blue Reflective High Performance Raised Markers
84 Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
54 Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
13 Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
15 Linear Feet	630-C001	Square Tube Posts, 4.0 lb/ft
255 Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
10 Pounds	630-E005	Structural Steel Angles & Bars, Aluminum Unistrut
22 Each	630-F006	Delineators, Guard Rail, White
14 Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
1 Lump Sum	699-A001	Roadway Construction Stakes
990 Ton	815-A007	Loose Riprap, Size 300
972 Square Yard	815-E001	Geotextile under Riprap
34 Ton	815-F002	Sediment Control Stone
10,677 Linear Feet	907-234-A001	Temporary Silt Fence
611 Linear Feet	907-234-C001	Super Silt Fence
125 Linear Feet	907-253-A001	Coir Fiber Baffle
93 Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
66 Linear Feet	907-619-B001	Temporary Portable Rumble Strips
6 Each	907-619-E3001	Changeable Message Sign
11 Mile	907-626-C003	Thermoplastic Audible Edge Stripe

1	Linear Feet	907-626-H004	Thermoplastic Legend, White, 4" Equivalent Length
618	Cubic Yard	907-804-B001	Box Bridge Concrete, Class B
1,040	Hours	907-906001	Trainees

**ALTERNATE GROUP AA NUMBER 1**

5,764	Square Yard	307-B003	6" Soil-Lime-Water Mixing, Class B
78	Ton	307-D001	Lime
1,441	Gallon	307-S001	Bituminous Curing Seal

**ALTERNATE GROUP AA NUMBER 2**

49	Ton	308-A001	Cement
5,764	Square Yard	308-B003	Soil-Cement-Water Mixing, Optional Mixers, Design Soil
1,441	Gallon	308-S001	Bituminous Curing Seal

**ALTERNATE GROUP BB NUMBER 1**

67	Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
----	------------	----------	--

**ALTERNATE GROUP BB NUMBER 2**

67	Cubic Yard	605-W003	Filter Material for Combination Storm Drain and/or Underdrains, Type C, FM
----	------------	----------	--

**Bridge Items**

4,166	Square Yard	501-K001	Transverse Grooving
1,647	Linear Feet	803-K010	Drilled Shaft, 72" Diameter
1	Each	803-L006	Test Shaft, 72" Diameter
166	Linear Feet	803-M009	Trial Shaft, 72" Diameter
150	Linear Feet	803-N001	Exploration
1,200	Linear Feet	803-P001	24" Steel Pipe Piling, Wall Thickness 0.500"
1,868	Linear Feet	804-C256	125' Prestressed Concrete Beam, Type FIB-54
509,738	Pounds	805-A001	Reinforcement
1,586	Pounds	805-C001	Reinforcement, Corrosion Resistant
20	Each	811-D001	Disc Bearing Device
1,875	Linear Feet	813-A004	Concrete Railing, 36"
3,600	Ton	815-A007	Loose Riprap, Size 300
2,880	Square Yard	815-E001	Geotextile under Riprap
2	Each	907-803-B001	Conventional Static Pile Load Test
2	Each	907-803-I004	PDA Test Pile, Steel Pipe Pile

2	Each	907-803-J001	Pile Restrike
1,276	Cubic Yard	907-804-A001	Bridge Concrete, Class BDX
581	Cubic Yard	907-804-A002	Bridge Concrete, Class AA
60	Cubic Yard	907-804-A002	Bridge Concrete, Class AA 6000 psi
1	Lump Sum	907-804-PP004	Post Tensioning System
980	Linear Feet	907-804-PP005	98' Post-Tensioned Concrete Beam, Per Plans
1,143	Linear Feet	907-804-PP013	115' Post-Tensioned Concrete Beam, Per Plans
645	Linear Feet	907-804-PP014	129' Post-Tensioned Concrete Beam, Per Plans
45	Linear Feet	907-822-B002	2" Reinforced Elastomeric Molded Rubber Expansion Joint
45	Linear Feet	907-822-B011	2 1/4" Reinforced Elastomeric Molded Rubber Expansion Joint
89	Linear Feet	907-823-A001	Preformed Joint Seal, Type I

CALL No. 04

Mill & Overlay approximately 11 miles of SR 27 from the Copiah County Line to SR 18, known as Federal Aid Project No. STP-0054-02(032) / 108725301 in Hinds County.

PROJECT COMPLETION: 131 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

857	Square Yard	202-B009	Removal of Asphalt Pavement, Failed Areas
1	Each	202-B129	Removal of Flared End Section, All Sizes
520	Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
8	Linear Feet	202-B191	Removal of Pipe, 8" And Above
7	Each	202-B213	Removal of Sign
810	Linear Feet	202-B240	Removal of Traffic Stripe
350	Cubic Yard	203-EX021	Borrow Excavation, AH, FME, Class B9-6
100	Cubic Yard	203-G002	Excess Excavation, LVM, AH
10	Cubic Yard	206-A001	Structure Excavation
2,398	Ton	304-D002	Granular Material, Crushed Stone
12	Ton	304-F002	Size 610 Crushed Stone Base
450	Ton	403-A001	12.5-mm, HT, Asphalt Pavement
566	Ton	403-B001	12.5-mm, HT, Asphalt Pavement, Leveling
21,321	Ton	403-D001	12.5-mm, HT, Asphalt Pavement, Polymer Modified
57,434	Linear Feet	403-S002	Joint Sealant
184,600	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
18,460	Gallon	407-A001	Asphalt for Tack Coat
33	Mile	423-A001	Rumble Strips, Ground In
797	Linear Feet	503-C010	Saw Cut, Full Depth
1	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
8	Linear Feet	603-CA055	36" Reinforced Concrete Pipe, Class III
1	Each	603-CB006	36" Reinforced Concrete End Section
225	Linear Feet	606-B003	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
4	Each	606-D005	Guard Rail, Bridge End Section, Type A
4	Each	606-E005	Guard Rail, Terminal End Section, Flared



4	Each	606-G003	Special Sections, Special Design Bridge Connector
1	Lump Sum	618-A001	Maintenance of Traffic
44	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
54	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
12	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
7,512	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
4,092	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
762	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
308	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
24	Linear Feet	619-G4001	Barricades, Type III, Double Faced
1	Lump Sum	620-A001	Mobilization
22	Mile	626-B002	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
4	Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
18	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
2,616	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
1,140	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
2,046	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
2,586	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,048	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
114	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
200	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
26	Each	630-F006	Delineators, Guard Rail, White
12	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
1,357	Ton	815-A007	Loose Riprap, Size 300
132	Linear Feet	907-619-B001	Temporary Portable Rumble Strips

CALL No. 05

Roundabout Construction on Shriners Blvd. at I-10, known as Federal Aid Project No. STBG-0086-00(009) / 108824301 in Harrison County.

PROJECT COMPLETION: 142 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

1	Lump Sum	201-A001	Clearing and Grubbing
2,130	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
1,015	Linear Feet	202-B088	Removal of Curb & Gutter, All Types
491	Linear Feet	202-B092	Removal of Curb, All Types
21	Linear Feet	202-B191	Removal of Pipe, 8" And Above
10	Each	202-B215	Removal of Sign Including Post & Footing
695	Cubic Yard	203-A001	Unclassified Excavation, FM, AH
178	Cubic Yard	203-EX017	Borrow Excavation, AH, FME, Class B7
50	Cubic Yard	203-G001	Excess Excavation, FM, AH
19	Cubic Yard	206-A001	Structure Excavation
3,693	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
10,040	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
1	Ton	213-C001	Superphosphate
13,140	Square Yard	216-A001	Solid Sodding
263	Thousand Gallon	219-A001	Watering
2	Acre	220-A001	Insect Pest Control
2	Acre	223-A001	Mowing
1	Ton	225-B001	Agricultural Limestone
4	Ton	225-C001	Mulch, Vegetative Mulch
2	Acre	226-A001	Temporary Grassing
725	Linear Feet	237-A002	Wattles, 20"
250	Linear Feet	245-A001	Silt Dike
280	Linear Feet	246-B002	Rockbags
882	Ton	403-A002	12.5-mm, MT, Asphalt Pavement
260	Ton	403-A005	19-mm, MT, Asphalt Pavement

312	Ton	403-A006	19-mm, ST, Asphalt Pavement
662	Ton	403-A014	9.5-mm, MT, Asphalt Pavement
1,615	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
716	Gallon	407-A001	Asphalt for Tack Coat
3,307	Linear Feet	503-C010	Saw Cut, Full Depth
43	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
4,045	Pounds	602-A001	Reinforcing Steel
608	Linear Feet	603-CA011	18" Reinforced Concrete Pipe, Class III
8	Linear Feet	603-CA040	30" Reinforced Concrete Pipe, Class III
6	Each	603-CB003	18" Reinforced Concrete End Section
1	Each	603-CB005	30" Reinforced Concrete End Section
40	Linear Feet	603-CE018	44" x 27" Concrete Arch Pipe, Class A III
8	Linear Feet	603-CE028	58" x 36" Concrete Arch Pipe, Class A III
2	Each	603-CF005	44" x 27" Concrete Arch Pipe End Section
1	Each	603-CF007	58" x 36" Concrete Arch Pipe End Section
1,766	Pounds	604-A001	Castings
800	Pounds	604-B001	Gratings
1,270	Linear Feet	609-B003	Concrete Curb, Special Design
471	Linear Feet	609-C001	Concrete Integral Curb, Type 1
4,708	Linear Feet	609-D012	Combination Concrete Curb and Gutter Type 3A Modified
19	Square Yard	616-A001	Concrete Median and/or Island Pavement, 10-inch
1,150	Square Yard	616-A003	Concrete Median and/or Island Pavement, 12-inch
1	Lump Sum	618-A001	Maintenance of Traffic
8,614	Linear Feet	619-A1003	Temporary Traffic Stripe, Continuous White, Paint
4,159	Linear Feet	619-A2003	Temporary Traffic Stripe, Continuous Yellow, Paint
2,164	Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint
557	Square Feet	619-A6003	Temporary Traffic Stripe, Legend, Paint
48	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
160	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
32	Linear Feet	619-G4001	Barricades, Type III, Double Faced

32	Linear Feet	619-G4005	Barricades, Type III, Single Faced
123	Each	619-G5001	Free Standing Plastic Drums
1	Lump Sum	620-A001	Mobilization
3,616	Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White
757	Linear Feet	626-E002	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
2,281	Linear Feet	626-F002	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
371	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
918	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
488	Square Feet	626-H001	Thermoplastic Double Drop Legend, White
4	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
94	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
72	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
128	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
196	Linear Feet	630-C001	Square Tube Posts, 4.0 lb/ft
128	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
50	Linear Feet	682-A018	Underground Branch Circuit, AWG 2, 3 Conductor
3,406	Linear Feet	682-A039	Underground Branch Circuit, AWG 8, 3 Conductor
276	Linear Feet	682-B037	Underground Branch Circuit, Jacked or Bored, AWG 8, 3 Conductor
498	Linear Feet	682-C009	Structure Mounted Branch Circuit, AWG 10, 3 Conductor
4	Each	682-D002	Structure Mounted Pull Box
27	Each	682-D004	Underground Pull Box With Concrete Pad
1	Each	682-F001	Secondary Power Controller
22	Each	683-B200	Lighting Assembly, Low Mast, LED, Type 30-1-10-17
4	Each	683-C001	Lighting Assembly, Underpass, Type A
87	Cubic Yard	684-A005	Pole Foundation, 36" Diameter
330	Linear Feet	684-B005	Slip Casing, 36" Diameter
1	Lump Sum	699-A001	Roadway Construction Stakes
600	Linear Feet	907-234-A001	Temporary Silt Fence
2,249	Square Feet	907-616-C003	Colored and Imprinted Concrete Median and Island Pavement, 4-inch Thickness

2 Each

907-619-E3001 Changeable Message Sign

**ALTERNATE GROUP AA NUMBER 1**

7,688 Ton

304-F001 3/4" and Down Crushed Stone Base

**ALTERNATE GROUP AA NUMBER 2**

7,688 Ton

304-F002 Size 610 Crushed Stone Base

**ALTERNATE GROUP AA NUMBER 3**

7,688 Ton

304-F003 Size 825B Crushed Stone Base

CALL No. 06

Widen & Overlay approximately 10 miles of SR 569 from SR 24 to Coleman Road, known as Federal Aid Project No. HRRR-0167-00(029) / 109367301 & State Project No. SP-0167-00(028) / 108986301 in Amite County.

PROJECT COMPLETION: 114 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

3,931	Cubic Yard	304-A008	Granular Material, LVM, Class 6, Group D
258	Ton	403-A006	19-mm, ST, Asphalt Pavement
12,104	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
5,665	Ton	403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
3,892	Ton	403-C003	19-mm, ST, Asphalt Pavement, Trench Widening
12,789	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
24,442	Gallon	407-A001	Asphalt for Tack Coat
20	Mile	423-A001	Rumble Strips, Ground In
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
41	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
22	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
13	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
4,347	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
422	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
20	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
7	Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
11	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
3,113	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
1,234	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
390	Linear Feet	626-H005	Thermoplastic Legend, White
487	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,098	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
15	Each	627-P001	Two-Way Blue Reflective High Performance Raised Markers

143	Each	630-F006	Delineators, Guard Rail, White
132	Linear Feet	907-619-B001	Temporary Portable Rumble Strips

CALL No. 07

Intersection Improvements on US 51 at Green Oak Lane, known as Federal Aid Project No. STP-6928-01(016) / 108504301 in Madison County.

PROJECT COMPLETION: MAY 10, 2024

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

7 Acre	201-B001	Clearing and Grubbing
559 Square Yard	202-B052	Removal of Concrete Driveways, All Depths
20 Square Yard	202-B069	Removal of Concrete Pavement w/ Variable Depth Overlay
1,170 Linear Feet	202-B126	Removal of Fence, All Types
178 Linear Feet	202-B191	Removal of Pipe, 8" And Above
16,000 Linear Feet	202-B240	Removal of Traffic Stripe
1,809 Cubic Yard	203-A001	Unclassified Excavation, FM, AH
569 Cubic Yard	203-EX008	Borrow Excavation, AH, FME, Class B15
10,212 Cubic Yard	203-G001	Excess Excavation, FM, AH
160 Cubic Yard	206-A001	Structure Excavation
8,305 Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
279 Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
4 Ton	213-C001	Superphosphate
127 Square Yard	217-A001	Ditch Liner
7 Acre	220-A001	Insect Pest Control
10 Cubic Yard	221-A001	Concrete Paved Ditch
14 Acre	223-A001	Mowing
201 Square Yard	224-A001	Soil Reinforcing Mat
7 Acre	225-A001	Grassing
19 Ton	225-B001	Agricultural Limestone
13 Ton	225-C001	Mulch, Vegetative Mulch
7 Acre	226-A001	Temporary Grassing
1,000 Linear Feet	237-A002	Wattles, 20"
295 Linear Feet	245-A001	Silt Dike
295 Linear Feet	246-B002	Rockbags



98	Ton	249-A001	Riprap for Erosion Control
1,101	Cubic Yard	304-A004	Granular Material, LVM, Class 5, Group C
826	Ton	403-A002	12.5-mm, MT, Asphalt Pavement
2,087	Ton	403-A005	19-mm, MT, Asphalt Pavement
1,746	Ton	403-A014	9.5-mm, MT, Asphalt Pavement
232	Ton	403-C002	19-mm, MT, Asphalt Pavement, Trench Widening
7,050	Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
1,592	Gallon	407-A001	Asphalt for Tack Coat
1	Mile	423-A001	Rumble Strips, Ground In
5,230	Linear Feet	503-C010	Saw Cut, Full Depth
96	Linear Feet	603-ALT003	18" Type A Alternate Pipe
88	Linear Feet	603-ALT006	24" Type A Alternate Pipe
120	Linear Feet	603-CA026	24" Reinforced Concrete Pipe, Class III
2	Each	603-CB004	24" Reinforced Concrete End Section
64	Linear Feet	603-CE008	29" x 18" Concrete Arch Pipe, Class A III
2	Each	603-CF003	29" x 18" Concrete Arch Pipe End Section
1,125	Linear Feet	609-D004	Combination Concrete Curb and Gutter Type 2 Modified
37	Square Yard	614-B001	Concrete Driveway, With Reinforcement
58	Square Yard	616-A001	Concrete Median and/or Island Pavement, 10-inch
90	Square Yard	616-A004	Concrete Median and/or Island Pavement, 4-inch
1	Lump Sum	618-A001	Maintenance of Traffic
8,000	Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
8,000	Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow
66	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
196	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
36	Linear Feet	619-G4001	Barricades, Type III, Double Faced
64	Linear Feet	619-G4006	Barricades, Type III, Single Faced, Permanent
1	Lump Sum	620-A001	Mobilization
4,715	Linear Feet	626-C003	6" Thermoplastic Edge Stripe, Continuous White
6,742	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White

18,405	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
596	Square Feet	626-H001	Thermoplastic Double Drop Legend, White
512	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
207	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
596	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
81	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
56	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
8	Each	635-A059	Traffic Signal Head, Type 1
4	Each	635-A065	Traffic Signal Head, Type 2 FYA
1	Lump Sum	699-A001	Roadway Construction Stakes
37	Ton	815-A002	Loose Riprap, Size 100
25	Square Yard	815-E001	Geotextile under Riprap
6,550	Linear Feet	907-234-A001	Temporary Silt Fence
2,500	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
15,000	Pounds	907-420-A001	Undersealing
2	Each	907-619-E3001	Changeable Message Sign
1	Each	907-632-A007	Solid State Traffic Cabinet Assembly, Type III Cabinet, Type 1 Controller
1	Each	907-632-J001	Power Service Pedestal
1	Each	907-634-A046	Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 50' Arm
1	Each	907-634-A047	Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 55' Arm
1	Each	907-634-A086	Traffic Signal Equipment Pole, Type II, 17' Shaft, 50' Arm
1	Each	907-634-A087	Traffic Signal Equipment Pole, Type II, 17' Shaft, 55' Arm
16	Cubic Yard	907-634-C001	Pole Foundations, Class "B" Concrete
343	Linear Feet	907-636-B003	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 10, 2 Conductor
685	Linear Feet	907-636-B016	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 8 Conductor
135	Linear Feet	907-636-B053	Electric Cable, Underground in Conduit, THHN, AWG #6, 3 Conductor
76	Linear Feet	907-636-D001	Electric Cable, Aerial Supported in Conduit, IMSA 20-1, AWG 10, 2 Conductor
254	Linear Feet	907-636-D008	Electric Cable, Aerial Supported in Conduit, IMSA 20-1, AWG 14, 8 Conductor
40	Linear Feet	907-636-D020	Electric Cable, Aerial Supported in Conduit, THHN, AWG #6, 3 Conductor

4	Each	907-637-A002	Pullbox Enclosure, Type 2
1	Each	907-637-A003	Pullbox Enclosure, Type 3
193	Linear Feet	907-637-C028	Traffic Signal Conduit, Underground, Type 4, 2"
15	Linear Feet	907-637-C030	Traffic Signal Conduit, Underground, Type 4, 3"
342	Linear Feet	907-637-D003	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
40	Linear Feet	907-637-F005	Traffic Signal Conduit, Aerial Supported, Type 1, 2"
4	Each	907-641-A002	Signal Stop Bar Radar Vehicle Detection Sensor, Type 2
2	Each	907-641-B002	Signal Advanced Radar Vehicle Detection Sensor, Type 2
1,241	Linear Feet	907-641-D001	Radar Vehicle Detection Cable
47	Square Feet	907-653-B001	Street Name Sign
1	Each	907-663-C001	Cellular Modem

**ALTERNATE GROUP AA NUMBER 1**

2,796	Ton	304-F001	3/4" and Down Crushed Stone Base
-------	-----	----------	----------------------------------

**ALTERNATE GROUP AA NUMBER 2**

2,796	Ton	304-F002	Size 610 Crushed Stone Base
-------	-----	----------	-----------------------------

**ALTERNATE GROUP AA NUMBER 3**

2,796	Ton	304-F003	Size 825B Crushed Stone Base
-------	-----	----------	------------------------------

CALL No. 08

Bridge Preventative Maintenance on US 61 over the Hushpuckena River (Bridge No. 242.3), known as Federal Aid Project No. STBG-9999-03(378) / 108777303 in Bolivar County.

PROJECT COMPLETION: 64 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
1	Lump Sum	620-A001	Mobilization
3,341	Square Feet	907-824-B004	FRP Wrap, Uni-directional
13	Each	907-824-C001	Cap Cleaning

CALL No. 09

Overlay approximately 7 miles of SR 24 from Lower Woodville to Racoon Road, known as State Project No. SP-0153-00(009) / 109248301 in Wilkinson County.

PROJECT COMPLETION: Flexible

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

2,133	Cubic Yard	304-A008	Granular Material, LVM, Class 6, Group D
561	Ton	403-A006	19-mm, ST, Asphalt Pavement
9,000	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
2,146	Ton	403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
3,402	Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
10,800	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
10,925	Gallon	407-A001	Asphalt for Tack Coat
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
19	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
18	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
4	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
1,133	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
596	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
14	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
2	Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
13	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
769	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
364	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
596	Linear Feet	626-H005	Thermoplastic Legend, White
123	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
654	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
132	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
14	Mile	907-626-C003	Thermoplastic Audible Edge Stripe



CALL No. 01

Add 2 Lanes, Installation of ITS Components, & Construction of a Multi Use Pathway for approximately 13 miles along I-10 from 1.5 miles west of SR 603 to 2 miles east of US 49, known as Federal Aid Project Nos. NHPP-0010-01(179) / 1069473010, 3011, 3012, 3020, & 3021 in Hancock & Harrison Counties.

PROJECT COMPLETION: Contractor Determined

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**  
**Roadway Items**

1	Lump Sum	201-A001	Clearing and Grubbing
16	Linear Feet	202-B019	Removal of Box Culvert
3,075	Linear Feet	202-B039	Removal of Cable Barrier
353	Square Yard	202-B063	Removal of Concrete Paved Ditch
97,955	Linear Feet	202-B126	Removal of Fence, All Types
45	Each	202-B129	Removal of Flared End Section, All Sizes
2,520	Linear Feet	202-B136	Removal of Guard Rail
7	Each	202-B165	Removal of Inlets, All Sizes
448	Linear Feet	202-B191	Removal of Pipe, 8" And Above
73	Mile	202-B241	Removal of Traffic Stripe
97	Each	202-B278	Removal & Replacement of Edge Drain Outlet
116,575	Cubic Yard	203-A001	Unclassified Excavation, FM, AH
5,549	Cubic Yard	203-EX018	Borrow Excavation, AH, FME, Class B7-6
19,298	Cubic Yard	203-G001	Excess Excavation, FM, AH
189	Cubic Yard	206-A001	Structure Excavation
40	Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
555,839	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
2,569	Square Yard	211-A001	Topsoil for Slope Treatment, From Right-of-Way
149	Ton	213-C001	Superphosphate
1,699	Square Yard	216-A001	Solid Sodding
14,762	Square Yard	217-A001	Ditch Liner
33	Thousand Gallon	219-A001	Watering
147	Acre	220-A001	Insect Pest Control
292	Cubic Yard	221-A001	Concrete Paved Ditch

888 Acre	223-A001	Mowing
296 Acre	225-A001	Grassing
149 Ton	225-B001	Agricultural Limestone
592 Ton	225-C001	Mulch, Vegetative Mulch
149 Acre	226-A001	Temporary Grassing
1,100 Each	235-A001	Temporary Erosion Checks
1,400 Linear Feet	237-A002	Wattles, 20"
3,200 Linear Feet	239-A001	Temporary Slope Drains
496 Linear Feet	245-A001	Silt Dike
1,000 Each	246-B001	Rockbags
757 Ton	249-A001	Riprap for Erosion Control
10,443 Ton	403-A003	12.5-mm, ST, Asphalt Pavement
116,852 Ton	403-A004	19-mm, HT, Asphalt Pavement
82,329 Ton	403-A006	19-mm, ST, Asphalt Pavement
10,308 Ton	403-A013	9.5-mm, HT, Asphalt Pavement
1,194 Ton	403-A015	9.5-mm, ST, Asphalt Pavement
482,588 Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
5,979 Square Yard	406-E002	Fine Milling of Concrete Pavement, All Depths
117,990 Gallon	407-A001	Asphalt for Tack Coat
25 Mile	423-A001	Rumble Strips, Ground In
240 Linear Feet	501-E001	Expansion Joints, Without Dowels
520 Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
11 Cubic Yard	601-A001	Class "B" Structural Concrete
164 Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
6,955 Pounds	602-A001	Reinforcing Steel
296 Linear Feet	603-A045	24" Steel Pipe, Jacked or Bored
16 Linear Feet	603-CA012	18" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
540 Linear Feet	603-CA027	24" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
314 Linear Feet	603-CA041	30" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
16 Linear Feet	603-CA056	36" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets



8	Linear Feet	603-CA067	42" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
208	Linear Feet	603-CA077	48" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
32	Linear Feet	603-CA100	60" Reinforced Concrete Pipe, Class III, Rubber Type Gasket
1	Each	603-CB003	18" Reinforced Concrete End Section
38	Each	603-CB004	24" Reinforced Concrete End Section
14	Each	603-CB005	30" Reinforced Concrete End Section
1	Each	603-CB006	36" Reinforced Concrete End Section
1	Each	603-CB007	42" Reinforced Concrete End Section
3	Each	603-CB008	48" Reinforced Concrete End Section
40	Linear Feet	603-CE009	29" x 18" Concrete Arch Pipe, Class A III, Flexible Plastic Gaskets
40	Linear Feet	603-CE014	36" x 23" Concrete Arch Pipe, Class A III, Flexible Plastic Gaskets
32	Linear Feet	603-CE019	44" x 27" Concrete Arch Pipe, Class A III, Flexible Plastic Gaskets
2	Each	603-CF003	29" x 18" Concrete Arch Pipe End Section
2	Each	603-CF004	36" x 23" Concrete Arch Pipe End Section
2	Each	603-CF005	44" x 27" Concrete Arch Pipe End Section
1,464	Pounds	604-A001	Castings
1,347	Pounds	604-B001	Gratings
801	Square Yard	605-AA001	Geotextile for Subsurface Drainage, Type III
258	Linear Feet	605-O002	4" Perforated Sewer Pipe for Underdrains, SDR 23.5
30	Linear Feet	605-P002	4" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
10	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
4,838	Linear Feet	606-B003	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
5	Each	606-C003	Guard Rail, Cable Anchor, Type 1
12	Each	606-D001	Guard Rail, Bridge End Section
12	Each	606-E005	Guard Rail, Terminal End Section, Flared
15	Each	606-E007	Guard Rail, Terminal End Section, Non-Flared
123,200	Linear Feet	607-A001	31.5" Type "A" Woven Wire Fence, w/ Barbed Wire as Shown
27,500	Linear Feet	607-B018	60" Type I Chain Link Fence, Class II
4	Each	607-G092	Gate, 12' x 60" Galvanized Metal
4	Each	607-G126	Gate, 3' x 52" Chain Link

7,107	Each	607-P1007	Line Post, 7' Tee Post Steel
2,475	Each	607-P1010	Line Post, 7' x 2" Galvanized Steel
1,421	Each	607-P1017	Line Post, 9' Tee Post Steel
948	Each	607-P1021	Line Post, 10' Tee Post Steel
275	Each	607-P1024	Line Post, 10' x 2" Galvanized Steel
196	Each	607-P2006	Brace Post, 8' x 2 1/2" Galvanized Steel
1,500	Each	607-P2009	Brace Post, 8' x 6" Timber
8	Each	607-P3006	Gate Post, 8' x 6" Timber
1,500	Each	607-Z001	Concrete Anchors
9,046	Linear Feet	615-A014	Concrete Type II Cast-in-Place Median Barrier
120	Linear Feet	615-A024	Concrete Bridge End Barrier, 37.5"
1	Lump Sum	618-A001	Maintenance of Traffic
57	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
54	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
58	Mile	619-A3001	Temporary Traffic Stripe, Skip White
34,690	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
88	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
2,218	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
29,420	Linear Feet	619-F1001	Concrete Median Barrier, Precast
6,960	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
84	Linear Feet	619-G4005	Barricades, Type III, Single Faced
942	Each	619-G5001	Free Standing Plastic Drums
36	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
54	Mile	626-A001	6" Thermoplastic Double Drop Traffic Stripe, Skip White
27	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
28	Mile	626-F001	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
19,015	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
40	Square Feet	626-H004	Thermoplastic Legend, White
26	Linear Feet	626-H005	Thermoplastic Legend, White

15,215	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
304	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
1,106	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
244	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
2,843	Square Feet	630-B002	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
891	Square Feet	630-B003	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Overhead Mounted
24	Linear Feet	630-C002	Steel U-Section Posts, 2.0 lb/ft
341	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
181	Linear Feet	630-C004	Square Tube Posts, 9.0 lb/ft
508	Linear Feet	630-D003	Structural Steel Beams, W10 x 22
771	Linear Feet	630-D008	Structural Steel Beams, W6 x 9
1,620	Pounds	630-E001	Structural Steel Angles & Bars, 3 1/2" x 3 1/2" x 1/4" Angles
1,481	Pounds	630-E003	Structural Steel Angles & Bars, 4" x 4" x 5/16" Angles
22	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
113	Each	630-F006	Delineators, Guard Rail, White
74	Each	630-F007	Delineators, Guard Rail, Yellow
500	Each	630-F010	Delineators, Post Mounted, Double White
96	Each	630-F011	Delineators, Post Mounted, Double Yellow
192	Each	630-F012	Delineators, Post Mounted, Single White
64	Each	630-F013	Delineators, Post Mounted, Single Yellow
28	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
1	Lump Sum	630-I015	Metal Overhead Sign Supports, Assembly No. 2, Contractor Designed
1	Lump Sum	630-I020	Metal Overhead Sign Supports, Assembly No. 3, Contractor Designed
1	Lump Sum	630-I022	Metal Overhead Sign Supports, Assembly No. 4, Contractor Designed
1	Lump Sum	630-I024	Metal Overhead Sign Supports, Assembly No. 5, Contractor Designed
1	Lump Sum	630-I025	Metal Overhead Sign Supports, Assembly No. 6, Contractor Designed
1	Lump Sum	630-I026	Metal Overhead Sign Supports, Assembly No. 7, Contractor Designed
1,492	Linear Feet	630-K001	Welded & Seamless Steel Pipe Posts, 3 1/2"
11,655	Linear Feet	682-A028	Underground Branch Circuit, AWG 4, 3 Conductor

3	Each	682-D004	Underground Pull Box With Concrete Pad
111	Each	682-E003	Underground Junction Box With Concrete Pad
3	Each	682-F001	Secondary Power Controller
111	Cubic Yard	684-A003	Pole Foundation, 24" Diameter
1	Lump Sum	699-A001	Roadway Construction Stakes
3,337	Ton	815-A007	Loose Riprap, Size 300
4,128	Square Yard	815-E001	Geotextile under Riprap
36,400	Linear Feet	907-234-A001	Temporary Silt Fence
800	Linear Feet	907-234-C001	Super Silt Fence
8	Each	907-234-D001	Inlet Siltation Guard
350	Square Yard	907-240-A001	Interlocking Flexible Block Erosion Control System
32,918	Ton	907-402-A002	Open Graded Friction Course, 9.5-mm Mixture
45,381	Gallon	907-402-B001	Bituminous Tack Coat
28,208	Ton	907-405-A001	Stone Matrix Asphalt, 9.5 mm Mixture
37,690	Ton	907-405-A002	Stone Matrix Asphalt, 12.5 mm Mixture
77,684	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
1	Each	907-622-A001	Engineer's Field Office Building, Type 3
1	Each	907-632-D001	Solid State Traffic Actuated Controller, Type 1
22	Each	907-634-E001	Camera Pole with Foundation, 50' Pole
1	Each	907-634-F002	Detector Pole with Foundation, 35' Pole
1,081	Linear Feet	907-636-B042	Electric Cable, Underground in Conduit, THHN, AWG #2, 3 Conductor
17,180	Linear Feet	907-636-B043	Electric Cable, Underground in Conduit, THHN, AWG #2, 4 Conductor
3,785	Linear Feet	907-636-B050	Electric Cable, Underground in Conduit, THHN, AWG #4, 3 Conductor
8,825	Linear Feet	907-636-B051	Electric Cable, Underground in Conduit, THHN, AWG #4, 4 Conductor
720	Linear Feet	907-636-B053	Electric Cable, Underground in Conduit, THHN, AWG #6, 3 Conductor
4,350	Linear Feet	907-636-B054	Electric Cable, Underground in Conduit, THHN, AWG #6, 4 Conductor
3,435	Linear Feet	907-636-B057	Electric Cable, Underground in Conduit, THHN, AWG 1/0, 4 Conductor
9	Each	907-636-I002	Ground Mounted Transformer Enclosure
106	Each	907-637-A002	Pullbox Enclosure, Type 2
86	Each	907-637-A004	Pullbox Enclosure, Type 4

76	Each	907-637-A005	Pullbox Enclosure, Type 5
7	Each	907-637-B001	Pull Box Enclosure, Structure Mounted, Type 1
75,335	Linear Feet	907-637-H001	Traffic Signal Conduit Bank, Underground, Rolled Pipe, 2 @ 2"
1,660	Linear Feet	907-637-H002	Traffic Signal Conduit Bank, Underground, Rolled Pipe, 2"
31,456	Linear Feet	907-637-H003	Traffic Signal Conduit Bank, Underground, Rolled Pipe, 3 @ 2"
365	Linear Feet	907-637-H004	Traffic Signal Conduit Bank, Underground, Rolled Pipe, 4 @ 2"
15,080	Linear Feet	907-637-I001	Traffic Signal Conduit Bank, Underground, Drilled or Jacked, Rolled Pipe, 2 @ 2"
2,360	Linear Feet	907-637-I002	Traffic Signal Conduit Bank, Underground, Drilled or Jacked, Rolled Pipe, 2"
3,150	Linear Feet	907-637-I003	Traffic Signal Conduit Bank, Underground, Drilled or Jacked, Rolled Pipe, 3 @ 2"
4,730	Linear Feet	907-637-K001	Traffic Signal Conduit Bank, Aerial Supported, Type 1, 2 @ 2"
64	Each	907-650-A002	On Street Video Equipment, Fixed Type
25	Each	907-650-A003	On Street Video Equipment, PTZ Type
4	Each	907-656-A001	Dynamic Message Sign, Type 1
1	Lump Sum	907-659-A001	Traffic Management Center Modifications
1	Lump Sum	907-659-C001	Traffic Management Center Modifications - Training
4	Each	907-660-A001	Equipment Cabinet, Type A
20	Each	907-660-A002	Equipment Cabinet, Type B
4	Each	907-660-A003	Equipment Cabinet, Type C
7	Each	907-660-B001	Cabinet Modifications
140,336	Linear Feet	907-661-A004	Fiber Optic Cable, 72 SM
4,930	Linear Feet	907-661-A006	Fiber Optic Cable, Aerial, 72 SM
6,410	Linear Feet	907-661-B002	Fiber Optic Drop Cable, 12 SM
5	Each	907-662-D002	Radio Interconnect, Broadband, Short Range
24	Each	907-663-A001	Network Switch, Type A
3	Each	907-663-A002	Network Switch, Type B
2	Each	907-663-A003	Network Switch, Type C
1	Each	907-663-A005	Network Switch, Type E
3	Each	907-663-A006	Network Switch, Type F
7,505	Linear Feet	907-663-D001	Category 6 Cable, Installed in Conduit
2	Each	907-664-B002	Communications Node HUT

111	Each	907-683-PP001	Lighting Assembly, Per Plans
4	Each	907-821-A001	Prefabricated Pedestrian Bridge
720	Hours	907-906001	Trainees
<b>ALTERNATE GROUP AA NUMBER 1</b>			
231,395	Ton	304-F001	3/4" and Down Crushed Stone Base
<b>ALTERNATE GROUP AA NUMBER 2</b>			
231,395	Ton	304-F002	Size 610 Crushed Stone Base
<b>ALTERNATE GROUP AA NUMBER 3</b>			
231,395	Ton	304-F003	Size 825B Crushed Stone Base
<b>ALTERNATE GROUP BB NUMBER 1</b>			
180	Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
<b>ALTERNATE GROUP BB NUMBER 2</b>			
180	Cubic Yard	605-W003	Filter Material for Combination Storm Drain and/or Underdrains, Type C, FM
<b>ALTERNATE GROUP CC NUMBER 1</b>			
8,580	Linear Feet	907-624-A002	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White
4,290	Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
4,290	Linear Feet	907-624-D002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow
<b>ALTERNATE GROUP CC NUMBER 2</b>			
8,580	Linear Feet	628-G001	6" High Performance Cold Plastic Traffic Stripe, Skip White
4,290	Linear Feet	628-H001	6" High Performance Cold Plastic Traffic Stripe, Continuous White
4,290	Linear Feet	628-J001	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
<b>Bridge Items</b>			
2,716	Square Yard	202-B027	Removal of Bridge Deck, Curb and Railing
24	Each	202-B032	Removal of Bridge Footing
178	Square Yard	202-B083	Removal of Concrete Slope Paving
184	Square Yard	202-B208	Removal of Riprap
1,835	Linear Feet	803-C002	14" x 14" Prestressed Concrete Piling
1,210	Linear Feet	803-C003	16" x 16" Prestressed Concrete Piling
5,750	Linear Feet	803-C004	18" x 18" Prestressed Concrete Piling
1,155	Linear Feet	803-P001	24" Steel Pipe Piling, Wall Thickness 0.500"
956	Linear Feet	804-C065	40' Prestressed Concrete Beam, Type I+2

18,054	Linear Feet	804-C072	50' Prestressed Concrete Beam, Type II + 2
1,116	Linear Feet	804-C240	70' Prestressed Concrete Beam, Type II+2
490	Linear Feet	804-C241	82' Prestressed Concrete Beam, Type III
55,739	Pounds	805-A001	Reinforcement Substructure
407,496	Pounds	805-A001	Reinforcement Superstructure
3,736	Linear Feet	813-A004	Concrete Railing, 36"
8,368	Ton	815-A002	Loose Riprap, Size 100
8,506	Ton	815-A009	Loose Riprap, Size 500
924	Cubic Yard	815-D001	Concrete Slope Paving
5,672	Square Yard	815-E001	Geotextile under Riprap
3	Each	907-803-B001	Conventional Static Pile Load Test
7	Each	907-803-I002	PDA Test Pile, Concrete Pile
2	Each	907-803-I004	PDA Test Pile, Steel Pipe Pile
9	Each	907-803-J001	Pile Restrike
502	Cubic Yard	907-804-A002	Bridge Concrete, Class AA
1,540	Cubic Yard	907-804-A004	Bridge Concrete, Class BD
1,210	Linear Feet	907-808-A002	Joint Repair
1,210	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
1,210	Linear Feet	907-823-B001	Saw Cut, Type I
179,482	Lump Sum	907-829-A003	Ground Mounted Noise Barrier Wall

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Contractors may request permission to bid online at <http://shop.mdot.ms.gov> at no cost. Upon approval, contractors shall be eligible to submit a bid using Bid Express at <http://bidx.com>. Specimen proposals may be viewed and downloaded online at no cost at <http://mdot.ms.gov> or purchased online at <http://shop.mdot.ms.gov> at a cost of Ten Dollars (\$10.00) per proposal plus a small convenience fee. Cash or checks will not be accepted as payment.

Plans must be purchased online at <https://shop.mdot.ms.gov>. Costs of plans will be on a cost per sheet basis plus a small convenience fee. You can contact the MDOT Plans Print Shop at Telephone No. (601) 359-7460 or e-mail at [plans@mdot.state.ms.us](mailto:plans@mdot.state.ms.us). Plans will be shipped on receipt of payment. Cash or checks will not be accepted as payment.

Bid bond, signed or countersigned by a Mississippi Resident Agent or qualified non-resident agent, with Power of Attorney attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

BRAD WHITE  
EXECUTIVE DIRECTOR