### Proposal & Plan Sales Will Begin on September 5, 2023



# MISSISSIPPI DEPARTMENT OF TRANSPORTATION

## **Notice to Contractors**

Letting Date For September - September 27, 2023

# MISSISSIPPI DEPARTMENT OF TRANSPORTATION NOTICE TO CONTRACTORS

### LETTING DATE FOR SEPTEMBER - Wednesday, September 27, 2023

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List is available online at mdot.ms.gov

#### PROPOSAL AND PLAN SALES WILL BEGIN ON SEPTEMBER 5, 2023

Proposals must be purchased online at: https://shop.mdot.ms.gov For Information Please Contact: Contract Administration Division Jackson, MS

Telephone: (601) 359-7700

Plans must be purchased online at: https://shop.mdot.ms.gov For Information Please Contact: MDOT Plans Print Shop Jackson, MS


Telephone: (601) 359-7460 e-mail: plans@mdot.state.ms.us

Electronic bids will be received by the Mississippi Transportation Commission at 10:00 o'clock A.M., Wednesday, September 27, 2023; from the Bid Express Service and shortly thereafter, bids will be publicly read in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

#### LIST OF CONTRACTS FOR SEPTEMBER

	CALL	CONTRACT		COUNTY
	01	NHPP-0010-01(179)/1069473010 & NHPP-0010-01(179)/1069473011 & NHPP-0010-01(179)/1069473012 & NHPP-0010-01(179)/1069473020 & NHPP-0010-01(179)/1069473021	WITHDRAWN	HANCOCK, HARRISON
	02	STP-0002-01(055)/107869301		JACKSON
	03	HSIP-0009-05(035)/108823301		TUNICA
	04	BR-0037-04(059)/107397301		YAZOO
*	05	STBG-0008-04(080)/109406301		YAZOO

<sup>\*</sup> No plans except Standard Drawings



Bridge Preservation on SR 63 over the Escatawpa River (Bridge No. 1.4), known as Federal Aid Project No. STP-0002-01(055) / 107869301 in Jackson County.

#### PROJECT COMPLETION: AUGUST 30, 2024

## Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change Roadway Items

192	Each	202-B234	Removal of Temporary Raised Pavement Marker
18	Mile	202-B241	Removal of Traffic Stripe
1	Lump Sum	618-A001	Maintenance of Traffic
3	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
3	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
3	Mile	619-A3001	Temporary Traffic Stripe, Skip White
192	Each	619-C6001	Red-Clear Reflective High Performance Raised Marker
32	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
672	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
48	Linear Feet	619-G4005	Barricades, Type III, Single Faced
200	Each	619-G5001	Free Standing Plastic Drums
1	Lump Sum	620-A001	Mobilization
1,100	Linear Feet	626-A002	6" Thermoplastic Double Drop Traffic Stripe, Skip White
1,100	Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White
1,100	Linear Feet	626-E002	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
384	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1	Lump Sum	907-899-A001	Railway-Highway Provisions Railway-Highway Provisions
			ALTERNATE GROUP AA NUMBER 1
2	Mile	907-624-A001	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White
2	Mile	907-624-B001	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
2	Mile	907-624-D003	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow
			ALTERNATE GROUP AA NUMBER 2
2	Mile	628-G002	6" High Performance Cold Plastic Traffic Stripe, Skip White
2	Mile	628-H002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
2	Mile	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

#### **Bridge Items**

10,890	Pounds	805-A001	Reinforcement
25	Ton	815-A009	Loose Riprap, Size 500
21	Cubic Yard	907-804-A002	Bridge Concrete, Class AA Bridge Concrete, Class AA
5	Linear Feet	907-824-B002	FRP Wrap, Uni-directional FRP Wrap, Uni-directional
121	Each	907-824-D001	Bearing Replacements Bearing Replacements
3	Linear Feet	907-824-E001	Epoxy Injection Epoxy Injection
1	Lump Sum	907-824-PP001	Bridge Raising Bridge Raising
120	Square Feet	907-824-PP003	Bridge Repair, Epoxy Repair
1	Lump Sum	907-845-A001	Coating Existing Structural Steel Coating Existing Structural Steel

Intersection Improvements on US 61 at Hambrick Road, known as Federal Aid Project No. HSIP-0009-05(035) / 108823301 in Tunica County.

#### PROJECT COMPLETION: 112 Working Days

## Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change Roadway Items

			Roadway items
652	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
281	Linear Feet	202-B088	Removal of Curb & Gutter, All Types
3	Each	202-B129	Removal of Flared End Section, All Sizes
2	Each	202-B165	Removal of Inlets, All Sizes
8	Linear Feet	202-B191	Removal of Pipe, 8" And Above
14	Each	202-B219	Removal of Sign, Ground Mounted with Posts
652	Square Yard	202-B229	Removal of Soil Cement, All Depths
2,258	Cubic Yard	203-A001	Unclassified Excavation, FM, AH
1,106	Cubic Yard	203-EX020	Borrow Excavation, AH, FME, Class B9
250	Cubic Yard	203-G001	Excess Excavation, FM, AH
187	Cubic Yard	206-A001	Structure Excavation
10,943	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
2,920	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
4	Ton	213-C001	Superphosphate
4	Acre	220-A001	Insect Pest Control
2	Cubic Yard	221-A001	Concrete Paved Ditch
8	Acre	225-A001	Grassing
22	Ton	225-B001	Agricultural Limestone
15	Ton	225-C001	Mulch, Vegetative Mulch
4	Acre	226-A001	Temporary Grassing
1,600	Linear Feet	237-A002	Wattles, 20"
960	Linear Feet	245-A001	Silt Dike
600	Linear Feet	246-B002	Rockbags
9,622	Ton	304-B004	Granular Material, Class 5, Group D
813	Ton	403-A002	12.5-mm, MT, Asphalt Pavement

4,761	Ton	403-A005	19-mm, MT, Asphalt Pavement	
5,731	Ton	403-A006	19-mm, ST, Asphalt Pavement	
1,831	Ton	403-A014	9.5-mm, MT, Asphalt Pavement	
1,125	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths	
2,737	Gallon	407-A001	Asphalt for Tack Coat	
6	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures	
993	Pounds	602-A001	Reinforcing Steel	
696	Linear Feet 6	603-CA011	18" Reinforced Concrete Pipe, Class III	
1	Each 6	603-CB003	18" Reinforced Concrete End Section	
56	Linear Feet 6	603-CE013	36" x 23" Concrete Arch Pipe, Class A III	
16	Linear Feet 6	603-CE039	73" x 45" Concrete Arch Pipe, Class A III	
2	Each 6	603-CF004	36" x 23" Concrete Arch Pipe End Section	
1	Each 6	603-CF009	73" x 45" Concrete Arch Pipe End Section	
750	Pounds	604-B001	Gratings	
1,164	Linear Feet	609-D004	Combination Concrete Curb and Gutter Type 2 Modified	
605	Linear Feet	609-D012	Combination Concrete Curb and Gutter Type 3A Modified	
276	Square Yard	616-A001	Concrete Median and/or Island Pavement, 10-inch	
143	Square Yard	616-A004	Concrete Median and/or Island Pavement, 4-inch	
1	Lump Sum	618-A001	Maintenance of Traffic	
44	Square Feet 6	619-A6003	Temporary Traffic Stripe, Legend, Paint	
1,516	Linear Feet 6	619-A6004	Temporary Traffic Stripe, Legend, Paint	
145	Square Feet 6	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet	
640	Square Feet 6	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More	
2	Each 6	619-E1001	Flashing Arrow Panel, Type C	
96	Linear Feet 6	319-G4001	Barricades, Type III, Double Faced	
288	Linear Feet 6	319-G4005	Barricades, Type III, Single Faced	
221	Each 6	319-G5001	Free Standing Plastic Drums	
4	Each 6	319-G7001	Warning Lights, Type "B"	
74	Each 6	319-G8001	Warning Lights, Type "C"	
1	Lump Sum	620-A001	Mobilization	

3,838	Linear Feet	626-A002	6" Thermoplastic Double Drop Traffic Stripe, Skip White
2,734	Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White
738	Linear Feet	626-E002	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
881	Linear Feet	626-F002	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
14,073	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
2,527	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
789	Square Feet	626-H001	Thermoplastic Double Drop Legend, White
497	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
20	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
317	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
413	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
1	Lump Sum	699-A001	Roadway Construction Stakes
400	Linear Feet	907-234-A001	Temporary Silt Fence
			ALTERNATE GROUP AA NUMBER 1
3,422	Ton	304-F001	3/4" and Down Crushed Stone Base
			ALTERNATE GROUP AA NUMBER 2
3,422	Ton	304-F002	Size 610 Crushed Stone Base
			ALTERNATE GROUP AA NUMBER 3
3,422	Ton	304-F003	Size 825B Crushed Stone Base

Bridge Replacements on SR 16 / SR 149 over Floodway Channel Yazoo River (Bridge Nos. 210.9, 211.1, & 211.8), known as Federal Aid Project No. BR-0037-04(059) / 107397301 in Yazoo County.

#### PROJECT COMPLETION: 437 Working Days

## Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change Bridge Items

			<b>3</b>
6,122	Square Yard	501-K001	Transverse Grooving
1,080	Linear Feet	803-K014	Drilled Shaft, 84" Diameter
1	Each	803-L009	Test Shaft, 84" Diameter
180	Linear Feet	803-M012	Trial Shaft, 84" Diameter
100	Linear Feet	803-N001	Exploration
320	Linear Feet	803-O028	Temporary Casing, 84" Diameter
7,340	Linear Feet	803-P001	24" Steel Pipe Piling, Wall Thickness 0.500"
2,343	Linear Feet	803-P003	30" Steel Pipe Piling, Wall Thickness 0.500"
2,978	Linear Feet	804-C169	100' Prestressed Concrete Beam, Type FIB-45
569,662	Pounds	805-A001	Reinforcement
6,056	Pounds	805-C001	Reinforcement, Corrosion Resistant
2,479,503	Pounds	810-A007	Structural Steel, A 709, Grade 50W
402,889	Pounds	810-A008	Structural Steel, A 709, Grade HPS 70W
16	Each	811-D001	Disc Bearing Device
3,064	Linear Feet	813-A004	Concrete Railing, 36"
5,585	Ton	815-A007	Loose Riprap, Size 300
4,496	Square Yard	815-E001	Geotextile under Riprap
6	Each	907-803-B001	Conventional Static Pile Load Test
6	Each	907-803-1004	PDA Test Pile, Steel Pipe Pile
6	Each	907-803-J001	Pile Restrike
850	Cubic Yard	907-804-A002	Bridge Concrete, Class AA
1,926	Cubic Yard	907-804-A004	Bridge Concrete, Class BD
91	Linear Feet	907-822-PP001	9" Segmental Expansion Joint
170	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
			Dan Lawa Kama

6	Acre	201-B001	Clearing and Grubbing
102	Square Yard	202-B004	Removal of Asphalt Driveways, All Depths
5,964	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
3	Each	202-B023	Removal of Bridge
1,810	Linear Feet	202-B150	Removal of Guard Rail Including Post, Blockouts & Hardware
23	Each	202-B215	Removal of Sign Including Post & Footing
1,683	Cubic Yard	203-A001	Unclassified Excavation, FM, AH
22,856	Cubic Yard 2	03-EX020	Borrow Excavation, AH, FME, Class B9
11,693	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
3	Ton	213-C001	Superphosphate
168	Square Yard	216-A001	Solid Sodding
4	Thousand Gallon	219-A001	Watering
6	Acre	220-A001	Insect Pest Control
19	Cubic Yard	221-A001	Concrete Paved Ditch
36	Acre	223-A001	Mowing
6	Acre	225-A001	Grassing
16	Ton	225-B001	Agricultural Limestone
11	Ton	225-C001	Mulch, Vegetative Mulch
6	Acre	226-A001	Temporary Grassing
1,000	Linear Feet	237-A002	Wattles, 20"
1,200	Linear Feet	239-A001	Temporary Slope Drains
150	Each	246-B001	Rockbags
100	Ton	249-A001	Riprap for Erosion Control
967	Cubic Yard	249-B001	Remove and Reset Riprap
829	Ton	403-A003	12.5-mm, ST, Asphalt Pavement
840	Ton	403-A006	19-mm, ST, Asphalt Pavement
642	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
160	Ton	403-B003	12.5-mm, ST, Asphalt Pavement, Leveling
10	Ton	403-C003	19-mm, ST, Asphalt Pavement, Trench Widening
934	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
10	Ton	403-C003	19-mm, ST, Asphalt Pavement, Trench Widening

1,108	Gallon 40	7-A001	Asphalt for Tack Coat	
1	Mile 42	:3-A001	Rumble Strips, Ground In	
80	Square Yard 50	1-K001	Transverse Grooving	
554	Square Yard 50.	2-A001	Reinforced Cement Concrete Bridge End Pavement	
57	Linear Feet 503	3-C010	Saw Cut, Full Depth	
1	Cubic Yard 60	1-B001	Class "B" Structural Concrete, Minor Structures	
147	Square Yard 605-	-AA001	Geotextile for Subsurface Drainage, Type III	
264	Linear Feet 605	5-0002	4" Perforated Sewer Pipe for Underdrains, SDR 23.5	
180	Linear Feet 60	5-P002	4" Non-perforated Sewer Pipe for Underdrains, SDR 23.5	
10	Cubic Yard 605	5-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM	
450	Linear Feet 60	6-B001	Guard Rail, Class A, Type 1	
12	Each 600	6-D022	Guard Rail, Bridge End Section, Type I	
12	Each 60	6-E001	Guard Rail, Terminal End Section	
120	Linear Feet 61	5-A024	Concrete Bridge End Barrier, 37.5"	
11	Each 61	7-A001	Right-of-Way Marker	
1	Lump Sum 61	8-A001	Maintenance of Traffic	
7,201	Linear Feet 619	-A1002	Temporary Traffic Stripe, Continuous White	
2,000	Linear Feet 619	-A2002	Temporary Traffic Stripe, Continuous Yellow	
3,610	Linear Feet 619	-A4001	Temporary Traffic Stripe, Skip Yellow	
61	Each 619-	-C7001	Two-Way Yellow Reflective High Performance Raised Marker	
533	Square Feet 619-	-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet	
554	Square Feet 619-	-D2001	Standard Roadside Construction Signs, 10 Square Feet or More	
60	Linear Feet 619-	-G4001	Barricades, Type III, Double Faced	
250	Each 619-	-G5001	Free Standing Plastic Drums	
14	Each 619-	-G7001	Warning Lights, Type "B"	
1	Lump Sum 62	:0-A001	Mobilization	
7,201	Linear Feet 620	6-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White	
3,610	Linear Feet 620	6-D002	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow	
2,000	Linear Feet 62	6-E002	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow	
61	Each 62	27-L001	Two-Way Yellow Reflective High Performance Raised Markers	

54	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
38	Linear Feet	630-C001	Square Tube Posts, 4.0 lb/ft
86	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
32	Linear Feet	630-C1001	Square Post Inner Sleeve
54	Each	630-F006	Delineators, Guard Rail, White
6	Each	630-G003	Type 3 Object Markers, OM-3L, Post Mounted
6	Each	630-G007	Type 3 Object Markers, OM-3R, Post Mounted
1	Lump Sum	699-A001	Roadway Construction Stakes
1,000	Ton	815-A007	Loose Riprap, Size 300
100	Ton	815-F002	Sediment Control Stone
12,900	Linear Feet	907-234-A001	Temporary Silt Fence
250	Linear Feet	907-234-C001	Super Silt Fence
4	Each	907-619-E3001	Changeable Message Sign
24	Square Feet	907-630-PP002	Roadside Directional Signs, Sheet Aluminum, 0.125" Thickness, Ground Mounted
1,040	Hours	907-906001	Trainees
			ALTERNATE GROUP AA NUMBER 1
6,850	Ton	304-F001	3/4" and Down Crushed Stone Base
			ALTERNATE GROUP AA NUMBER 2
6,850	Ton	304-F002	Size 610 Crushed Stone Base
			ALTERNATE GROUP AA NUMBER 3
6,850	Ton	304-F003	Size 825B Crushed Stone Base
			ALTERNATE GROUP BB NUMBER 1
9	Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
			ALTERNATE GROUP BB NUMBER 2
9	Cubic Yard	605-W003	Filter Material for Combination Storm Drain and/or Underdrains,Type C, FM

#### CALL No. 05

Slide Repairs on US 49 between Debbie Drive and 1000 feet north of Majestic Oaks Drive, known as Federal Aid Project No. STBG-0008-04(080) / 109406301 in Yazoo County.

#### PROJECT COMPLETION: JUNE 28, 2024

## Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change Roadway Items

			-
15	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
25	Linear Feet	202-B019	Removal of Box Culvert
20	Linear Feet	202-B092	Removal of Curb, All Types
1	Each	202-B129	Removal of Flared End Section, All Sizes
3	Each	202-B163	Removal of Inlet Tops
20	Linear Feet	202-B191	Removal of Pipe, 8" And Above
100	Cubic Yard	203-EX040	Borrow Excavation, AH, LVM, Class B9
20	Cubic Yard	206-A001	Structure Excavation
20	Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
3	Cubic Yard	221-A001	Concrete Paved Ditch
1	Acre	225-A001	Grassing
1	Ton	225-B001	Agricultural Limestone
1	Ton	225-C001	Mulch, Vegetative Mulch
150	Linear Feet	237-A002	Wattles, 20"
5	Ton	403-A006	19-mm, ST, Asphalt Pavement
25	Linear Feet	503-C010	Saw Cut, Full Depth
13	Cubic Yard	601-A001	Class "B" Structural Concrete
5	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
1,900	Pounds	602-A001	Reinforcing Steel
100	Linear Feet	603-A012	24" Steel Pipe, Jacked or Bored, Wall Thickness 0.375"
24	Linear Feet	603-CA026	24" Reinforced Concrete Pipe, Class III
2	Each	603-CB004	24" Reinforced Concrete End Section
1	Each	603-CB005	30" Reinforced Concrete End Section
244	Pounds	604-A001	Castings
200	Pounds	604-B001	Gratings

20	Linear Feet	609-D009	Combination Concrete Curb and Gutter Type 3A Mod1
12	Cubic Yard	612-B001	Flowable Fill, Non-Excavatable
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
1,100	Linear Feet	619-F1001	Concrete Median Barrier, Precast
1	Lump Sum	620-A001	Mobilization
1	Lump Sum	699-A001	Roadway Construction Stakes
8,550	Linear Feet	803-D006	HP 14 x 73 Steel Piling
15	Ton	815-A007	Loose Riprap, Size 300
700	Linear Feet	907-234-A001	Temporary Silt Fence
1	Each	907-619-E3001	Changeable Message Sign
1,119	Square Feet	907-825-A001	Soil Nail Retaining Walls
1	Each	907-825-B001	Soil Nail Verification Tests
			ALTERNATE GROUP AA NUMBER 1
10	Ton	304-F001	3/4" and Down Crushed Stone Base
			ALTERNATE GROUP AA NUMBER 2
10	Ton	304-F002	Size 610 Crushed Stone Base
			ALTERNATE GROUP AA NUMBER 3
10	Ton	304-F003	Size 825B Crushed Stone Base

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Contractors may request permission to bid online at <a href="http://shop.mdot.ms.gov">http://shop.mdot.ms.gov</a> at no cost. Upon approval, contractors shall be eligible to submit a bid using Bid Express at <a href="http://bidx.com">http://bidx.com</a>. Specimen proposals may be viewed and downloaded online at no cost at <a href="http://mdot.ms.gov">http://mdot.ms.gov</a> or purchased online at <a href="http://shop.mdot.ms.gov">http://shop.mdot.ms.gov</a> at a cost of Ten Dollars (\$10.00) per proposal plus a small convenience fee. Cash or checks will not be accepted as payment.

Plans must be purchased online at https://shop.mdot.ms.gov. Costs of plans will be on a cost per sheet basis plus a small convenience fee. You can contact the MDOT Plans Print Shop at Telephone No. (601) 359-7460 or e-mail at plans@mdot.state.ms.us. Plans will be shipped on receipt of payment. Cash or checks will not be accepted as payment.

Bid bond, signed or countersigned by a Mississippi Resident Agent or qualified non-resident agent, with Power of Attorney attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

BRAD WHITE EXECUTIVE DIRECTOR