

Proposal & Plan Sales Will Begin on October 2, 2023



**MISSISSIPPI DEPARTMENT OF
TRANSPORTATION**

Notice to Contractors

Letting Date For October - October 24, 2023

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

NOTICE TO CONTRACTORS

LETTING DATE FOR OCTOBER - Tuesday, October 24, 2023

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List is available online at [mdot.ms.gov](https://shop.mdot.ms.gov)

PROPOSAL AND PLAN SALES WILL BEGIN ON OCTOBER 2, 2023

Proposals must be purchased online at:
<https://shop.mdot.ms.gov>
For Information Please Contact:
Contract Administration Division
Jackson, MS
Telephone: (601) 359-7700

Plans must be purchased online at:
<https://shop.mdot.ms.gov>
For Information Please Contact:
MDOT Plans Print Shop
Jackson, MS
Telephone: (601) 359-7460
e-mail: plans@mdot.state.ms.us

Electronic bids will be received by the Mississippi Transportation Commission at 10:00 o'clock A.M., Tuesday, October 24, 2023; from the Bid Express Service and shortly thereafter, bids will be publicly read in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

* No plans except Standard Drawings

LIST OF CONTRACTS FOR OCTOBER

CALL	CONTRACT	COUNTY
01	HSIP-0002-02(078)/109145301	WAYNE
02	NHPP-0006-01(103)/108847301 & NHPP-0006-01(102)/108847302	MARSHALL, DESOTO
03	HSIP-0008-01(152)/109154301	HARRISON
04	SVRU-0008-01(153)/109197301	HARRISON
05	NHPP-0010-01(161)/107509301	HANCOCK
06	NH-0011-01(063)/102134303 & NH-0011-01(063)/102134304	WASHINGTON
07	BR-0014-02(070)/102445301 & STP-0014-02(086)/107792301	MARION
*	08 IM-0020-02(102)/108591301	SCOTT
09	NHPP-0020-01(253)/108397301	WARREN
10	STBG-0059-02(119)/109299301	JONES
11	BR-2157-00(002)/106117301	JEFFERSON DAVIS
*	12 HRRR-9999-03(392)/109456301 & HRRR-9999-03(392)/109456302	HUMPHREYS, YAZOO
13	STBG-9999-03(388)/109059301	SUNFLOWER
*	14 STBG-9999-06(379)/1087783060 & STBG-9999-06(379)/1087783061 & STBG-9999-06(379)/1087783062	FORREST, JACKSON, JONES

*

15

SP-0015-01(141)/108369301

ADAMS

CALL No. 01

Interchange Improvements on US 45 at SR 184 / Central Avenue & US 45 at Landfill Road / Patton Creek Road, known as Federal Aid Project No. HSIP-0002-02(078) / 109145301 in Wayne County.

PROJECT COMPLETION: 103 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

15 Acre	201-B001	Clearing and Grubbing
2,643 Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
37 Square Yard	202-B063	Removal of Concrete Paved Ditch
1,256 Linear Feet	202-B088	Removal of Curb & Gutter, All Types
6 Each	202-B129	Removal of Flared End Section, All Sizes
1 Each	202-B165	Removal of Inlets, All Sizes
253 Square Yard	202-B168	Removal of Island Pavement, All Types
14 Linear Feet	202-B191	Removal of Pipe, 8" And Above
57 Each	202-B215	Removal of Sign Including Post & Footing
12,322 Cubic Yard	203-A001	Unclassified Excavation, FM, AH
4,424 Cubic Yard	203-EX017	Borrow Excavation, AH, FME, Class B7
10,463 Cubic Yard	203-G001	Excess Excavation, FM, AH
379 Cubic Yard	206-A001	Structure Excavation
29,585 Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
2,828 Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
8 Ton	213-C001	Superphosphate
1,504 Square Yard	216-A001	Solid Sodding
608 Square Yard	217-A001	Ditch Liner
31 Thousand Gallon	219-A001	Watering
15 Acre	220-A001	Insect Pest Control
214 Cubic Yard	221-A001	Concrete Paved Ditch
30 Acre	223-A001	Mowing
15 Acre	225-A001	Grassing
8 Ton	225-B001	Agricultural Limestone

28 Ton	225-C001	Mulch, Vegetative Mulch
15 Acre	226-A001	Temporary Grassing
1,620 Square Yard	229-A001	Erosion Mat
195 Each	235-A001	Temporary Erosion Checks
957 Linear Feet	237-A002	Wattles, 20"
3,625 Linear Feet	246-B002	Rockbags
280 Ton	249-A001	Riprap for Erosion Control
2,342 Ton	403-A002	12.5-mm, MT, Asphalt Pavement
2,927 Ton	403-A005	19-mm, MT, Asphalt Pavement
2,927 Ton	403-A006	19-mm, ST, Asphalt Pavement
1,756 Ton	403-A014	9.5-mm, MT, Asphalt Pavement
7,422 Gallon	407-A001	Asphalt for Tack Coat
20 Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
457 Pounds	602-A001	Reinforcing Steel
336 Linear Feet	603-CA012	18" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
88 Linear Feet	603-CA022	18" Reinforced Concrete Pipe, Class V, Jacked or Bored
160 Linear Feet	603-CA027	24" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
32 Linear Feet	603-CA056	36" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
8 Linear Feet	603-CA088	54" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
11 Each	603-CB003	18" Reinforced Concrete End Section
4 Each	603-CB004	24" Reinforced Concrete End Section
2 Each	603-CB006	36" Reinforced Concrete End Section
1 Each	603-CB009	54" Reinforced Concrete End Section
1,947 Linear Feet	609-D004	Combination Concrete Curb and Gutter Type 2 Modified
1,183 Linear Feet	609-D012	Combination Concrete Curb and Gutter Type 3A Modified
729 Square Yard	616-A001	Concrete Median and/or Island Pavement, 10-inch
308 Square Yard	616-A004	Concrete Median and/or Island Pavement, 4-inch
1 Lump Sum	618-A001	Maintenance of Traffic
2 Mile	619-A1004	Temporary Traffic Stripe, Continuous White, Paint
1 Mile	619-A2004	Temporary Traffic Stripe, Continuous Yellow, Paint

36,951	Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint
1,423	Square Feet	619-A6003	Temporary Traffic Stripe, Legend, Paint
94	Linear Feet	619-A6004	Temporary Traffic Stripe, Legend, Paint
16	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
276	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
200	Linear Feet	619-G4001	Barricades, Type III, Double Faced
48	Linear Feet	619-G4005	Barricades, Type III, Single Faced
194	Each	619-G5001	Free Standing Plastic Drums
8	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
2	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
1	Mile	626-F001	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
28,161	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
9,523	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
1,423	Square Feet	626-H001	Thermoplastic Double Drop Legend, White
94	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
620	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
109	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
544	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
166	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
272	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
144	Square Feet	630-B002	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
1,044	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
132	Linear Feet	630-D008	Structural Steel Beams, W6 x 9
387	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
1	Lump Sum	699-A001	Roadway Construction Stakes
13,677	Linear Feet	907-234-A001	Temporary Silt Fence
5	Each	907-234-D001	Inlet Siltation Guard
5	Each	907-234-E001	Reset Inlet Siltation Guard
8	Square Feet	907-630-A001	Standard Roadside Signs, LED Enhanced

ALTERNATE GROUP AA NUMBER 1

13,000 Ton 304-F001 3/4" and Down Crushed Stone Base

ALTERNATE GROUP AA NUMBER 2

13,000 Ton 304-F002 Size 610 Crushed Stone Base

ALTERNATE GROUP AA NUMBER 3

13,000 Ton 304-F003 Size 825B Crushed Stone Base

CALL No. 02

Bridge Preservation on US 78 & SR 305 (Bridge Nos. 2.6A, 2.6B, & 14.6) and I-22 over Musgray Road (Bridge Nos. 34.5A & 34.5B), known as Federal Aid Project Nos. NHPP-0006-01(103) / 108847301 & NHPP-0006-01(102) / 108847302 in Desoto and Marshall Counties.

PROJECT COMPLETION: 259 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Bridge Items

48	Square Yard	202-B083	Removal of Concrete Slope Paving
384	Linear Feet	202-B169	Removal of Joint Material
166	Linear Feet	501-E001	Expansion Joints, Without Dowels
7	Cubic Yard	815-D001	Concrete Slope Paving
4,729	Square Yard	907-202-B001	Removal of Bridge Deck, Hydrodemolition
2,500	Pounds	907-420-A001	Undersealing
337	Cubic Yard	907-804-O001	Bridge Deck Overlay Concrete
1,545	Linear Feet	907-808-A002	Joint Repair
607	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
441	Linear Feet	907-823-A002	Preformed Joint Seal, Type II
1,545	Linear Feet	907-823-B001	Saw Cut, Type I
881	Linear Feet	907-823-B002	Saw Cut, Type II
55	Square Feet	907-824-A003	General Epoxy Repair
36	Square Feet	907-824-B004	FRP Wrap, Uni-directional
21	Each	907-824-C001	Cap Cleaning
90	Each	907-824-D001	Bearing Replacements
600	Square Feet	907-824-PP003	Bridge Repair, Removal of Bridge Deck, Per Plans
2,368	Linear Feet	907-824-PP008	Bridge Repair, Bridge Railing Cleaning, Per Plans
2,368	Linear Feet	907-824-PP008	Bridge Repair, Class 2, Spray Finish, Per Plans
431	Linear Feet	907-824-PP008	Bridge Repair, End Wall Repair, Per Plans

ALTERNATE GROUP BB NUMBER 1

50	Ton	304-F001	3/4" and Down Crushed Stone Base
----	-----	----------	----------------------------------

ALTERNATE GROUP BB NUMBER 2

50	Ton	304-F002	Size 610 Crushed Stone Base
----	-----	----------	-----------------------------

ALTERNATE GROUP BB NUMBER 3

50 Ton	304-F003	Size 825B Crushed Stone Base
Roadway Items		
1,600 Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
800 Linear Feet	202-B150	Removal of Guard Rail Including Post, Blockouts & Hardware
6,000 Linear Feet	202-B240	Removal of Traffic Stripe
1,100 Square Yard	209-A004	Geotextile Stabilization, Type V
50 Ton	304-B004	Granular Material, Class 5, Group D
375 Ton	403-A004	19-mm, HT, Asphalt Pavement
325 Ton	403-A013	9.5-mm, HT, Asphalt Pavement
4,820 Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
725 Gallon	407-A001	Asphalt for Tack Coat
431 Linear Feet	501-E001	Expansion Joints, Without Dowels
4,800 Linear Feet	503-C010	Saw Cut, Full Depth
680 Linear Feet	606-B001	Guard Rail, Class A, Type 1
4 Each	606-D009	Guard Rail, Bridge End Section, Type C
4 Each	606-E007	Guard Rail, Terminal End Section, Non-Flared
2,820 Linear Feet	615-B001	Precast Concrete Median Barrier
1 Lump Sum	618-A001	Maintenance of Traffic
2 Square Feet	618-B001	Additional Construction Signs
7,700 Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
6,700 Linear Feet	619-A1003	Temporary Traffic Stripe, Continuous White, Paint
6,600 Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow
6,700 Linear Feet	619-A2003	Temporary Traffic Stripe, Continuous Yellow, Paint
3,400 Linear Feet	619-A3002	Temporary Traffic Stripe, Skip White
600 Linear Feet	619-A4001	Temporary Traffic Stripe, Skip Yellow
144 Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1,800 Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
1 Lump Sum	620-A001	Mobilization
3,400 Linear Feet	626-A002	6" Thermoplastic Double Drop Traffic Stripe, Skip White
4,600 Linear Feet	626-B001	6" Thermoplastic Double Drop Traffic Stripe, Continuous White

600 Linear Feet	626-D002	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
1,700 Linear Feet	626-E002	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
86 Each	627-K001	Red-Clear Reflective High Performance Raised Markers
8 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
72 Linear Feet	907-619-B001	Temporary Portable Rumble Strips
6 Each	907-619-E3001	Changeable Message Sign
2 Each	907-619-H2001	Traffic Signal, Portable, Type 1
2 Each	907-643-A004	Video Vehicle Detection Sensor, Type 1A

ALTERNATE GROUP AA NUMBER 1

540 Ton	304-F001	3/4" and Down Crushed Stone Base
---------	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

540 Ton	304-F002	Size 610 Crushed Stone Base
---------	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

540 Ton	304-F003	Size 825B Crushed Stone Base
---------	----------	------------------------------

CALL No. 03

Installation of a Directional Median on US 49 from Orange Grove Boulevard to St. Charles Street, known as Federal Aid Project No. HSIP-0008-01(152) / 109154301 in Harrison County.

PROJECT COMPLETION: 90 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

2,136	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
20	Linear Feet	202-B191	Removal of Pipe, 8" And Above
18,600	Linear Feet	202-B240	Removal of Traffic Stripe
65	Cubic Yard	203-A001	Unclassified Excavation, FM, AH
1,953	Cubic Yard	203-G001	Excess Excavation, FM, AH
4,840	Square Yard	216-B002	Solid Sodding, Centipede
8	Thousand Gallon	219-A001	Watering
100	Linear Feet	237-A002	Wattles, 20"
252	Ton	403-A001	12.5-mm, HT, Asphalt Pavement
377	Ton	403-A004	19-mm, HT, Asphalt Pavement
377	Ton	403-A006	19-mm, ST, Asphalt Pavement
2,767	Ton	403-A013	9.5-mm, HT, Asphalt Pavement
4,192	Gallon	407-A001	Asphalt for Tack Coat
33	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
2,575	Pounds	602-A001	Reinforcing Steel
1,020	Linear Feet	603-CA011	18" Reinforced Concrete Pipe, Class III
15	Linear Feet	603-CA026	24" Reinforced Concrete Pipe, Class III
5	Linear Feet	603-CA055	36" Reinforced Concrete Pipe, Class III
2,258	Pounds	604-A001	Castings
1,650	Pounds	604-B001	Gratings
7	Linear Feet	604-C001	Precast Manhole, 48" Diameter
267	Linear Feet	609-D003	Combination Concrete Curb and Gutter Type 2
2,407	Linear Feet	609-D008	Combination Concrete Curb and Gutter Type 3A
153	Square Yard	616-A001	Concrete Median and/or Island Pavement, 10-inch
1,494	Square Yard	616-A004	Concrete Median and/or Island Pavement, 4-inch

1	Lump Sum	618-A001	Maintenance of Traffic
8,920	Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
4,571	Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow
7,496	Linear Feet	619-A3002	Temporary Traffic Stripe, Skip White
32	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
696	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
3,779	Linear Feet	619-F1001	Concrete Median Barrier, Precast
24	Linear Feet	619-G4001	Barricades, Type III, Double Faced
30	Each	619-G5001	Free Standing Plastic Drums
8	Each	619-G7001	Warning Lights, Type "B"
2	Each	619-J1001	Impact Attenuator, 40 MPH
2	Each	619-J2001	Impact Attenuator, 40 MPH, Replacement Package
1	Lump Sum	620-A001	Mobilization
12,572	Linear Feet	626-A002	6" Thermoplastic Double Drop Traffic Stripe, Skip White
6,277	Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White
6,272	Linear Feet	626-F002	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
7,632	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
104	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
1,176	Square Feet	626-H001	Thermoplastic Double Drop Legend, White
317	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
755	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
73	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
45	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
126	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
1	Lump Sum	699-A001	Roadway Construction Stakes
200	Linear Feet	907-234-A001	Temporary Silt Fence
4,410	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
2	Each	907-619-E3001	Changeable Message Sign
ALTERNATE GROUP AA NUMBER 1			
4,648	Ton	304-F001	3/4" and Down Crushed Stone Base

ALTERNATE GROUP AA NUMBER 2

4,648 Ton 304-F002 Size 610 Crushed Stone Base

ALTERNATE GROUP AA NUMBER 3

4,648 Ton 304-F003 Size 825B Crushed Stone Base

CALL No. 04

Pedestrian Improvements along US 49 from Turkey Creek to 250 feet north of Creosote Road, known as Federal Aid Project No. SVRU-0008-01(153) / 109197301 in Harrison County.

PROJECT COMPLETION: 406 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1,139	Square Yard	202-B004	Removal of Asphalt Driveways, All Depths
2,106	Square Yard	202-B052	Removal of Concrete Driveways, All Depths
514	Square Yard	202-B059	Removal of Concrete Median & Island Pavement, All Depths
139	Square Yard	202-B063	Removal of Concrete Paved Ditch
941	Linear Feet	202-B089	Removal of Curb &/or Curb and Gutter, All Types
21	Each	202-B164	Removal of Inlet and Junction Box, All Types & Sizes
4	Each	202-B178	Removal of Low Mast Lighting Assembly and Foundation
25	Each	202-B179	Removal of Low Mast Lighting Foundation
2,746	Square Yard	202-B188	Removal of Pavement, All Types and Depths
3,148	Linear Feet	202-B191	Removal of Pipe, 8" And Above
1,000	Linear Feet	202-B240	Removal of Traffic Stripe
5,601	Cubic Yard	203-EX041	Borrow Excavation, AH, LVM, Class B9-6
200	Cubic Yard	203-G002	Excess Excavation, LVM, AH
7,746	Cubic Yard	206-A001	Structure Excavation
319	Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
2,449	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
700	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
1	Ton	213-C001	Superphosphate
11,188	Square Yard	216-A001	Solid Sodding
224	Thousand Gallon	219-A001	Watering
1	Acre	220-A001	Insect Pest Control
68	Cubic Yard	221-A001	Concrete Paved Ditch
3	Acre	226-A001	Temporary Grassing
3,000	Linear Feet	237-A002	Wattles, 20"
1,500	Linear Feet	246-A001	Sandbags

1,500	Linear Feet	246-B002	Rockbags
220	Ton	403-A003	12.5-mm, ST, Asphalt Pavement
330	Ton	403-A006	19-mm, ST, Asphalt Pavement
1,061	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
65,710	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
5,232	Gallon	407-A001	Asphalt for Tack Coat
9,550	Linear Feet	503-C010	Saw Cut, Full Depth
270	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
29,233	Pounds	602-A001	Reinforcing Steel
290	Linear Feet	603-A033	54" Steel Pipe, Jacked or Bored, Wall Thickness 0.625"
424	Linear Feet	603-CA012	18" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
104	Linear Feet	603-CA027	24" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
8	Linear Feet	603-CA041	30" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
232	Linear Feet	603-CA056	36" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
5	Each	603-CB003	18" Reinforced Concrete End Section
2	Each	603-CB004	24" Reinforced Concrete End Section
2	Each	603-CB006	36" Reinforced Concrete End Section
56	Linear Feet	603-CE009	29" x 18" Concrete Arch Pipe, Class A III, Flexible Plastic Gaskets
456	Linear Feet	603-CE019	44" x 27" Concrete Arch Pipe, Class A III, Flexible Plastic Gaskets
688	Linear Feet	603-CE024	51" x 31" Concrete Arch Pipe, Class A III, Flexible Plastic Gaskets
440	Linear Feet	603-CE029	58" x 36" Concrete Arch Pipe, Class A III, Flexible Plastic Gaskets
736	Linear Feet	603-CE035	65" x 40" Concrete Arch Pipe, Class A III, Flexible Plastic Gaskets
568	Linear Feet	603-CE040	73" x 45" Concrete Arch Pipe, Class A III, Flexible Plastic Gaskets
1	Each	603-CF009	73" x 45" Concrete Arch Pipe End Section
258	Linear Feet	603-PA014	8' x 5' Precast Concrete Box Culvert
1,270	Linear Feet	603-PA019	8' x 3' Precast Concrete Box Culvert
8	Linear Feet	603-RA001	15" Pipe Removed and Relaid
11	Each	603-SB012	18" Branch Connections, Stub into Box Culvert
3	Each	603-SB028	24" Branch Connections, Stub into Box Culvert
1,185	Pounds	604-A001	Castings

7,290 Pounds	604-B001	Gratings
3,659 Square Yard	608-B001	Concrete Sidewalk, With Reinforcement
423 Linear Feet	609-B002	Concrete Curb, Header
93 Linear Feet	609-B003	Concrete Curb, Special Design Slotted Curb
313 Linear Feet	609-D004	Combination Concrete Curb and Gutter Type 2 Modified
1,569 Linear Feet	609-D007	Combination Concrete Curb and Gutter Type 3 Modified
10 Cubic Yard	612-B001	Flowable Fill, Non-Excavatable
1 Lump Sum	613-A001	Adjustment of Castings, Gratings & Utility Appurtenances
3,322 Square Yard	614-B001	Concrete Driveway, With Reinforcement
2,090 Linear Feet	615-A008	Concrete Special Design Median Barrier 42" High
32 Square Yard	616-A001	Concrete Median and/or Island Pavement, 10-inch
110 Square Yard	616-A004	Concrete Median and/or Island Pavement, 4-inch
1 Lump Sum	618-A001	Maintenance of Traffic
3 Mile	619-A1001	Temporary Traffic Stripe, Continuous White
2,724 Linear Feet	619-A1007	Temporary Traffic Stripe, Continuous White, Type 1 or 2 Tape
9,648 Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow
7,808 Linear Feet	619-A2008	Temporary Traffic Stripe, Continuous Yellow, Type 1 or 2 Tape
5 Mile	619-A3001	Temporary Traffic Stripe, Skip White
17,502 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,525 Square Feet	619-A6001	Temporary Traffic Stripe, Legend
8,299 Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
915 Square Feet	619-A6007	Temporary Traffic Stripe, Legend, Type 1 or 2 Tape
16 Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
1,199 Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
2 Each	619-E1001	Flashing Arrow Panel, Type C
410 Linear Feet	619-F1001	Concrete Median Barrier, Precast
288 Linear Feet	619-G4001	Barricades, Type III, Double Faced
387 Each	619-G5001	Free Standing Plastic Drums
34 Each	619-G7001	Warning Lights, Type "B"

1	Lump Sum	619-H1001	Traffic Signals , US 49 @ Middle
1	Each	619-J1003	Impact Attenuator, 50 MPH
1	Lump Sum	620-A001	Mobilization
4	Mile	626-A001	6" Thermoplastic Double Drop Traffic Stripe, Skip White
3,759	Linear Feet	626-B001	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
7,744	Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White
6,440	Linear Feet	626-F002	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
7,435	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
4,894	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
1,595	Square Feet	626-H001	Thermoplastic Double Drop Legend, White
8,715	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
877	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
34	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
4	Each	629-A002	Vehicular Impact Attenuator, 50 MPH
66	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
18	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
120	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
60	Linear Feet	630-C001	Square Tube Posts, 4.0 lb/ft
233	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
24	Each	635-A059	Traffic Signal Head, Type 1
7	Each	635-A061	Traffic Signal Head, Type 2
2	Each	635-A063	Traffic Signal Head, Type 2R
2	Each	635-A065	Traffic Signal Head, Type 2 FYA
4	Each	635-A070	Traffic Signal Head, Type 3
3	Each	635-A073	Traffic Signal Head, Type 4
14	Each	635-A076	Traffic Signal Head, Type 6
1	Each	635-A079	Traffic Signal Head, Type 7R
2	Each	646-C001	LED Blank-Out Sign
1	Lump Sum	647-A001	Removal of Existing Traffic Signal Equipment
3,446	Linear Feet	682-A028	Underground Branch Circuit, AWG 4, 3 Conductor

2	Each	682-F001	Secondary Power Controller
45	Cubic Yard	684-A004	Pole Foundation, 30" Diameter
7	Linear Feet	684-B004	Slip Casing, 30" Diameter
17	Each	686-A001	Relocation of Existing Lighting Assemblies
1	Lump Sum	699-A001	Roadway Construction Stakes
1,000	Linear Feet	907-234-A001	Temporary Silt Fence
43	Each	907-234-D001	Inlet Siltation Guard
19	Each	907-234-E001	Reset Inlet Siltation Guard
4,467	Ton	907-405-A001	Stone Matrix Asphalt, 9.5 mm Mixture
13,008	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
2,050	Linear Feet	907-607-PP003	Fencing, Per Plans
818	Square Feet	907-608-C001	Detectable Warning Panels
9,500	Linear Feet	907-619-S001	Construction Safety Fence
2	Each	907-630-O001	Remove and Reset Sign Assembly
3	Each	907-632-C001	Modify Existing Traffic Signal Cabinet Assembly
3	Each	907-632-J001	Power Service Pedestal
2	Each	907-632-PP004	Solid State Traffic Cabinet, Type III Cabinet , Remove and Reset
1	Each	907-632-PP006	Solid State Traffic Cabinet, Type IV Cabinet
1	Each	907-633-A001	Uninterruptable Power Supply
1	Each	907-634-A044	Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 40' Arm
1	Each	907-634-A048	Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 60' Arm
2	Each	907-634-A049	Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 65' Arm
3	Each	907-634-A050	Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 70' Arm
2	Each	907-634-A064	Traffic Signal Equipment Pole, Type II(L), 40' Shaft, 60' Arm
1	Each	907-634-A065	Traffic Signal Equipment Pole, Type II(L), 40' Shaft, 65' Arm
1	Each	907-634-A280	Traffic Signal Equipment Pole, Type III(L), 30' Shaft, 60' & 60' Arm
2	Each	907-634-A545	Traffic Signal Equipment Pole, Type VI, 8' Shaft
1	Each	907-634-A548	Traffic Signal Equipment Pole, Type VII, 5'6" Shaft
48	Cubic Yard	907-634-C002	Pole Foundations, Class "DS" Concrete
5	Linear Feet	907-634-D001	Slip Casing, 24" Diameter

165	Linear Feet	907-634-D003	Slip Casing, 36" Diameter
1,350	Linear Feet	907-636-B003	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 10, 2 Conductor
2,335	Linear Feet	907-636-B014	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 5 Conductor
2,415	Linear Feet	907-636-B016	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 8 Conductor
95	Linear Feet	907-636-B028	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 8, 3 Conductor
440	Linear Feet	907-636-D001	Electric Cable, Aerial Supported in Conduit, IMSA 20-1, AWG 10, 2 Conductor
166	Linear Feet	907-636-D006	Electric Cable, Aerial Supported in Conduit, IMSA 20-1, AWG 14, 5 Conductor
1,004	Linear Feet	907-636-D008	Electric Cable, Aerial Supported in Conduit, IMSA 20-1, AWG 14, 8 Conductor
75	Linear Feet	907-636-D014	Electric Cable, Aerial Supported in Conduit, IMSA 20-1, AWG 8, 3 Conductor
8	Each	907-637-A002	Pullbox Enclosure, Type 2
4	Each	907-637-A003	Pullbox Enclosure, Type 3
5	Linear Feet	907-637-C026	Traffic Signal Conduit, Underground, Type 4, 1"
275	Linear Feet	907-637-C028	Traffic Signal Conduit, Underground, Type 4, 2"
190	Linear Feet	907-637-C030	Traffic Signal Conduit, Underground, Type 4, 3"
1,065	Linear Feet	907-637-D003	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
1,990	Linear Feet	907-640-B001	Shielded Cable, AWG #14, 2 Conductor
6	Each	907-643-A004	Video Vehicle Detection Sensor, Type 1A
1,215	Linear Feet	907-643-B001	Video Vehicle Detection Cable
6	Each	907-643-E001	Multi-Sensor Vehicle Detection Sensor
1,360	Linear Feet	907-643-F001	Multi-Sensor Vehicle Detection Cable
14	Each	907-645-B001	Accessible Pedestrian Detection Assembly
1	Each	907-650-A003	On Street Video Equipment, PTZ Type
3	Each	907-650-A004	On Street Video Equipment, PTZ Type, Signal Monitoring
39	Square Feet	907-653-A001	Traffic Sign
98	Square Feet	907-653-B001	Street Name Sign
1	Lump Sum	907-659-A001	Traffic Management Center Modifications
3	Each	907-672-A003	Remove and Reset Traffic Signal Equipment
2,839	Linear Feet	907-682-A1019	Branch Circuit Wire, AWG #4, 3 Conductor
17	Each	907-683-PP001	Lighting Assembly, Per Plans LOW MAST, LED TYPE 40-1-15-225
1	Lump Sum	907-899-A001	Railway-Highway Provisions

520 Hours

907-906001 Trainees

ALTERNATE GROUP AA NUMBER 1

5,350 Ton

304-F001 3/4" and Down Crushed Stone Base

ALTERNATE GROUP AA NUMBER 2

5,350 Ton

304-F002 Size 610 Crushed Stone Base

ALTERNATE GROUP AA NUMBER 3

5,350 Ton

304-F003 Size 825B Crushed Stone Base

CALL No. 05

Interchange Reconstruction on I-10 at Diamondhead, known as Federal Aid Project No. NHPP-0010-01(161) / 107509301 in Hancock County.

PROJECT COMPLETION: Contractor Determined

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	201-A001	Clearing and Grubbing
1	Acre	201-B001	Clearing and Grubbing
2,149	Square Yard	202-B006	Removal of Asphalt Paved Shoulders, All Depths
4,720	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
1,160	Square Yard	202-B052	Removal of Concrete Driveways, All Depths
157	Square Yard	202-B059	Removal of Concrete Median & Island Pavement, All Depths
328	Square Yard	202-B063	Removal of Concrete Paved Ditch
9,030	Square Yard	202-B073	Removal of Concrete Pavement, All Depths
1,769	Linear Feet	202-B089	Removal of Curb &/or Curb and Gutter, All Types
1	Each	202-B090	Removal of Curb Inlet
1,410	Linear Feet	202-B092	Removal of Curb, All Types
619	Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
2	Each	202-B170	Removal of Junction Box
2	Each	202-B178	Removal of Low Mast Lighting Assembly and Foundation
6	Linear Feet	202-B191	Removal of Pipe, 8" And Above
19,670	Linear Feet	202-B240	Removal of Traffic Stripe
1,680	Linear Feet	202-B251	Removal of Underground Electric Wire
4,965	Cubic Yard	203-A001	Unclassified Excavation, FM, AH
29,847	Cubic Yard	203-EX017	Borrow Excavation, AH, FME, Class B7
575	Cubic Yard	206-A001	Structure Excavation
15,744	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
3,411	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
7	Ton	213-C001	Superphosphate
3,360	Square Yard	216-A001	Solid Sodding
847	Square Yard	217-A001	Ditch Liner

78 Thousand Gallon	219-A001	Watering
14 Acre	220-A001	Insect Pest Control
234 Cubic Yard	221-A001	Concrete Paved Ditch
14 Acre	223-A001	Mowing
14 Acre	225-A001	Grassing
6 Ton	225-B001	Agricultural Limestone
25 Ton	225-C001	Mulch, Vegetative Mulch
14 Acre	226-A001	Temporary Grassing
13,900 Linear Feet	237-A002	Wattles, 20"
732 Linear Feet	239-A001	Temporary Slope Drains
2,213 Each	246-B001	Rockbags
80 Ton	249-A001	Riprap for Erosion Control
2,614 Ton	403-A002	12.5-mm, MT, Asphalt Pavement
501 Ton	403-A003	12.5-mm, ST, Asphalt Pavement
3,098 Ton	403-A005	19-mm, MT, Asphalt Pavement
4,236 Ton	403-A006	19-mm, ST, Asphalt Pavement
2,470 Ton	403-A014	9.5-mm, MT, Asphalt Pavement
376 Ton	403-A015	9.5-mm, ST, Asphalt Pavement
679 Ton	403-B002	12.5-mm, MT, Asphalt Pavement, Leveling
2,199 Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
6,035 Gallon	407-A001	Asphalt for Tack Coat
1 Mile	423-A001	Rumble Strips, Ground In
1,670 Linear Feet	503-C010	Saw Cut, Full Depth
110 Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
9,498 Pounds	602-A001	Reinforcing Steel
648 Linear Feet	603-CA012	18" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
296 Linear Feet	603-CA027	24" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
80 Linear Feet	603-CA041	30" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
96 Linear Feet	603-CA056	36" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
3 Each	603-CB003	18" Reinforced Concrete End Section

5	Each	603-CB004	24" Reinforced Concrete End Section
3	Each	603-CB005	30" Reinforced Concrete End Section
2	Each	603-CB006	36" Reinforced Concrete End Section
24	Linear Feet	603-CE003	22" x 13" Concrete Arch Pipe, Class A III, Flexible Plastic Gaskets
424	Linear Feet	603-CE009	29" x 18" Concrete Arch Pipe, Class A III, Flexible Plastic Gaskets
1,817	Pounds	604-A001	Castings
300	Pounds	604-B001	Gratings
113	Linear Feet	606-B001	Guard Rail, Class A, Type 1
3	Each	606-D022	Guard Rail, Bridge End Section, Type I
3	Each	606-E007	Guard Rail, Terminal End Section, Non-Flared
2,085	Square Yard	608-A001	Concrete Sidewalk, Without Reinforcement
1,157	Linear Feet	609-B003	Concrete Curb, Special Design
811	Linear Feet	609-C001	Concrete Integral Curb, Type 1
190	Linear Feet	609-D003	Combination Concrete Curb and Gutter Type 2
8,511	Linear Feet	609-D009	Combination Concrete Curb and Gutter Type 3A Mod1
1,378	Square Yard	614-A001	Concrete Driveway, Without Reinforcement
308	Square Yard	616-A001	Concrete Median and/or Island Pavement, 10-inch
2,054	Square Yard	616-A004	Concrete Median and/or Island Pavement, 4-inch
10	Each	617-A001	Right-of-Way Marker
1	Lump Sum	618-A001	Maintenance of Traffic
6	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
2,196	Linear Feet	619-A1005	Temporary Traffic Stripe, Continuous White, Type 1 Tape
6	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
2,196	Linear Feet	619-A2006	Temporary Traffic Stripe, Continuous Yellow, Type 1 Tape
2,318	Linear Feet	619-A3002	Temporary Traffic Stripe, Skip White
14,552	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
2,303	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
184	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
209	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet

1,006	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
1	Each	619-E1001	Flashing Arrow Panel, Type C
2,620	Linear Feet	619-F1001	Concrete Median Barrier, Precast
4,360	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
372	Linear Feet	619-G4005	Barricades, Type III, Single Faced
210	Each	619-G5001	Free Standing Plastic Drums
9	Each	619-G7001	Warning Lights, Type "B"
4	Each	619-J1001	Impact Attenuator, 40 MPH
8	Each	619-J2001	Impact Attenuator, 40 MPH, Replacement Package
1	Lump Sum	620-A001	Mobilization
1,833	Linear Feet	626-A002	6" Thermoplastic Double Drop Traffic Stripe, Skip White
3,804	Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White
2,542	Linear Feet	626-E002	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
1,039	Linear Feet	626-F002	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
8,332	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
5,815	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
2,303	Square Feet	626-H001	Thermoplastic Double Drop Legend, White
114	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
32	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
200	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
106	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
111	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
161	Square Feet	630-B002	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
637	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
195	Linear Feet	630-D008	Structural Steel Beams, W6 x 9
227	Pounds	630-E002	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
106	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
9	Each	630-F006	Delineators, Guard Rail, White
2	Each	630-G003	Type 3 Object Markers, OM-3L, Post Mounted
2	Each	630-G007	Type 3 Object Markers, OM-3R, Post Mounted

166	Linear Feet	630-K001	Welded & Seamless Steel Pipe Posts, 3 1/2"
18	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
490	Linear Feet	682-A028	Underground Branch Circuit, AWG 4, 3 Conductor
160	Linear Feet	682-A038	Underground Branch Circuit, AWG 8, 2 Conductor
4,360	Linear Feet	682-A039	Underground Branch Circuit, AWG 8, 3 Conductor
230	Linear Feet	682-A041	Underground Branch Circuit, AWG 8, 5 Conductor
310	Linear Feet	682-B037	Underground Branch Circuit, Jacked or Bored, AWG 8, 3 Conductor
28	Each	682-E003	Underground Junction Box With Concrete Pad
28	Each	683-B001	Lighting Assembly, Low Mast, LED, Type 15-1-0-90
30	Cubic Yard	684-A003	Pole Foundation, 24" Diameter
1	Lump Sum	699-A001	Roadway Construction Stakes
80	Ton	815-A007	Loose Riprap, Size 300
107	Square Yard	815-E001	Geotextile under Riprap
13,400	Linear Feet	907-234-A001	Temporary Silt Fence
400	Linear Feet	907-234-C001	Super Silt Fence
2	Each	907-234-D001	Inlet Siltation Guard
2	Each	907-234-E001	Reset Inlet Siltation Guard
1	Each	907-604-PP001	Modify Existing Inlet, Per Plans
126	Square Feet	907-608-C001	Detectable Warning Panels
815	Linear Feet	907-609-F002	Prefabricated Curb
879	Square Feet	907-616-C002	Colored and Imprinted Concrete Median and Island Pavement, 12-inch Thickness
8	Each	907-619-E3001	Changeable Message Sign
310	Linear Feet	907-682-A1007	Branch Circuit Wire, AWG #10, 1 Conductor
1,060	Linear Feet	907-682-A1018	Branch Circuit Wire, AWG #4, 1 Conductor
720	Hours	907-906001	Trainees

ALTERNATE GROUP AA NUMBER 1

16,650	Ton	304-F001	3/4" and Down Crushed Stone Base
--------	-----	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

16,650	Ton	304-F002	Size 610 Crushed Stone Base
--------	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

16,650 Ton 304-F003 Size 825B Crushed Stone Base

ALTERNATE GROUP BB NUMBER 1

366 Linear Feet 907-624-A002 6" Inverted Profile Thermoplastic Traffic Stripe, Skip White
732 Linear Feet 907-624-B002 6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
732 Linear Feet 907-624-D002 6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

ALTERNATE GROUP BB NUMBER 2

366 Linear Feet 628-G001 6" High Performance Cold Plastic Traffic Stripe, Skip White
732 Linear Feet 628-H001 6" High Performance Cold Plastic Traffic Stripe, Continuous White
732 Linear Feet 628-J001 6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

Bridge Items

837 Square Yard 202-B027 Removal of Bridge Deck, Curb and Railing
54 Square Yard 202-B275 Removal of Part of End Bent Cap, Curb, and Wingwall
24 Square Yard 202-B277 Removal of Part of Int. Bent Cap
1,684 Linear Feet 503-C001 Saw Cut, 1-inch
564 Square Yard 608-B001 Concrete Sidewalk, With Reinforcement
580 Linear Feet 803-D005 HP 14 x 117 Steel Piling
1,390 Linear Feet 803-P001 24" Steel Pipe Piling, Wall Thickness 0.500"
1,370 Linear Feet 804-C209 115' Prestressed Concrete Beam, Type FIB-45
808 Linear Feet 804-C269 68' Prestressed Concrete Beam, Type FIB-45
132,840 Pounds 805-A001 Reinforcement
3,570 Pounds 805-C001 Reinforcement, Corrosion Resistant
366 Linear Feet 813-A004 Concrete Railing, 36"
366 Linear Feet 813-E007 Modified Railing
18 Cubic Yard 815-D001 Concrete Slope Paving
1 Each 907-803-B001 Conventional Static Pile Load Test
1 Each 907-803-I003 PDA Test Pile, HP Steel Pile
1 Each 907-803-I004 PDA Test Pile, Steel Pipe Pile
2 Each 907-803-J001 Pile Restrike
398 Cubic Yard 907-804-A001 Bridge Concrete, Class BDY
141 Cubic Yard 907-804-A002 Bridge Concrete, Class AA

66 Linear Feet

907-808-A002 Joint Repair

105 Linear Feet

907-823-A002 Preformed Joint Seal, Type II

CALL No. 06

Grade, Pave, & Bridge Repairs on US 82 (Greenville Bypass) from the Mississippi River Bridge to SR 1 & Installation of ITS Components from the Mississippi River Bridge to Leland, known as Federal Aid Project Nos. NH-0011-01(063) / 102134303 & 304 in Washington County.

PROJECT COMPLETION: SEPTEMBER 25, 2025

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

6 Acre	201-B001	Clearing and Grubbing
1 Lump Sum	202-A001	Removal of Obstructions
164 Linear Feet	202-B011	Removal of Barricade, All Types
37,735 Square Yard	202-B045	Removal of Cement Treated Base, All Depths
1 Each	202-B055	Removal of Concrete Impact Attenuator Base and Foundation
265 Square Yard	202-B059	Removal of Concrete Median & Island Pavement, All Depths
1,550 Linear Feet	202-B061	Removal of Concrete Median Barrier, Precast
32 Square Yard	202-B063	Removal of Concrete Paved Ditch
1,258 Linear Feet	202-B088	Removal of Curb & Gutter, All Types
21 Each	202-B117	Removal of Delineator, All Types
1 Each	202-B162	Removal of Impact Attenuator
1 Each	202-B165	Removal of Inlets, All Sizes
24 Each	202-B178	Removal of Low Mast Lighting Assembly and Foundation
45,329 Square Yard	202-B188	Removal of Pavement, All Types and Depths
64 Linear Feet	202-B191	Removal of Pipe, 8" And Above
2,658 Cubic Yard	203-A001	Unclassified Excavation, FM, AH
129,227 Cubic Yard	203-EX020	Borrow Excavation, AH, FME, Class B9
133,129 Cubic Yard	203-G002	Excess Excavation, LVM, AH
21 Cubic Yard	206-A001	Structure Excavation
6,047 Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
280,526 Square Yard	212-B001	Standard Ground Preparation
29 Ton	213-C001	Superphosphate
1,208 Square Yard	216-A001	Solid Sodding
25 Thousand Gallon	219-A001	Watering

58 Acre	220-A001	Insect Pest Control
1,259 Cubic Yard	221-A001	Concrete Paved Ditch
2,068 Acre	223-A001	Mowing
58 Acre	225-A001	Grassing
29 Ton	225-B001	Agricultural Limestone
115 Ton	225-C001	Mulch, Vegetative Mulch
59 Acre	226-A001	Temporary Grassing
2,000 Linear Feet	237-A002	Wattles, 20"
115 Ton	249-A001	Riprap for Erosion Control
58 Cubic Yard	249-B001	Remove and Reset Riprap
108,450 Ton	304-B004	Granular Material, Class 5, Group D
215,005 Square Yard	307-C004	6" Soil-Lime-Water Mixing, Class C
2,903 Ton	307-D001	Lime
53,751 Gallon	307-S001	Bituminous Curing Seal
5,498 Ton	308-A001	Cement
316,283 Square Yard	308-B002	Soil-Cement-Water Mixing, Optional Mixers, Base
215,005 Square Yard	308-B003	Soil-Cement-Water Mixing, Optional Mixers, Design Soil
132,822 Gallon	308-S001	Bituminous Curing Seal
7 Mile	321-A003	6" In-Grade Preparation
7,668 Ton	403-A001	12.5-mm, HT, Asphalt Pavement
39,348 Ton	403-A004	19-mm, HT, Asphalt Pavement
48,308 Ton	403-A006	19-mm, ST, Asphalt Pavement
7,245 Ton	403-A013	9.5-mm, HT, Asphalt Pavement
653 Ton	403-A015	9.5-mm, ST, Asphalt Pavement
1,729 Ton	403-B001	12.5-mm, HT, Asphalt Pavement, Leveling
35,282 Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
67,728 Gallon	407-A001	Asphalt for Tack Coat
29 Mile	423-A001	Rumble Strips, Ground In
89 Square Yard	501-K001	Transverse Grooving
606 Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement

5,074	Linear Feet	503-C010	Saw Cut, Full Depth
54	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
4,398	Pounds	602-A001	Reinforcing Steel
64	Linear Feet	603-ALT006	24" Type A Alternate Pipe
8	Linear Feet	603-CE002	22" x 13" Concrete Arch Pipe, Class A III
88	Linear Feet	603-CE008	29" x 18" Concrete Arch Pipe, Class A III
2	Each	603-CF003	29" x 18" Concrete Arch Pipe End Section
5,000	Pounds	604-B001	Gratings
169	Square Yard	605-AA001	Geotextile for Subsurface Drainage, Type III
304	Linear Feet	605-O002	4" Perforated Sewer Pipe for Underdrains, SDR 23.5
36	Linear Feet	605-P002	4" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
12	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
800	Linear Feet	606-B001	Guard Rail, Class A, Type 1
6	Each	606-D022	Guard Rail, Bridge End Section, Type I
6	Each	606-E005	Guard Rail, Terminal End Section, Flared
88,745	Linear Feet	607-A001	31.5" Type "A" Woven Wire Fence, w/ Barbed Wire as Shown
1,900	Linear Feet	607-E001	Barbed Wire Fence, Single Strand
23	Each	607-G087	Gate, 12' x 52" Aluminum
2	Each	607-G126	Gate, 3' x 52" Chain Link
4,694	Each	607-P1011	Line Post, 7' x 4" Timber
939	Each	607-P1019	Line Post, 9' x 4" Timber
12	Each	607-P1022	Line Post, 10' x 1 1/2" Galvanized Steel
626	Each	607-P1025	Line Post, 10' x 4" Timber
644	Each	607-P2009	Brace Post, 8' x 6" Timber
211	Each	607-P2010	Brace Post, 8' x 6" x 6" Concrete
129	Each	607-P2015	Brace Post, 10' x 6" Timber
42	Each	607-P2016	Brace Post, 10' x 6" x 6" Concrete
86	Each	607-P2019	Brace Post, 12' x 6" Timber
28	Each	607-P2020	Brace Post, 12' x 6" x 6" Concrete
25	Each	607-P3006	Gate Post, 8' x 6" Timber

1,165	Each	607-Z001	Concrete Anchors
5,080	Linear Feet	609-D003	Combination Concrete Curb and Gutter Type 2
31,825	Linear Feet	610-A001	Cable Barrier
12	Each	610-B001	Cable Barrier Terminal Section
120	Linear Feet	615-A002	Concrete Bridge End Barrier, 33.5"
159	Square Yard	616-A001	Concrete Median and/or Island Pavement, 10-inch
2,987	Square Yard	616-A004	Concrete Median and/or Island Pavement, 4-inch
1	Lump Sum	618-A001	Maintenance of Traffic
22	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
22	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
14	Mile	619-A3001	Temporary Traffic Stripe, Skip White
676	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
140	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
1,440	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
2	Each	619-E1001	Flashing Arrow Panel, Type C
36	Linear Feet	619-G4001	Barricades, Type III, Double Faced
504	Linear Feet	619-G4005	Barricades, Type III, Single Faced
143	Each	619-G5001	Free Standing Plastic Drums
18	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
14	Mile	626-A001	6" Thermoplastic Double Drop Traffic Stripe, Skip White
21	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
3	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
17	Mile	626-F001	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
16,858	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
18,581	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
430	Square Feet	626-H004	Thermoplastic Legend, White
676	Linear Feet	626-H005	Thermoplastic Legend, White
103	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,352	Each	627-K001	Red-Clear Reflective High Performance Raised Markers

857	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
428	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
642	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
358	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
852	Linear Feet	630-C001	Square Tube Posts, 4.0 lb/ft
201	Linear Feet	630-C004	Square Tube Posts, 9.0 lb/ft
770	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
115	Linear Feet	630-D007	Structural Steel Beams, W6 x 15
611	Linear Feet	630-D008	Structural Steel Beams, W6 x 9
390	Linear Feet	630-D009	Structural Steel Beams, W8 x 18
544	Pounds	630-E001	Structural Steel Angles & Bars, 3 1/2" x 3 1/2" x 1/4" Angles
672	Pounds	630-E002	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
1,197	Pounds	630-E005	Structural Steel Angles & Bars, Aluminum Unistrut
28	Each	630-F006	Delineators, Guard Rail, White
14	Each	630-F007	Delineators, Guard Rail, Yellow
4	Each	630-G003	Type 3 Object Markers, OM-3L, Post Mounted
121	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
4	Each	630-G007	Type 3 Object Markers, OM-3R, Post Mounted
5,075	Linear Feet	682-A010	Underground Branch Circuit, AWG 10, 3 Conductor
5,315	Linear Feet	682-A018	Underground Branch Circuit, AWG 2, 3 Conductor
36,245	Linear Feet	682-A028	Underground Branch Circuit, AWG 4, 3 Conductor
2,895	Linear Feet	682-A039	Underground Branch Circuit, AWG 8, 3 Conductor
400	Linear Feet	682-B025	Underground Branch Circuit, Jacked or Bored, AWG 4, 3 Conductor
33	Each	682-E003	Underground Junction Box With Concrete Pad
4	Each	682-F001	Secondary Power Controller
18	Each	683-A132	Lighting Assembly, High Mast, LED, Type 150-8-582-A
18	Each	683-B201	Lighting Assembly, Low Mast, LED, Type 40-1-2-295-B
61	Each	683-B202	Lighting Assembly, Low Mast, LED, Type 40-1-3-295-C
2	Each	683-B203	Lighting Assembly, Low Mast, LED, Type 40-2-3-295-C

100	Cubic Yard	684-A003	Pole Foundation, 24" Diameter
1	Lump Sum	699-A001	Roadway Construction Stakes
16	Ton	815-A007	Loose Riprap, Size 300
22	Square Yard	815-E001	Geotextile under Riprap
50,000	Linear Feet	907-234-A001	Temporary Silt Fence
10	Each	907-234-D001	Inlet Siltation Guard
10	Each	907-234-E001	Reset Inlet Siltation Guard
18,399	Ton	907-405-A001	Stone Matrix Asphalt, 9.5 mm Mixture
23,739	Ton	907-405-A002	Stone Matrix Asphalt, 12.5 mm Mixture
285	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
4	Each	907-619-E3001	Changeable Message Sign
1	Lump Sum	907-630-L002	Pedestal Sign Support, Assembly No 2, Contractor Designed
1,869	Square Feet	907-630-PP002	Roadside Directional Signs, Sheet Aluminum, 0.125" Thickness, Ground Mounted
6	Each	907-634-E001	Camera Pole with Foundation, 50' Pole
5	Each	907-634-I001	Wood Pole, Class II Height 40'
3,128	Linear Feet	907-636-B053	Electric Cable, Underground in Conduit, THHN, AWG #6, 3 Conductor
14	Each	907-637-A002	Pullbox Enclosure, Type 2
124	Each	907-637-A004	Pullbox Enclosure, Type 4
12	Each	907-637-A005	Pullbox Enclosure, Type 5
1	Each	907-637-B001	Pull Box Enclosure, Structure Mounted, Type 1
2,968	Linear Feet	907-637-C009	Traffic Signal Conduit, Underground, Rolled Pipe, 2"
8,234	Linear Feet	907-637-D002	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2"
79,863	Linear Feet	907-637-H001	Traffic Signal Conduit Bank, Underground, Rolled Pipe, 2 @ 2"
31,009	Linear Feet	907-637-I001	Traffic Signal Conduit Bank, Underground, Drilled or Jacked, Rolled Pipe, 2 @ 2"
325	Linear Feet	907-637-K001	Traffic Signal Conduit Bank, Aerial Supported, Type 1, 2 @ 2"
8	Each	907-650-A002	On Street Video Equipment, Fixed Type
6	Each	907-650-A003	On Street Video Equipment, PTZ Type
1	Each	907-656-A002	Dynamic Message Sign, Type 2
1	Lump Sum	907-659-A001	Traffic Management Center Modifications
5	Each	907-660-A002	Equipment Cabinet, Type B

1	Each	907-660-A003	Equipment Cabinet, Type C
113,145	Linear Feet	907-661-A004	Fiber Optic Cable, 72 SM
325	Linear Feet	907-661-A006	Fiber Optic Cable, Aerial, 72 SM
9,606	Linear Feet	907-661-B002	Fiber Optic Drop Cable, 12 SM
2	Each	907-662-D002	Radio Interconnect, Broadband, Short Range
7	Each	907-663-A001	Network Switch, Type A
1	Each	907-663-A005	Network Switch, Type E
2	Each	907-663-A006	Network Switch, Type F
440	Linear Feet	907-663-D001	Category 6 Cable, Installed in Conduit
600	Cubic Yard	907-684-PP001	Pole Foundation, Per Plans
1,040	Hours	907-906001	Trainees

ALTERNATE GROUP AA NUMBER 1

155,150	Ton	304-F001	3/4" and Down Crushed Stone Base
---------	-----	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

155,150	Ton	304-F002	Size 610 Crushed Stone Base
---------	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

155,150	Ton	304-F003	Size 825B Crushed Stone Base
---------	-----	----------	------------------------------

ALTERNATE GROUP BB NUMBER 1

146	Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
-----	------------	----------	--

ALTERNATE GROUP BB NUMBER 2

146	Cubic Yard	605-W003	Filter Material for Combination Storm Drain and/or Underdrains, Type C, FM
-----	------------	----------	--

Bridge Items

63	Linear Feet	202-B037	Removal of Bridge Railing
11,730	Pounds	805-A001	Reinforcement
63	Linear Feet	813-E007	Modified Railing
119	Cubic Yard	907-804-A002	Bridge Concrete, Class AA
615	Linear Feet	907-808-A002	Joint Repair
285	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
615	Linear Feet	907-823-A002	Preformed Joint Seal, Type II
285	Linear Feet	907-823-B001	Saw Cut, Type I
1,229	Linear Feet	907-823-B002	Saw Cut, Type II

1	Lump Sum	907-824-PP004	Bridge Repair, Bridge Deck Crack Sealing, Per Plans
1	Lump Sum	907-824-PP004	Bridge Repair, Graffiti Removal, Per Plans
1	Lump Sum	907-824-PP004	Bridge Repair, Pressure Wash and Clean, Per Plans
1	Lump Sum	907-824-PP004	Bridge Repair, Removal of Bridge Concrete, Per Plans
1	Lump Sum	907-824-PP004	Bridge Repair, Textured Spray Finish, Per Plans
60	Linear Feet	907-824-PP008	Bridge Repair, Epoxy Injection Repair, Per Plans

CALL No. 07

Bridge Replacements & Bank Stabilization on US 98 at the Pearl River (Bridge Nos. 118.5A & 118.5B), known as Federal Aid Project Nos. BR-0014-02(070) / 102445301 & STP-0014-02(086) / 107792301 in Marion County.

PROJECT COMPLETION: SEPTEMBER 18, 2026

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

3	Acre	201-B001	Clearing and Grubbing
1,450	Station	201-C001	Random Clearing and Grubbing
1	Lump Sum	202-A001	Removal of Obstructions
2	Each	202-B023	Removal of Bridge
117	Square Yard	202-B029	Removal of Bridge End Pavement
269	Linear Feet	202-B089	Removal of Curb &/or Curb and Gutter, All Types
1,620	Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
1	Each	202-B165	Removal of Inlets, All Sizes
18,873	Square Yard	202-B188	Removal of Pavement, All Types and Depths
5	Linear Feet	202-B191	Removal of Pipe, 8" And Above
12,067	Linear Feet	202-B240	Removal of Traffic Stripe
16,996	Cubic Yard	203-A001	Unclassified Excavation, FM, AH
5,408	Cubic Yard	203-EX021	Borrow Excavation, AH, FME, Class B9-6
27,835	Cubic Yard	203-G001	Excess Excavation, FM, AH
3,086	Cubic Yard	203-G002	Excess Excavation, LVM, AH
52	Cubic Yard	206-A001	Structure Excavation
36,212	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
4,851	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
10	Ton	213-C001	Superphosphate
124	Square Yard	216-A001	Solid Sodding
1,244	Square Yard	217-A001	Ditch Liner
3	Thousand Gallon	219-A001	Watering
10	Acre	220-A001	Insect Pest Control
20	Cubic Yard	221-A001	Concrete Paved Ditch
36	Acre	223-A001	Mowing

144 Square Yard	224-A001 Soil Reinforcing Mat
18 Acre	225-A001 Grassing
10 Ton	225-B001 Agricultural Limestone
36 Ton	225-C001 Mulch, Vegetative Mulch
18 Acre	226-A001 Temporary Grassing
75 Each	235-A001 Temporary Erosion Checks
1 Each	236-A008 Silt Basin, Type D
2,416 Linear Feet	237-A002 Wattles, 20"
3,886 Linear Feet	239-A001 Temporary Slope Drains
540 Linear Feet	245-A001 Silt Dike
1,483 Each	246-B001 Rockbags
2,232 Linear Feet	246-B002 Rockbags
1,320 Ton	249-A001 Riprap for Erosion Control
623 Cubic Yard	249-B001 Remove and Reset Riprap
5,269 Cubic Yard	304-A007 Granular Material, LVM, Class 6, Group C
8,294 Square Yard	307-C004 6" Soil-Lime-Water Mixing, Class C
112 Ton	307-D001 Lime
2,074 Gallon	307-S001 Bituminous Curing Seal
70 Ton	308-A001 Cement
8,294 Square Yard	308-B003 Soil-Cement-Water Mixing, Optional Mixers, Design Soil
2,074 Gallon	308-S001 Bituminous Curing Seal
990 Ton	403-A001 12.5-mm, HT, Asphalt Pavement
1,415 Ton	403-A003 12.5-mm, ST, Asphalt Pavement
1,591 Ton	403-A004 19-mm, HT, Asphalt Pavement
2,925 Ton	403-A006 19-mm, ST, Asphalt Pavement
2,275 Ton	403-A013 9.5-mm, HT, Asphalt Pavement
1,521 Ton	403-A015 9.5-mm, ST, Asphalt Pavement
20,483 Square Yard	406-D001 Fine Milling of Bituminous Pavement, All Depths
4,621 Gallon	407-A001 Asphalt for Tack Coat
4 Mile	423-A001 Rumble Strips, Ground In

59	Square Yard	501-K001	Transverse Grooving
404	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
543	Linear Feet	503-C010	Saw Cut, Full Depth
3	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
96	Pounds	602-A001	Reinforcing Steel
64	Linear Feet	603-ALT003	18" Type A Alternate Pipe
96	Linear Feet	603-CA011	18" Reinforced Concrete Pipe, Class III
48	Linear Feet	603-CA026	24" Reinforced Concrete Pipe, Class III
2	Each	603-CB003	18" Reinforced Concrete End Section
2	Each	603-CB004	24" Reinforced Concrete End Section
500	Pounds	604-B001	Gratings
107	Square Yard	605-AA001	Geotextile for Subsurface Drainage, Type III
192	Linear Feet	605-O002	4" Perforated Sewer Pipe for Underdrains, SDR 23.5
18	Linear Feet	605-P002	4" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
8	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
225	Linear Feet	606-B001	Guard Rail, Class A, Type 1
225	Linear Feet	606-B006	Guard Rail, Class A, Type 1, Double Faced
4	Each	606-D022	Guard Rail, Bridge End Section, Type I
2	Each	606-E003	Guard Rail, Terminal End Section, Double Faced
2	Each	606-E005	Guard Rail, Terminal End Section, Flared
26	Linear Feet	609-D008	Combination Concrete Curb and Gutter Type 3A
2	Each	613-D005	Adjustment of Manhole
80	Linear Feet	615-A024	Concrete Bridge End Barrier, 37.5"
32	Each	617-A001	Right-of-Way Marker
6	Each	617-B001	Permanent Easement Marker
1	Lump Sum	618-A001	Maintenance of Traffic
6	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
8	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
3	Mile	619-A3001	Temporary Traffic Stripe, Skip White

368	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
280	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
74	Each	619-C6001	Red-Clear Reflective High Performance Raised Marker
214	Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
116	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
1,270	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
2	Each	619-E1001	Flashing Arrow Panel, Type C
430	Linear Feet	619-F1001	Concrete Median Barrier, Precast
624	Linear Feet	619-G4005	Barricades, Type III, Single Faced
143	Each	619-G5001	Free Standing Plastic Drums
23	Each	619-G7001	Warning Lights, Type "B"
1	Each	619-J1002	Impact Attenuator, 45 MPH
1	Each	619-J2002	Impact Attenuator, 45 MPH, Replacement Package
3	Each	619-K2004	Installation and Removal of Guard Rail, Type I Bridge End Section
3	Each	619-K4001	Installation and Removal of Guardrail, Terminal End Section
1	Lump Sum	620-A001	Mobilization
9,337	Linear Feet	626-A002	6" Thermoplastic Double Drop Traffic Stripe, Skip White
14,049	Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White
3,813	Linear Feet	626-E002	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
9,370	Linear Feet	626-F002	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
368	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
280	Linear Feet	626-H005	Thermoplastic Legend, White
16	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
281	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
100	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
6	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
32	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
32	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
75	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
40	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar

14	Each	630-F005	Delineators, Guard Rail, Double Yellow
14	Each	630-F006	Delineators, Guard Rail, White
2	Each	630-G003	Type 3 Object Markers, OM-3L, Post Mounted
2	Each	630-G007	Type 3 Object Markers, OM-3R, Post Mounted
36	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
1	Lump Sum	699-A001	Roadway Construction Stakes
3,000	Square Feet	802-C001	Temporary Steel Sheet Piling
48	Ton	815-A002	Loose Riprap, Size 100
52,276	Ton	815-A007	Loose Riprap, Size 300
87	Square Yard	815-E001	Geotextile under Riprap
166	Ton	815-F002	Sediment Control Stone
13,030	Linear Feet	907-234-A001	Temporary Silt Fence
800	Linear Feet	907-234-C001	Super Silt Fence
8	Each	907-234-D001	Inlet Siltation Guard
8	Each	907-234-E001	Reset Inlet Siltation Guard
1,400	Linear Feet	907-234-F001	Turbidity Barrier
175	Linear Feet	907-253-A001	Coir Fiber Baffle
188	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
4	Each	907-619-E3001	Changeable Message Sign
1,040	Hours	907-906001	Trainees

ALTERNATE GROUP AA NUMBER 1

15,350	Ton	304-F001	3/4" and Down Crushed Stone Base
--------	-----	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

15,350	Ton	304-F002	Size 610 Crushed Stone Base
--------	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

15,350	Ton	304-F003	Size 825B Crushed Stone Base
--------	-----	----------	------------------------------

ALTERNATE GROUP BB NUMBER 1

98	Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
----	------------	----------	--

ALTERNATE GROUP BB NUMBER 2

98	Cubic Yard	605-W003	Filter Material for Combination Storm Drain and/or Underdrains, Type C, FM
----	------------	----------	--

Bridge Items

8,174	Square Yard	501-K001	Transverse Grooving
9,180	Linear Feet	803-D007	HP 14 x 89 Steel Piling
2,214	Linear Feet	803-K015	Drilled Shaft, 108" Diameter
1	Each	803-L010	Test Shaft, 108" Diameter
183	Linear Feet	803-M013	Trial Shaft, 108" Diameter
120	Linear Feet	803-N001	Exploration
1,008	Linear Feet	803-O002	Permanent Casing, 108" Diameter
877,958	Pounds	805-A001	Reinforcement
6,705,662	Pounds	810-A007	Structural Steel, A 709, Grade 50W
454,782	Pounds	810-A008	Structural Steel, A 709, Grade HPS 70W
40	Each	811-D001	Disc Bearing Device
3,694	Linear Feet	813-A004	Concrete Railing, 36"
10,448	Ton	815-A007	Loose Riprap, Size 300
5,970	Square Yard	815-E001	Geotextile under Riprap
2	Each	907-803-B001	Conventional Static Pile Load Test
4	Each	907-803-I003	PDA Test Pile, HP Steel Pile
4	Each	907-803-J001	Pile Restrike
1,551	Cubic Yard	907-804-A002	Bridge Concrete, Class AA
2,442	Cubic Yard	907-804-A004	Bridge Concrete, Class BD
186	Linear Feet	907-822-PP003	5 1/2" Modular Expansion Joint

CALL No. 08

Mill & Overlay approximately 17 miles of I-20 from the Rankin County Line to 0.35 miles east of SR 501, known as Federal Aid Project No. IM-0020-02(102) / 108591301 in Scott County.

PROJECT COMPLETION: AUGUST 29, 2025

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

2,234	Station	201-D001	Random Clearing
11	Acre	201-D002	Random Clearing
3,547	Square Yard	202-B009	Removal of Asphalt Pavement, Failed Areas
123	Square Yard	202-B045	Removal of Cement Treated Base, All Depths
957	Square Yard	202-B063	Removal of Concrete Paved Ditch
1,317	Square Yard	202-B069	Removal of Concrete Pavement w/ Variable Depth Overlay
4,175	Linear Feet	202-B096	Removal of Debris and Sand From Box Culvert, 10-foot and Greater Width
178	Each	202-B117	Removal of Delineator, All Types
2	Each	202-B125	Removal of Fence Gate, All Types, All Sizes
781	Linear Feet	202-B126	Removal of Fence, All Types
1	Each	202-B129	Removal of Flared End Section, All Sizes
33	Each	202-B135	Removal of Guard Post
17,428	Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
16	Linear Feet	202-B191	Removal of Pipe, 8" And Above
352	Each	202-B244	Removal of Trees
84	Each	202-B262	Removal of Fence Post, All Types, Including Footing
2,963	Linear Feet	202-B273	Removal of Debris and Sand From Box Culvert, 6-foot to Less than 10-foot Width
27	Cubic Yard	203-EX029	Borrow Excavation, AH, LVM, Class B15
600	Cubic Yard	203-G002	Excess Excavation, LVM, AH
1	Acre	203-I001	Site Grading
22	Cubic Yard	206-A001	Structure Excavation
2,271	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
28	Cubic Yard	221-A001	Concrete Paved Ditch
1,762	Acre	223-A001	Mowing
4,650	Cubic Yard	304-A004	Granular Material, LVM, Class 5, Group C

700 Ton	304-D002	Granular Material, Crushed Stone
1,565 Ton	403-A013	9.5-mm, HT, Asphalt Pavement
19,041 Ton	403-A015	9.5-mm, ST, Asphalt Pavement
920 Ton	403-B001	12.5-mm, HT, Asphalt Pavement, Leveling
1,777 Ton	403-B004	19-mm, HT, Asphalt Pavement, Leveling
68 Mile	403-S001	Joint Sealant
868 Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
907,571 Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
174 Gallon	407-A001	Asphalt for Tack Coat
66 Mile	423-A001	Rumble Strips, Ground In
430 Square Yard	503-A001	8" and Variable Continuously Reinforced Concrete Pavement, Broom Finish
20 Square Yard	503-A002	8" and Variable Jointed Concrete Pavement
305 Linear Feet	503-B001	Saw Cut, Longitudinal Joints
514 Linear Feet	503-C004	Saw Cut, 3-inch
4,355 Linear Feet	503-C010	Saw Cut, Full Depth
60 Cubic Yard	503-D001	Concrete for Base Repair
295 Each	503-E002	Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted
2 Cubic Yard	601-B002	Class "C" Structural Concrete, Minor Structures
16 Linear Feet	603-CA035	24" Reinforced Concrete Pipe, Class V
1 Each	603-CB004	24" Reinforced Concrete End Section
98 Each	606-A003	Guard Posts
12,725 Linear Feet	606-B003	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
300 Linear Feet	606-B007	Guard Rail, Class A, Type 1, Double Faced, Metal Post
225 Linear Feet	606-B010	Guard Rail, Class A, Type 1, Thrie Beam
15 Linear Feet	606-B013	Guard Rail, Class A, Type 1, Thrie Beam, Transition Section
48 Each	606-C003	Guard Rail, Cable Anchor, Type 1
16 Each	606-D005	Guard Rail, Bridge End Section, Type A
12 Each	606-D009	Guard Rail, Bridge End Section, Type C
7 Each	606-D022	Guard Rail, Bridge End Section, Type I
2 Each	606-E003	Guard Rail, Terminal End Section, Double Faced

75	Each	606-E005	Guard Rail, Terminal End Section, Flared
4	Each	606-E007	Guard Rail, Terminal End Section, Non-Flared
12	Each	606-G003	Special Sections, Special Design Bridge Connector
534	Linear Feet	607-A001	31.5" Type"A" Woven Wire Fence, w/ Barbed Wire as Shown
578	Linear Feet	607-B017	60" Type I Chain Link Fence, Class I
3	Each	607-G058	Gate, 12' x 6' Chain Link
46	Each	607-P1008	Line Post, 7' x 1 1/2" Galvanized Steel
32	Each	607-P1011	Line Post, 7' x 4" Timber
22	Each	607-P2004	Brace Post, 7 1/2' x 2" Galvanized Steel
14	Each	607-P2009	Brace Post, 8' x 6" Timber
14	Each	607-P2019	Brace Post, 12' x 6" Timber
6	Each	607-P3004	Gate Post, 8' x 2 1/2" Galvanized Steel
1	Lump Sum	618-A001	Maintenance of Traffic
117	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
110	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
102	Mile	619-A3001	Temporary Traffic Stripe, Skip White
1,142	Linear Feet	619-A4001	Temporary Traffic Stripe, Skip Yellow
55,631	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
386	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
1,640	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
4,474	Each	619-C6001	Red-Clear Reflective High Performance Raised Marker
56	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
152	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
340	Each	619-F3001	Delineators, Guard Rail, White
213	Each	619-F3002	Delineators, Guard Rail, Yellow
96	Linear Feet	619-G4001	Barricades, Type III, Double Faced
12	Linear Feet	619-G4005	Barricades, Type III, Single Faced
1	Lump Sum	620-A001	Mobilization
34	Mile	626-A001	6" Thermoplastic Double Drop Traffic Stripe, Skip White

39 Mile	626-B002	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
572 Linear Feet	626-D002	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
37 Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
26,571 Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
1,245 Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
820 Square Feet	626-H001	Thermoplastic Double Drop Legend, White
386 Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
4,525 Each	627-K001	Red-Clear Reflective High Performance Raised Markers
12 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
182 Each	630-F010	Delineators, Post Mounted, Double White
52 Each	630-F011	Delineators, Post Mounted, Double Yellow
117 Each	630-F012	Delineators, Post Mounted, Single White
53 Each	630-F013	Delineators, Post Mounted, Single Yellow
35 Each	630-G004	Type 3 Object Markers, OM-3R or OM-3L
2 Each	635-A065	Traffic Signal Head, Type 2 FYA
168 Ton	815-A002	Loose Riprap, Size 100
47 Square Yard	815-E001	Geotextile under Riprap
26,352 Ton	907-402-A002	Open Graded Friction Course, 9.5-mm Mixture
66,086 Gallon	907-402-B001	Bituminous Tack Coat
61,500 Ton	907-405-A001	Stone Matrix Asphalt, 9.5 mm Mixture
784 Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
2,000 Pounds	907-420-A002	Undersealing Concrete Pavement
1,743 Pounds	907-512-B002	Cement Pressure Grout Slurry, Type 6
1 Each	907-632-D001	Solid State Traffic Actuated Controller, Type 1
240 Linear Feet	907-636-B014	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 5 Conductor
2 Each	907-641-A002	Signal Stop Bar Radar Vehicle Detection Sensor, Type 2
2 Each	907-641-B002	Signal Advanced Radar Vehicle Detection Sensor, Type 2
660 Linear Feet	907-641-D001	Radar Vehicle Detection Cable
1 Each	907-688-A002	Traffic Recorder WIM Kistler System, 4-Lane
474 Linear Feet	907-808-A002	Joint Repair

2,694	Linear Feet	907-808-A003	Joint Repair Without Epoxy
1,270	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
314	Linear Feet	907-823-A002	Preformed Joint Seal, Type II
2,540	Linear Feet	907-823-B001	Saw Cut, Type I
628	Linear Feet	907-823-B002	Saw Cut, Type II
18	Square Feet	907-824-PP003	Bridge Repair, Epoxy Repair
1,040	Hours	907-906001	Trainees

ALTERNATE GROUP AA NUMBER 1

1,687	Ton	304-F001	3/4" and Down Crushed Stone Base
-------	-----	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

1,687	Ton	304-F002	Size 610 Crushed Stone Base
-------	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

1,687	Ton	304-F003	Size 825B Crushed Stone Base
-------	-----	----------	------------------------------

Bank Stabilization on I-20 over Clear Creek (Bridge Nos. 12.0A & 12.0B), known as Federal Aid Project No. NHPP-0020-01(253) / 108397301 in Warren County.

PROJECT COMPLETION: 98 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

4 Acre	201-B001	Clearing and Grubbing
24,290 Cubic Yard	203-F001	Channel Excavation, FM
1 Ton	213-C001	Superphosphate
1 Acre	225-A001	Grassing
1 Ton	225-B001	Agricultural Limestone
2 Ton	225-C001	Mulch, Vegetative Mulch
1 Acre	226-A001	Temporary Grassing
200 Linear Feet	237-A002	Wattles, 20"
224 Cubic Yard	304-A007	Granular Material, LVM, Class 6, Group C
5 Each	617-A001	Right-of-Way Marker
1 Lump Sum	618-A001	Maintenance of Traffic
16 Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
32 Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
1 Each	619-E1001	Flashing Arrow Panel, Type C
25 Each	619-G5001	Free Standing Plastic Drums
1 Lump Sum	620-A001	Mobilization
1 Lump Sum	699-A001	Roadway Construction Stakes
22,690 Ton	815-A007	Loose Riprap, Size 300
9,445 Square Yard	815-E001	Geotextile under Riprap
920 Linear Feet	907-234-A001	Temporary Silt Fence
1,300 Linear Feet	907-234-F001	Turbidity Barrier
1 Each	907-619-E3001	Changeable Message Sign

CALL No. 10

Bridge Repair on 13th Avenue over I-59 (Bridge No. 93.9), known as Federal Aid Project No. STBG-0059-02(119) / 109299301 in Jones County.

PROJECT COMPLETION: MAY 14, 2024

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Bridge Items

633	Square Yard	907-202-B001	Removal of Bridge Deck, Hydrodemolition
38	Cubic Yard	907-804-O001	Bridge Deck Overlay Concrete
412	Linear Feet	907-808-A002	Joint Repair
206	Linear Feet	907-823-A002	Preformed Joint Seal, Type II
412	Linear Feet	907-823-B002	Saw Cut, Type II
25	Square Feet	907-824-A003	General Epoxy Repair
5	Each	907-824-C001	Cap Cleaning
10	Linear Feet	907-824-E001	Epoxy Injection
13,155	Square Feet	907-824-F001	Encapsulating Field Painting
217	Square Feet	907-824-PP003	Bridge Repair, Removal of Bridge Deck
3	Each	907-824-PP006	Bridge Repair, Heat/Flame Straightening

Roadway Items

1	Lump Sum	618-A001	Maintenance of Traffic
1	Lump Sum	620-A001	Mobilization
1,083	Square Feet	630-B001	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Bridge Mounted
4	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted

ALTERNATE GROUP AA NUMBER 1

320	Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
320	Linear Feet	907-624-D002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

ALTERNATE GROUP AA NUMBER 2

320	Linear Feet	628-H001	6" High Performance Cold Plastic Traffic Stripe, Continuous White
320	Linear Feet	628-J001	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

CALL No. 11

Bridge Replacement on SR 184 (Bridge No. 103.1), known as Federal Aid Project No. BR-2157-00(002) / 106117301 in Jefferson Davis County.

PROJECT COMPLETION: 187 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

4 Acre	201-B001	Clearing and Grubbing
2,050 Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
1 Each	202-B023	Removal of Bridge
590 Linear Feet	202-B126	Removal of Fence, All Types
551 Linear Feet	202-B150	Removal of Guard Rail Including Post, Blockouts & Hardware
49 Linear Feet	202-B191	Removal of Pipe, 8" And Above
27 Linear Feet	202-B204	Removal of Retaining Wall
863 Cubic Yard	203-A001	Unclassified Excavation, FM, AH
8,364 Cubic Yard	203-EX021	Borrow Excavation, AH, FME, Class B9-6
1,082 Cubic Yard	203-G001	Excess Excavation, FM, AH
5,034 Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
2 Ton	213-C001	Superphosphate
64 Square Yard	216-A001	Solid Sodding
603 Square Yard	217-A001	Ditch Liner
2 Thousand Gallon	219-A001	Watering
4 Acre	220-A001	Insect Pest Control
9 Cubic Yard	221-A001	Concrete Paved Ditch
8 Acre	223-A001	Mowing
272 Square Yard	224-A001	Soil Reinforcing Mat
4 Acre	225-A001	Grassing
2 Ton	225-B001	Agricultural Limestone
8 Ton	225-C001	Mulch, Vegetative Mulch
4 Acre	226-A001	Temporary Grassing
300 Linear Feet	237-A002	Wattles, 20"
200 Linear Feet	239-A001	Temporary Slope Drains

420 Ton	403-A006	19-mm, ST, Asphalt Pavement
263 Ton	403-A015	9.5-mm, ST, Asphalt Pavement
800 Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
240 Gallon	407-A001	Asphalt for Tack Coat
1 Mile	423-A001	Rumble Strips, Ground In
22 Square Yard	501-K001	Transverse Grooving
154 Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
45 Square Yard	605-AA001	Geotextile for Subsurface Drainage, Type III
80 Linear Feet	605-O002	4" Perforated Sewer Pipe for Underdrains, SDR 23.5
252 Linear Feet	605-P002	4" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
3 Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
175 Linear Feet	606-B001	Guard Rail, Class A, Type 1
4 Each	606-D022	Guard Rail, Bridge End Section, Type I
4 Each	606-E005	Guard Rail, Terminal End Section, Flared
40 Linear Feet	615-A024	Concrete Bridge End Barrier, 37.5"
9 Each	617-A001	Right-of-Way Marker
1 Lump Sum	618-A001	Maintenance of Traffic
2,800 Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
1,350 Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow
725 Linear Feet	619-A4001	Temporary Traffic Stripe, Skip Yellow
105 Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
287 Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
24 Linear Feet	619-G4001	Barricades, Type III, Double Faced
48 Linear Feet	619-G4005	Barricades, Type III, Single Faced
18 Each	619-G7001	Warning Lights, Type "B"
1 Lump Sum	620-A001	Mobilization
2,800 Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White
725 Linear Feet	626-D002	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
1,350 Linear Feet	626-F002	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
17 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers

18	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
30	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
16	Each	630-F006	Delineators, Guard Rail, White
4	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
1	Lump Sum	699-A001	Roadway Construction Stakes
1,054	Ton	815-A007	Loose Riprap, Size 300
773	Square Yard	815-E001	Geotextile under Riprap
11	Cubic Yard	815-F001	Sediment Control Stone
1,000	Linear Feet	907-234-A001	Temporary Silt Fence
500	Linear Feet	907-234-C001	Super Silt Fence
495	Linear Feet	907-234-F001	Turbidity Barrier
77	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
2	Each	907-619-E3001	Changeable Message Sign

ALTERNATE GROUP AA NUMBER 1

2,125	Ton	304-F001	3/4" and Down Crushed Stone Base
-------	-----	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

2,125	Ton	304-F002	Size 610 Crushed Stone Base
-------	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

2,125	Ton	304-F003	Size 825B Crushed Stone Base
-------	-----	----------	------------------------------

ALTERNATE GROUP BB NUMBER 1

44	Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
----	------------	----------	--

ALTERNATE GROUP BB NUMBER 2

44	Cubic Yard	605-W003	Filter Material for Combination Storm Drain and/or Underdrains, Type C, FM
----	------------	----------	--

Bridge Items

1,127	Square Yard	501-K001	Transverse Grooving
5,545	Linear Feet	803-D006	HP 14 x 73 Steel Piling
2,499	Linear Feet	804-C216	60' Prestressed Concrete Beam, Type MFIB-25
103,150	Pounds	805-A001	Reinforcement
6,310	Pounds	805-C001	Reinforcement, Corrosion Resistant
725	Linear Feet	813-A004	Concrete Railing, 36"
2,107	Ton	815-A007	Loose Riprap, Size 300

1,938	Square Yard	815-E001	Geotextile under Riprap
1	Each	907-803-B001	Conventional Static Pile Load Test
2	Each	907-803-I003	PDA Test Pile, HP Steel Pile
2	Each	907-803-J001	Pile Restrike
332	Cubic Yard	907-804-A001	Bridge Concrete, Class BDY
212	Cubic Yard	907-804-A002	Bridge Concrete, Class AA
72	Linear Feet	907-823-A001	Preformed Joint Seal, Type I

CALL No. 12

Placement of Audible Stripe on SR 16 from the Yazoo County Line to SR 149, SR 433 from SR 3 to US 49, SR 432 from SR 433 to just west of I-55, and SR 16 from just north of Community Action Road to the Humphreys County Line, known as Federal Aid Project Nos. HRRR-9999-03(392) / 109456301 & 302 in Humphreys & Yazoo Counties.

PROJECT COMPLETION: 45 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

2,200	Linear Feet	202-B240	Removal of Traffic Stripe
1	Lump Sum	618-A001	Maintenance of Traffic
2	Square Feet	618-B001	Additional Construction Signs
1	Lump Sum	620-A001	Mobilization
67	Mile	626-B002	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
19	Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
38	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
575	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
3,000	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
11	Mile	907-626-A003	Thermoplastic Audible Traffic Stripe, Centerline Skip - Passing Zone
23	Mile	907-626-A004	Thermoplastic Audible Traffic Stripe, Centerline Skip - No-Passing Zone
67	Mile	907-626-C003	Thermoplastic Audible Edge Stripe

CALL No. 13

Pedestrian Improvements at the Fannie Lou Hamer Memorial Garden, known as Federal Aid Project No. STBG-9999-03(388) / 109059301 in Sunflower County.

PROJECT COMPLETION: 44 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

16 Square Yard	202-B080	Removal of Concrete Sidewalk
125 Linear Feet	202-B088	Removal of Curb & Gutter, All Types
600 Cubic Yard	203-EX040	Borrow Excavation, AH, LVM, Class B9
1,000 Cubic Yard	203-G002	Excess Excavation, LVM, AH
200 Square Yard	216-A001	Solid Sodding
100 Square Yard	217-A001	Ditch Liner
4 Thousand Gallon	219-A001	Watering
1 Acre	220-A001	Insect Pest Control
1 Acre	225-A001	Grassing
1 Ton	225-B001	Agricultural Limestone
2 Ton	225-C001	Mulch, Vegetative Mulch
1 Acre	226-A001	Temporary Grassing
100 Linear Feet	237-A002	Wattles, 20"
3,000 Square Yard	307-C004	6" Soil-Lime-Water Mixing, Class C
40 Ton	307-D001	Lime
450 Gallon	307-S001	Bituminous Curing Seal
400 Ton	403-A003	12.5-mm, ST, Asphalt Pavement
560 Ton	403-A006	19-mm, ST, Asphalt Pavement
215 Gallon	407-A001	Asphalt for Tack Coat
200 Square Yard	608-A001	Concrete Sidewalk, Without Reinforcement
350 Linear Feet	609-D008	Combination Concrete Curb and Gutter Type 3A
55 Square Yard	616-A001	Concrete Median and/or Island Pavement, 10-inch
1 Lump Sum	618-A001	Maintenance of Traffic
8 Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
16 Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More

1	Lump Sum	620-A001	Mobilization
105	Linear Feet	626-G001	Thermoplastic Detail Stripe, Blue-ADA
700	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
78	Square Feet	626-H001	Thermoplastic Double Drop Legend, White
21	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
40	Linear Feet	630-C002	Steel U-Section Posts, 2.0 lb/ft
1	Lump Sum	699-A001	Roadway Construction Stakes
200	Linear Feet	907-234-A001	Temporary Silt Fence
8	Each	907-258-N001	Car Stop
20	Square Feet	907-608-C001	Detectable Warning Panels
2	Each	907-626-H001	Thermoplastic Legend, Blue-ADA Handicap Symbol

ALTERNATE GROUP AA NUMBER 1

900	Ton	304-F001	3/4" and Down Crushed Stone Base
-----	-----	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

900	Ton	304-F002	Size 610 Crushed Stone Base
-----	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

900	Ton	304-F003	Size 825B Crushed Stone Base
-----	-----	----------	------------------------------

CALL No. 14

Bridge Preventive Maintenance on I-59 over Bouie River (Bridge Nos. 67.7A & 67.7B), US 90 over Nine Mile Bayou (Bridge No. 80.5B), and I-59 over Tallahala Creek and CO Road, and over Norfolk Railroad (Bridge Nos. 97.0A, 97.0B & 102.5B), known as Federal Aid Project No. STBG-9999-06(379) / 1087783060, 3061, & 3062 in Forrest, Jackson, & Jones Counties.

PROJECT COMPLETION: 123 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Bridge Items

23	Square Feet	907-824-A003	General Epoxy Repair
4	Linear Feet	907-824-B002	FRP Wrap, Uni-directional
18	Each	907-824-C001	Cap Cleaning
1	Each	907-824-D001	Bearing Replacements
1	Each	907-824-PP006	Bridge Repair, Install New Bracket
20	Each	907-824-PP006	Bridge Repair, Install New Saddles
1	Each	907-824-PP006	Bridge Repair, Remove and Replace Saddle
1	Lump Sum	907-899-A001	Railway-Highway Provisions

Roadway Items

1	Lump Sum	618-A001	Maintenance of Traffic
3	Square Feet	618-B001	Additional Construction Signs
1	Lump Sum	620-A001	Mobilization

CALL No. 15

Overlay approximately 5 miles of US 84 from Dunbarton Road to the Franklin County Line, known as State Project No. SP-0015-01(141) / 108369301 in Adams County.

PROJECT COMPLETION: 77 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

4,920	Cubic Yard	304-A008	Granular Material, LVM, Class 6, Group D
710	Ton	403-A005	19-mm, MT, Asphalt Pavement
16,113	Ton	403-A014	9.5-mm, MT, Asphalt Pavement
1,418	Ton	403-B011	9.5-mm, MT, Asphalt Pavement, Leveling
3,688	Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
12,949	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
20,082	Gallon	407-A001	Asphalt for Tack Coat
348	Square Feet	412-A001	Pre-Grinding
19	Mile	423-A001	Rumble Strips, Ground In
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
13	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
13	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
14	Mile	619-A3001	Temporary Traffic Stripe, Skip White
38,615	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
749	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
652	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
10	Mile	626-A001	6" Thermoplastic Double Drop Traffic Stripe, Skip White
10	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
10	Mile	626-F001	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
14,860	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
11,240	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
591	Square Feet	626-H004	Thermoplastic Legend, White
356	Linear Feet	626-H005	Thermoplastic Legend, White

292	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,071	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,023	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
30	Each	630-F002	Delineators, Flexible Post Mounted, Crossover, Type I, Yellow
1	Lump Sum	907-899-A001	Railway-Highway Provisions

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Contractors may request permission to bid online at <http://shop.mdot.ms.gov> at no cost. Upon approval, contractors shall be eligible to submit a bid using Bid Express at <http://bidx.com>. Specimen proposals may be viewed and downloaded online at no cost at <http://mdot.ms.gov> or purchased online at <http://shop.mdot.ms.gov> at a cost of Ten Dollars (\$10.00) per proposal plus a small convenience fee. Cash or checks will not be accepted as payment.

Plans must be purchased online at <https://shop.mdot.ms.gov>. Costs of plans will be on a cost per sheet basis plus a small convenience fee. You can contact the MDOT Plans Print Shop at Telephone No. (601) 359-7460 or e-mail at plans@mdot.state.ms.us. Plans will be shipped on receipt of payment. Cash or checks will not be accepted as payment.

Bid bond, signed or countersigned by a Mississippi Resident Agent or qualified non-resident agent, with Power of Attorney attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

BRAD WHITE
EXECUTIVE DIRECTOR