

SECTION 905 -- PROPOSAL (CONTINUED)

I (We) hereby certify by digital signature and electronic submission via Bid Express of the Section 905 proposal below, that all certifications, disclosures and affidavits incorporated herein are deemed to be duly executed in the aggregate, fully enforceable and binding upon delivery of the bid proposal. I (We) further acknowledge that this certification shall not extend to the bid bond or alternate security which must be separately executed for the benefit of the Commission. This signature does not cure deficiencies in any required certifications, disclosures and/or affidavits. I (We) also acknowledge the right of the Commission to require full and final execution on any certification, disclosure or affidavit contained in the proposal at the Commission's election upon award. Failure to so execute at the Commission's request within the time allowed in the Standard Specifications for execution of all contract documents will result in forfeiture of the bid bond or alternate security.

Bidder acknowledges receipt of and has added to and made a part of the proposal and contract documents the following addendum (addenda):

ADDENDUM NO. <u> 1 </u>	DATED <u> 1/18/2024 </u>	ADDENDUM NO. <u> </u>	DATED <u> </u>
ADDENDUM NO. <u> </u>	DATED <u> </u>	ADDENDUM NO. <u> </u>	DATED <u> </u>
ADDENDUM NO. <u> </u>	DATED <u> </u>	ADDENDUM NO. <u> </u>	DATED <u> </u>

Number	Description
1	Revised Wage Rates; Revised Bid Items; Revised or Added Plan Sheet Nos. 8001-8003; Amendment EBSx Download Required.

TOTAL ADDENDA: 1
 (Must agree with total addenda issued prior to opening of bids)

Respectfully Submitted,

DATE _____

 Contractor

BY _____
 Signature

TITLE _____

ADDRESS _____

CITY, STATE, ZIP _____

PHONE _____

FAX _____

E-MAIL _____

(To be filled in if a corporation)

Our corporation is chartered under the Laws of the State of _____ and the names, titles and business addresses of the executives are as follows:

_____	President	Address
_____	Secretary	Address
_____	Treasurer	Address

The following is my (our) itemized proposal.
 NHPP-0010-01(161)/ 107509301000
 Hancock County(ies)
 Revised 01/26/2016

"General Decision Number: MS20240132 01/05/2024

Superseded General Decision Number: MS20230132

State: Mississippi

Construction Type: Highway

County: Hancock County in Mississippi.

HIGHWAY CONSTRUCTION PROJECTS

Note: Contracts subject to the Davis-Bacon Act are generally required to pay at least the applicable minimum wage rate required under Executive Order 14026 or Executive Order 13658. Please note that these Executive Orders apply to covered contracts entered into by the federal government that are subject to the Davis-Bacon Act itself, but do not apply to contracts subject only to the Davis-Bacon Related Acts, including those set forth at 29 CFR 5.1(a)(1).

<p>If the contract is entered into on or after January 30, 2022, or the contract is renewed or extended (e.g., an option is exercised) on or after January 30, 2022:</p>	<ul style="list-style-type: none"> . Executive Order 14026 generally applies to the contract. . The contractor must pay all covered workers at least \$17.20 per hour (or the applicable wage rate listed on this wage determination, if it is higher) for all hours spent performing on the contract in 2024.
<p>If the contract was awarded on or between January 1, 2015 and January 29, 2022, and the contract is not renewed or extended on or after January 30, 2022:</p>	<ul style="list-style-type: none"> . Executive Order 13658 generally applies to the contract. . The contractor must pay all covered workers at least \$12.90 per hour (or the applicable wage rate listed on this wage determination, if it is higher) for all hours spent performing on that contract in 2024.

The applicable Executive Order minimum wage rate will be adjusted annually. If this contract is covered by one of the Executive Orders and a classification considered necessary for performance of work on the contract does not appear on this wage determination, the contractor must still submit a conformance request.

Additional information on contractor requirements and worker protections under the Executive Orders is available at <http://www.dol.gov/whd/govcontracts>.

Modification Number Publication Date
 0 01/05/2024

SUMS2010-055 08/04/2014

	Rates	Fringes
CARPENTER (Form Work Only).....	\$ 14.53 **	0.00
CEMENT MASON/CONCRETE FINISHER...	\$ 15.25 **	0.00
ELECTRICIAN.....	\$ 25.57	6.79
HIGHWAY/PARKING LOT STRIPING: Truck Driver (Line Striping Truck).....	\$ 14.75 **	0.00
INSTALLER - SIGN.....	\$ 13.00 **	0.00
INSTALLER: Guardrail.....	\$ 11.78 **	0.00
IRONWORKER, REINFORCING.....	\$ 16.44 **	0.00
LABORER: Asphalt, Includes Raker, Shoveler, Spreader and Distributor.....	\$ 12.55 **	0.00
LABORER: Common or General.....	\$ 10.50 **	0.00
LABORER: Flagger.....	\$ 10.88 **	0.00
LABORER: Grade Checker.....	\$ 16.13 **	0.00
LABORER: Landscape.....	\$ 12.00 **	0.00
LABORER: Luteman.....	\$ 12.88 **	0.00
LABORER: Mason Tender - Cement/Concrete.....	\$ 13.04 **	0.00
LABORER: Pipelayer.....	\$ 13.24 **	0.00
LABORER: Laborer-Cones/ Barricades/Barrels - Setter/Mover/Sweeper.....	\$ 13.19 **	0.00
OPERATOR: Asphalt Spreader.....	\$ 14.71 **	0.00
OPERATOR: Backhoe/Excavator/Trackhoe.....	\$ 13.20 **	0.00
OPERATOR: Bobcat/Skid Steer/Skid Loader.....	\$ 11.86 **	0.00
OPERATOR: Broom/Sweeper.....	\$ 13.33 **	0.00
OPERATOR: Bulldozer.....	\$ 14.38 **	0.00
OPERATOR: Concrete Saw.....	\$ 14.68 **	0.00
OPERATOR: Crane.....	\$ 15.89 **	0.00
OPERATOR: Distributor.....	\$ 13.91 **	0.00
OPERATOR: Grader/Blade.....	\$ 16.62 **	0.00
OPERATOR: Loader.....	\$ 12.00 **	0.00
OPERATOR: Mechanic.....	\$ 18.44	0.00

OPERATOR: Milling Machine.....	\$ 15.91 **	0.00
OPERATOR: Oiler.....	\$ 12.22 **	0.00
OPERATOR: Paver (Asphalt, Aggregate, and Concrete).....	\$ 16.43 **	0.00
OPERATOR: Roller (All Types)....	\$ 14.24 **	0.00
OPERATOR: Scraper.....	\$ 14.00 **	0.00
OPERATOR: Tractor.....	\$ 12.83 **	0.00
TRUCK DRIVER: Flatbed Truck.....	\$ 14.72 **	0.00
TRUCK DRIVER: Lowboy Truck.....	\$ 11.00 **	0.00
TRUCK DRIVER: Mechanic.....	\$ 12.31 **	0.00
TRUCK DRIVER: Water Truck.....	\$ 17.08 **	0.00
TRUCK DRIVER: Dump Truck (All Types).....	\$ 14.59 **	0.00
TRUCK DRIVER: Semi/Trailer Truck.....	\$ 14.36 **	0.00

WELDERS - Receive rate prescribed for craft performing operation to which welding is incidental.

=====
** Workers in this classification may be entitled to a higher minimum wage under Executive Order 14026 (\$17.20) or 13658 (\$12.90). Please see the Note at the top of the wage determination for more information. Please also note that the minimum wage requirements of Executive Order 14026 are not currently being enforced as to any contract or subcontract to which the states of Texas, Louisiana, or Mississippi, including their agencies, are a party.

Note: Executive Order (EO) 13706, Establishing Paid Sick Leave for Federal Contractors applies to all contracts subject to the Davis-Bacon Act for which the contract is awarded (and any solicitation was issued) on or after January 1, 2017. If this contract is covered by the EO, the contractor must provide employees with 1 hour of paid sick leave for every 30 hours they work, up to 56 hours of paid sick leave each year. Employees must be permitted to use paid sick leave for their own illness, injury or other health-related needs, including preventive care; to assist a family member (or person who is like family to the employee) who is ill, injured, or has other health-related needs, including preventive care; or for reasons resulting from, or to assist a family member (or person who is like family to the employee) who is a victim of, domestic violence, sexual assault, or stalking. Additional information on contractor requirements and worker protections under the EO is available at <https://www.dol.gov/agencies/whd/government-contracts>.

Unlisted classifications needed for work not included within the scope of the classifications listed may be added after award only as provided in the labor standards contract clauses

(29CFR 5.5 (a) (1) (iii)).

The body of each wage determination lists the classification and wage rates that have been found to be prevailing for the cited type(s) of construction in the area covered by the wage determination. The classifications are listed in alphabetical order of ""identifiers"" that indicate whether the particular rate is a union rate (current union negotiated rate for local), a survey rate (weighted average rate) or a union average rate (weighted union average rate).

Union Rate Identifiers

A four letter classification abbreviation identifier enclosed in dotted lines beginning with characters other than ""SU"" or ""UAVG"" denotes that the union classification and rate were prevailing for that classification in the survey. Example: PLUM0198-005 07/01/2014. PLUM is an abbreviation identifier of the union which prevailed in the survey for this classification, which in this example would be Plumbers. 0198 indicates the local union number or district council number where applicable, i.e., Plumbers Local 0198. The next number, 005 in the example, is an internal number used in processing the wage determination. 07/01/2014 is the effective date of the most current negotiated rate, which in this example is July 1, 2014.

Union prevailing wage rates are updated to reflect all rate changes in the collective bargaining agreement (CBA) governing this classification and rate.

Survey Rate Identifiers

Classifications listed under the ""SU"" identifier indicate that no one rate prevailed for this classification in the survey and the published rate is derived by computing a weighted average rate based on all the rates reported in the survey for that classification. As this weighted average rate includes all rates reported in the survey, it may include both union and non-union rates. Example: SULA2012-007 5/13/2014. SU indicates the rates are survey rates based on a weighted average calculation of rates and are not majority rates. LA indicates the State of Louisiana. 2012 is the year of survey on which these classifications and rates are based. The next number, 007 in the example, is an internal number used in producing the wage determination. 5/13/2014 indicates the survey completion date for the classifications and rates under that identifier.

Survey wage rates are not updated and remain in effect until a new survey is conducted.

Union Average Rate Identifiers

Classification(s) listed under the UAVG identifier indicate that no single majority rate prevailed for those classifications; however, 100% of the data reported for the classifications was union data. EXAMPLE: UAVG-OH-0010 08/29/2014. UAVG indicates that the rate is a weighted union average rate. OH indicates the state. The next number, 0010 in the example, is an internal number used in producing the wage determination. 08/29/2014 indicates the survey completion date

for the classifications and rates under that identifier.

A UAVG rate will be updated once a year, usually in January of each year, to reflect a weighted average of the current negotiated/CBA rate of the union locals from which the rate is based.

WAGE DETERMINATION APPEALS PROCESS

1.) Has there been an initial decision in the matter? This can be:

- * an existing published wage determination
- * a survey underlying a wage determination
- * a Wage and Hour Division letter setting forth a position on a wage determination matter
- * a conformance (additional classification and rate) ruling

On survey related matters, initial contact, including requests for summaries of surveys, should be with the Wage and Hour National Office because National Office has responsibility for the Davis-Bacon survey program. If the response from this initial contact is not satisfactory, then the process described in 2.) and 3.) should be followed.

With regard to any other matter not yet ripe for the formal process described here, initial contact should be with the Branch of Construction Wage Determinations. Write to:

Branch of Construction Wage Determinations
 Wage and Hour Division
 U.S. Department of Labor
 200 Constitution Avenue, N.W.
 Washington, DC 20210

2.) If the answer to the question in 1.) is yes, then an interested party (those affected by the action) can request review and reconsideration from the Wage and Hour Administrator (See 29 CFR Part 1.8 and 29 CFR Part 7). Write to:

Wage and Hour Administrator
 U.S. Department of Labor
 200 Constitution Avenue, N.W.
 Washington, DC 20210

The request should be accompanied by a full statement of the interested party's position and by any information (wage payment data, project description, area practice material, etc.) that the requestor considers relevant to the issue.

3.) If the decision of the Administrator is not favorable, an interested party may appeal directly to the Administrative Review Board (formerly the Wage Appeals Board). Write to:

Administrative Review Board
 U.S. Department of Labor
 200 Constitution Avenue, N.W.
 Washington, DC 20210

4.) All decisions by the Administrative Review Board are final.

=====

END OF GENERAL DECISION"

Interchange Reconstruction on I-10 at Diamondhead, known as Federal Aid Project No. NHPP-0010-01(161) / 107509301 in Hancock County.

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
Roadway Items					
0010	201-A001		1	Lump Sum	Clearing and Grubbing
0020	201-B001		1	Acre	Clearing and Grubbing
0030	202-B006		2,149	Square Yard	Removal of Asphalt Paved Shoulders, All Depths
0040	202-B007		4,720	Square Yard	Removal of Asphalt Pavement, All Depths
0050	202-B052		1,160	Square Yard	Removal of Concrete Driveways, All Depths
0060	202-B059		157	Square Yard	Removal of Concrete Median & Island Pavement, All Depths
0070	202-B063		328	Square Yard	Removal of Concrete Paved Ditch
0080	202-B073		9,030	Square Yard	Removal of Concrete Pavement, All Depths
0090	202-B089		1,769	Linear Feet	Removal of Curb &/or Curb and Gutter, All Types
0100	202-B090		1	Each	Removal of Curb Inlet
0110	202-B092		1,410	Linear Feet	Removal of Curb, All Types
0120	202-B158		619	Linear Feet	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
0130	202-B170		2	Each	Removal of Junction Box
0140	202-B178		2	Each	Removal of Low Mast Lighting Assembly and Foundation
0150	202-B191		6	Linear Feet	Removal of Pipe, 8" And Above
0160	202-B240		19,670	Linear Feet	Removal of Traffic Stripe
0170	202-B251		1,680	Linear Feet	Removal of Underground Electric Wire
0180	203-A001	(E)	4,965	Cubic Yard	Unclassified Excavation, FM, AH
0190	203-EX017	(E)	29,847	Cubic Yard	Borrow Excavation, AH, FME, Class B7
0200	206-A001	(S)	575	Cubic Yard	Structure Excavation
0210	209-A005		15,744	Square Yard	Geotextile Stabilization, Type V, Non-Woven
0220	211-B001	(E)	3,411	Cubic Yard	Topsoil for Slope Treatment, Contractor Furnished
0230	213-C001		7	Ton	Superphosphate
0240	216-A001		3,360	Square Yard	Solid Sodding
0250	217-A001		847	Square Yard	Ditch Liner
0260	219-A001		78	Thousand Gallon	Watering [\$20.00]
0270	220-A001		14	Acre	Insect Pest Control [\$30.00]
0280	221-A001	(S)	234	Cubic Yard	Concrete Paved Ditch
0290	223-A001		14	Acre	Mowing [\$50.00]
0300	225-A001		14	Acre	Grassing
0310	225-B001		6	Ton	Agricultural Limestone
0320	225-C001		25	Ton	Mulch, Vegetative Mulch
0330	226-A001		14	Acre	Temporary Grassing

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
0340	237-A002		13,900	Linear Feet	Wattles, 20"
0350	239-A001		732	Linear Feet	Temporary Slope Drains
0360	246-B001		2,213	Each	Rockbags
0370	249-A001		80	Ton	Riprap for Erosion Control
0380	403-A002	(BA1)	2,614	Ton	12.5-mm, MT, Asphalt Pavement
0390	403-A003	(BA1)	501	Ton	12.5-mm, ST, Asphalt Pavement
0400	403-A005	(BA1)	3,098	Ton	19-mm, MT, Asphalt Pavement
0410	403-A006	(BA1)	4,236	Ton	19-mm, ST, Asphalt Pavement
0420	403-A014	(BA1)	2,470	Ton	9.5-mm, MT, Asphalt Pavement
0430	403-A015	(BA1)	376	Ton	9.5-mm, ST, Asphalt Pavement
0440	403-B002	(BA1)	679	Ton	12.5-mm, MT, Asphalt Pavement, Leveling
0450	406-D001		2,199	Square Yard	Fine Milling of Bituminous Pavement, All Depths
0460	407-A001	(A2)	6,035	Gallon	Asphalt for Tack Coat
0470	423-A001		1	Mile	Rumble Strips, Ground In
0480	503-C010		1,670	Linear Feet	Saw Cut, Full Depth
0490	601-B001	(S)	110	Cubic Yard	Class "B" Structural Concrete, Minor Structures
0500	602-A001	(S)	9,498	Pounds	Reinforcing Steel
0510	603-CA012	(S)	648	Linear Feet	18" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
0520	603-CA027	(S)	296	Linear Feet	24" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
0530	603-CA041	(S)	80	Linear Feet	30" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
0540	603-CA056	(S)	96	Linear Feet	36" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
0550	603-CB003	(S)	3	Each	18" Reinforced Concrete End Section
0560	603-CB004	(S)	5	Each	24" Reinforced Concrete End Section
0570	603-CB005	(S)	3	Each	30" Reinforced Concrete End Section
0580	603-CB006	(S)	2	Each	36" Reinforced Concrete End Section
0590	603-CE003	(S)	24	Linear Feet	22" x 13" Concrete Arch Pipe, Class A III, Flexible Plastic Gaskets
0600	603-CE009	(S)	424	Linear Feet	29" x 18" Concrete Arch Pipe, Class A III, Flexible Plastic Gaskets
0610	604-A001		1,817	Pounds	Castings
0620	604-B001		300	Pounds	Gratings
0630	606-B001		113	Linear Feet	Guard Rail, Class A, Type 1
0640	606-D022		3	Each	Guard Rail, Bridge End Section, Type I
0650	606-E007		3	Each	Guard Rail, Terminal End Section, Non-Flared
0660	608-A001	(S)	2,085	Square Yard	Concrete Sidewalk, Without Reinforcement

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
0670	609-B003	(S)	1,157	Linear Feet	Concrete Curb, Special Design
0680	609-C001	(S)	811	Linear Feet	Concrete Integral Curb, Type 1
0690	609-D003	(S)	190	Linear Feet	Combination Concrete Curb and Gutter Type 2
0700	609-D009	(S)	8,511	Linear Feet	Combination Concrete Curb and Gutter Type 3A Mod1
0710	614-A001	(S)	1,378	Square Yard	Concrete Driveway, Without Reinforcement
0720	616-A001	(S)	308	Square Yard	Concrete Median and/or Island Pavement, 10-inch
0730	616-A004	(S)	2,054	Square Yard	Concrete Median and/or Island Pavement, 4-inch
0740	617-A001		10	Each	Right-of-Way Marker
0750	618-A001		1	Lump Sum	Maintenance of Traffic
0760	619-A1001		6	Mile	Temporary Traffic Stripe, Continuous White
0770	619-A1005		2,196	Linear Feet	Temporary Traffic Stripe, Continuous White, Type 1 Tape
0780	619-A2001		6	Mile	Temporary Traffic Stripe, Continuous Yellow
0790	619-A2006		2,196	Linear Feet	Temporary Traffic Stripe, Continuous Yellow, Type 1 Tape
0800	619-A3002		2,318	Linear Feet	Temporary Traffic Stripe, Skip White
0810	619-A5001		14,552	Linear Feet	Temporary Traffic Stripe, Detail
0820	619-A6001		2,303	Square Feet	Temporary Traffic Stripe, Legend
0830	619-A6002		184	Linear Feet	Temporary Traffic Stripe, Legend
0840	619-D1001		209	Square Feet	Standard Roadside Construction Signs, Less than 10 Square Feet
0850	619-D2001		1,006	Square Feet	Standard Roadside Construction Signs, 10 Square Feet or More
0860	619-E1001		1	Each	Flashing Arrow Panel, Type C
0870	619-F1001		2,620	Linear Feet	Concrete Median Barrier, Precast
0880	619-F2001		4,360	Linear Feet	Remove and Reset Concrete Median Barrier, Precast
0890	619-G4005		372	Linear Feet	Barricades, Type III, Single Faced
0900	619-G5001		210	Each	Free Standing Plastic Drums
0910	619-G7001		9	Each	Warning Lights, Type "B"
0920	619-J1001		4	Each	Impact Attenuator, 40 MPH
0930	619-J2001		8	Each	Impact Attenuator, 40 MPH, Replacement Package
0940	620-A001		1	Lump Sum	Mobilization
0950	626-A002		1,833	Linear Feet	6" Thermoplastic Double Drop Traffic Stripe, Skip White
0960	626-C001		3,804	Linear Feet	6" Thermoplastic Double Drop Edge Stripe, Continuous White
0970	626-E002		2,542	Linear Feet	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
0980	626-F002		1,039	Linear Feet	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
0990	626-G004		8,332	Linear Feet	Thermoplastic Double Drop Detail Stripe, White
1000	626-G005		5,815	Linear Feet	Thermoplastic Double Drop Detail Stripe, Yellow

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
1010	626-H001		2,303	Square Feet	Thermoplastic Double Drop Legend, White
1020	627-K001		114	Each	Red-Clear Reflective High Performance Raised Markers
1030	627-L001		32	Each	Two-Way Yellow Reflective High Performance Raised Markers
1040	630-A001		200	Square Feet	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
1050	630-A003		106	Square Feet	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
1060	630-A005		111	Square Feet	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
1070	630-B002		161	Square Feet	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
1080	630-C003		637	Linear Feet	Steel U-Section Posts, 3.0 lb/ft
1090	630-D008		195	Linear Feet	Structural Steel Beams, W6 x 9
1100	630-E002		227	Pounds	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
1110	630-E004		106	Pounds	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
1120	630-F006		9	Each	Delineators, Guard Rail, White
1130	630-G003		2	Each	Type 3 Object Markers, OM-3L, Post Mounted
1140	630-G007		2	Each	Type 3 Object Markers, OM-3R, Post Mounted
1150	630-K001		166	Linear Feet	Welded & Seamless Steel Pipe Posts, 3 1/2"
1160	630-K003		18	Linear Feet	Welded & Seamless Steel Pipe Posts, 4"
1170	682-A028		490	Linear Feet	Underground Branch Circuit, AWG 4, 3 Conductor
1180	682-A038		160	Linear Feet	Underground Branch Circuit, AWG 8, 2 Conductor
1190	682-A039		4,360	Linear Feet	Underground Branch Circuit, AWG 8, 3 Conductor
1200	682-A041		230	Linear Feet	Underground Branch Circuit, AWG 8, 5 Conductor
1210	682-B037		310	Linear Feet	Underground Branch Circuit, Jacked or Bored, AWG 8, 3 Conductor
1220	682-E003		28	Each	Underground Junction Box With Concrete Pad
1230	683-B001		28	Each	Lighting Assembly, Low Mast, LED, Type 15-1-0-90
1240	684-A003		30	Cubic Yard	Pole Foundation, 24" Diameter
1250	699-A001		1	Lump Sum	Roadway Construction Stakes
1260	815-A007	(S)	80	Ton	Loose Riprap, Size 300
1270	815-E001	(S)	107	Square Yard	Geotextile under Riprap
1280	907-234-A001		13,400	Linear Feet	Temporary Silt Fence
1290	907-234-C001		400	Linear Feet	Super Silt Fence
1300	907-234-D001		2	Each	Inlet Siltation Guard
1310	907-234-E001		2	Each	Reset Inlet Siltation Guard
1320	907-604-PP001		1	Each	Modify Existing Inlet, Per Plans
1330	907-608-C001		126	Square Feet	Detectable Warning Panels

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
1340	907-609-F002		815	Linear Feet	Prefabricated Curb
1350	907-616-C002	(S)	7,911	Square Feet	Colored and Imprinted Concrete Median and Island Pavement, 12-inch Thickness
1360	907-619-E3001		8	Each	Changeable Message Sign
1370	907-682-A1007		310	Linear Feet	Branch Circuit Wire, AWG #10, 1 Conductor
1380	907-682-A1018		1,060	Linear Feet	Branch Circuit Wire, AWG #4, 1 Conductor
1390	907-906001		720	Hours	Trainees [\$5.00]
ALTERNATE GROUP AA NUMBER 1					
1400	304-F001	(GT)	16,650	Ton	3/4" and Down Crushed Stone Base
ALTERNATE GROUP AA NUMBER 2					
1410	304-F002	(GT)	16,650	Ton	Size 610 Crushed Stone Base
ALTERNATE GROUP AA NUMBER 3					
1420	304-F003	(GT)	16,650	Ton	Size 825B Crushed Stone Base
ALTERNATE GROUP BB NUMBER 1					
1430	907-624-A002		366	Linear Feet	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White
1440	907-624-B002		732	Linear Feet	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
1450	907-624-D002		732	Linear Feet	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow
ALTERNATE GROUP BB NUMBER 2					
1460	628-G001		366	Linear Feet	6" High Performance Cold Plastic Traffic Stripe, Skip White
1470	628-H001		732	Linear Feet	6" High Performance Cold Plastic Traffic Stripe, Continuous White
1480	628-J001		732	Linear Feet	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
Bridge Items					
1490	202-B027		201	Square Yard	Removal of Bridge Deck, Curb and Railing
1500	202-B275		54	Square Yard	Removal of Part of End Bent Cap, Curb, and Wingwall
1510	202-B277		24	Square Yard	Removal of Part of Int. Bent Cap
1520	503-C001		1,684	Linear Feet	Saw Cut, 1-inch
1530	608-B001	(S)	564	Square Yard	Concrete Sidewalk, With Reinforcement
1540	803-D005	(S)	580	Linear Feet	HP 14 x 117 Steel Piling
1550	803-P001	(S)	1,390	Linear Feet	24" Steel Pipe Piling, Wall Thickness 0.500"
1560	804-C209	(S)	1,370	Linear Feet	115' Prestressed Concrete Beam, Type FIB-45
1570	804-C269	(S)	808	Linear Feet	68' Prestressed Concrete Beam, Type FIB-45
1580	805-A001	(S)	132,840	Pounds	Reinforcement
1590	805-C001	(S)	3,570	Pounds	Reinforcement, Corrosion Resistant
1600	813-A004	(S)	366	Linear Feet	Concrete Railing, 36"
1610	813-E007	(S)	366	Linear Feet	Modified Railing

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
1620	815-D001	(S)	18	Cubic Yard	Concrete Slope Paving
1630	907-803-B001	(S)	1	Each	Conventional Static Pile Load Test [\$5,000.00]
1640	907-803-I003	(S)	1	Each	PDA Test Pile, HP Steel Pile
1650	907-803-I004	(S)	1	Each	PDA Test Pile, Steel Pipe Pile
1660	907-803-J001	(S)	2	Each	Pile Restrike
1670	907-804-A001	(S)	398	Cubic Yard	Bridge Concrete, Class BDY
1680	907-804-A002	(S)	141	Cubic Yard	Bridge Concrete, Class AA
1690	907-808-A002	(S)	66	Linear Feet	Joint Repair
1700	907-823-A002		105	Linear Feet	Preformed Joint Seal, Type II

ADDENDUM

STATE	PROJECT NO.
MISS.	NHPP-0010-01(161)

DESCRIPTION OF SHEETS

DESCRIPTION OF SHEETS	WORKING NUMBER	SHEET NUMBER
-----------------------	----------------	--------------

DETAILED INDEX (BRIDGE)	DI-BR-1	8001
SUMMARY OF QUANTITIES (BRIDGE)	SO-BR-1	8002
GEX DR OVER I-10 BRIDGE AT STA. 23+15.83		
GENERAL NOTES, ESTIMATED QUANTITIES, & GEX DR OVER I-10 LAYOUT	1 OF 20	8003
GEX DR OVER I-10 FOUNDATION PLAN	2 OF 20	8004
PHASE CONSTRUCTION DETAIL 1	3 OF 20	8005
PHASE CONSTRUCTION DETAIL 2	4 OF 20	8006
PHASE CONSTRUCTION DETAIL 3	5 OF 20	8007
END BENT NO. 1 PHASE II DETAILS	6 OF 20	8008
END BENT NO. 5 PHASE II DETAILS	7 OF 20	8009
END BENT NO. 1 PHASE IV DETAILS	8 OF 20	8010
END BENT NO. 5 PHASE IV DETAILS	9 OF 20	8011
END BENT DETAILS	10 OF 20	8012
INTERMEDIATE BENTS NOS. 2 & 3 DETAILS	11 OF 20	8013
INTERMEDIATE BENT NO. 4 DETAILS	12 OF 20	8014
PLAN OF SPANS	13 OF 20	8015
68 & 115 FT SPAN DETAILS 1	14 OF 20	8016
68 & 115 FT SPAN DETAILS 2	15 OF 20	8017
MISCELLANEOUS SPAN DETAILS	16 OF 20	8018
68 FT BEAM NO. 68-1 DETAILS (TYPE FIB-45)	17 OF 20	8019
115 FT BEAM NO. 115-1 DETAILS (TYPE FIB-45)	18 OF 20	8020
BEARING PAD LAYOUT & BEAM END DETAILS	19 OF 20	8021
BEARING PAD DETAILS	20 OF 20	8022
GENERALIZED SOIL PROFILE SHEETS		
GENERALIZED SOIL PROFILE GEX DR ACROSS I-10 @ STA. 23+15.83	GSP-1	8023
BRIDGE STANDARD SHEETS		
3'-0" RAILING DETAILS	RD-36	8024
MODIFIED RAILING 42" COMBINATION RAILING	RD-42	8025
FOR INFORMATION ONLY PLANS		
FOR INFORMATION ONLY	INFO-1	8026-8039

BRIDGE DIVISION	
REVISIONS	
DATE	SHEET NO.
10/24/2023	8002 & 8003
	BY SLD

DATE	REVISION	BY

MISSISSIPPI DEPARTMENT OF TRANSPORTATION


DETAILED INDEX
(BRIDGE)

FMS: 107509/301000
COUNTY: HANCOCK
PROJECT NUMBER: NHPP-0010-01(161)

DESIGNER: Stephen Diaz
CHECKER: Jacob Fries
ISSUE DATE: 11/25/2023
PROJECT NUMBER: NHPP-0010-01(161)

WORKING NUMBER
DI-BR-1
SHEET NUMBER
8001

MISSISSIPPI DEPARTMENT OF TRANSPORTATION I & S
DESIGNER: Stephen Diaz
CHECKER: Jacob Fries
ISSUE DATE: 11/25/2023
PROJECT NUMBER: NHPP-0010-01(161)




ADDENDUM

STATE	PROJECT NO.
MISS.	NHPP-0010-01(161)

SUMMARY OF QUANTITIES

PAY ITEM NO.	PAY ITEM	QUANTITIES	
		UNIT	PRELIMINARY
	Bridge Summary		FINAL
202-B027	Removal of Bridge Deck, Curb and Railing	SY	201
202-B275	Removal of Part of End Bent Cap, Curb, and Wingwall	SY	54
202-B277	Removal of Part of Int. Bent Cap	SY	24
503-C001	Saw Cut, 1-inch	LF	1,684
608-B001	Concrete Sidewalk, With Reinforcement	SY	564
907-803-B001	Conventional Static Pile Load Test	EA	1
803-D005	HP 14 x 117 Steel Piling	LF	580
907-803-I003	PDA Test Pile, HP Steel Pile	EA	1
907-803-I004	PDA Test Pile, Steel Pipe Pile	EA	1
907-803-I001	Pile Restrike	EA	2
803-P001	24" Steel Pipe Piling, Wall Thickness 0.500"	LF	1,390
907-804-A001	Bridge Concrete, Class BDx	CY	398
907-804-A002	Bridge Concrete, Class AA	CY	141
804-C209	115' Prestressed Concrete Beam, Type FIB-45	LF	1,370
804-C269	68' Prestressed Concrete Beam, Type FIB-45	LF	808
805-A001	Reinforcement	LBS	132,840
805-C001	Reinforcement, Corrosion Resistant	LBS	3,570
907-808-A002	Joint Repair	LF	66
813-A004	Concrete Railing, 36"	LF	366
813-E007	Modified Railing 42" Combination Railing	LF	366
815-D001	Concrete Slope Paving	CY	18
907-823-A002	Preformed Joint Seal, Type II	LF	105





10/24/2023	Revised Qty	B1
Date	Revision	By
MISSISSIPPI DEPARTMENT OF TRANSPORTATION SUMMARY OF QUANTITIES (BRIDGE ITEMS) PROJECT NHPP-0010-01(161) 107509-301000		
HANCOCK COUNTY DESIGNER <i>Barbara Jones, PE</i> CHECKER DETAILER ISSUE DATE 1/25/2023		
WORKING NUMBER SQ-BR-1		
SHEET NUMBER 8002		
DIRECTOR OF STRUCTURES, STATE BRIDGE ENGINEER - SCOTT WESTERFIELD, P.E. DEPT. DIR. OF STRUCTURES, ASST. STATE BRIDGE ENGINEER - MICAH DEW, P.E.		

ADDENDUM

STATE MISS. PROJECT NO. NHPP-0010-01(161)

DESIGN DATA: Specifications... A.A.S.H.T.O., LRFD 9th Edition, 2020... Roadway width... 52'-0" gutter to gutter... Concrete... Class "BD" (4,500 p.s.i.)... Stay-in-place metal forms... Seismic Performance Zone... Seismic Operational Class...



ESTIMATED QUANTITIES table with columns: Item, Location, Saw Cut, Concrete, Conventional/HP, PDA Test, Pile Restrike, 24" Steel Class BOX, Class AA, 115 Ft. Prest. Conc. Beam, 68 Ft. Prest. Conc. Beam, Modified Railing, Concrete Railing, Joint Repair, Reinforce-ment, Reinforce-ment, Slope Paving, Pre-formed Joint Seal.

GENERAL NOTES: Specifications: Mississippi Standard Specifications for Road and Bridge Construction, 2017. No change of plans will be permitted except by written approval of the Director of Structures, State Bridge Engineer. Minor changes in detail of design or construction procedure may be authorized by the Director of Structures, State Bridge Engineer, provided such changes will not be cause for contract price adjustment.

STEEL PIPE PILE NOTES: Permanent piles shall be driven to an elevation no higher than the elevation shown in the REQUIRED ULTIMATE PILE BEARING CAPACITY AND TIP ELEVATION SCHEDULE. The Director of Structures, State Bridge Engineer may authorize test piles driven outside the structural limits.

REQUIRED ULTIMATE PILE BEARING CAPACITY AND TIP ELEVATION SCHEDULE table with columns: Bent No., Pile Type, Req'd Bearing (Tons), Pile Size, Estimated Length (ft.), Min Tip Elevation, PDA Factor, Controlling Limit State, Strength I.

REQUIRE ULTIMATE PILE BEARING CAPACITY AND TIP ELEVATION SCHEDULE: Table with columns: Bent No., Pile Type, Req'd Bearing (Tons), Pile Size, Estimated Length (ft.), Min Tip Elevation, PDA Factor, Controlling Limit State, Strength I.

STEEL PIPE PILE NOTES (CONTINUED): Permanent piles shall be driven to an elevation no higher than the elevation shown in the REQUIRED ULTIMATE PILE BEARING CAPACITY AND TIP ELEVATION SCHEDULE. The Director of Structures, State Bridge Engineer may authorize test piles driven outside the structural limits.

PIPE PILE SPlicing DETAIL: 24 inch steel pipe piles. Shows cross-section of two piles joined by a 1 inch x 4 inch split backing ring. Notes specify that concrete for pile encasement shall be class 'AA' and will be paid for as bridge concrete.

MISSISSIPPI DEPARTMENT OF TRANSPORTATION BRIDGE AT STA. 23+15.83 GENERAL NOTES, ESTIMATED QUANTITIES & GEX DR OVER I-10 LAYOUT. Includes project information, designer details, and revision table.

