#### Proposal & Plan Sales Will Begin on February 5, 2024



## MISSISSIPPI DEPARTMENT OF TRANSPORTATION

### Notice to Contractors

Letting Date For February - February 27, 2024

# MISSISSIPPI DEPARTMENT OF TRANSPORTATION NOTICE TO CONTRACTORS

LETTING DATE FOR FEBRUARY - Tuesday, February 27, 2024

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List is available online at mdot.ms.gov

#### PROPOSAL AND PLAN SALES WILL BEGIN ON FEBRUARY 5, 2024

Proposals must be purchased online at: https://shop.mdot.ms.gov For Information Please Contact: Contract Administration Division Jackson, MS

Telephone: (601) 359-7700


Plans must be purchased online at: https://shop.mdot.ms.gov For Information Please Contact: MDOT Plans Print Shop Jackson, MS Telephone: (601) 359-7460 e-mail: plans@mdot.state.ms.us

Electronic bids will be received by the Mississippi Transportation Commission at 10:00 o'clock A.M., Tuesday, February 27, 2024; from the Bid Express Service and shortly thereafter, bids will be publicly read in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

#### LIST OF CONTRACTS FOR FEBRUARY

	CALL	CONTRACT	COUNTY
*	01	STP-0018-02(059)/108214301 & STP-0018-02(059)/108214302	HUMPHREYS, HOLMES
*	02	HSIP-0054-01(067)/109550301 & HSIP-0054-01(067)/109550302	COPIAH, JEFFERSON
	03	STBG-0054-01(061)/109246301 & CRP-0054-01(063)/109274301	LAWRENCE
*	04	STBG-0063-03(013)/109242301	PERRY
*	05	NHPP-7326-03(001)/109000301	RANKIN
*	06	STBG-9999-03(393)/108811303 & SP-9999-03(395)/108811303 & STBG-9999-03(393)/108811303 & STBG-9999-03(393)/108811303 & STBG-9999-03(393)/108811303	BOLIVAR, HUMPHREYS, SUNFLOWER, WASHINGTON
*	07	MP-5016-35(008) / 308840302 & MP-5016-50(011)/308840303	KEMPER, NESHOBA

<sup>\*</sup> No plans except Standard Drawings



Mill & Overlay approximately 15 miles of SR 12 from US 49W to US 49E, known as Federal Aid Project No. STP-0018-02(059) / 108214301 & 302 in Humphreys & Holmes Counties.

PROJECT COMPLETION: 121 Working Days

			•
433	Station	201-D001	Random Clearing
233	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
1,954	Linear Feet	202-B136	Removal of Guard Rail
13,970	Linear Feet	202-B240	Removal of Traffic Stripe
100	Cubic Yard	203-G001	Excess Excavation, FM, AH
3,900	Ton	304-D002	Granular Material, Crushed Stone
19,600	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
159	Ton	403-B006	19-mm, ST, Asphalt Pavement, Leveling
2,300	Ton	403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
17,700	Ton	406-D003	Fine Milling of Bituminous Pavement, All Depths
17,000	Gallon	407-A001	Asphalt for Tack Coat
3,204	Square Feet	412-A001	Pre-Grinding
27	Mile	423-A001	Rumble Strips, Ground In
406	Linear Feet	503-C010	Saw Cut, Full Depth
1,213	Linear Feet	606-B001	Guard Rail, Class A, Type 1
4	Each	606-D006	Guard Rail, Bridge End Section, Type A Modified
4	Each	606-D019	Guard Rail, Bridge End Section, Type H
4	Each	606-D022	Guard Rail, Bridge End Section, Type I
11	Each	606-E005	Guard Rail, Terminal End Section, Flared
1	Each	606-E007	Guard Rail, Terminal End Section, Non-Flared
4	Each	606-G001	Special Sections, Bridge Connector
1	Lump Sum	618-A001	Maintenance of Traffic
2	Square Feet	618-B001	Additional Construction Signs
57	Mile	619-A1001	Temporary Traffic Stripe, Continuous White

8	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
29	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
4,000	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
900	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
74	Each	619-F3001	Delineators, Guard Rail, White
1	Lump Sum	620-A001	Mobilization
29	Mile	626-B002	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
15	Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
5	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
6,300	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
1,200	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
2,000	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
900	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,450	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
12	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
3,000	Pounds	907-420-A001	Undersealing
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips

Placement of Audible Stripe on SR 28 & SR 27, known as Federal Aid Project No. HSIP-0054-01(067) / 109550301 & 302 in Copiah & Jefferson Counties.

#### PROJECT COMPLETION: 49 Working Days

8,900	Linear Feet	202-B240	Removal of Traffic Stripe
1	Lump Sum	618-A001	Maintenance of Traffic
2	Square Feet	618-B001	Additional Construction Signs
1	Lump Sum	620-A001	Mobilization
167	Mile	626-B002	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
62	Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
72	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
1,500	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
7,700	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
30	Mile	907-626-A003	Thermoplastic Audible Traffic Stripe, Centerline Skip - Passing Zone
31	Mile	907-626-A004	Thermoplastic Audible Traffic Stripe, Centerline Skip - No-Passing Zone
73	Mile	907-626-C003	Thermoplastic Audible Edge Stripe

Overlay approximately 8 miles of SR 27 from Dewey Ballard Road to just north of US 84, known as Federal Aid Project No. STBG-0054-01(061) / 109246301 & Roundabout Construction on SR 27 at West Thomas E Jolly Drive, known as Federal Aid Project No. CRP-0054-01(063) / 109274301 in Lawrence County.

PROJECT COMPLETION: NOVEMBER 15, 2024

			Roadway items
830	Square Yard	202-B006	Removal of Asphalt Paved Shoulders, All Depths
5,814	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
518	Square Yard	202-B059	Removal of Concrete Median & Island Pavement, All Depths
1,473	Linear Feet	202-B088	Removal of Curb & Gutter, All Types
1,553	Linear Feet	202-B150	Removal of Guard Rail Including Post, Blockouts & Hardware
154	Square Feet	202-B172	Removal of Legend, All Types
11,010	Linear Feet	202-B240	Removal of Traffic Stripe
1,097	Cubic Yard	203-A002	Unclassified Excavation, LVM, AH
275	Cubic Yard	203-EX040	Borrow Excavation, AH, LVM, Class B9
2,727	Cubic Yard	203-G002	Excess Excavation, LVM, AH
5,761	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
269	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
1	Ton	213-C001	Superphosphate
172	Square Yard	216-A001	Solid Sodding
4	Thousand Gallon	219-A001	Watering
1	Acre	220-A001	Insect Pest Control
49	Cubic Yard	221-A001	Concrete Paved Ditch
5	Acre	223-A001	Mowing
1	Acre	225-A001	Grassing
1	Ton	225-B001	Agricultural Limestone
2	Ton	225-C001	Mulch, Vegetative Mulch
1	Acre	226-A001	Temporary Grassing
200	Linear Feet	237-A002	Wattles, 20"
100	Linear Feet	245-A001	Silt Dike

75	Each	246-A002	Sandbags
29	Ton	249-A001	Riprap for Erosion Control
18	Cubic Yard	249-B001	Remove and Reset Riprap
1,816	Cubic Yard	304-A008	Granular Material, LVM, Class 6, Group D
773	Ton	403-A003	12.5-mm, ST, Asphalt Pavement
141	Ton	403-A006	19-mm, ST, Asphalt Pavement
15,073	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
811	Ton	403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
52,194	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
19,083	Gallon	407-A001	Asphalt for Tack Coat
1,584	Square Feet	412-A001	Pre-Grinding
15	Mile	423-A001	Rumble Strips, Ground In
6,811	Linear Feet	503-C010	Saw Cut, Full Depth
24	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
619	Linear Feet	606-B002	Guard Rail, Class A, Type 1, 'W' Beam
8	Each	606-D019	Guard Rail, Bridge End Section, Type H
10	Each	606-E005	Guard Rail, Terminal End Section, Flared
530	Linear Feet	609-B003	Concrete Curb, Special Design
290	Linear Feet	609-C001	Concrete Integral Curb, Type 1
3,930	Linear Feet	609-D009	Combination Concrete Curb and Gutter Type 3A Mod1
54	Square Yard	616-A001	Concrete Median and/or Island Pavement, 10-inch
384	Square Yard	616-A003	Concrete Median and/or Island Pavement, 12-inch
837	Square Yard	616-A004	Concrete Median and/or Island Pavement, 4-inch
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
15	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
5,721	Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
10	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
4,981	Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow
6	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow

34,039	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
561	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
5,400	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
246	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
630	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
791	Linear Feet	619-F1001	Concrete Median Barrier, Precast
36	Linear Feet	619-G4005	Barricades, Type III, Single Faced
139	Each	619-G5001	Free Standing Plastic Drums
78	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
2,597	Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White
15	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
6	Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
271	Linear Feet	626-D002	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
9	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
279	Linear Feet	626-E002	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
1,886	Linear Feet	626-F002	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
21,695	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
12,275	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
156	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
2,277	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
505	Square Feet	626-H001	Thermoplastic Double Drop Legend, White
502	Square Feet	626-H004	Thermoplastic Legend, White
4,752	Linear Feet	626-H005	Thermoplastic Legend, White
1,013	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
24	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,518	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
90	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
72	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
142	Linear Feet	630-C001	Square Tube Posts, 4.0 lb/ft

200	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
44	Each	630-F006	Delineators, Guard Rail, White
1,420	Linear Feet	682-A018	Underground Branch Circuit, AWG 2, 3 Conductor
1,048	Linear Feet	682-A028	Underground Branch Circuit, AWG 4, 3 Conductor
240	Linear Feet	682-B016	Underground Branch Circuit, Jacked or Bored, AWG 2, 3 Conductor
85	Linear Feet	682-B025	Underground Branch Circuit, Jacked or Bored, AWG 4, 3 Conductor
16	Each	682-E003	Underground Junction Box With Concrete Pad
1	Each	682-F001	Secondary Power Controller
16	Each	683-B200	Lighting Assembly, Low Mast, LED, Type 30-1-10-17
21	Cubic Yard	684-A004	Pole Foundation, 30" Diameter
1	Lump Sum	699-A001	Roadway Construction Stakes
2,000	Linear Feet	907-234-A001	Temporary Silt Fence
132	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
			ALTERNATE GROUP AA NUMBER 1
3,839	Ton	304-F001	3/4" and Down Crushed Stone Base
			ALTERNATE GROUP AA NUMBER 2
3,839	Ton	304-F002	Size 610 Crushed Stone Base
			ALTERNATE GROUP AA NUMBER 3
3,839	Ton	304-F003	Size 825B Crushed Stone Base

Overlay approximately 6 miles of SR 42 from the intersection of SR 15 to the Greene County Line, known as Federal Aid Project No. STBG-0063-03(013) / 109242301 in Perry County.

#### PROJECT COMPLETION: Flexible

			Roadway items
125	Station 201	-D001	Random Clearing
660	Linear Feet 202	2-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
2,065	Linear Feet 202	2-B240	Removal of Traffic Stripe
35	Cubic Yard 203-i	EX018	Borrow Excavation, AH, FME, Class B7-6
70	Square Yard 216	S-A001	Solid Sodding
3,250	Ton 304	1-F003	Size 825B Crushed Stone Base
650	Ton 403	3-A015	9.5-mm, ST, Asphalt Pavement
3,370	Square Yard 406	S-D001	Fine Milling of Bituminous Pavement, All Depths
14,600	Gallon 407	7-A001	Asphalt for Tack Coat
492	Square Feet 412	2-A001	Pre-Grinding
12	Mile 423	3-A001	Rumble Strips, Ground In
2	Cubic Yard 601	I-B001	Class "B" Structural Concrete, Minor Structures
3	Each 603-0	CB003	18" Reinforced Concrete End Section
425	Linear Feet 606	6-B003	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
4	Each 606	S-D001	Guard Rail, Bridge End Section
4	Each 606	6-E005	Guard Rail, Terminal End Section, Flared
1	Lump Sum 618	3-A001	Maintenance of Traffic
1	Square Feet 618	3-B001	Additional Construction Signs
22	Mile 619-	A1001	Temporary Traffic Stripe, Continuous White
13	Mile 619-	A2001	Temporary Traffic Stripe, Continuous Yellow
8	Mile 619-	A4002	Temporary Traffic Stripe, Skip Yellow
1,905	Linear Feet 619-	A5001	Temporary Traffic Stripe, Detail
1	Lump Sum 620	)-A001	Mobilization
11	Mile 626	6-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
4	Mile 626	S-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow

7	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
1,300	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
605	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
1,005	Linear Feet	626-H005	Thermoplastic Legend, White
400	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
750	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
10	Each	627-P001	Two-Way Blue Reflective High Performance Raised Markers
20	Each	630-F006	Delineators, Guard Rail, White
100	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
8,200	Ton	907-411-A001	Ultra Thin Asphalt Pavement
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
			ALTERNATE GROUP AA NUMBER 1
1,835	Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
920	Linear Feet	907-624-C001	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow
920	Linear Feet	907-624-C001	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow  ALTERNATE GROUP AA NUMBER 2
	Linear Feet Linear Feet	907-624-C001 628-H001	

Mill & Overlay approximately 2.5 miles of SR 468 from US 80 to north of 2nd Street, known as Federal Aid Project No. NHPP-7326-03(001) / 109000301 in Rankin County.

#### PROJECT COMPLETION: 63 Working Days

			Noadway items
1,379	Square Yard	202-B009	Removal of Asphalt Pavement, Failed Areas
678	Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
8	Each	202-B213	Removal of Sign
600	Cubic Yard	203-G001	Excess Excavation, FM, AH
854	Cubic Yard	304-A004	Granular Material, LVM, Class 5, Group C
100	Cubic Yard	310-B006	Size III Stabilizer Aggregate, Coarse
4,345	Ton	403-A001	12.5-mm, HT, Asphalt Pavement
854	Ton	403-B001	12.5-mm, HT, Asphalt Pavement, Leveling
2,320	Ton	403-C007	12.5-mm, HT, Asphalt Pavement, Trench Widening
10,068	Ton	403-D001	12.5-mm, HT, Asphalt Pavement, Polymer Modified
114,957	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
11,496	Gallon	407-A001	Asphalt for Tack Coat
1,377	Linear Feet	503-C010	Saw Cut, Full Depth
607	Linear Feet	606-B002	Guard Rail, Class A, Type 1, 'W' Beam
1	Each	606-C003	Guard Rail, Cable Anchor, Type 1
1	Each	606-E005	Guard Rail, Terminal End Section, Flared
1	Lump Sum	618-A001	Maintenance of Traffic
10	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
8	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
15	Mile	619-A3001	Temporary Traffic Stripe, Skip White
1	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
37,528	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
6,612	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
32	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
296	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More

48	Linear Feet	619-G4005	Barricades, Type III, Single Faced
1	Lump Sum	620-A001	Mobilization
5	Mile	626-A001	6" Thermoplastic Double Drop Traffic Stripe, Skip White
5	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
1	Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
4	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
14,044	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
4,720	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
3,306	Square Feet	626-H001	Thermoplastic Double Drop Legend, White
218	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
970	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
244	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
12	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
50	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
14	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
22	Each	630-F006	Delineators, Guard Rail, White
1	Each	907-632-D001	Solid State Traffic Actuated Controller, Type 1
8	Each	907-641-A002	Signal Stop Bar Radar Vehicle Detection Sensor, Type 2
1,300	Linear Feet	907-641-D001	Radar Vehicle Detection Cable
1	Lump Sum	907-899-A001	Railway-Highway Provisions

Placement of Stripe on various routes throughout the District, known as Federal Aid Project No. STBG-9999-03(393) / 1088113031, 3032, 3033, & 3034 and State Project No. SP-9999-03(395) / 10881130311 in Bolivar, Sunflower, Washington, & Humphreys Counties.

PROJECT COMPLETION: 31 Working Days

360	Linear Feet	202-B240	Removal of Traffic Stripe
1	Lump Sum	618-A001	Maintenance of Traffic
5	Square Feet	618-B001	Additional Construction Signs
1	Lump Sum	620-A001	Mobilization
26	Mile	626-B002	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
9	Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
11	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
120	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
2,300	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
80	Square Feet	626-H001	Thermoplastic Double Drop Legend, White
5,425	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
3,550	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
10	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
2,750	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers

Micro-Surface approximately 11 miles of SR 16 from Thompson Drive to SR 15 & US 45 to the Alabama State Line, known as State Project Nos. MP-5016-35(008) / 308840302 & MP-5016-50(011) / 308840303 in Kemper & Neshoba Counties.

PROJECT COMPLETION: 59 Working Days

			Roduway items
420	Square Yard 202-Bo	009	Removal of Asphalt Pavement, Failed Areas
3,151	Square Feet 202-B	172	Removal of Legend, All Types
221,540	Linear Feet 202-B2	240	Removal of Traffic Stripe
200	Cubic Yard 203-G	002	Excess Excavation, LVM, AH
150	Ton 403-B0	002	12.5-mm, MT, Asphalt Pavement, Leveling
640	Gallon 407-A	001	Asphalt for Tack Coat
585	Linear Feet 503-Co	010	Saw Cut, Full Depth
1	Lump Sum 618-A0	001	Maintenance of Traffic
35	Mile 619-A10	001	Temporary Traffic Stripe, Continuous White
44	Mile 619-A20	001	Temporary Traffic Stripe, Continuous Yellow
36	Mile 619-A30	001	Temporary Traffic Stripe, Skip White
8	Mile 619-A46	002	Temporary Traffic Stripe, Skip Yellow
21,681	Linear Feet 619-A50	001	Temporary Traffic Stripe, Detail
3,151	Square Feet 619-A60	001	Temporary Traffic Stripe, Legend
1,984	Linear Feet 619-A60	002	Temporary Traffic Stripe, Legend
517	Square Feet 619-D10	001	Standard Roadside Construction Signs, Less than 10 Square Feet
316	Square Feet 619-D20	001	Standard Roadside Construction Signs, 10 Square Feet or More
24	Linear Feet 619-G40	001	Barricades, Type III, Double Faced
48	Linear Feet 619-G40	005	Barricades, Type III, Single Faced
1	Lump Sum 620-A	001	Mobilization
9	Mile 626-A	001	6" Thermoplastic Double Drop Traffic Stripe, Skip White
23	Mile 626-C0	002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
3	Mile 626-D0	001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
13	Mile 626-E0	001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
19,241	Linear Feet 626-G	004	Thermoplastic Double Drop Detail Stripe, White

2,440	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
3,151	Square Feet	626-H001	Thermoplastic Double Drop Legend, White
1,984	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
1,408	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
2,282	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
142,069	Square Yard	907-414-A001	Scrub Seal
9,947	Gallon	907-414-B001	Asphalt for Fog Seal
79,135	Gallon	907-418-A001	Emulsified Asphalt for Micro-Surfacing
2,676	Ton	907-418-B001	Aggregate for Micro-Surfacing

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Plans must be purchased online at https://shop.mdot.ms.gov. Costs of plans will be on a cost per sheet basis plus a small convenience fee. You can contact the MDOT Plans Print Shop at Telephone No. (601) 359-7460 or e-mail at plans@mdot.state.ms.us. Plans will be shipped on receipt of payment. Cash or checks will not be accepted as payment.

Bid bond, signed or countersigned by a Mississippi Resident Agent or qualified non-resident agent, with Power of Attorney attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

BRAD WHITE EXECUTIVE DIRECTOR