

Proposal & Plan Sales Will Begin on March 4, 2024



**MISSISSIPPI DEPARTMENT OF
TRANSPORTATION**

Notice to Contractors

Letting Date For April - April 23, 2024

MISSISSIPPI DEPARTMENT OF TRANSPORTATION
NOTICE TO CONTRACTORS

LETTING DATE FOR APRIL - Tuesday, April 23, 2024

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List is available online at mdot.ms.gov

PROPOSAL AND PLAN SALES WILL BEGIN ON MARCH 4, 2024

Proposals must be purchased online at:
<https://shop.mdot.ms.gov>
For Information Please Contact:
Contract Administration Division
Jackson, MS
Telephone: (601) 359-7700

Plans must be purchased online at:
<https://shop.mdot.ms.gov>
For Information Please Contact:
MDOT Plans Print Shop
Jackson, MS
Telephone: (601) 359-7460
e-mail: plans@mdot.state.ms.us

Electronic bids will be received by the Mississippi Transportation Commission at 10:00 o'clock A.M., Tuesday, April 23, 2024; from the Bid Express Service and shortly thereafter, bids will be publicly read in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

LIST OF CONTRACTS FOR APRIL

CALL	CONTRACT	COUNTY
01	STBG-0022-04(070)/101631301 & STP-2911-00(001)/105890301	TIPPAH

CALL No. 01

Grade, Drain, Pave on SR 2 from existing SR 15 to SR 15 Bypass & Grade, Bridge, 2 Lanes on SR 15 from just north of the Union County Line to 1 mile north of SR 4 at Ripley, known as Federal Aid Project Nos. STP-2911-00(001) / 105890301 & STBG-0022-04(070) / 101631301 in Tippah County.

PROJECT COMPLETION: 703 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

1	Lump Sum	201-A001	Clearing and Grubbing
2	Acre	201-B001	Clearing and Grubbing
3,650	Square Yard	202-B004	Removal of Asphalt Driveways, All Depths
46,250	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
1	Each	202-B023	Removal of Bridge
1,989	Square Yard	202-B052	Removal of Concrete Driveways, All Depths
34,342	Linear Feet	202-B126	Removal of Fence, All Types
3	Each	202-B129	Removal of Flared End Section, All Sizes
7	Each	202-B165	Removal of Inlets, All Sizes
53,093	Square Yard	202-B188	Removal of Pavement, All Types and Depths
3,335	Linear Feet	202-B191	Removal of Pipe, 8" And Above
12,037	Linear Feet	202-B240	Removal of Traffic Stripe
3,464,433	Cubic Yard	203-A001	Unclassified Excavation, FM, AH
41,285	Cubic Yard	203-EX020	Borrow Excavation, AH, FME, Class B9
738,610	Cubic Yard	203-EX021	Borrow Excavation, AH, FME, Class B9-6
4,586,567	Cubic Yard	203-G001	Excess Excavation, FM, AH
34,454	Cubic Yard	206-A001	Structure Excavation
5,355	Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
132,774	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
130,680	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
208	Ton	213-C001	Superphosphate
18,407	Square Yard	216-A001	Solid Sodding
14,008	Square Yard	217-A001	Ditch Liner
368	Thousand Gallon	219-A001	Watering

207 Acre	220-A001 Insect Pest Control
4,983 Cubic Yard	221-A001 Concrete Paved Ditch
589 Acre	223-A001 Mowing
22,266 Square Yard	224-A001 Soil Reinforcing Mat
431 Acre	225-A001 Grassing
816 Ton	225-B001 Agricultural Limestone
861 Ton	225-C001 Mulch, Vegetative Mulch
417 Acre	226-A001 Temporary Grassing
1,350 Each	235-A001 Temporary Erosion Checks
49 Each	236-A008 Silt Basin, Type D
576 Linear Feet	237-A001 Wattles, 12"
4,790 Linear Feet	237-A002 Wattles, 20"
2,240 Linear Feet	239-A001 Temporary Slope Drains
4,730 Linear Feet	245-A001 Silt Dike
3,330 Linear Feet	246-A001 Sandbags
114 Each	246-A002 Sandbags
114 Each	246-B001 Rockbags
18 Each	247-A001 Temporary Stream Diversion
4,945 Ton	249-A001 Riprap for Erosion Control
1,989 Cubic Yard	249-B001 Remove and Reset Riprap
16,300 Cubic Yard	304-C001 Granular Material, AEA, Class 3, Group C
12,650 Cubic Yard	304-C009 Granular Material, AEA, Class 9, Group C
23,322 Square Yard	307-B001 10" Soil-Lime-Water Mixing, Class B
18,036 Square Yard	307-B003 6" Soil-Lime-Water Mixing, Class B
842 Ton	307-D001 Lime
10,340 Gallon	307-S001 Bituminous Curing Seal
1,258 Ton	308-A001 Cement
41,358 Square Yard	308-B002 Soil-Cement-Water Mixing, Optional Mixers, Base
61,050 Square Yard	308-B003 Soil-Cement-Water Mixing, Optional Mixers, Design Soil
16,673 Gallon	308-S001 Bituminous Curing Seal

12,063	Ton	403-A002	12.5-mm, MT, Asphalt Pavement
24,199	Ton	403-A005	19-mm, MT, Asphalt Pavement
9,626	Ton	403-A014	9.5-mm, MT, Asphalt Pavement
9,233	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
6,670	Gallon	407-A001	Asphalt for Tack Coat
6	Mile	423-A001	Rumble Strips, Ground In
62	Square Yard	501-K001	Transverse Grooving
1,370	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
5,991	Cubic Yard	601-A001	Class "B" Structural Concrete
148	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
1,164,920	Pounds	602-A001	Reinforcing Steel
1,936	Linear Feet	603-ALT003	18" Type A Alternate Pipe
28	Linear Feet	603-ALT005	22" x 13" Type A Alternate Pipe
804	Linear Feet	603-ALT006	24" Type A Alternate Pipe
44	Linear Feet	603-ALT008	29" x 18" Type A Alternate Pipe
404	Linear Feet	603-ALT009	30" Type A Alternate Pipe
136	Linear Feet	603-ALT011	36" Type A Alternate Pipe
164	Linear Feet	603-ALT013	36" x 23" Type A Alternate Pipe
220	Linear Feet	603-ALT014	42" Type A Alternate Pipe
36	Linear Feet	603-ALT015	44" x 27" Type A Alternate Pipe
104	Linear Feet	603-ALT017	51" x 31" Type A Alternate Pipe
56	Linear Feet	603-ALT019	58" x 36" Type A Alternate Pipe
4,598	Linear Feet	603-CA011	18" Reinforced Concrete Pipe, Class III
104	Linear Feet	603-CA013	18" Reinforced Concrete Pipe, Class IV
48	Linear Feet	603-CA019	18" Reinforced Concrete Pipe, Class V
216	Linear Feet	603-CA020	18" Reinforced Concrete Pipe, Class V, Class B Bedding
3,412	Linear Feet	603-CA026	24" Reinforced Concrete Pipe, Class III
208	Linear Feet	603-CA040	30" Reinforced Concrete Pipe, Class III
344	Linear Feet	603-CA042	30" Reinforced Concrete Pipe, Class IV
396	Linear Feet	603-CA048	30" Reinforced Concrete Pipe, Class V

2,076	Linear Feet	603-CA055	36" Reinforced Concrete Pipe, Class III
712	Linear Feet	603-CA057	36" Reinforced Concrete Pipe, Class IV
1,736	Linear Feet	603-CA066	42" Reinforced Concrete Pipe, Class III
340	Linear Feet	603-CA068	42" Reinforced Concrete Pipe, Class IV
540	Linear Feet	603-CA076	48" Reinforced Concrete Pipe, Class III
644	Linear Feet	603-CA078	48" Reinforced Concrete Pipe, Class IV
416	Linear Feet	603-CA083	48" Reinforced Concrete Pipe, Class V
584	Linear Feet	603-CA087	54" Reinforced Concrete Pipe, Class III
452	Linear Feet	603-CA126	72" Reinforced Concrete Pipe, Class V, Class B Bedding
41	Each	603-CB003	18" Reinforced Concrete End Section
46	Each	603-CB004	24" Reinforced Concrete End Section
10	Each	603-CB005	30" Reinforced Concrete End Section
28	Each	603-CB006	36" Reinforced Concrete End Section
14	Each	603-CB007	42" Reinforced Concrete End Section
10	Each	603-CB008	48" Reinforced Concrete End Section
2	Each	603-CB009	54" Reinforced Concrete End Section
2	Each	603-CB012	72" Reinforced Concrete End Section
928	Linear Feet	603-CE002	22" x 13" Concrete Arch Pipe, Class A III
1,100	Linear Feet	603-CE008	29" x 18" Concrete Arch Pipe, Class A III
256	Linear Feet	603-CE013	36" x 23" Concrete Arch Pipe, Class A III
1,008	Linear Feet	603-CE018	44" x 27" Concrete Arch Pipe, Class A III
1,004	Linear Feet	603-CE023	51" x 31" Concrete Arch Pipe, Class A III
592	Linear Feet	603-CE028	58" x 36" Concrete Arch Pipe, Class A III
212	Linear Feet	603-CE044	88" x 54" Concrete Arch Pipe, Class A III
9	Each	603-CF002	22" x 13" Concrete Arch Pipe End Section
8	Each	603-CF003	29" x 18" Concrete Arch Pipe End Section
6	Each	603-CF004	36" x 23" Concrete Arch Pipe End Section
13	Each	603-CF005	44" x 27" Concrete Arch Pipe End Section
8	Each	603-CF006	51" x 31" Concrete Arch Pipe End Section
8	Each	603-CF007	58" x 36" Concrete Arch Pipe End Section

2	Each	603-CF010	88" x 54" Concrete Arch Pipe End Section
4	Each	603-SB014	18" Branch Connections, Stub into Concrete Box Culvert
36,750	Pounds	604-B001	Gratings
239	Square Yard	605-AA001	Geotextile for Subsurface Drainage, Type III
1,772	Square Yard	605-AA002	Geotextile for Subsurface Drainage, Type V
655	Linear Feet	605-O002	4" Perforated Sewer Pipe for Underdrains, SDR 23.5
1,000	Linear Feet	605-O004	6" Perforated Sewer Pipe for Underdrains, SDR 23.5
121	Linear Feet	605-P002	4" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
100	Linear Feet	605-P004	6" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
168	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
1,050	Linear Feet	606-B001	Guard Rail, Class A, Type 1
24	Each	606-D022	Guard Rail, Bridge End Section, Type I
24	Each	606-E005	Guard Rail, Terminal End Section, Flared
728	Linear Feet	609-D003	Combination Concrete Curb and Gutter Type 2
5,090	Linear Feet	609-D004	Combination Concrete Curb and Gutter Type 2 Modified
1,493	Linear Feet	609-D012	Combination Concrete Curb and Gutter Type 3A Modified
71	Cubic Yard	612-B001	Flowable Fill, Non-Excavatable
394	Square Yard	614-A001	Concrete Driveway, Without Reinforcement
100	Square Yard	614-B001	Concrete Driveway, With Reinforcement
400	Linear Feet	615-A024	Concrete Bridge End Barrier, 37.5"
200	Square Yard	616-A001	Concrete Median and/or Island Pavement, 10-inch
2,360	Square Yard	616-A004	Concrete Median and/or Island Pavement, 4-inch
512	Each	617-A001	Right-of-Way Marker
1	Lump Sum	618-A001	Maintenance of Traffic
1	Lump Sum	618-C001	Construction and Removal of Detour Bridge
1,260	Linear Feet	618-E001	Detour Bridge Piling
1	Lump Sum	618-F001	Detour Bridge PDA Test Pile
3	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
5,117	Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White

1 Mile	619-A1008	Temporary Traffic Stripe, Continuous White, Type 1 or 2 Tape
6 Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
5,208 Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow
1 Mile	619-A2007	Temporary Traffic Stripe, Continuous Yellow, Type 1 or 2 Tape
1,350 Linear Feet	619-A4001	Temporary Traffic Stripe, Skip Yellow
138 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
162 Square Feet	619-A6001	Temporary Traffic Stripe, Legend
1,672 Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
401 Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
88 Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
2,235 Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
79 Each	619-D3001	Remove and Reset Signs, All Sizes
1,728 Linear Feet	619-G4001	Barricades, Type III, Double Faced
276 Linear Feet	619-G4005	Barricades, Type III, Single Faced
425 Each	619-G5001	Free Standing Plastic Drums
43 Each	619-G7001	Warning Lights, Type "B"
4 Each	619-K2004	Installation and Removal of Guard Rail, Type I Bridge End Section
4 Each	619-K4001	Installation and Removal of Guardrail, Terminal End Section
1 Lump Sum	620-A001	Mobilization
1 Each	622-B003	Engineer's Field Office Building, Type 3 LO
147 Linear Feet	626-B003	6" Thermoplastic Traffic Stripe, Continuous White
17,714 Linear Feet	626-C003	6" Thermoplastic Edge Stripe, Continuous White
6 Mile	626-C004	6" Thermoplastic Edge Stripe, Continuous White
1,482 Linear Feet	626-D004	6" Thermoplastic Traffic Stripe, Skip Yellow
17,529 Linear Feet	626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
7 Mile	626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
647 Linear Feet	626-F004	6" Thermoplastic Edge Stripe, Continuous Yellow
17,496 Linear Feet	626-G002	Thermoplastic Detail Stripe, White
13,873 Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
1,643 Square Feet	626-H004	Thermoplastic Legend, White

303	Linear Feet	626-H005	Thermoplastic Legend, White
225	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
95	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,474	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
342	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
802	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
123	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
993	Linear Feet	630-C001	Square Tube Posts, 4.0 lb/ft
88	Linear Feet	630-C002	Steel U-Section Posts, 2.0 lb/ft
399	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
12	Each	630-F002	Delineators, Flexible Post Mounted, Crossover, Type I, Yellow
95	Each	630-F006	Delineators, Guard Rail, White
14	Each	630-F007	Delineators, Guard Rail, Yellow
51	Each	630-F010	Delineators, Post Mounted, Double White
12	Each	630-F011	Delineators, Post Mounted, Double Yellow
4	Each	630-F012	Delineators, Post Mounted, Single White
6	Each	630-F013	Delineators, Post Mounted, Single Yellow
16	Each	630-G004	Type 3 Object Markers, OM-3R or OM-3L
8	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
1	Lump Sum	699-A001	Roadway Construction Stakes
1,199	Ton	815-A002	Loose Riprap, Size 100
70,011	Ton	815-A007	Loose Riprap, Size 300
80,735	Square Yard	815-E001	Geotextile under Riprap
1,662	Ton	815-F002	Sediment Control Stone
356	Square Yard	907-204-A001	Geogrid, Type I
78,735	Linear Feet	907-234-A001	Temporary Silt Fence
900	Linear Feet	907-234-C001	Super Silt Fence
17	Each	907-234-D001	Inlet Siltation Guard
7,463	Linear Feet	907-253-A001	Coir Fiber Baffle
721	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement

1	Lump Sum	907-899-A001	Railway-Highway Provisions
2,080	Hours	907-906001	Trainees
ALTERNATE GROUP AA NUMBER 1			
50,786	Ton	304-F001	3/4" and Down Crushed Stone Base
ALTERNATE GROUP AA NUMBER 2			
50,786	Ton	304-F002	Size 610 Crushed Stone Base
ALTERNATE GROUP AA NUMBER 3			
50,786	Ton	304-F003	Size 825B Crushed Stone Base
ALTERNATE GROUP BB NUMBER 1			
566	Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
ALTERNATE GROUP BB NUMBER 2			
566	Cubic Yard	605-W003	Filter Material for Combination Storm Drain and/or Underdrains, Type C, FM
ALTERNATE GROUP CC NUMBER 1			
3,000	Linear Feet	907-624-A002	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White
3,903	Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
3,905	Linear Feet	907-624-D002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow
ALTERNATE GROUP CC NUMBER 2			
3,000	Linear Feet	628-G001	6" High Performance Cold Plastic Traffic Stripe, Skip White
3,903	Linear Feet	628-H001	6" High Performance Cold Plastic Traffic Stripe, Continuous White
3,905	Linear Feet	628-J001	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
Bridge Items			
70	Cubic Yard	221-A001	Concrete Paved Ditch
12,944	Square Yard	501-K001	Transverse Grooving
14,410	Linear Feet	803-D007	HP 14 x 89 Steel Piling
10,908	Linear Feet	803-F008	20" Pre-Formed Pile Hole
1,953	Linear Feet	803-K006	Drilled Shaft, 48" Diameter
289	Linear Feet	803-M005	Trial Shaft, 48" Diameter
410	Linear Feet	803-N001	Exploration
1,170	Linear Feet	803-O018	Temporary Casing, 48" Diameter
3,120	Linear Feet	803-P001	24" Steel Pipe Piling, Wall Thickness 0.500"
595	Linear Feet	804-C002	100' Prestressed Concrete Beam, Type IV

639	Linear Feet	804-C018	107' Prestressed Concrete Beam, Type IV
1,717	Linear Feet	804-C020	108' Prestressed Concrete Beam, Type IV
1,433	Linear Feet	804-C038	120' Prestressed Concrete Beam, Type BT-63
3,774	Linear Feet	804-C065	40' Prestressed Concrete Beam, Type I+2
491	Linear Feet	804-C087	62' Prestressed Concrete Beam, Type IV
750	Linear Feet	804-C089	63' Prestressed Concrete Beam, Type IV
834	Linear Feet	804-C105	70' Prestressed Concrete Beam, Type IV
744	Linear Feet	804-C113	75' Prestressed Concrete Beam, Type IV
954	Linear Feet	804-C122	80' Prestressed Concrete Beam, Type IV
507	Linear Feet	804-C129	85' Prestressed Concrete Beam, Type IV
882	Linear Feet	804-C138	89' Prestressed Concrete Beam, Type IV
745	Linear Feet	804-C148	94' Prestressed Concrete Beam, Type IV
565	Linear Feet	804-C152	95' Prestressed Concrete Beam, Type IV
1,142	Linear Feet	804-C155	96' Prestressed Concrete Beam, Type IV
2,117	Linear Feet	804-C256	125' Prestressed Concrete Beam, Type FIB-54
1,384,621	Pounds	805-A001	Reinforcement
2,452	Pounds	805-C001	Reinforcement, Corrosion Resistant
5,970	Linear Feet	813-A004	Concrete Railing, 36"
21,306	Ton	815-A007	Loose Riprap, Size 300
615	Cubic Yard	815-D001	Concrete Slope Paving
19,080	Square Yard	815-E001	Geotextile under Riprap
12	Each	907-803-B001	Conventional Static Pile Load Test
20	Each	907-803-I003	PDA Test Pile, HP Steel Pile
4	Each	907-803-I004	PDA Test Pile, Steel Pipe Pile
21	Each	907-803-J001	Pile Restrike
542	Cubic Yard	907-804-A001	Bridge Concrete, Class BDx
2,100	Cubic Yard	907-804-A002	Bridge Concrete, Class AA
3,261	Cubic Yard	907-804-A004	Bridge Concrete, Class BD
9,816	Square Feet	907-809-A001	Retaining Wall System
1,046	Linear Feet	907-823-A001	Preformed Joint Seal, Type I

168 Linear Feet

907-823-A002 Preformed Joint Seal, Type II

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Plans must be purchased online at <https://shop.mdot.ms.gov>. Costs of plans will be on a cost per sheet basis plus a small convenience fee. You can contact the MDOT Plans Print Shop at Telephone No. (601) 359-7460 or e-mail at plans@mdot.state.ms.us. Plans will be shipped on receipt of payment. Cash or checks will not be accepted as payment.

Bid bond, signed or countersigned by a Mississippi Resident Agent or qualified non-resident agent, with Power of Attorney attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

BRAD WHITE
EXECUTIVE DIRECTOR