


Proposal & Plan Sales Will Begin on May 4, 2009



**MISSISSIPPI DEPARTMENT OF
TRANSPORTATION**

Notice to Contractors

Letting Date for May – May 26, 2009



MISSISSIPPI DEPARTMENT OF TRANSPORTATION
NOTICE TO CONTRACTORS
LETTING DATE FOR MAY - Tuesday, May 26, 2009

Bids will be opened publicly in the first floor auditorium of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List (Proposal and Specimen Holders) is available online at www.gomdot.com

PROPOSAL AND PLAN SALES WILL BEGIN ON MAY 04, 2009

Proposals must be purchased from:

Contract Administration Engineer
MDOT Administration Building
401 North West Street
Jackson, MS 39201

(or)

P.O. Box 1850
Jackson, MS 39215-1850
Telephone: (601) 359-7744
FAX: (601) 359-7732

Plans may be purchased from:

MDOT Plans Print Shop
MDOT Shop Complex, Building C, Room 114
2567 North West Street
Jackson, MS 39216

(or)

P.O. Box 1850
Jackson, MS 39215-1850
Telephone: (601) 359-7460
or FAX: (601) 359-7461
or e-mail: plans@mdot.state.ms.us

Sealed bids will be received by the Mississippi Transportation Commission in the Office of the Contract Administration Engineer, Room 1013, Mississippi Department of Transportation Office Administration Building, 401 North West Street, Jackson, Mississippi, until 9:30 o'clock A.M., Tuesday; thereafter bids will be received in the First Floor Auditorium of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi, until 10:00 o'clock A.M., and shortly thereafter publicly opened.

* No plans except Standard Drawings

LIST OF CONTRACTS FOR MAY

CALL	CONTRACT	COUNTY
01	NH-0002-04(032) / 102087301	Lowndes
02	IM-0020-01(187) / 105053301	Rankin
* 03	STP-0000-07(002) / 104758302	District 7
04	STP-0039-01(006) / 100322302	Copiah
05	HSIP-0331-00(012) / 104898301	Scott
06	BR-0510-00(007) / 103321302	Yazoo
07	MP-1002-02(006) / 303646301	Alcorn
08	MP-1015-70(014) / 303647301	Tippah
09	MP-1278-48(013) / 303651301	Monroe
10	MP-1371-29(002) / 303668301	Itawamba
11	MP-1389-09(004) / 303669301	Chickasaw
* 12	MP-3000-00(055) / 303663301	District 3
* 13	MP-3017-26(013) / 303662301	Holmes
* 14	MP-5035-40(017) / 303628301	Leake
* 15	MP-5492-50(002) / 303631301	Neshoba
* 16	MP-6000-00(166) / 303680301	District 6
* 17	MP-6013-37(009) / 303681301	Lamar
* 18	MP-6015-31(007) / 303684301	Jasper
* 19	MP-6026-55(013) / 303682301	Pearl River

CALL	CONTRACT	COUNTY
* 20	MP-6053-24(010) / 303683301	Harrison
21	BWO-7116-57(002) / 502087301	Pike
22	NH-0007-01(074) / 105459301	Alcorn
23	IMD-0059-03(084) / 104423301	Lauderdale
24	STP-0002-05(065) / 105463301	Monroe
25	NH-0011-03(076) / 105462301	Lowndes
26	NH-0015-01(060) / 105243301	Adams
* 27	STP-0016-01(033) / 105483301 & STP-0016-01(033) / 105483302	Bolivar & Sunflower
28	STP-0022-03(023) / 105460301	Chickasaw
29	BR-0031-01(018) / 103318302	Desoto
* 30	STP-0037-01(051) / 105477301	Jefferson Davis
* 31	STP-0074-01(010) / 105381301	Lauderdale
32	STP-0079-01(029) / 105461301 & STP-0079-01(029) / 105461302	Clay & Monroe
33	STP-0079-01(030) / 105465301	Lowndes
34	STP-0079-02(015) / 105464301 & STP-0079-02(015) / 105464302	Chickasaw & Monroe
* 35	STP-0080-01(015) / 105453301	Forrest
36	STP-0168-00(010) / 102384301, STP-0168-00(010) / 102384302, & STP-7570-00(004) / 102384303	Amite & Pike
37	BR-0793-00(002) / 100297302	Lafayette
38	STP-0948-00(008) / 105367301	Tishomingo
39	BR-1152-00(001) / 102514301	Perry
* 40	STP-7314-00(023) / 105576301	Hinds

Four lane grade, drain, bridge and pavement upgrade on US 45 from 4 miles south of US 82 to US 82, known as Federal Aid Project No. NH-0002-04(032) / 102087301, in the County of Lowndes, State of Mississippi.

PROJECT COMPLETION: 425 Time Units

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

Lump Sum	201-A001	Clearing and Grubbing
1 Acre	201-B001	Clearing and Grubbing
8,788 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
3 Each	202-B008	Removal of Box Culvert
1 Each	202-B009	Removal of Bridge
150 Square Yard	202-B024	Removal of Concrete Median & Island Pavement, All Depths
1,252 Linear Feet	202-B064	Removal of Pipe, 8" And Above
1,000 Linear Feet	202-B076	Removal of Traffic Stripe
2 Each	202-B079	Removal of Headwall
981 Linear Feet	202-B093	Removal of Curb & Gutter, All Types
30,111 Square Yard	202-B097	Removal of Concrete Overlayed w/ Asphalt Pavement, All Depths
250 Linear Feet	202-B102	Removal of Guard Rail
228,492 Cubic Yard	203-A003	Unclassified Excavation, FM, AH
145,365 Cubic Yard	203-EX017	Borrow Excavation, AH, FME, Class B9
822,865 Cubic Yard	203-EX019	Borrow Excavation, AH, FME, Class B10
2,836 Cubic Yard	206-A001	Structure Excavation
53 Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
242,500 Square Yard	212-A001	Light Ground Preparation
485,000 Square Yard	212-B001	Standard Ground Preparation
63 Ton	213-B001	Combination Fertilizer, 13-13-13
50 Ton	213-C001	Superphosphate
2,505 Pounds	214-A001	Seeding, Bahiagrass
2,004 Pounds	214-A002	Seeding, Bermudagrass
2,505 Pounds	214-A003	Seeding, Tall Fescue
1,002 Pounds	214-A004	Seeding, Crimson Clover
1,002 Pounds	214-A014	Seeding, Browntop Millet
4,509 Pounds	214-A015	Seeding, Oats
1,253 Pounds	214-A017	Seeding, Rye Grass
250 Ton	215-A001	Vegetative Materials for Mulch
444 Square Yard	216-A001	Solid Sodding
3,663 Square Yard	217-A001	Ditch Liner
9 Thousand Gallon	219-A001	Watering
50 Acre	220-A001	Insect Pest Control
377 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
1 Acre	223-A001	Mowing
8,067 Square Yard	224-A001	Soil Reinforcing Mat
13,300 Linear Feet	234-A001	Temporary Silt Fence
2,708 Bale	235-A001	Temporary Erosion Checks
20 Each	236-A004	Silt Basin, Type D
2,800 Linear Feet	239-A001	Temporary Slope Drains

Call No. 01 for the May 26, 2009 Letting

800 Square Yard	406-A001 Cold Milling of Bituminous Pavement, All Depths
1,650 Gallon	408-A003 Asphalt for Prime Coat, Cut-Back MC-70 or Emulsified EA-1
13 Mile	423-A001 Rumble Strips, Ground In
241 Linear Feet	501-E001 Expansion Joints, Without Dowels
568 Square Yard	501-K001 Transverse Grooving
578 Square Yard	502-A001 Reinforced Cement Concrete Bridge End Pavement
136 Linear Feet	503-C007 Saw Cut, Full Depth
24,460 Pounds	602-A001 Reinforcing Steel
1,416 Linear Feet	603-CA002 18" Reinforced Concrete Pipe, Class III
940 Linear Feet	603-CA003 24" Reinforced Concrete Pipe, Class III
808 Linear Feet	603-CA004 30" Reinforced Concrete Pipe, Class III
312 Linear Feet	603-CA007 48" Reinforced Concrete Pipe, Class III
392 Linear Feet	603-CA008 54" Reinforced Concrete Pipe, Class III
320 Linear Feet	603-CA020 54" Reinforced Concrete Pipe, Class IV
624 Linear Feet	603-CA052 30" Reinforced Concrete Pipe, Class V, Class B Bedding
15 Each	603-CB001 18" Reinforced Concrete End Section
19 Each	603-CB002 24" Reinforced Concrete End Section
11 Each	603-CB003 30" Reinforced Concrete End Section
2 Each	603-CB006 48" Reinforced Concrete End Section
6 Each	603-CB007 54" Reinforced Concrete End Section
400 Linear Feet	603-CE004 44" x 27" Concrete Arch Pipe, Class A III
48 Linear Feet	603-CE007 65" x 40" Concrete Arch Pipe, Class A III
4 Each	603-CF004 44" x 27" Concrete Arch Pipe End Section
2 Each	603-CF007 65" x 40" Concrete Arch Pipe End Section
1,220 Pounds	604-A001 Castings
4,400 Pounds	604-B001 Gratings
700 Linear Feet	606-B001 Guard Rail, Class A, Type 1
4 Each	606-D012 Guard Rail, Bridge End Section, Type I
4 Each	606-E002 Guard Rail, Terminal End Section, Flared
5,173 Linear Feet	609-D002 Combination Concrete Curb and Gutter Type 2
656 Square Yard	614-A001 Concrete Driveway, Without Reinforcement
60 Linear Feet	615-A015 Concrete Bridge End Barrier, 32"
1,107 Square Yard	616-A001 Concrete Median and/or Island Pavement, 4-inch
163 Square Yard	616-A003 Concrete Median and/or Island Pavement, 10-inch
Lump Sum	618-A001 Maintenance of Traffic
9 Mile	619-A1002 Temporary Traffic Stripe, Continuous White
3 Mile	619-A2002 Temporary Traffic Stripe, Continuous Yellow
3 Mile	619-A3006 Temporary Traffic Stripe, Skip White
3 Mile	619-A4006 Temporary Traffic Stripe, Skip Yellow
8,000 Linear Feet	619-A5001 Temporary Traffic Stripe, Detail
1,600 Linear Feet	619-A6001 Temporary Traffic Stripe, Legend
400 Each	619-C7001 Two-Way Yellow Reflective High Performance Raised Marker
50 Square Feet	619-D1001 Standard Roadside Construction Signs, Less than 10 Square Feet
2,017 Square Feet	619-D2001 Standard Roadside Construction Signs, 10 Square Feet or More
4 Each	619-F3004 Delineators, Guard Rail, White
336 Linear Feet	619-G4001 Barricades, Type III, Single Faced

Call No. 01 for the May 26, 2009 Letting

24	Linear Feet	619-G4005	Barricades, Type III, Double Faced
111	Each	619-G5001	Free Standing Plastic Drums
5	Each	619-G7001	Warning Lights, Type "B"
2	Each	619-K2002	Installation and Removal of Guard Rail, Type I Bridge End Section
2	Each	619-K4001	Installation and Removal of Guardrail, Terminal End Section
	Lump Sum	620-A001	Mobilization
1	Each	621-A001	Field Laboratory
901	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
172	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
752	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip White
752	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
752	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
334	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
775	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
639	Square Feet	630-B001	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
36	Linear Feet	630-C002	Steel U-Section Posts, 2.0 to 2.5 lb/ft
794	Linear Feet	630-C004	Steel U-Section Posts, 3.0 to 3.5 lb/ft
54	Linear Feet	630-D003	Structural Steel Beams, W6 x 9
132	Linear Feet	630-D005	Structural Steel Beams, W6 x 15
53	Linear Feet	630-D006	Structural Steel Beams, W8 x 18
57	Linear Feet	630-D007	Structural Steel Beams, W8 x 21
32	Pounds	630-E001	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
247	Pounds	630-E002	Structural Steel Angles & Bars, 3 1/2" x 3 1/2" x 1/4" Angles
731	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
14	Each	630-F001	Delineators, Guard Rail, White
14	Each	630-F002	Delineators, Guard Rail, Yellow
28	Each	630-F003	Delineators, Flexible Post Mounted, Crossover, Type I, Green
28	Each	630-F004	Delineators, Flexible Post Mounted, Crossover, Type I, Yellow
4	Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
193	Linear Feet	630-K001	Welded & Seamless Steel Pipe Posts, 3"
31	Linear Feet	630-K002	Welded & Seamless Steel Pipe Posts, 3 1/2"
383	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
	Lump Sum	699-A001	Roadway Construction Stakes
2,880	Ton	815-A009	Loose Riprap, Size 300
4,025	Square Yard	815-E001	Geotextile under Riprap
42	Ton	815-F002	Sediment Control Stone
300	Ton	907-213-A001	Agricultural Limestone
43,920	Cubic Yard	907-304-C005	Granular Material, AEA, Class 9, Group C
24,055	Cubic Yard	907-304-C007	Granular Material, AEA, Class 3, Group C
2,250	Cubic Yard	907-304-H002	3/4" and Down Crushed Stone Base, LVM
94,753	Square Yard	907-307-B001	10" Soil-Lime-Water Mixing, Class B
2,132	Ton	907-307-D001	Lime
1,102	Ton	907-308-A001	Portland Cement
94,753	Square Yard	907-308-B001	Soil-Cement-Water Mixing, Optional Mixers, Base
14,057	Ton	907-403-A002	Hot Mix Asphalt, HT, 19-mm mixture

Call No. 01 for the May 26, 2009 Letting

24,000	Ton	907-403-A003	Hot Mix Asphalt, HT, 25-mm mixture
900	Ton	907-403-A005	Hot Mix Asphalt, HT, 9.5-mm mixture
14,630	Ton	907-403-D002	Hot Mix Asphalt, HT, 19-mm mixture, Polymer Modified
13,399	Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
186	Cubic Yard	907-601-A001	Class "B" Structural Concrete
50	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
2,784	Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
96	Linear Feet	907-603-ALT02	24" Type A Alternate Pipe
56	Linear Feet	907-603-ALT07	54" Type A Alternate Pipe
72	Each	907-617-A001	Right-of-Way Marker
6	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
6	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
1	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
5	Mile	907-626-F004	6" Thermoplastic Edge Stripe, Continuous Yellow
13,780	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
6,359	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,160	Linear Feet	907-626-H004	Thermoplastic Legend, White
154	Square Feet	907-626-H005	Thermoplastic Legend, White

Bridge Items

2,480	Square Yard	501-K001	Transverse Grooving
2	Each	803-A001	Test Pile
2	Each	803-B001	Conventional Static Loading Test
3,195	Linear Feet	803-D003	HP 14 x 73 Steel Piling
2	Each	803-J001	Pile Restrike
20	Linear Feet	803-N001	Exploration
180	Linear Feet	803-O009	Temporary Casing, 54" Diameter
214,551	Pounds	805-A001	Reinforcement
1,236	Linear Feet	813-A001	Concrete Railing
1,823	Ton	815-A009	Loose Riprap, Size 300
2,619	Square Yard	815-E001	Geotextile under Riprap
360	Linear Feet	907-803-K003	Drilled Shaft, 54" Diameter
30	Linear Feet	907-803-M003	Trial Shaft, 54" Diameter
1,414	Cubic Yard	907-804-A001	Bridge Concrete, Class AA
1,317	Linear Feet	907-804-C150	110' Prestressed Concrete Beam, Type IV
2,394	Linear Feet	907-804-C171	100' Prestressed Concrete Beam, Type IV

Mill and overlay I-20 from SR 468 to Greenfield Road, known as Federal Aid Project No. IM-0020-01(187) / 105053301, in the County of Rankin, State of Mississippi.

PROJECT COMPLETION: November 30, 2009

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

8 Acre	201-B001	Clearing and Grubbing
11,800 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
11,600 Square Yard	202-B013	Removal of Cement Treated Base, All Depths
768 Square Yard	202-B025	Removal of Concrete Paved Ditch
200 Square Yard	202-B033	Removal of Concrete Pavement w/ Variable Depth Overlay
112 Each	202-B039	Removal of Delineator, All Types
410 Linear Feet	202-B041	Removal of Fence, All Types
1 Each	202-B042	Removal of Flared End Section, All Sizes
5 Each	202-B061	Removal of Low Mast Lighting Foundation
10,500 Linear Feet	202-B076	Removal of Traffic Stripe
73 Each	202-B086	Removal of Guard Post
375 Linear Feet	202-B102	Removal of Guard Rail
32 Each	202-B133	Removal of Sign Footing
200 Linear Feet	202-B141	Removal of Edge Drain
343 Linear Feet	202-B188	Removal of Concrete Curb
2,090 Cubic Yard	203-A003	Unclassified Excavation, FM, AH
2,150 Cubic Yard	203-EX030	Borrow Excavation, AH, LVM, Class B15
8,000 Cubic Yard	203-G004	Excess Excavation, LVM, AH
9,000 Square Yard	203-I001	Site Grading
50 Cubic Yard	206-A001	Structure Excavation
20 Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
29,200 Square Yard	209-A001	Geotextile Stabilization, Type V
70,422 Square Yard	212-B001	Standard Ground Preparation
8 Ton	213-B001	Combination Fertilizer, 13-13-13
8 Ton	213-C001	Superphosphate
291 Pounds	214-A002	Seeding, Bermudagrass
29 Ton	215-A001	Vegetative Materials for Mulch
1,410 Thousand Gallon	219-A001	Watering
79 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
1 Acre	223-A001	Mowing
8,400 Linear Feet	234-A001	Temporary Silt Fence
400 Bale	235-A001	Temporary Erosion Checks
28,750 Ton	406-A003	Cold Milling of Bituminous Pavement, All Depths
4,100 Square Yard	406-B001	Cold Milling of Concrete Pavement, All Depths
1,504 Linear Feet	413-B001	Cleaning and Sealing Joints
893 Linear Feet	413-C001	Cleaning and Sealing Cracks
3,041 Linear Feet	413-D001	Cleaning and Filling Joints
23 Mile	423-A001	Rumble Strips, Ground In
60 Linear Feet	501-D001	Expansion Joints, With Dowels
60 Linear Feet	501-I001	Joint Filler, Wooden Board

Call No. 02 for the May 26, 2009 Letting

178	Square Yard	503-A004	8" and Variable Continuously Reinforced Concrete Pavement, Broom Finish
133	Linear Feet	503-B001	Saw Cut, Longitudinal Joints
216	Linear Feet	503-C002	Saw Cut, 3-inch
264	Linear Feet	503-C007	Saw Cut, Full Depth
10	Cubic Yard	503-D001	Concrete for Base Repair
63	Each	503-E002	Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted
48	Each	503-F005	1 1/4" Smooth Dowel Bars, Drilled & Epoxied or Grouted
400	Linear Feet	508-A001	Silicone Sealed Joints
395	Each	512-A001	Holes
50	Pounds	512-C002	Calcium Chloride
1	Each	603-CB003	30" Reinforced Concrete End Section
2,200	Linear Feet	605-J001	Edge Drain & Edge Drain Outlet/Vent Inspection
105	Each	606-A001	Guard Posts
1,013	Linear Feet	606-B007	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
2	Each	606-C002	Guard Rail, Cable Anchor Type 1, Metal Post
2	Each	606-D001	Guard Rail, Bridge End Section, Type A
2	Each	606-E002	Guard Rail, Terminal End Section, Flared
2	Each	606-E003	Guard Rail, Terminal End Section, Non-Flared
410	Linear Feet	607-B001	60" Type I Chain Link Fence, Class I
20	Linear Feet	607-D003	Barbed Wire Fence, 4 Strands, Galvanized Steel
1	Each	607-G107	Gate, 12' x 5' Chain Link
2	Each	607-P1012	Line Post, 14' x 2" Galvanized Steel
22	Each	607-P1022	Line Post, 8' x 1 1/2" Galvanized Steel
23	Each	607-P2008	Brace Post, 7 1/2' x 2" Galvanized Steel
2	Each	607-P3003	Gate Post, 8' x 2 1/2" Galvanized Steel
	Lump Sum	618-A001	Maintenance of Traffic
24	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
24	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
36	Mile	619-A3006	Temporary Traffic Stripe, Skip White
13,000	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
700	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
150	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
1,650	Each	619-C6001	Red-Clear Reflective High Performance Raised Marker
32	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
552	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
6	Each	619-D3001	Remove and Reset Signs, All Sizes
48	Linear Feet	619-G4001	Barricades, Type III, Single Faced
	Lump Sum	620-A001	Mobilization
2,300	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
50	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
900	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip White
6,755	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
6,500	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
14	Each	630-F001	Delineators, Guard Rail, White
16	Each	630-F002	Delineators, Guard Rail, Yellow
20	Each	630-F004	Delineators, Flexible Post Mounted, Crossover, Type I, Yellow

Call No. 02 for the May 26, 2009 Letting

79	Each	630-F006	Delineators, Post Mounted, Single White
27	Each	630-F007	Delineators, Post Mounted, Single Yellow
118	Each	630-F008	Delineators, Post Mounted, Double White
20	Each	630-F009	Delineators, Post Mounted, Double Yellow
8	Each	630-G006	Type 3 Object Markers, OM-3R or OM-3L
858	Linear Feet	635-A001	Vehicle Loop Assemblies
1,520	Linear Feet	682-A031	Underground Branch Circuit, AWG 6, 3 Conductor
7	Cubic Yard	684-A003	Pole Foundation, 24" Diameter
11	Linear Feet	684-B003	Slip Casing, 24" Diameter
5	Each	686-A001	Relocation of Existing Lighting Assemblies
384	Linear Feet	808-A001	Joint Preparation
140	Gallon	808-B002	Epoxy Mortar Mix
120	Ton	815-A006	Loose Riprap, Size 100
29	Ton	907-213-A001	Agricultural Limestone
3,500	Cubic Yard	907-304-A001	Granular Material, LVM, Class 5, Group C
6,900	Ton	907-304-F003	3/4" and Down Crushed Stone Base
14,900	Ton	907-402-A002	Hot Mix Asphalt, Open Graded Friction Course, 9.5mm Mixture
133,000	Gallon	907-402-B001	Bituminous Tack Coat
10,700	Ton	907-403-A002	Hot Mix Asphalt, HT, 19-mm mixture
1,700	Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
27,750	Ton	907-403-D001	Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified
275	Ton	907-403-E001	Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified, Leveling
3,041	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
4,860	Pounds	907-512-B001	Portland Cement Pressure Grout Slurry, Type 1
8	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
4,400	Linear Feet	907-605-H001	Edge Drain
600	Linear Feet	907-605-I001	Edge Drain Outlets/Vents
2	Each	907-619-E3001	Changeable Message Sign
13	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
13	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
13	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
15,000	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
2,250	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
750	Linear Feet	907-626-H004	Thermoplastic Legend, White
300	Square Feet	907-626-H005	Thermoplastic Legend, White
6	Each	907-630-O006	Remove and Reset Signs, Post Mounted
5	Each	907-630-O007	Remove and Reset Signs, Ground Mounted
2,495	Linear Feet	907-682-A001	Underground Branch Circuit, AWG 6, 3 Conductor, Cable Only

Call No. 03 for the May 26, 2009 Letting

Installing raised pavement markers on various routes throughout the District, known as Federal Aid Project No. STP-0000-07(002) / 104758302, in District (7), State of Mississippi.

PROJECT COMPLETION: 44 Time Units

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

Lump Sum	618-A001	Maintenance of Traffic
9,297 Each	627-K001	Red-Clear Reflective High Performance Raised Markers
28,609 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers

Upgrading guardrail on SR 18 at Bayou Pierre, known as Federal Aid Project No. STP-0039-01(006) / 100322302, in the County of Copiah, State of Mississippi.

PROJECT COMPLETION: 40 Time Units

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

Lump Sum	201-A001	Clearing and Grubbing
2 Acre	201-B001	Clearing and Grubbing
1,000 Linear Feet	202-B087	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
2 Mile	202-B149	Removal of Traffic Stripe
8,042 Cubic Yard	203-EX017	Borrow Excavation, AH, FME, Class B9
3 Ton	213-C001	Superphosphate
3 Acre	220-A001	Insect Pest Control
1 Acre	223-A001	Mowing
3,050 Linear Feet	234-A001	Temporary Silt Fence
140 Bale	235-A001	Temporary Erosion Checks
1,075 Linear Feet	606-B001	Guard Rail, Class A, Type 1
6 Each	606-D008	Guard Rail, Bridge End Section, Type H
4 Each	606-E002	Guard Rail, Terminal End Section, Flared
Lump Sum	618-A001	Maintenance of Traffic
26 Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
164 Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
24 Linear Feet	619-G4005	Barricades, Type III, Double Faced
Lump Sum	620-A001	Mobilization
60 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1,450 Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
1,450 Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
2 Each	629-A002	Vehicular Impact Attenuator, 60 MPH
39 Each	630-F001	Delineators, Guard Rail, White
Lump Sum	699-A001	Roadway Construction Stakes
6 Acre	907-225-A001	Grassing
14 Ton	907-225-B001	Agricultural Limestone
3 Acre	907-226-A001	Temporary Grassing
1,252 Cubic Yard	907-304-A002	Granular Material, LVM, Class 5, Group D
336 Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
169 Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
200 Linear Feet	907-603-PE205	18" Corrugated Polyethylene Pipe
11 Each	907-617-A001	Right-of-Way Marker
1 Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
1 Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
1 Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow

Construction necessary to realign SR 481 south of Morton, known as Federal Aid Project No. HSIP-0331-00(012) / 104898301, in the County of Scott, State of Mississippi.

PROJECT COMPLETION: 84 Time Units

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

Lump Sum	201-A001	Clearing and Grubbing
1 Acre	201-B001	Clearing and Grubbing
39,839 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
1 Each	202-B113	Removal of Box Culvert Wingwall, All Sizes
4,273 Cubic Yard	203-A003	Unclassified Excavation, FM, AH
5,548 Cubic Yard	203-EX029	Borrow Excavation, AH, FME, Class B15
118,383 Cubic Yard	203-G003	Excess Excavation, FM, AH
3 Acre	203-I002	Site Grading
71 Cubic Yard	206-A001	Structure Excavation
20 Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
500 Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
24,945 Square Yard	212-A001	Light Ground Preparation
49,890 Square Yard	212-B001	Standard Ground Preparation
6 Ton	213-B001	Combination Fertilizer, 13-13-13
5 Ton	213-C001	Superphosphate
258 Pounds	214-A001	Seeding, Bahiagrass
206 Pounds	214-A002	Seeding, Bermudagrass
103 Pounds	214-A003	Seeding, Tall Fescue
103 Pounds	214-A004	Seeding, Crimson Clover
129 Pounds	214-A005	Seeding, Sericea Lespedeza
103 Pounds	214-A014	Seeding, Browntop Millet
464 Pounds	214-A015	Seeding, Oats
129 Pounds	214-A017	Seeding, Rye Grass
26 Ton	215-A001	Vegetative Materials for Mulch
163 Square Yard	216-A001	Solid Sodding
227 Square Yard	217-A001	Ditch Liner
3 Thousand Gallon	219-A001	Watering
5 Acre	220-A001	Insect Pest Control
104 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
1 Acre	223-A001	Mowing
712 Square Yard	224-A001	Soil Reinforcing Mat
700 Linear Feet	234-A001	Temporary Silt Fence
720 Bale	235-A001	Temporary Erosion Checks
210 Linear Feet	239-A001	Temporary Slope Drains
150 Cubic Yard	310-B001	Size I Stabilizer Aggregate, Coarse
1,067 Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
7,589 Pounds	602-A001	Reinforcing Steel
32 Linear Feet	603-CA029	36" Reinforced Concrete Pipe, Class V
40 Linear Feet	603-CA121	36" Reinforced Concrete Pipe, Class V, Jacked or Bored
2 Each	603-CB004	36" Reinforced Concrete End Section

Call No. 05 for the May 26, 2009 Letting

56	Linear Feet	603-CE002	29" x 18" Concrete Arch Pipe, Class A III
2	Each	603-CF002	29" x 18" Concrete Arch Pipe End Section
	Lump Sum	618-A001	Maintenance of Traffic
5,167	Linear Feet	619-A1001	Temporary Traffic Stripe, Continuous White
5,167	Linear Feet	619-A2001	Temporary Traffic Stripe, Continuous Yellow
66	Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
41	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
105	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
48	Linear Feet	619-G4001	Barricades, Type III, Single Faced
24	Linear Feet	619-G4005	Barricades, Type III, Double Faced
22	Each	619-G5001	Free Standing Plastic Drums
	Lump Sum	620-A001	Mobilization
66	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
300	Ton	815-A006	Loose Riprap, Size 100
31	Ton	907-213-A001	Agricultural Limestone
389	Cubic Yard	907-304-A001	Granular Material, LVM, Class 5, Group C
1,439	Cubic Yard	907-304-C005	Granular Material, AEA, Class 9, Group C
63	Ton	907-308-A001	Portland Cement
5,404	Square Yard	907-308-B001	Soil-Cement-Water Mixing, Optional Mixers, Base
833	Ton	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture
1,049	Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
65	Cubic Yard	907-601-A001	Class "B" Structural Concrete
1	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
280	Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
5,167	Linear Feet	907-626-C008	6" Thermoplastic Edge Stripe, Continuous White
5,167	Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow

Replacing a bridge on SR 433 north of Benton, known as Federal Aid Project No. BR-0510-00-(007) / 103321302, in the County of Yazoo, State of Mississippi.

PROJECT COMPLETION: 113 Time Units

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

Lump Sum	201-A001	Clearing and Grubbing
800 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
1 Each	202-B075	Removal of Timber Bridge
284 Linear Feet	202-B102	Removal of Guard Rail
112 Linear Feet	202-B106	Removal of Pipe, All Sizes
4,071 Cubic Yard	203-EX017	Borrow Excavation, AH, FME, Class B9
5,503 Cubic Yard	203-G003	Excess Excavation, FM, AH
307 Cubic Yard	206-A001	Structure Excavation
76 Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
1,067 Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
14,296 Square Yard	212-A001	Light Ground Preparation
28,592 Square Yard	212-B001	Standard Ground Preparation
4 Ton	213-B001	Combination Fertilizer, 13-13-13
3 Ton	213-C001	Superphosphate
148 Pounds	214-A001	Seeding, Bahiagrass
118 Pounds	214-A002	Seeding, Bermudagrass
59 Pounds	214-A003	Seeding, Tall Fescue
59 Pounds	214-A014	Seeding, Browntop Millet
266 Pounds	214-A015	Seeding, Oats
15 Ton	215-A001	Vegetative Materials for Mulch
3 Acre	220-A001	Insect Pest Control
128 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
1 Acre	223-A001	Mowing
2,770 Linear Feet	234-A001	Temporary Silt Fence
200 Bale	235-A001	Temporary Erosion Checks
4 Each	236-A004	Silt Basin, Type D
1,600 Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
34,245 Pounds	602-A001	Reinforcing Steel
Lump Sum	618-A001	Maintenance of Traffic
5,412 Linear Feet	619-A1001	Temporary Traffic Stripe, Continuous White
3,012 Linear Feet	619-A2001	Temporary Traffic Stripe, Continuous Yellow
1,950 Linear Feet	619-A2005	Temporary Traffic Stripe, Continuous Yellow, Type 1 or 2 Tape
1,200 Linear Feet	619-A4001	Temporary Traffic Stripe, Skip Yellow
2,040 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
16 Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
75 Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
343 Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
48 Linear Feet	619-G4001	Barricades, Type III, Single Faced
24 Linear Feet	619-G4005	Barricades, Type III, Double Faced
18 Each	619-G5001	Free Standing Plastic Drums
4 Each	619-G7001	Warning Lights, Type "B"

Call No. 06 for the May 26, 2009 Letting

	Lump Sum	620-A001	Mobilization
16	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
	Lump Sum	699-A001	Roadway Construction Stakes
714	Ton	815-A009	Loose Riprap, Size 300
778	Square Yard	815-E001	Geotextile under Riprap
9	Cubic Yard	815-F001	Sediment Control Stone
18	Ton	907-213-A001	Agricultural Limestone
3,160	Ton	907-304-B007	Granular Material, Class 5, Group E
300	Ton	907-304-F003	3/4" and Down Crushed Stone Base
535	Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
532	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
66	Ton	907-403-C005	Hot Mix Asphalt, ST, 19-mm mixture, Trench Widening
192	Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
19	Each	907-617-A001	Right-of-Way Marker
2,400	Linear Feet	907-626-C008	6" Thermoplastic Edge Stripe, Continuous White
1,200	Linear Feet	907-626-D004	6" Thermoplastic Traffic Stripe, Skip Yellow
290	Cubic Yard	907-804-B001	Box Bridge Concrete, Class B

Overlay of SR 2 from the Alcorn/Tippah County Line to US 72, known as State Project No. MP-1002-02(006) / 303646301, in the County of Alcorn, State of Mississippi.

PROJECT COMPLETION: 48 Time Units

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

1,439	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
5,190	Linear Feet	202-B076	Removal of Traffic Stripe
1,715	Linear Feet	202-B102	Removal of Guard Rail
28	Each	202-B136	Removal of Guard Rail Terminal End Section
254	Cubic Yard	203-G003	Excess Excavation, FM, AH
14,333	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
1,265	Linear Feet	606-B001	Guard Rail, Class A, Type 1
12	Each	606-D007	Guard Rail, Bridge End Section, Type G, Modified
24	Each	606-E002	Guard Rail, Terminal End Section, Flared
4	Each	606-E003	Guard Rail, Terminal End Section, Non-Flared
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
28	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
36	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
16	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
5,535	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
2,512	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
1,510	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
3,020	Linear Feet	628-B001	6" Cold Plastic Traffic Stripe, Continuous White
1,230	Linear Feet	628-D001	6" Cold Plastic Traffic Stripe, Skip Yellow
940	Linear Feet	628-E002	6" Cold Plastic Traffic Stripe, Continuous Yellow
124	Each	630-F001	Delineators, Guard Rail, White
7,400	Cubic Yard	907-304-A008	Granular Material, LVM, Class 3, Group C
25,310	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
380	Each	907-606-PP001	Remove and Replace Guard Rail Blockouts
28	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
8	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
18	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
3,871	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
1,664	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
2,512	Linear Feet	907-626-H004	Thermoplastic Legend, White

Overlay of SR 15 from the Union County Line to Phyfer Creek, known as State Project No. MP-1015-70(014) / 303647301, in the County of Tippah, State of Mississippi.

PROJECT COMPLETION: 40 Time Units

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

100	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
1,208	Linear Feet	202-B102	Removal of Guard Rail
50	Cubic Yard	203-G004	Excess Excavation, LVM, AH
7,298	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
700	Linear Feet	606-B001	Guard Rail, Class A, Type 1
8	Each	606-D003	Guard Rail, Bridge End Section, Type D Modified
8	Each	606-E003	Guard Rail, Terminal End Section, Non-Flared
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
38	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
15	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
17	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
2,200	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
2,950	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
6	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,044	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
528	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
264	Linear Feet	628-L002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
141	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
44	Each	630-F001	Delineators, Guard Rail, White
8	Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
6,850	Cubic Yard	907-304-A008	Granular Material, LVM, Class 3, Group C
18,504	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
19	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
9	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
8	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
5,097	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
3,495	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
2,775	Linear Feet	907-626-H004	Thermoplastic Legend, White
544	Square Feet	907-626-H005	Thermoplastic Legend, White

Overlay of SR 278 from US 45 to the railroad bridge in Amory, known as State Project No. MP-1278-48(013) / 303651301, in the County of Monroe, State of Mississippi.

PROJECT COMPLETION: 46 Time Units

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

800	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
12,044	Linear Feet	202-B076	Removal of Traffic Stripe
512	Linear Feet	202-B102	Removal of Guard Rail
230	Cubic Yard	203-G003	Excess Excavation, FM, AH
69,805	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
87	Square Yard	406-B001	Cold Milling of Concrete Pavement, All Depths
25	Linear Feet	606-B001	Guard Rail, Class A, Type 1
2	Each	606-D008	Guard Rail, Bridge End Section, Type H
12	Each	606-E002	Guard Rail, Terminal End Section, Flared
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
34	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
15	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
4	Mile	619-A3006	Temporary Traffic Stripe, Skip White
11	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
71,259	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
4,080	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
33	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
232	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,068	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
8,328	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
2,795	Linear Feet	628-L002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
3,017	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
88	Each	630-F001	Delineators, Guard Rail, White
7,000	Cubic Yard	907-304-A008	Granular Material, LVM, Class 3, Group C
20,600	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
169	Each	907-606-PP001	Remove and Replace Guard Rail Blockouts
2	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
16	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
6	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
6	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
1	Mile	907-626-F004	6" Thermoplastic Edge Stripe, Continuous Yellow
9,364	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
16,613	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,938	Linear Feet	907-626-H004	Thermoplastic Legend, White
17	Square Feet	907-626-H005	Thermoplastic Legend, White

Overlay of SR 371 from the Mantachie City Limits to the Prentiss/Itawamba County Line, known as State Project No. MP-1371-29(002) / 303668301, in the County of Itawamba, State of Mississippi.

PROJECT COMPLETION: 36 Time Units

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

10,133	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
208,104	Linear Feet	619-A1001	Temporary Traffic Stripe, Continuous White
111,610	Linear Feet	619-A2001	Temporary Traffic Stripe, Continuous Yellow
65,290	Linear Feet	619-A4001	Temporary Traffic Stripe, Skip Yellow
6	Mile	625-B002	Traffic Stripe, Skip Yellow
20	Mile	625-C002	Traffic Stripe, Continuous White
11	Mile	625-D002	Traffic Stripe, Continuous Yellow
14,300	Linear Feet	625-E001	Detail Traffic Stripe
3,510	Linear Feet	625-F002	Legend
920	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
15,657	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture

Overlay of SR 389 from the Clay County Line to Houston, known as State Project No. MP-1389-09(004) / 303669301, in the County of Chickasaw, State of Mississippi.

PROJECT COMPLETION: 30 Time Units

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

1,650	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
13,600	Linear Feet	619-A2001	Temporary Traffic Stripe, Continuous Yellow
7,800	Linear Feet	619-A4001	Temporary Traffic Stripe, Skip Yellow
8	Mile	625-B002	Traffic Stripe, Skip Yellow
20	Mile	625-C002	Traffic Stripe, Continuous White
10	Mile	625-D002	Traffic Stripe, Continuous Yellow
3,900	Linear Feet	625-E001	Detail Traffic Stripe
1,200	Linear Feet	625-F002	Legend
1,025	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
9,800	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture

Call No. 12 for the May 26, 2009 Letting

Place a chip seal treatment on approximately 71 miles of various routes in District Three, known as State Project No. MP-3000-00(055) / 303663301, in District Three, State of Mississippi

PROJECT COMPLETION: October 02, 2009

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

342,500	Gallon	410-A002	Asphalt for Surface Treatment, Grade CRS-2P
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
144	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
110	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
28	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
7,800	Each	627-H002	Chip Seal Reflective Raised Markers
10,100	Cubic Yard	907-410-C001	Seal Aggregate Cover Material, State Furnished
144	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
28	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
110	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
100	Linear Feet	907-626-H004	Thermoplastic Legend, White

Widen and overlay of SR 17 from west of I-55 to the end of the two lane section south of Lexington, known as State Project No. MP-3017-26(013) / 303662301, in the County of Holmes, State of Mississippi.

PROJECT COMPLETION: 53 Time Units

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

100	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
1,000	Linear Feet	202-B076	Removal of Traffic Stripe
100	Square Yard	202-B097	Removal of Concrete Overlaid w/ Asphalt Pavement, All Depths
100	Cubic Yard	203-G003	Excess Excavation, FM, AH
700	Ton	406-A003	Cold Milling of Bituminous Pavement, All Depths
24	Mile	423-A001	Rumble Strips, Ground In
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
25	Mile	619-A1004	Temporary Traffic Stripe, Continuous White, Paint
15	Mile	619-A2004	Temporary Traffic Stripe, Continuous Yellow, Paint
8	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
6,000	Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint
850	Linear Feet	619-A6003	Temporary Traffic Stripe, Legend, Paint
24	Linear Feet	619-G4005	Barricades, Type III, Double Faced
2	Each	619-G7001	Warning Lights, Type "B"
1,050	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
650	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
325	Linear Feet	628-L002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
7,750	Ton	907-304-B002	Granular Material, Class 5, Group D
150	Ton	907-304-F003	3/4" and Down Crushed Stone Base
22,850	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
24	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
8	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
15	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
4,100	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
1,700	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,350	Linear Feet	907-626-H004	Thermoplastic Legend, White

Overlaying approximately 5 miles of SR 35 at Carthage, known as State Project No. MP-5035-40(017) / 303628301, in the County of Leake, State of Mississippi.

PROJECT COMPLETION: 72 Time Units

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

1,000	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
16	Square Yard	202-B025	Removal of Concrete Paved Ditch
7,338	Linear Feet	202-B076	Removal of Traffic Stripe
16	Each	202-B136	Removal of Guard Rail Terminal End Section
1,257	Linear Feet	202-B144	Removal of Bituminous Curb
2	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
118,296	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
3	Mile	423-A001	Rumble Strips, Ground In
1,568	Linear Feet	503-C003	Saw Cut, 6-inch
16	Each	606-E001	Guard Rail, Terminal End Section
1,797	Linear Feet	609-E001	Bituminous Curb
400	Square Yard	616-B001	Hot Bituminous Median and/or Island Pavement
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
19	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
12	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
12	Mile	619-A3006	Temporary Traffic Stripe, Skip White
4	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
52,990	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
3,775	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
575	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
88	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
448	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
54	Linear Feet	619-G4001	Barricades, Type III, Single Faced
825	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
2,600	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
640	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip White
4,552	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
2,276	Linear Feet	628-L002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
1,790	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
640	Linear Feet	628-O001	High Performance Cold Plastic Detail Stripe, White
154	Square Feet	628-P001	High Performance Cold Plastic Legend, White
1,120	Linear Feet	628-P002	High Performance Cold Plastic Legend, White
81	Each	630-F001	Delineators, Guard Rail, White
2,454	Linear Feet	635-A001	Vehicle Loop Assemblies
6,500	Cubic Yard	907-304-A001	Granular Material, LVM, Class 5, Group C
25,305	Ton	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture
1,500	Ton	907-403-B005	Hot Mix Asphalt, MT, 19-mm mixture, Leveling
2,560	Square Yard	907-504-A001	6" Fiber Reinforced Concrete Pavement
6	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
10	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White

Call No. 14 for the May 26, 2009 Letting

2	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
6	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
14,518	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
19,257	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
2,757	Linear Feet	907-626-H004	Thermoplastic Legend, White
575	Square Feet	907-626-H005	Thermoplastic Legend, White

Overlaying approximately 7 miles of SR 492 north of Union, known as State Project No. MP-5492-50(002) / 303631301, in the County of Neshoba, State of Mississippi.

PROJECT COMPLETION: 47 Time Units

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

100 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
1,200 Linear Feet	202-B144	Removal of Bituminous Curb
100 Cubic Yard	310-B001	Size I Stabilizer Aggregate, Coarse
9,500 Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
1,300 Linear Feet	609-E001	Bituminous Curb
Lump Sum	618-A001	Maintenance of Traffic
27 Mile	619-A1002	Temporary Traffic Stripe, Continuous White
26 Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
10 Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
1,800 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,700 Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
387 Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
532 Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
24 Linear Feet	619-G4005	Barricades, Type III, Double Faced
350 Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
900 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
6,473 Cubic Yard	907-304-A001	Granular Material, LVM, Class 5, Group C
13,432 Ton	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture
568 Ton	907-403-B007	Hot Mix Asphalt, ST, 12.5-mm mixture, Leveling
14 Mile	907-626-B004	6" Thermoplastic Traffic Stripe, Continuous White
2 Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
2 Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
17 Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
5,404 Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
3,400 Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
2,000 Linear Feet	907-626-H004	Thermoplastic Legend, White

Call No. 16 for the May 26, 2009 Letting

Placing a chip seal surface treatment on various routes throughout the District, known as State Project No. MP-6000-00(166) / 303680301, in District 6, State of Mississippi.

PROJECT COMPLETION: September 30, 2009

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

401,820	Gallon	410-A002	Asphalt for Surface Treatment, Grade CRS-2P
25,968	Gallon	410-A004	Asphalt for Surface Treatment, Grade CSS-1H
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
12,888	Each	627-H001	Chip Seal Reflective Raised Markers. Two-Way Yellow
1,175	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
13,147	Cubic Yard	907-410-C004	Seal Aggregate Cover Material, Size 7, Limestone, State Furnished
2,103	Cubic Yard	907-410-C006	Seal Aggregate Cover Material, Size 89, Stone, State Furnished

Widening and overlaying approximately 10 miles of SR 13 near Lumberton, known as State Project No. MP-6013-37(009) / 303681301, in the County of Lamar, State of Mississippi.

PROJECT COMPLETION: 67 Time Units

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

982	Linear Feet	202-B076	Removal of Traffic Stripe
784	Square Yard	202-B078	Removal of Pavement, All Types and Depths
750	Linear Feet	202-B102	Removal of Guard Rail
3	Each	202-B105	Removal of Pipe Headwall, All Sizes
32	Linear Feet	202-B106	Removal of Pipe, All Sizes
1,474	Cubic Yard	203-EX039	Borrow Excavation, AH, LVM, Class B7-6
21	Cubic Yard	206-A001	Structure Excavation
28	Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
5,645	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
19	Mile	423-A001	Rumble Strips, Ground In
48	Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
8	Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III
9	Each	603-CB001	18" Reinforced Concrete End Section
4	Each	603-CF004	44" x 27" Concrete Arch Pipe End Section
20	Each	606-E002	Guard Rail, Terminal End Section, Flared
640	Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
113	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
41	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
33	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
9	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
19,712	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
440	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
944	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
570	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
228	Linear Feet	628-L002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
342	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
60	Each	630-F001	Delineators, Guard Rail, White
4	Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
13,239	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
11,421	Ton	907-403-B009	Hot Mix Asphalt, ST, 9.5-mm mixture, Leveling
8	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
21	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
5	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
17	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
6,600	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
2,200	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
264	Linear Feet	907-626-H004	Thermoplastic Legend, White

Overlaying approximately 10 miles of SR 15 near Montrose, known as State Project No. MP-6015-31(007) / 303684301, in the County of Jasper, State of Mississippi.

PROJECT COMPLETION: 70 Time Units

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

480	Linear Feet	202-B076	Removal of Traffic Stripe
4,400	Square Yard	202-B078	Removal of Pavement, All Types and Depths
5,000	Cubic Yard	203-EX039	Borrow Excavation, AH, LVM, Class B7-6
1,500	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
24	Mile	423-A001	Rumble Strips, Ground In
568	Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
91	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
23	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
46	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
28	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
16	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
8,475	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,323	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
455	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,200	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
240	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
120	Linear Feet	628-L002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
120	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
490	Ton	907-403-A007	Hot Mix Asphalt, MT, 19-mm mixture
16,700	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
19,200	Ton	907-403-B006	Hot Mix Asphalt, MT, 9.5-mm mixture, Leveling
23	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
8	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
14	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
5,950	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
1,050	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,450	Linear Feet	907-626-H004	Thermoplastic Legend, White

Widening and overlaying approximately 10 miles of SR 26 beginning at the Pearl River Bridge, known as State Project No. MP-6026-55(013) / 303682301, in the County of Pearl River, State of Mississippi.

PROJECT COMPLETION: 54 Time Units

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

7,937	Linear Feet	202-B076	Removal of Traffic Stripe
86	Square Yard	202-B078	Removal of Pavement, All Types and Depths
975	Linear Feet	202-B102	Removal of Guard Rail
1,355	Cubic Yard	203-EX039	Borrow Excavation, AH, LVM, Class B7-6
13,311	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
18	Mile	423-A001	Rumble Strips, Ground In
26	Each	606-E002	Guard Rail, Terminal End Section, Flared
655	Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
110	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
36	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
13	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
17	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
24,528	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
420	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
831	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
5,348	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
1,624	Linear Feet	628-L002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
2,219	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
143	Each	630-F001	Delineators, Guard Rail, White
12,792	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
10,145	Ton	907-403-B009	Hot Mix Asphalt, ST, 9.5-mm mixture, Leveling
18	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
9	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
7	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
7,900	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
3,024	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
2,205	Linear Feet	907-626-H004	Thermoplastic Legend, White

Widening and overlaying SR 53 between Lyman and the Hancock County Line, known as State Project No. MP-6053-24(010) / 303683301, in the County of Harrison, State of Mississippi.

PROJECT COMPLETION: 31 Time Units

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

1,200	Linear Feet	202-B076	Removal of Traffic Stripe
375	Square Yard	202-B078	Removal of Pavement, All Types and Depths
1,500	Cubic Yard	203-EX039	Borrow Excavation, AH, LVM, Class B7-6
1,600	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
10	Mile	423-A001	Rumble Strips, Ground In
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
18	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
12	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
6	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
300	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
300	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
650	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
800	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
400	Linear Feet	628-L002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
8	Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
221	Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
5,500	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
9,200	Ton	907-403-B009	Hot Mix Asphalt, ST, 9.5-mm mixture, Leveling
9	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
3	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
6	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
2,000	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
150	Linear Feet	907-626-H004	Thermoplastic Legend, White

Call No. 21 for the May 26, 2009 Letting

Installation of an additional generator at the District Office at McComb, known as State Project No. BWO-7116-57(002) / 502087301, in the County of Pike, State of Mississippi.

PROJECT COMPLETION: January 29, 2010

Advance Information Only - Items and Quantities Subject to Change

Building Items

Lump Sum	1520-A001	Installation of an Additional Generator at McComb
----------	-----------	---

Milling and overlaying approximately 15 miles of US Highway 72 between the Tippah County Line and Corinth, known as Federal Aid Project No. NH-0007-01(074) / 105459301, in the County of Alcorn, State of Mississippi.

PROJECT COMPLETION: November 30, 2009

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

100	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
6,120	Linear Feet	202-B076	Removal of Traffic Stripe
65	Linear Feet	202-B102	Removal of Guard Rail
35	Each	202-B136	Removal of Guard Rail Terminal End Section
100	Cubic Yard	203-G003	Excess Excavation, FM, AH
88,927	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
49	Mile	423-A001	Rumble Strips, Ground In
63	Linear Feet	606-B001	Guard Rail, Class A, Type 1
35	Each	606-E001	Guard Rail, Terminal End Section
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
52	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
46	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
58	Mile	619-A3006	Temporary Traffic Stripe, Skip White
50,509	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
5,552	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
116	Square Feet	619-D4001	Directional Signs
2,579	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
108	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
6,120	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip White
6,120	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
6,120	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
48	Each	630-F001	Delineators, Guard Rail, White
49	Each	630-F002	Delineators, Guard Rail, Yellow
49	Each	630-F003	Delineators, Flexible Post Mounted, Crossover, Type I, Green
51	Each	630-F004	Delineators, Flexible Post Mounted, Crossover, Type I, Yellow
20,730	Cubic Yard	907-304-A008	Granular Material, LVM, Class 3, Group C
8,794	Ton	907-403-C001	Hot Mix Asphalt, HT, 19-mm mixture, Trench Widening
47,131	Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
976	Each	907-606-PP001	Remove and Replace Guard Rail Blockouts
29	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
26	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
23	Mile	907-626-F004	6" Thermoplastic Edge Stripe, Continuous Yellow
35,297	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
15,292	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
2,776	Linear Feet	907-626-H004	Thermoplastic Legend, White
55	Square Feet	907-626-H005	Thermoplastic Legend, White

Construction necessary to build an interchange at I-20/59 and Hawkins Rd. & 23rd Ave., known as Federal Aid Project No. IMD-0059-03(084) / 104423301, in the County of Lauderdale, State of Mississippi.

PROJECT COMPLETION: July 29, 2011

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

Lump Sum	201-A001	Clearing and Grubbing
1 Acre	201-B001	Clearing and Grubbing
Lump Sum	202-A001	Removal of Obstructions
2,220 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
194 Square Yard	202-B018	Removal of Concrete Driveways, All Depths
157 Square Yard	202-B025	Removal of Concrete Paved Ditch
4,306 Square Yard	202-B027	Removal of Concrete Paved Shoulders w/ Variable Depth Overlay
96 Linear Feet	202-B034	Removal of Concrete Retaining Wall
78 Square Yard	202-B035	Removal of Concrete Sidewalk
6,713 Linear Feet	202-B041	Removal of Fence, All Types
870 Linear Feet	202-B064	Removal of Pipe, 8" And Above
11 Each	202-B070	Removal of Sign Including Post & Footing
2 Each	202-B088	Removal of Box Culvert Headwall, All Sizes
493 Linear Feet	202-B102	Removal of Guard Rail
5 Each	202-B105	Removal of Pipe Headwall, All Sizes
3 Each	202-B107	Removal of Sign, Ground Mounted with Posts
2 Mile	202-B149	Removal of Traffic Stripe
136 Square Yard	202-B257	Removal of Brick Driveways, All Depths
1,314 Square Yard	202-B258	Removal of Soil Cement Shoulders with Asphalt Overlay
736,856 Cubic Yard	203-A003	Unclassified Excavation, FM, AH
522,370 Cubic Yard	203-EX033	Borrow Excavation, AH, FME, Class B17
5,000 Cubic Yard	203-G003	Excess Excavation, FM, AH
5,474 Cubic Yard	206-A001	Structure Excavation
145 Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
20,470 Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
235,238 Square Yard	212-A001	Light Ground Preparation
470,535 Square Yard	212-B001	Standard Ground Preparation
62 Ton	213-B001	Combination Fertilizer, 13-13-13
49 Ton	213-C001	Superphosphate
2,431 Pounds	214-A001	Seeding, Bahiagrass
1,944 Pounds	214-A002	Seeding, Bermudagrass
2,431 Pounds	214-A003	Seeding, Tall Fescue
972 Pounds	214-A004	Seeding, Crimson Clover
1,216 Pounds	214-A005	Seeding, Sericea Lespedeza
972 Pounds	214-A014	Seeding, Browntop Millet
4,375 Pounds	214-A015	Seeding, Oats
1,215 Pounds	214-A017	Seeding, Rye Grass
244 Ton	215-A001	Vegetative Materials for Mulch
11,130 Square Yard	216-A001	Solid Sodding
5,538 Square Yard	217-A001	Ditch Liner
1 Thousand	219-A001	Watering

Call No. 23 for the May 26, 2009 Letting

Gallon		
49	Acre	220-A001 Insect Pest Control
1,741	Cubic Yard	221-A001 Portland Cement Concrete Paved Ditch
1	Acre	223-A001 Mowing
1,848	Square Yard	224-A001 Soil Reinforcing Mat
10,972	Linear Feet	234-A001 Temporary Silt Fence
3,654	Bale	235-A001 Temporary Erosion Checks
11	Each	236-A004 Silt Basin, Type D
2,522	Linear Feet	239-A001 Temporary Slope Drains
403	Ton	406-A003 Cold Milling of Bituminous Pavement, All Depths
3,672	Gallon	408-A003 Asphalt for Prime Coat, Cut-Back MC-70 or Emulsified EA-1
3	Mile	423-A001 Rumble Strips, Ground In
491	Linear Feet	501-E001 Expansion Joints, Without Dowels
6,150	Square Yard	501-K001 Transverse Grooving
1,325	Square Yard	502-A001 Reinforced Cement Concrete Bridge End Pavement
3,875	Linear Feet	503-C007 Saw Cut, Full Depth
329,919	Pounds	602-A001 Reinforcing Steel
4,016	Linear Feet	603-CA002 18" Reinforced Concrete Pipe, Class III
780	Linear Feet	603-CA003 24" Reinforced Concrete Pipe, Class III
40	Linear Feet	603-CA005 36" Reinforced Concrete Pipe, Class III
64	Linear Feet	603-CA008 54" Reinforced Concrete Pipe, Class III
44	Linear Feet	603-CA009 60" Reinforced Concrete Pipe, Class III
352	Linear Feet	603-CA030 42" Reinforced Concrete Pipe, Class V
276	Linear Feet	603-CA041 36" Reinforced Concrete Pipe, Class IV, Class B Bedding
608	Linear Feet	603-CA042 42" Reinforced Concrete Pipe, Class IV, Class B Bedding
408	Linear Feet	603-CA067 48" Reinforced Concrete Pipe, Class IV, Class B Bedding, Imperfect Trench
192	Linear Feet	603-CA086 36" Reinforced Concrete Pipe, Class IV, Class C Bedding
14	Each	603-CB001 18" Reinforced Concrete End Section
8	Each	603-CB002 24" Reinforced Concrete End Section
5	Each	603-CB004 36" Reinforced Concrete End Section
6	Each	603-CB005 42" Reinforced Concrete End Section
2	Each	603-CB006 48" Reinforced Concrete End Section
4	Each	603-CB007 54" Reinforced Concrete End Section
356	Linear Feet	603-CE001 22" x 13" Concrete Arch Pipe, Class A III
312	Linear Feet	603-CE002 29" x 18" Concrete Arch Pipe, Class A III
288	Linear Feet	603-CE003 36" x 23" Concrete Arch Pipe, Class A III
228	Linear Feet	603-CE004 44" x 27" Concrete Arch Pipe, Class A III
24	Linear Feet	603-CE005 51" x 31" Concrete Arch Pipe, Class A III
224	Linear Feet	603-CE006 58" x 36" Concrete Arch Pipe, Class A III
148	Linear Feet	603-CE008 73" x 45" Concrete Arch Pipe, Class A III
5	Each	603-CF001 22" x 13" Concrete Arch Pipe End Section
1	Each	603-CF002 29" x 18" Concrete Arch Pipe End Section
2	Each	603-CF004 44" x 27" Concrete Arch Pipe End Section
1	Each	603-CF005 51" x 31" Concrete Arch Pipe End Section
2	Each	603-CF006 58" x 36" Concrete Arch Pipe End Section
2	Each	603-CF008 73" x 45" Concrete Arch Pipe End Section

Call No. 23 for the May 26, 2009 Letting

1	Each	603-SB004	24" Branch Connections, Stub into Box Culvert
1	Each	603-SB009	60" Branch Connections, Stub into Box Culvert
1	Each	603-SB021	18" Branch Connections, Stub into Concrete Box Culvert Wingwall
1	Each	603-SB025	18" Branch Connections, Stub into 54" Concrete Pipe
3	Each	603-SB057	18" Branch Connections, Stub into 73" x 45" Concrete Pipe
5,442	Pounds	604-A001	Castings
2,250	Pounds	604-B001	Gratings
1,063	Square Yard	605-AA004	Geotextile for Subsurface Drainage, Type V
12,295	Linear Feet	605-J001	Edge Drain & Edge Drain Outlet/Vent Inspection
90	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
98	Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
950	Linear Feet	606-B001	Guard Rail, Class A, Type 1
2	Each	606-C003	Guard Rail, Cable Anchor, Type 1
8	Each	606-D012	Guard Rail, Bridge End Section, Type I
10	Each	606-E002	Guard Rail, Terminal End Section, Flared
7,892	Linear Feet	607-A002	60" Type "A" Woven Wire Fence, w/ Barbed Wire as Shown
750	Linear Feet	607-E001	Barbed Wire Fence, Single Strand
54	Each	607-P1005	Line Post, 10' x 4" x 4" Concrete
409	Each	607-P1016	Line Post, 7' x 4" x 4" Concrete
82	Each	607-P1017	Line Post, 9' x 4" x 4" Concrete
85	Each	607-P2004	Brace Post, 8' x 6" x 6" Concrete
17	Each	607-P2005	Brace Post, 10' x 6" x 6" Concrete
11	Each	607-P2006	Brace Post, 12' x 6" x 6" Concrete
6,005	Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
18,342	Linear Feet	609-D004	Combination Concrete Curb and Gutter Type 3A Modified
126	Square Yard	614-A002	Concrete Driveway, Without Reinforcement, 6-inch Thickness
2,260	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
188	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
	Lump Sum	618-A001	Maintenance of Traffic
10,680	Linear Feet	619-A1001	Temporary Traffic Stripe, Continuous White
16,124	Linear Feet	619-A2001	Temporary Traffic Stripe, Continuous Yellow
820	Linear Feet	619-A2007	Temporary Traffic Stripe, Continuous Yellow, Type 1 Tape
11,050	Linear Feet	619-A3001	Temporary Traffic Stripe, Skip White
1,400	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
294	Each	619-C6001	Red-Clear Reflective High Performance Raised Marker
264	Each	619-C9001	One-Way Yellow Reflective High Performance Raised Marker
375	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
1,711	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
116	Square Feet	619-D4001	Directional Signs
6,840	Linear Feet	619-F1001	Concrete Median Barrier, Precast
800	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
90	Linear Feet	619-G4001	Barricades, Type III, Single Faced
40	Linear Feet	619-G4003	Barricades, Type III, Single Faced, Red/White
640	Linear Feet	619-G4005	Barricades, Type III, Double Faced
30	Each	619-G5001	Free Standing Plastic Drums
16	Each	619-G7001	Warning Lights, Type "B"

Call No. 23 for the May 26, 2009 Letting

Lump Sum	620-A001	Mobilization
1 Each	621-A001	Field Laboratory
1,209 Each	627-K001	Red-Clear Reflective High Performance Raised Markers
445 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1,517 Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip White
3,515 Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, ContinuousWhite
2,960 Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, ContinuousYellow
2,725 Linear Feet	628-O001	High Performance Cold Plastic Detail Stripe, White
645 Linear Feet	628-O002	High Performance Cold Plastic Detail Stripe, Yellow
269 Square Feet	628-P001	High Performance Cold Plastic Legend, White
231 Linear Feet	628-P002	High Performance Cold Plastic Legend, White
492 Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
962 Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
754 Square Feet	630-B001	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
87 Square Feet	630-B002	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Overhead Mounted
84 Linear Feet	630-C001	Steel U-Section Posts, 2.0 lb/ft
835 Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
211 Linear Feet	630-D002	Structural Steel Beams, S4 x 7.7
38 Linear Feet	630-D003	Structural Steel Beams, W6 x 9
155 Linear Feet	630-D006	Structural Steel Beams, W8 x 18
50 Linear Feet	630-D008	Structural Steel Beams, W10 x 22
294 Pounds	630-E001	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
214 Pounds	630-E002	Structural Steel Angles & Bars, 3 1/2" x 3 1/2" x 1/4" Angles
68 Pounds	630-E003	Structural Steel Angles & Bars, 4" x 4" x 5/16" Angles
1,093 Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
44 Each	630-F001	Delineators, Guard Rail, White
14 Each	630-F002	Delineators, Guard Rail, Yellow
22 Each	630-F005	Delineators, Flexible Post Mounted, Crossover, Type II
48 Each	630-F006	Delineators, Post Mounted, Single White
37 Each	630-F007	Delineators, Post Mounted, Single Yellow
86 Each	630-F008	Delineators, Post Mounted, Double White
14 Each	630-F009	Delineators, Post Mounted, Double Yellow
10 Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
295 Linear Feet	630-K001	Welded & Seamless Steel Pipe Posts, 3"
55 Linear Feet	630-K002	Welded & Seamless Steel Pipe Posts, 3 1/2"
478 Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
78 Cubic Yard	631-A001	Flowable Fill
1,173 Linear Feet	635-A001	Vehicle Loop Assemblies
3,202 Linear Feet	636-A001	Shielded Cable, AWG #18, 4 Conductor
4 Each	638-A002	Loop Detector Amplifier, 4 Channel
1 Each	639-A012	Traffic Signal Equipment Pole, Type II, 17' Shaft, 30' Arm
2 Each	639-A015	Traffic Signal Equipment Pole, Type II, 17' Shaft, 55' Arm
1 Each	639-A095	Traffic Signal Equipment Pole, Type II, 17' Shaft, 30' & 40'Arms
1 Each	639-A096	Traffic Signal Equipment Pole, Type II, 17' Shaft, 35' Arm
7 Each	640-A001	Traffic Signal Heads, Type 1

Call No. 23 for the May 26, 2009 Letting

4	Each	640-A008	Traffic Signal Heads, Type 4
3	Each	640-A013	Traffic Signal Heads, Type 7
2	Each	640-A015	Traffic Signal Heads, Type 8
2	Each	642-A008	Solid State Traffic Actuated Controllers, Type 8A
4	Each	645-A001	Flasher Assembly
9	Each	647-A001	Pullbox, Type 1
13	Each	647-A005	Pullbox, Type 2
1,655	Linear Feet	666-B016	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 7Conductor
1,734	Linear Feet	668-A016	Traffic Signal Conduit, Underground, Type 4, 1"
371	Linear Feet	668-A018	Traffic Signal Conduit, Underground, Type 4, 2"
189	Linear Feet	668-A020	Traffic Signal Conduit, Underground, Type 4, 3"
239	Linear Feet	668-B008	Traffic Signal Conduit, Underground Drilled or Jacked, Type1, 3"
311	Linear Feet	668-B024	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2"
2,245	Linear Feet	682-A009	Underground Branch Circuit, AWG 10, 3 Conductor
4,095	Linear Feet	682-A025	Underground Branch Circuit, AWG 4, 3 Conductor
3,605	Linear Feet	682-A031	Underground Branch Circuit, AWG 6, 3 Conductor
1,315	Linear Feet	682-A036	Underground Branch Circuit, AWG 8, 3 Conductor
240	Linear Feet	682-B010	Underground Branch Circuit, Jacked or Bored, AWG 10, 3 Conductor
670	Linear Feet	682-B025	Underground Branch Circuit, Jacked or Bored, AWG 4, 3 Conductor
400	Linear Feet	682-B031	Underground Branch Circuit, Jacked or Bored, AWG 6, 3 Conductor
220	Linear Feet	682-B036	Underground Branch Circuit, Jacked or Bored, AWG 8, 3 Conductor
7	Each	682-D001	Underground Pull Box
2	Each	682-F001	Secondary Power Controllers
4	Each	683-A026	Lighting Assembly, High Mast, Type 110-4-A
4	Each	683-A072	Lighting Assembly, High Mast, Type 130-8-S
29	Each	683-B058	Lighting Assembly, Low Mast, Type 40-1-20-400
1	Each	683-D001	Portable Electric Power Units
34	Cubic Yard	684-A003	Pole Foundation, 24" Diameter
26	Cubic Yard	684-A004	Pole Foundation, 36" Diameter
49	Cubic Yard	684-A006	Pole Foundation, 48" Diameter
10	Linear Feet	684-B003	Slip Casing, 24" Diameter
24	Linear Feet	684-B004	Slip Casing, 36" Diameter
26	Linear Feet	684-B006	Slip Casing, 48" Diameter
	Lump Sum	699-A001	Roadway Construction Stakes
5,529	Ton	815-A009	Loose Riprap, Size 300
7,110	Square Yard	815-E001	Geotextile under Riprap
199	Ton	815-F002	Sediment Control Stone
292	Ton	907-213-A001	Agricultural Limestone
47	Each	907-234-D001	Inlet Siltation Guard
47	Each	907-234-E001	Reset Inlet Siltation Guard
9,626	Cubic Yard	907-304-C001	Granular Material, AEA, Class 5, Group C
31,500	Cubic Yard	907-304-C005	Granular Material, AEA, Class 9, Group C
1,000	Cubic Yard	907-304-H001	Size 825 Crushed Stone Base, LVM
87,311	Square Yard	907-306-A001	Asphalt Drainage Course
65,424	Square Yard	907-307-C003	6" Soil-Lime-Water Mixing, Class C
1,060	Ton	907-307-D001	Lime

Call No. 23 for the May 26, 2009 Letting

11,753	Ton	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture
24,325	Ton	907-403-A007	Hot Mix Asphalt, MT, 19-mm mixture
9,148	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
1,644	Ton	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture
2,299	Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
1,231	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
4,844	Square Yard	907-501-B003	9" Plain Cement Concrete Pavement, Drag Finish
1,513	Cubic Yard	907-601-A001	Class "B" Structural Concrete
199	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
700	Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
348	Linear Feet	907-603-ALT02	24" Type A Alternate Pipe
21,208	Linear Feet	907-605-H001	Edge Drain
3,381	Linear Feet	907-605-I001	Edge Drain Outlets/Vents
1,400	Linear Feet	907-605-Q002	6" Perforated Corrugated Polyethylene Drainage Tubing for Underdrains
200	Linear Feet	907-605-R002	6" Non-perforated Corrugated Polyethylene Drainage Tubing for Underdrains
2	Each	907-619-E3001	Changeable Message Sign
7	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
3,310	Linear Feet	907-626-B003	6" Thermoplastic Traffic Stripe, Continuous White
8	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
15,753	Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
6	Mile	907-626-F004	6" Thermoplastic Edge Stripe, Continuous Yellow
23,738	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
8,447	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
845	Linear Feet	907-626-H004	Thermoplastic Legend, White
691	Square Feet	907-626-H005	Thermoplastic Legend, White
ALTERNATE GROUP AA NO. 1			
1,363	Ton	907-308-A001	Portland Cement
117,098	Square Yard	907-308-B003	Soil-Cement-Water Mixing, Multiple Pass Mixers, Base
ALTERNATE GROUP AA NO. 2			
117,098	Square Yard	907-311-A003	Processing Lime and Fly Ash Treated Course, 6" Thick
950	Ton	907-311-B001	Lime
3,794	Ton	907-311-C001	Fly Ash, Class C
ALTERNATE GROUP BB NO. 1			
561	Ton	907-308-A001	Portland Cement
65,424	Square Yard	907-308-B002	Soil-Cement-Water Mixing, Optional Mixers, Design Soil
ALTERNATE GROUP BB NO. 2			
65,424	Square Yard	907-311-A003	Processing Lime and Fly Ash Treated Course, 6" Thick
530	Ton	907-311-B001	Lime
2,120	Ton	907-311-C001	Fly Ash, Class C
Bridge Items			
885	Cubic Yard	801-A001	Foundation Excavation for Bridges
16,181	Linear Feet	803-D002	HP 12 x 53 Steel Piling
3,371	Linear Feet	803-D003	HP 14 x 73 Steel Piling
6	Each	803-H001	PDA Test Pile, Conventional Load Test
6	Each	803-I001	PDA Test Pile
689,822	Pounds	805-A001	Reinforcement

Call No. 23 for the May 26, 2009 Letting

1,988	Linear Feet	813-A001	Concrete Railing
328	Cubic Yard	815-D001	Concrete Slope Paving
3,473	Cubic Yard	907-804-A001	Bridge Concrete, Class AA
2,914	Linear Feet	907-804-C021	70' Prestressed Concrete Beam, Type III
4,266	Linear Feet	907-804-C171	100' Prestressed Concrete Beam, Type IV
398	Linear Feet	907-804-C174	80' Prestressed Concrete Beam, Type IV
2,001	Linear Feet	907-804-C176	72' Prestressed Concrete Beam, Type IV

Overlaying approximately 8 miles of US Highway 45 between New Wren and the Lee County Line, known as Federal Aid Project No. STP-0002-05(065) / 105463301, in the County of Monroe, State of Mississippi.

PROJECT COMPLETION: March 30, 2010

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

1,000	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
11,500	Linear Feet	202-B076	Removal of Traffic Stripe
375	Linear Feet	202-B102	Removal of Guard Rail
350	Cubic Yard	203-G004	Excess Excavation, LVM, AH
26,600	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
26	Mile	423-A001	Rumble Strips, Ground In
10	Each	606-E001	Guard Rail, Terminal End Section
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
25	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
23	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
26	Mile	619-A3006	Temporary Traffic Stripe, Skip White
50,000	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
5,100	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
116	Square Feet	619-D4001	Directional Signs
2,150	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
45	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
3,700	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip White
4,100	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
3,700	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
225	Linear Feet	628-O001	High Performance Cold Plastic Detail Stripe, White
35	Each	630-F001	Delineators, Guard Rail, White
35	Each	630-F002	Delineators, Guard Rail, Yellow
36	Each	630-F003	Delineators, Flexible Post Mounted, Crossover, Type I, Green
36	Each	630-F004	Delineators, Flexible Post Mounted, Crossover, Type I, Yellow
10,000	Cubic Yard	907-304-A007	Granular Material, LVM, Class 3, Group D
30,800	Ton	907-403-A005	Hot Mix Asphalt, HT, 9.5-mm mixture
3,750	Ton	907-403-C001	Hot Mix Asphalt, HT, 19-mm mixture, Trench Widening
168	Each	907-606-PP001	Remove and Replace Guard Rail Blockouts
16	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
15	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
14	Mile	907-626-F004	6" Thermoplastic Edge Stripe, Continuous Yellow
26,000	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
18,000	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
3,000	Linear Feet	907-626-H004	Thermoplastic Legend, White

Overlaying approximately 9 miles of US Highway 82 between Columbus and the Alabama State Line, known as Federal Aid Project No. NH-0011-03(076) / 105462301, in the County of Lowndes, State of Mississippi

PROJECT COMPLETION: October 13, 2009

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

1,800	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
25,178	Linear Feet	202-B076	Removal of Traffic Stripe
11,813	Linear Feet	202-B102	Removal of Guard Rail
800	Cubic Yard	203-G003	Excess Excavation, FM, AH
170,363	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
15	Mile	423-A001	Rumble Strips, Ground In
8,744	Linear Feet	606-B001	Guard Rail, Class A, Type 1
656	Linear Feet	606-B002	Guard Rail, Class A, Type 1, Double Faced
14	Each	606-D006	Guard Rail, Bridge End Section, Type G
27	Each	606-D008	Guard Rail, Bridge End Section, Type H
32	Each	606-E002	Guard Rail, Terminal End Section, Flared
5	Each	606-E009	Guard Rail, Terminal End Section, Double Faced
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
22	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
19	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
16	Mile	619-A3006	Temporary Traffic Stripe, Skip White
10,500	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
374	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
44	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
116	Square Feet	619-D4001	Directional Signs
375	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
4,000	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
10,900	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip White
10,900	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
10,900	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
564	Linear Feet	628-O001	High Performance Cold Plastic Detail Stripe, White
393	Each	630-F001	Delineators, Guard Rail, White
60	Each	630-F002	Delineators, Guard Rail, Yellow
37	Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
2,050	Cubic Yard	907-304-A007	Granular Material, LVM, Class 3, Group D
2,675	Ton	907-403-A005	Hot Mix Asphalt, HT, 9.5-mm mixture
2,425	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
24,640	Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
16	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
19	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
1	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
18	Mile	907-626-F004	6" Thermoplastic Edge Stripe, Continuous Yellow
18,355	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
6,623	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
285	Linear Feet	907-626-H004	Thermoplastic Legend, White

66 Square Feet 907-626-H005 Thermoplastic Legend, White

Installing aesthetic lighting and ITS equipment on the River Bridge at Natchez, known as Federal Aid Project No. NH-0015-01(060) / 105243301, in the County of Adams, State of Mississippi, and Concordia Parish, Louisiana.

PROJECT COMPLETION: April 30, 2010

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

4	Each	202-B100	Removal of Existing Lighting Controllers
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
116	Square Feet	619-D4001	Directional Signs
1	Each	639-A032	Traffic Signal Equipment Pole, Type II, 20' Shaft, 32' Arm
1	Each	639-A037	Traffic Signal Equipment Pole, Type II, 20' Shaft, 40' Arm
1	Each	639-A180	Traffic Signal Equipment Pole, Type II, 20' Shaft, 28' Arm
1	Each	639-A181	Traffic Signal Equipment Pole, Type II, 20' Shaft, 36' Arm
6	Each	647-A003	Pullbox, Type 4
2	Each	647-A004	Pullbox, Type 5
5	Each	647-A005	Pullbox, Type 2
155	Linear Feet	666-B038	Electric Cable, Underground in Conduit, THHN, AWG #4, 3 Conductor
30	Linear Feet	666-B039	Electric Cable, Underground in Conduit, THHN, AWG #10, 3 Conductor
4,270	Linear Feet	666-D016	Electric Cable, Aerial Supported in Conduit, THHN, AWG #4, 3 Conductor
105	Linear Feet	668-A029	Traffic Signal Conduit, Underground, Rolled Pipe, 2"
60	Linear Feet	668-B024	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2"
4	Each	682-F001	Secondary Power Controllers
4	Each	907-637-A001	Equipment Cabinet, Type B
1	Each	907-637-A002	Equipment Cabinet, Type C
2	Each	907-649-A002	Video Detection System, Type 1
2	Each	907-649-B001	Video Detection-Data Collection and Reporting Tool License
7	Each	907-650-A001	On Street Video Equipment
4,860	Linear Feet	907-657-A001	Fiber Optic Cable, 72 SM
4,465	Linear Feet	907-657-A002	Fiber Optic Cable, 12 SM
10	Each	907-657-C001	Fiber Optic Transceiver
1	Each	907-658-A001	Hardened Network Switch, Type A
1	Each	907-658-A002	Hardened Network Switch, Type B
7	Each	907-662-A001	Video Encoder, Type A
	Lump Sum	907-665-B001	Bridge Aesthetic Lighting
285	Linear Feet	907-668-E002	Traffic Signal Conduit Bank, Underground, Rolled Pipe, 2 @ 2"
4,220	Linear Feet	907-668-G001	Traffic Signal Conduit Bank, Aerial Supported, Type I, 3 @ 2"
90	Linear Feet	907-682-A1001	Branch Circuit Wire, AWG #1, 3 Conductor
735	Linear Feet	907-682-A1002	Branch Circuit Wire, AWG #1/0, 3 Conductor
550	Linear Feet	907-682-A1004	Branch Circuit Wire, AWG #2, 3 Conductor
6,000	Linear Feet	907-682-A1011	Branch Circuit Wire, AWG #6, 3 Conductor
1,237	Linear Feet	907-682-A1013	Branch Circuit Wire, AWG #8, 3 Conductor
3,800	Linear Feet	907-682-A1014	Branch Circuit Wire, AWG #8, 5 Conductor
7,800	Linear Feet	907-682-A1034	Branch Circuit Wire, AWG #10, 3 Conductor
18	Each	907-683-H4001	Repair of Bridge Lighting Assembly, 400 Watt Cobrahead
46	Each	907-683-H4002	Repair of Bridge Lighting Assembly, 250 Watt Cobrahead

Overlaying approximately 10 miles of SR 8 near Cleveland, known as Federal Aid Project No. STP-0016-01(033) / 105483301 & 302, in the Counties of Bolivar and Sunflower, State of Mississippi.

PROJECT COMPLETION: October 09, 2009

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

700	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
1,200	Linear Feet	202-B076	Removal of Traffic Stripe
700	Square Yard	202-B097	Removal of Concrete Overlaid w/ Asphalt Pavement, All Depths
120	Cubic Yard	203-G003	Excess Excavation, FM, AH
500	Ton	406-A003	Cold Milling of Bituminous Pavement, All Depths
18	Mile	423-A001	Rumble Strips, Ground In
	Lump Sum	618-A001	Maintenance of Traffic
2	Square Feet	618-B001	Additional Construction Signs
36	Mile	619-A1004	Temporary Traffic Stripe, Continuous White, Paint
10	Mile	619-A2004	Temporary Traffic Stripe, Continuous Yellow, Paint
7	Mile	619-A3007	Temporary Traffic Stripe, Skip White, Paint
22	Mile	619-A4007	Temporary Traffic Stripe, Skip Yellow, Paint
22,000	Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint
1,500	Linear Feet	619-A6003	Temporary Traffic Stripe, Legend, Paint
990	Square Feet	619-A6004	Temporary Traffic Stripe, Legend, Paint
116	Square Feet	619-D4001	Directional Signs
250	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,400	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
700	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
350	Linear Feet	628-L002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
7,600	Ton	907-304-B007	Granular Material, Class 5, Group E
200	Ton	907-304-F003	3/4" and Down Crushed Stone Base
17,000	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
8,000	Ton	907-403-B006	Hot Mix Asphalt, MT, 9.5-mm mixture, Leveling
4	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
18	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
11	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
5	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
12,000	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
7,700	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,300	Linear Feet	907-626-H004	Thermoplastic Legend, White
990	Square Feet	907-626-H005	Thermoplastic Legend, White

Overlaying approximately 9 miles of SR 15 between Houston and the Pontotoc County Line, known as Federal Aid Project No. STP-0022-03(023) / 105460301, in the County of Chickasaw, State of Mississippi.

PROJECT COMPLETION: September 25, 2009

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

446	Square Yard	202-B006	Removal of Asphalt Pavement, Failed Areas
103	Linear Feet	202-B094	Removal of Curb &/or Curb and Gutter, All Types
50	Cubic Yard	203-G004	Excess Excavation, LVM, AH
1,900	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
18	Mile	423-A001	Rumble Strips, Ground In
348	Linear Feet	609-B001	Concrete Curb, Header
75	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
36	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
26	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
8	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
1,632	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
994	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
116	Square Feet	619-D4001	Directional Signs
926	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
7,069	Cubic Yard	907-304-A008	Granular Material, LVM, Class 3, Group C
14,284	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
11,108	Ton	907-403-B006	Hot Mix Asphalt, MT, 9.5-mm mixture, Leveling
18	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
4	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
13	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
1,906	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
678	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
658	Linear Feet	907-626-H004	Thermoplastic Legend, White

Replacing 4 bridges on MS Hwy. 305, known as Federal Aid Project No. BR-0031-01(018) / 103318302, in the County of DeSoto, State of Mississippi.

PROJECT COMPLETION: August 03, 2011

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

	Lump Sum	201-A001	Clearing and Grubbing
1	Acre	201-B001	Clearing and Grubbing
	Lump Sum	202-A001	Removal of Obstructions
20,311	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
98	Linear Feet	202-B064	Removal of Pipe, 8" And Above
1,503	Linear Feet	202-B076	Removal of Traffic Stripe
13	Each	202-B260	Removal of Power Pole
13,358	Linear Feet	202-B261	Removal of Electric Power Cable, Including Hardware
21,702	Cubic Yard	203-A003	Unclassified Excavation, FM, AH
156,942	Cubic Yard	203-EX017	Borrow Excavation, AH, FME, Class B9
7,533	Cubic Yard	203-F001	Channel Excavation, FM
29,477	Cubic Yard	203-G003	Excess Excavation, FM, AH
202	Cubic Yard	206-A001	Structure Excavation
1,470	Square Yard	209-A001	Geotextile Stabilization, Type V
9	Ton	213-C001	Superphosphate
232	Square Yard	216-A001	Solid Sodding
664	Square Yard	217-A001	Ditch Liner
5	Thousand Gallon	219-A001	Watering
9	Acre	220-A001	Insect Pest Control
27	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
1	Acre	223-A001	Mowing
226	Square Yard	224-A001	Soil Reinforcing Mat
8,123	Linear Feet	234-A001	Temporary Silt Fence
1,792	Bale	235-A001	Temporary Erosion Checks
4	Each	236-A001	Silt Basin, Type A
482	Linear Feet	239-A001	Temporary Slope Drains
2,932	Gallon	408-A003	Asphalt for Prime Coat, Cut-Back MC-70 or Emulsified EA-1
364	Linear Feet	501-E001	Expansion Joints, Without Dowels
800	Square Yard	501-K001	Transverse Grooving
800	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
92	Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
200	Linear Feet	603-CA007	48" Reinforced Concrete Pipe, Class III
2	Each	603-CB002	24" Reinforced Concrete End Section
2	Each	603-CB006	48" Reinforced Concrete End Section
1,700	Linear Feet	606-B001	Guard Rail, Class A, Type 1
16	Each	606-D012	Guard Rail, Bridge End Section, Type I
16	Each	606-E001	Guard Rail, Terminal End Section
731	Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
194	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
27	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch

Call No. 29 for the May 26, 2009 Letting

	Lump Sum	618-A001	Maintenance of Traffic
	Lump Sum	618-C001	Construction & Removal of Detour Bridge
4	Mile	619-A1004	Temporary Traffic Stripe, Continuous White, Paint
2,280	Linear Feet	619-A1007	Temporary Traffic Stripe, Continuous White, Type 1 Tape
4	Mile	619-A2004	Temporary Traffic Stripe, Continuous Yellow, Paint
2,280	Linear Feet	619-A2007	Temporary Traffic Stripe, Continuous Yellow, Type 1 Tape
68	Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint
36	Linear Feet	619-A6003	Temporary Traffic Stripe, Legend, Paint
81	Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
53	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
775	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
116	Square Feet	619-D4001	Directional Signs
12	Each	619-F3004	Delineators, Guard Rail, White
432	Linear Feet	619-G4001	Barricades, Type III, Single Faced
24	Linear Feet	619-G4005	Barricades, Type III, Double Faced
98	Each	619-G5001	Free Standing Plastic Drums
7	Each	619-G7001	Warning Lights, Type "B"
4	Each	619-K2002	Installation and Removal of Guard Rail, Type I Bridge End Section
6	Each	619-K4001	Installation and Removal of Guardrail, Terminal End Section
	Lump Sum	620-A001	Mobilization
1	Each	621-A001	Field Laboratory
209	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1,140	Linear Feet	628-L002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
2,281	Linear Feet	628-O001	High Performance Cold Plastic Detail Stripe, White
88	Each	630-F001	Delineators, Guard Rail, White
16	Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
	Lump Sum	699-A001	Roadway Construction Stakes
8,487	Ton	815-A009	Loose Riprap, Size 300
11,386	Square Yard	815-E001	Geotextile under Riprap
56	Ton	907-213-A001	Agricultural Limestone
24	Acre	907-225-A001	Grassing
48	Ton	907-225-B001	Agricultural Limestone
9	Acre	907-226-A001	Temporary Grassing
23,960	Ton	907-304-B009	Granular Material, Class 3, Group D
5,541	Ton	907-304-F002	Size 610 Crushed Stone Base
12,187	Square Yard	907-307-C003	6" Soil-Lime-Water Mixing, Class C
165	Ton	907-307-D001	Lime
3,617	Ton	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture
6,889	Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
2,701	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
1	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
616	Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
52	Linear Feet	907-603-ALT02	24" Type A Alternate Pipe
52	Linear Feet	907-603-ALT06	48" Type A Alternate Pipe
42	Each	907-617-A001	Right-of-Way Marker
10,678	Linear Feet	907-626-C008	6" Thermoplastic Edge Stripe, Continuous White

Call No. 29 for the May 26, 2009 Letting

6,170	Linear Feet	907-626-D004	6" Thermoplastic Traffic Stripe, Skip Yellow
625	Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
2,266	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
36	Linear Feet	907-626-H004	Thermoplastic Legend, White
ALTERNATE GROUP AA NO. 1			
26	Ton	907-308-A001	Portland Cement
3,047	Square Yard	907-308-B002	Soil-Cement-Water Mixing, Optional Mixers, Design Soil
ALTERNATE GROUP AA NO. 2			
3,047	Square Yard	907-311-A003	Processing Lime and Fly Ash Treated Course, 6" Thick
21	Ton	907-311-B001	Lime
82	Ton	907-311-C002	Fly Ash, Class C or F
Bridge Items			
4,387	Square Yard	501-K001	Transverse Grooving
11	Each	803-A001	Test Pile
8	Each	803-B001	Conventional Static Loading Test
4,501	Linear Feet	803-C002	14" x 14" Prestressed Concrete Piling
3,565	Linear Feet	803-C003	16" x 16" Prestressed Concrete Piling
1,265	Linear Feet	803-D003	HP 14 x 73 Steel Piling
8	Each	803-J001	Pile Restrike
10	Linear Feet	803-N001	Exploration
450	Linear Feet	803-O010	Temporary Casing, 60" Diameter
330,473	Pounds	805-A001	Reinforcement
1,974	Linear Feet	813-A001	Concrete Railing
1,782	Ton	815-A009	Loose Riprap, Size 300
1,470	Square Yard	815-E001	Geotextile under Riprap
744	Linear Feet	907-803-K006	Drilled Shaft, 60" Diameter
1	Each	907-803-L002	Test Shaft, 60" Diameter
128	Linear Feet	907-803-M005	Trial Shaft, 60" Diameter
1,863	Cubic Yard	907-804-A001	Bridge Concrete, Class AA
3,315	Linear Feet	907-804-C016	40' Prestressed Concrete Beam, Type I+2
1,336	Linear Feet	907-804-C030	80' Prestressed Concrete Beam, Type III
894	Linear Feet	907-804-C145	50' Prestressed Concrete Beam, Type II + 2
768	Linear Feet	907-804-C150	110' Prestressed Concrete Beam, Type IV

Overlaying SR 13 from north of the Marion County Line to US 84, known as Federal Aid Project No. STP-0037-01(051) / 105477301, in the County of Jefferson Davis, State of Mississippi.

PROJECT COMPLETION: September 30, 2009

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

2,100	Linear Feet	202-B076	Removal of Traffic Stripe
438	Linear Feet	202-B087	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
5,100	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
18	Mile	423-A001	Rumble Strips, Ground In
700	Linear Feet	606-B001	Guard Rail, Class A, Type 1
12	Each	606-E001	Guard Rail, Terminal End Section
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
22	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
12	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
2	Mile	619-A3006	Temporary Traffic Stripe, Skip White
8	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
2,000	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,550	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
116	Square Feet	619-D4001	Directional Signs
459	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
136	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
736	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1,850	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
1,850	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
69	Each	630-F001	Delineators, Guard Rail, White
6	Each	630-G001	Type 3 Object Markers, OM-3R, Post Mounted
6	Each	630-G003	Type 3 Object Markers, OM-3L, Post Mounted
4,200	Cubic Yard	907-304-A003	Granular Material, LVM, Class 6, Group D
18,600	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
950	Ton	907-403-B006	Hot Mix Asphalt, MT, 9.5-mm mixture, Leveling
111	Each	907-606-PP001	Remove and Replace Guard Rail Blockouts
2	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
18	Mile	907-626-C006	6" Thermoplastic Double Drop Edge Stripe, Continuous White, 90 mil min
7	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
7	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
3,100	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
2,100	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,550	Linear Feet	907-626-H004	Thermoplastic Legend, White

Mill and overlay SR 39 From I-20 to 52nd Street in Meridian, known as Federal Aid Project No. STP-0074-01(010) / 105381301, in the County of Lauderdale, State of Mississippi.

PROJECT COMPLETION: November 24, 2009

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

300	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
128	Square Yard	202-B018	Removal of Concrete Driveways, All Depths
6	Each	202-B042	Removal of Flared End Section, All Sizes
152	Square Feet	202-B059	Removal of Legend, All Types
7,074	Linear Feet	202-B076	Removal of Traffic Stripe
64	Linear Feet	202-B093	Removal of Curb & Gutter, All Types
386	Linear Feet	202-B144	Removal of Bituminous Curb
100	Cubic Yard	310-B001	Size I Stabilizer Aggregate, Coarse
18,936	Ton	406-A003	Cold Milling of Bituminous Pavement, All Depths
1,723	Linear Feet	503-C003	Saw Cut, 6-inch
524	Linear Feet	503-C007	Saw Cut, Full Depth
640	Linear Feet	508-A001	Silicone Sealed Joints
6	Each	606-E002	Guard Rail, Terminal End Section, Flared
64	Linear Feet	609-D003	Combination Concrete Curb and Gutter Type 3
343	Linear Feet	609-E001	Bituminous Curb
	Lump Sum	618-A001	Maintenance of Traffic
8	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
6	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
8	Mile	619-A3006	Temporary Traffic Stripe, Skip White
2,147	Linear Feet	619-A4001	Temporary Traffic Stripe, Skip Yellow
35,944	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
3,602	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
32	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
636	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
116	Square Feet	619-D4001	Directional Signs
48	Linear Feet	619-G4005	Barricades, Type III, Double Faced
2,211	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
755	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
3,569	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip White
2,274	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
760	Linear Feet	628-L002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
5,677	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
3,924	Linear Feet	628-O001	High Performance Cold Plastic Detail Stripe, White
1,215	Linear Feet	628-O002	High Performance Cold Plastic Detail Stripe, Yellow
960	Square Feet	628-P001	High Performance Cold Plastic Legend, White
1,567	Linear Feet	628-P002	High Performance Cold Plastic Legend, White
18	Each	630-F001	Delineators, Guard Rail, White
30	Each	630-F005	Delineators, Flexible Post Mounted, Crossover, Type II
60	Each	630-F008	Delineators, Post Mounted, Double White
8,586	Linear Feet	635-A001	Vehicle Loop Assemblies
1,200	Ton	907-304-B001	Granular Material, Class 5, Group C

Call No. 31 for the May 26, 2009 Letting

21,149	Ton	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture
600	Ton	907-403-B004	Hot Mix Asphalt, MT, 12.5-mm mixture, Leveling
4,497	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
7,728	Square Yard	907-504-A001	6" Fiber Reinforced Concrete Pavement
8	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
1,500	Linear Feet	907-626-B003	6" Thermoplastic Traffic Stripe, Continuous White
8	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
2,147	Linear Feet	907-626-D004	6" Thermoplastic Traffic Stripe, Skip Yellow
2	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
4	Mile	907-626-F004	6" Thermoplastic Edge Stripe, Continuous Yellow
24,529	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
17,671	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
3,600	Linear Feet	907-626-H004	Thermoplastic Legend, White
1,331	Square Feet	907-626-H005	Thermoplastic Legend, White

Milling and overlaying of US 45 ALT from West Point to north of SR 25, known as Federal Aid Project Nos. STP-0079-01(029) / 105461301 & 302, in the Counties of Clay and Monroe, State of Mississippi.

PROJECT COMPLETION: November 09, 2009

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

200	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
1,630	Linear Feet	202-B076	Removal of Traffic Stripe
950	Linear Feet	202-B102	Removal of Guard Rail
100	Cubic Yard	203-G003	Excess Excavation, FM, AH
62,700	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
24	Mile	423-A001	Rumble Strips, Ground In
700	Linear Feet	606-B001	Guard Rail, Class A, Type 1
4	Each	606-D008	Guard Rail, Bridge End Section, Type H
4	Each	606-E002	Guard Rail, Terminal End Section, Flared
	Lump Sum	618-A001	Maintenance of Traffic
2	Square Feet	618-B001	Additional Construction Signs
30	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
28	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
28	Mile	619-A3006	Temporary Traffic Stripe, Skip White
4	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
59,500	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
3,700	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
850	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
116	Square Feet	619-D4001	Directional Signs
2,350	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,100	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
140	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip White
870	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
580	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
16	Square Feet	628-P001	High Performance Cold Plastic Legend, White
14	Each	630-F006	Delineators, Post Mounted, Single White
14	Each	630-F007	Delineators, Post Mounted, Single Yellow
4	Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
8,000	Cubic Yard	907-304-A007	Granular Material, LVM, Class 3, Group D
100	Ton	907-403-C001	Hot Mix Asphalt, HT, 19-mm mixture, Trench Widening
32,600	Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
5,800	Ton	907-403-E004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified, Leveling
17	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
680	Linear Feet	907-626-B003	6" Thermoplastic Traffic Stripe, Continuous White
18	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
2	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
4	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
11	Mile	907-626-F004	6" Thermoplastic Edge Stripe, Continuous Yellow
29,300	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
19,200	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
3,200	Linear Feet	907-626-H004	Thermoplastic Legend, White

1,050 Square Feet

907-626-H005 Thermoplastic Legend, White

Overlay of US 45 ALT from 9 miles north of the Noxubee County Line to the Clay County Line, known as Federal Aid Project No. STP-0079-01(030) / 105465301, in the County of Lowndes, State of Mississippi.

PROJECT COMPLETION: October 19, 2009

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

100 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
6,500 Linear Feet	202-B076	Removal of Traffic Stripe
50 Cubic Yard	203-G003	Excess Excavation, FM, AH
17,000 Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
21 Mile	423-A001	Rumble Strips, Ground In
Lump Sum	618-A001	Maintenance of Traffic
1 Square Feet	618-B001	Additional Construction Signs
15 Mile	619-A1002	Temporary Traffic Stripe, Continuous White
14 Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
15 Mile	619-A3006	Temporary Traffic Stripe, Skip White
5,300 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
2,500 Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
75 Square Feet	619-A6002	Temporary Traffic Stripe, Legend
116 Square Feet	619-D4001	Directional Signs
1,300 Each	627-K001	Red-Clear Reflective High Performance Raised Markers
160 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
730 Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip White
2,900 Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
2,900 Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
8,600 Cubic Yard	907-304-A008	Granular Material, LVM, Class 3, Group C
32,850 Ton	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture
13 Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
13 Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
1 Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
12 Mile	907-626-F004	6" Thermoplastic Edge Stripe, Continuous Yellow
22,500 Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
9,000 Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
3,500 Linear Feet	907-626-H004	Thermoplastic Legend, White
150 Square Feet	907-626-H005	Thermoplastic Legend, White

Overlaying approximately 9 miles of US 45 ALT between SR 8 and the northernmost Monroe / Chickasaw County Line, known as Federal Aid Project No. STP-0079-02(015) / 105464301 & 302, in the Counties of Monroe and Chickasaw, State of Mississippi.

PROJECT COMPLETION: November 23, 2009

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

350	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
1,220	Linear Feet	202-B076	Removal of Traffic Stripe
190	Square Yard	202-B097	Removal of Concrete Overlaid w/ Asphalt Pavement, All Depths
150	Linear Feet	202-B102	Removal of Guard Rail
280	Cubic Yard	203-G004	Excess Excavation, LVM, AH
30,700	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
32	Mile	423-A001	Rumble Strips, Ground In
4	Each	606-E001	Guard Rail, Terminal End Section
	Lump Sum	618-A001	Maintenance of Traffic
2	Square Feet	618-B001	Additional Construction Signs
32	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
31	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
32	Mile	619-A3006	Temporary Traffic Stripe, Skip White
66,000	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
3,330	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
116	Square Feet	619-D4001	Directional Signs
2,350	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
90	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
540	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip White
540	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
540	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
14	Each	630-F001	Delineators, Guard Rail, White
14	Each	630-F002	Delineators, Guard Rail, Yellow
42	Each	630-F003	Delineators, Flexible Post Mounted, Crossover, Type I, Green
42	Each	630-F004	Delineators, Flexible Post Mounted, Crossover, Type I, Yellow
13,150	Cubic Yard	907-304-A007	Granular Material, LVM, Class 3, Group D
1,150	Ton	907-403-C001	Hot Mix Asphalt, HT, 19-mm mixture, Trench Widening
38,300	Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
19	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
19	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
18	Mile	907-626-F004	6" Thermoplastic Edge Stripe, Continuous Yellow
28,300	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
20,500	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,710	Linear Feet	907-626-H004	Thermoplastic Legend, White

Mill and Overlay from Edwards St. to 31st. Avenue, known as Federal Aid Project No. STP-0080-01(015) / 105453301, in the County of Forrest, State of Mississippi.

PROJECT COMPLETION: November 30, 2009

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

100	Linear Feet	202-B017	Removal of Concrete Combination Curb & Gutter
100	Square Yard	202-B078	Removal of Pavement, All Types and Depths
1,800	Linear Feet	202-B102	Removal of Guard Rail
700	Cubic Yard	203-E103	Borrow Excavation, LVM, Class B7-6
10	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
209,000	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
200	Pounds	602-A001	Reinforcing Steel
1,325	Linear Feet	606-B007	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
4	Each	606-D004	Guard Rail, Bridge End Section, Type E
8	Each	606-E001	Guard Rail, Terminal End Section
200	Linear Feet	609-D001	Combination Concrete Curb and Gutter Type 1
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
33	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
27	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
33	Mile	619-A3006	Temporary Traffic Stripe, Skip White
3	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
13,000	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
11,000	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
11,500	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
116	Square Feet	619-D4001	Directional Signs
1,450	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,450	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,450	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
8	Each	629-A005	Vehicular Impact Attenuator, 55 MPH
150	Each	630-F001	Delineators, Guard Rail, White
18,500	Ton	907-403-A002	Hot Mix Asphalt, HT, 19-mm mixture
10,000	Ton	907-403-A005	Hot Mix Asphalt, HT, 9.5-mm mixture
11,000	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
33,500	Ton	907-403-D002	Hot Mix Asphalt, HT, 19-mm mixture, Polymer Modified
14,000	Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
34,000	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
2	Cubic Yard	907-601-B001	Class "B" Structural Concrete, Minor Structures, Per Plans
11	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
11	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
1	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
1	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
8	Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
4,250	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
9,800	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
3,700	Linear Feet	907-626-H004	Thermoplastic Legend, White

Call No. 35 for the May 26, 2009 Letting

3,800	Square Feet	907-626-H005	Thermoplastic Legend, White
7	Each	907-651-A001	Magnetometer Advance Detection System
21	Each	907-651-B001	Magnetometer Advance Detection System Component, 18-foot Pole
21	Each	907-651-B002	Magnetometer Advance Detection System Component, Repeater
7	Each	907-651-B003	Magnetometer Advance Detection System Component, Access Point
7	Each	907-651-B004	Magnetometer Advance Detection System Component, Closure Card
7	Each	907-651-B005	Magnetometer Advance Detection System Component, Extension Card
28	Each	907-651-B006	Magnetometer Advance Detection System Component, Advanced Detection Sensor
144	Each	907-651-B007	Magnetometer Advance Detection System Component, Presence Detection Sensor

Reconstructing SR 570 West of I-55 near McComb, known as Federal Aid Project Nos. STP-0168-00(010) / 102384301, STP-0168-00(010) / 102384302, & STP-7570-00(004) / 102384303, in the Counties of Amite & Pike, State of Mississippi.

PROJECT COMPLETION: April 26, 2011

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

Lump Sum	201-A001	Clearing and Grubbing
1 Acre	201-B001	Clearing and Grubbing
13,977 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
2 Each	202-B042	Removal of Flared End Section, All Sizes
600 Linear Feet	202-B076	Removal of Traffic Stripe
700 Linear Feet	202-B094	Removal of Curb &/or Curb and Gutter, All Types
2,784 Linear Feet	202-B106	Removal of Pipe, All Sizes
10 Linear Feet	202-B108	Removal of Curb Inlets
7 Each	202-B231	Removal of Fire Hydrant
8 Each	202-B259	Removal of Water Meters, All Sizes
42,871 Cubic Yard	203-A003	Unclassified Excavation, FM, AH
28,661 Cubic Yard	203-G003	Excess Excavation, FM, AH
1,559 Cubic Yard	206-A001	Structure Excavation
30,667 Square Yard	209-A001	Geotextile Stabilization, Type V
134,106 Square Yard	212-A001	Light Ground Preparation
268,210 Square Yard	212-B001	Standard Ground Preparation
35 Ton	213-B001	Combination Fertilizer, 13-13-13
29 Ton	213-C001	Superphosphate
1,387 Pounds	214-A001	Seeding, Bahiagrass
416 Pounds	214-A003	Seeding, Tall Fescue
555 Pounds	214-A004	Seeding, Crimson Clover
555 Pounds	214-A014	Seeding, Browntop Millet
2,495 Pounds	214-A015	Seeding, Oats
694 Pounds	214-A017	Seeding, Rye Grass
140 Ton	215-A001	Vegetative Materials for Mulch
11,374 Square Yard	216-A001	Solid Sodding
22,615 Square Yard	217-A001	Ditch Liner
228 Thousand Gallon	219-A001	Watering
29 Acre	220-A001	Insect Pest Control
1,730 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
49 Acre	223-A001	Mowing
10,022 Linear Feet	234-A001	Temporary Silt Fence
2,300 Bale	235-A001	Temporary Erosion Checks
93 Each	236-A001	Silt Basin, Type A
360 Linear Feet	239-A001	Temporary Slope Drains
2,729 Cubic Yard	305-B001	Size I Stabilizer Aggregate, Coarse
10 Mile	423-A001	Rumble Strips, Ground In
442 Pounds	602-A001	Reinforcing Steel
480 Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III
392 Linear Feet	603-CA004	30" Reinforced Concrete Pipe, Class III

Call No. 36 for the May 26, 2009 Letting

124	Linear Feet	603-CA005	36" Reinforced Concrete Pipe, Class III
1	Each	603-CB001	18" Reinforced Concrete End Section
20	Each	603-CB002	24" Reinforced Concrete End Section
12	Each	603-CB003	30" Reinforced Concrete End Section
4	Each	603-CB004	36" Reinforced Concrete End Section
56	Linear Feet	603-CE003	36" x 23" Concrete Arch Pipe, Class A III
64	Linear Feet	603-CE004	44" x 27" Concrete Arch Pipe, Class A III
56	Linear Feet	603-CE005	51" x 31" Concrete Arch Pipe, Class A III
72	Linear Feet	603-CE006	58" x 36" Concrete Arch Pipe, Class A III
160	Linear Feet	603-CE007	65" x 40" Concrete Arch Pipe, Class A III
64	Linear Feet	603-CE009	88" x 54" Concrete Arch Pipe, Class A III
2	Each	603-CF003	36" x 23" Concrete Arch Pipe End Section
2	Each	603-CF004	44" x 27" Concrete Arch Pipe End Section
2	Each	603-CF005	51" x 31" Concrete Arch Pipe End Section
2	Each	603-CF006	58" x 36" Concrete Arch Pipe End Section
4	Each	603-CF007	65" x 40" Concrete Arch Pipe End Section
2	Each	603-CF009	88" x 54" Concrete Arch Pipe End Section
79	Pounds	604-A001	Castings
762	Pounds	604-B001	Gratings
5,091	Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
559	Linear Feet	609-D006	Combination Concrete Curb and Gutter Type 1 Modified
1,346	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
216	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
	Lump Sum	618-A001	Maintenance of Traffic
19	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
19	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
1	Mile	619-A3006	Temporary Traffic Stripe, Skip White
5	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
44,300	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,697	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
1,504	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
428	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
1,176	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
116	Square Feet	619-D4001	Directional Signs
744	Linear Feet	619-G4001	Barricades, Type III, Single Faced
72	Linear Feet	619-G4005	Barricades, Type III, Double Faced
242	Each	619-G5001	Free Standing Plastic Drums
6	Each	619-G7001	Warning Lights, Type "B"
	Lump Sum	620-A001	Mobilization
127	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,799	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
21	Ton	815-A006	Loose Riprap, Size 100
30	Square Yard	815-E001	Geotextile under Riprap
168	Ton	907-213-A001	Agricultural Limestone
1	Acre	907-225-A001	Grassing
3	Each	907-260-A003	Package Simplex Grinder Pump Station, Electrical and Installion

Call No. 36 for the May 26, 2009 Letting

143	Linear Feet	907-261-A001	2" Diameter PVC Force Main Pipe, SDR 26, in 6" HDPE Casing
30	Linear Feet	907-261-A002	Bored Crossing, Without Casing
545	Linear Feet	907-261-A003	8" Diameter PVC in 16" Steel Casing
55	Linear Feet	907-261-A004	8" Diameter PVC in Steel Casing
475	Linear Feet	907-262-A002	1 1/4" Pressure Service Line
2	Each	907-262-H001	Connection to Existing Manhole
750	Linear Feet	907-263-A002	2" Diameter PVC Force Main Pipe, SDR 26
450	Linear Feet	907-263-A004	8" Diameter PVC SS
6,800	Linear Feet	907-265-A002	8" PVC Pipe, C-900
4,300	Pounds	907-265-C002	Ductile Iron Fittings
29	Each	907-265-D002	8" Gate Valve and Value Box
2	Each	907-265-D003	6" Gate Valve and Value Box
10	Each	907-265-D004	8" Plug Valve and Value Box
1	Each	907-265-D005	6" Plug Valve and Value Box
1	Each	907-265-D006	2" Plug Valve and Value Box
11	Each	907-265-F002	Fire Hydrant Assembly, 3-Way, With Box and Cover
1	Each	907-265-H002	Connection to Existing Cleanout
4	Each	907-265-I002	Service Line Shutoff Box
700	Linear Feet	907-265-J001	Solid Location Wire, #12
3	Each	907-265-J002	Connection to Existing 6" Water Main
2	Each	907-265-J003	Connection to Existing 8" Water Main
1	Each	907-265-K001	Cap Existing 1" Water Main
1	Each	907-265-K002	Cap Existing 2" Water Main
1	Each	907-265-K003	Cap Existing 6" Water Main
1	Each	907-265-K004	Cap Existing 8" Water Main
21,197	Cubic Yard	907-304-A004	Granular Material, LVM, Class 6, Group C
9,548	Cubic Yard	907-304-H002	3/4" and Down Crushed Stone Base, LVM
13,250	Ton	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture
5,834	Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
10,026	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
1,827	Ton	907-403-C005	Hot Mix Asphalt, ST, 19-mm mixture, Trench Widening
15	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
5,508	Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
248	Linear Feet	907-603-ALT02	24" Type A Alternate Pipe
2	Each	907-604-C001	Precast Manhole, 48-inch Diameter
99	Each	907-617-A001	Right-of-Way Marker
1	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
3	Mile	907-626-B004	6" Thermoplastic Traffic Stripe, Continuous White
9	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
3	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
10	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
16,920	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
4,706	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
870	Linear Feet	907-626-H004	Thermoplastic Legend, White
752	Square Feet	907-626-H005	Thermoplastic Legend, White

Replacing three bridges on SR 331 near SR 334, known as Federal Aid Project No. BR-0793-00(002) / 100297302, in the County of Lafayette, State of Mississippi.

PROJECT COMPLETION: April 08, 2011

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

	Lump Sum	201-A001	Clearing and Grubbing
1	Hectare	201-B001	Clearing and Grubbing
	Lump Sum	202-A001	Removal of Obstructions
6,159	Square Meter	202-B005	Removal of Asphalt Pavement (All Depths)
40	Meter	202-B066	Removal of Pipe (200-mm and above)
4	Each	202-B081	Removal of Headwall
366	Meter	202-B103	Removal of Guard Rail
22,361	Cubic Meter	203-G003	Excess Excavation (FM) (AH)
14	Cubic Meter	206-A001	Structure Excavation
8	Metric Ton	213-C001	Superphosphate
78	Square Meter	216-A001	Solid Sodding
5	thousand liter	219-A001	Watering
4	Hectare	220-A001	Insect Pest Control
27	Cubic Meter	221-A001	Portland Cement Concrete Paved Ditch
25	Bale	235-A001	Temporary Erosion Checks
74	Meter	501-E001	Expansion Joints (Without Dowels)
443	Square Meter	502-A001	Reinforced Cement Concrete Bridge End Pavement
5	Meter	603-C-A002	450-mm Reinforced Concrete Pipe, Class III
2	Each	603-C-B002	600-mm Reinforced Concrete End Section
27	Meter	603-C-E004	1110-mm x 675-mm Concrete Arch Pipe, Class A III
2	Each	603-C-F004	1110-mm x 675-mm Concrete Arch Pipe End Section
366	Meter	606-B007	Guard Rail (Class A, Type 1), 'W' Beam
12	Each	606-D012	Guard Rail, Bridge End Section, Type I
	Lump Sum	618-A001	Maintenance of Traffic
4	Square Meter	619-D1001	Standard Roadside Construction Signs (less than 0.9 square meter)
28	Square Meter	619-D2001	Standard Roadside Construction Signs (0.9 square meter or more)
11	Square Meter	619-D4001	Directional Signs
15	Meter	619-G4001	Barricades (Type III) (Single Faced)
8	Meter	619-G4005	Barricades (Type III) (Double Faced)
31	Each	619-G5001	Free Standing Plastic Drums
2	Each	619-G7001	Warning Lights (Type "B")
31	Meter	619-K1001	Installation and Removal of Guard Rail (Type I)(Class A)
	Lump Sum	620-A001	Mobilization
1	Each	621-A001	Field Laboratory
60	Each	630-F001	Delineators (Guard Rail)(White)
12	Each	630-G001	Type 3 Object Markers (OM-3R or OM-3L) Post Mounted
305	Metric Ton	815-A007	Loose Riprap, (Size 136 kg)
8,864	Cubic Meter	907-203-A002	Unclassified Excavation (FM) (AH)
48,911	Cubic Meter	907-203-EX004	Borrow Excavation (AH)(FME) (Class B9)
4	Metric Ton	907-213-A001	Agricultural Limestone
8	Hectare	907-223-A001	Mowing

Call No. 37 for the May 26, 2009 Letting

2	Hectare	907-225-A001	Grassing
8	Hectare	907-226-A002	Temporary Grassing
2,100	Meter	907-234-A002	Temporary Silt Fence
1,359	Metric Ton	907-304-B001	Granular Material (Class 3, Group D)
1,017	Cubic Meter	907-304-C002	Granular Material (AEA) (Class 9, Group B)
1,474	Metric Ton	907-403-A002	Hot Mix Asphalt, ST, 12.5-mm mixture
2,067	Metric Ton	907-403-A003	Hot Mix Asphalt, ST, 19-mm mixture
26	Metric Ton	907-403-C002	Hot Mix Asphalt, ST, 19-mm mixture, Trench Widening
443	Square Meter	907-501-K001	Transverse Grooving
1	Cubic Meter	907-601-B001	Class "B" Structural Concrete, Minor Structures
245	Meter	907-603-ALT05	600-mm Type A Alternate Pipe
12	Each	907-606-E001	Guard Rail, Terminal End Section
11	Each	907-617-A001	Right-of-Way Markers (Type I)
500	Meter	907-619-A2009	Temporary Traffic Stripe (Continuous Yellow)
1	Kilometer	907-619-A4005	Temporary Traffic Stripe (Skip Yellow)
1,000	Meter	907-619-A5005	Temporary Traffic Stripe (Detail)
2	Each	907-619-K4001	Installation and Removal of Guardrail (Terminal End Section)
500	Meter	907-625-D001	Traffic Stripe (Continuous Yellow)
3	Kilometer	907-626-CC001	150-mm Thermoplastic Edge Stripe (Continuous White)(1.50-mmmin.)
2	Kilometer	907-626-DD001	150-mm Thermoplastic Traffic Stripe (Skip Yellow)(2.25-mm min.)
129	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers
4	Meter	907-628-HH001	Cold Plastic Legend (White)
648	Meter	907-628-KK001	150-mm High Performance Cold Plastic Edge Stripe (ContinuousWhite)
324	Meter	907-628-LL001	150-mm High Performance Cold Plastic Traffic Stripe (Skip Yellow)
	Lump Sum	907-699-A001	Roadway Construction Stakes
351	Square Meter	907-815-E001	Geotextile Fabric under Riprap
ALTERNATE GROUP AA NO. 1			
95	Metric Ton	907-308-A001	Portland Cement
7,659	Square Meter	907-308-B003	Soil-Cement-Water Mixing, (Optional Mixers)
ALTERNATE GROUP AA NO. 2			
7,659	Square Meter	907-311-A002	Processing Lime and Fly Ash Treated Course, 150 mm Thick
84	Metric Ton	907-311-B001	Lime
252	Metric Ton	907-311-C003	Fly Ash, Class C or F
Bridge Items			
96,504	Kilogram	805-A001	Reinforcement
648	Meter	813-A001	Concrete Railing
6,154	Metric Ton	815-A007	Loose Riprap, (Size 136 kg)
3,357	Square Meter	907-501-K001	Transverse Grooving
11	Each	907-803-A001	Test Pile
11	Each	907-803-B002	Conventional Static Pile Load Test
396	Meter	907-803-E001	400-mm x 400-mm Prestressed Concrete Piling
2,495	Meter	907-803-E002	350-mm x 350-mm Prestressed Concrete Piling
1,036	Cubic Meter	907-804-A001	Bridge Concrete (Class AA)
477	Meter	907-804-C026	24-m Prestressed Concrete Beams, Type III
1,122	Meter	907-804-C113	12-m Prestressed Concrete Beam (Type I + 50)
1,158	Square Meter	907-815-E001	Geotextile Fabric under Riprap

Widening and overlaying of SR 365 from the Prentiss/Tishomingo County Line to US 72, known as Federal Aid Project No. STP-0948-00(008) / 105367301, in the County of Tishomingo, State of Mississippi.

PROJECT COMPLETION: September 02, 2009

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

100	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
664	Linear Feet	202-B076	Removal of Traffic Stripe
50	Cubic Yard	203-G003	Excess Excavation, FM, AH
2,970	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
13	Mile	423-A001	Rumble Strips, Ground In
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
16	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
7	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
7	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
7,884	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
2,060	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
116	Square Feet	619-D4001	Directional Signs
1,111	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
332	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
332	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
4,000	Cubic Yard	907-304-A008	Granular Material, LVM, Class 3, Group C
14,500	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
13	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
7	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
7	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
6,008	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
1,876	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
2,060	Linear Feet	907-626-H004	Thermoplastic Legend, White

Construction necessary to replace a bridge on SR 198 near Beaumont, known as Federal Aid Project No. BR-1152-00(001) / 102514301, in the County of Perry, State of Mississippi.

PROJECT COMPLETION: March 31, 2010

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

	Lump Sum	201-A001	Clearing and Grubbing
249	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
1	Each	202-B009	Removal of Bridge
600	Linear Feet	202-B102	Removal of Guard Rail
5,040	Cubic Yard	203-A003	Unclassified Excavation, FM, AH
11,551	Cubic Yard	203-EX038	Borrow Excavation, AH, FME, Class B7-6
1,144	Square Yard	211-A001	Topsoil for Slope Treatment, From Right-of-Way
3	Ton	213-C001	Superphosphate
27	Square Yard	216-A001	Solid Sodding
1	Thousand Gallon	219-A001	Watering
3	Acre	220-A001	Insect Pest Control
3	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
3	Acre	223-A001	Mowing
1,000	Linear Feet	234-A001	Temporary Silt Fence
500	Bale	235-A001	Temporary Erosion Checks
2,187	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
90	Linear Feet	501-E001	Expansion Joints, Without Dowels
200	Square Yard	501-K001	Transverse Grooving
200	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
400	Linear Feet	606-B001	Guard Rail, Class A, Type 1
4	Each	606-D012	Guard Rail, Bridge End Section, Type I
4	Each	606-E001	Guard Rail, Terminal End Section
	Lump Sum	618-A001	Maintenance of Traffic
5	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
257	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
183	Square Feet	619-D4001	Directional Signs
72	Linear Feet	619-G4005	Barricades, Type III, Double Faced
	Lump Sum	620-A001	Mobilization
30	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
640	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
320	Linear Feet	628-L002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
30	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
5	Square Feet	630-B001	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
77	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
22	Each	630-F001	Delineators, Guard Rail, White
	Lump Sum	699-A001	Roadway Construction Stakes
3,480	Ton	815-A009	Loose Riprap, Size 300
2,667	Square Yard	815-E001	Geotextile under Riprap
6	Acre	907-225-A001	Grassing

Call No. 39 for the May 26, 2009 Letting

18 Ton	907-225-B001	Agricultural Limestone
250 Linear Feet	907-237-A001	Wattles
30 Ton	907-304-F001	Size 825 Crushed Stone Base
274 Ton	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture
15 Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
206 Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
57 Ton	907-403-C005	Hot Mix Asphalt, ST, 19-mm mixture, Trench Widening
8 Each	907-617-A001	Right-of-Way Marker
1,560 Linear Feet	907-626-C007	6" Thermoplastic Double Drop Edge Stripe, Continuous White
780 Linear Feet	907-626-D004	6" Thermoplastic Traffic Stripe, Skip Yellow

Bridge Items

1,244 Square Yard	501-K001	Transverse Grooving
2 Each	803-B001	Conventional Static Loading Test
3,215 Linear Feet	803-D002	HP 12 x 53 Steel Piling
1,105 Linear Feet	803-D003	HP 14 x 73 Steel Piling
4 Each	803-I001	PDA Test Pile
2 Each	803-J001	Pile Restrike
63,379 Pounds	805-A001	Reinforcement
560 Linear Feet	813-A002	Concrete Railing, 32"
1,117 Ton	815-A009	Loose Riprap, Size 300
561 Square Yard	815-E001	Geotextile under Riprap
501 Cubic Yard	907-804-A001	Bridge Concrete, Class AA
4,681 Linear Feet	907-804-C175	40' Prestressed Concrete Beam, 16" x 16"

Overlaying US 80 from Springridge Rd. to Terry Rd., known as Federal Aid Project No. STP-7314-00(023) / 105576301, in the County of Hinds, State of Mississippi.

PROJECT COMPLETION: November 24, 2009

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

50	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
495	Linear Feet	202-B038	Removal of Curb, All Types
551	Linear Feet	202-B102	Removal of Guard Rail
50	Cubic Yard	203-G003	Excess Excavation, FM, AH
101,460	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
2,100	Linear Feet	413-D001	Cleaning and Filling Joints
351	Linear Feet	606-B001	Guard Rail, Class A, Type 1
4	Each	606-C003	Guard Rail, Cable Anchor, Type 1
4	Each	606-E001	Guard Rail, Terminal End Section
540	Linear Feet	609-E001	Bituminous Curb
12	Square Yard	616-B001	Hot Bituminous Median and/or Island Pavement
	Lump Sum	618-A001	Maintenance of Traffic
35	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
38	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
32	Mile	619-A3006	Temporary Traffic Stripe, Skip White
21	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
1,000	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
12,162	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
9,445	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
160	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
1,242	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
116	Square Feet	619-D4001	Directional Signs
192	Linear Feet	619-G4001	Barricades, Type III, Single Faced
2,342	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
8,424	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1,368	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip White
1,329	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
1,320	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
23	Each	630-F001	Delineators, Guard Rail, White
6,128	Linear Feet	635-A001	Vehicle Loop Assemblies
6,400	Cubic Yard	907-304-A001	Granular Material, LVM, Class 5, Group C
55,488	Ton	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture
24,740	Ton	907-403-B004	Hot Mix Asphalt, MT, 12.5-mm mixture, Leveling
71,484	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
16	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
2	Mile	907-626-B004	6" Thermoplastic Traffic Stripe, Continuous White
18	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
10	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
19	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
40,435	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
14,861	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow

Call No. 40 for the May 26, 2009 Letting

12,162	Linear Feet	907-626-H004	Thermoplastic Legend, White
9,445	Square Feet	907-626-H005	Thermoplastic Legend, White

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Bid or specimen proposals must be acquired from the Contract Administration Division. These proposals are available at a cost of Ten Dollars (\$10.00) per proposal. Proposals may be purchased from the Contract Administration Engineer, MDOT Administration Building, 401 North West Street, P.O. Box 1850, Jackson, 39215-1850, Telephone No. (601) 359-7744, Fax No. (601) 359-7732 or purchased online at www.gomdot.com.

Plans may be acquired on a cost per sheet basis from MDOT Plans Print Shop, MDOT Shop Complex, Building C, Room 114, 2567 North West Street, Jackson, Mississippi 39216, Telephone No. (601) 359-7460, Fax No. (601) 359-7461 or purchased online at www.gomdot.com.

Bid bond, signed or countersigned by a Mississippi Resident Agent, with Power of Attorney Attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

LARRY L. "BUTCH" BROWN
EXECUTIVE DIRECTOR