


[Proposal & Plan Sales Will Begin on January 3, 2011](#)



**MISSISSIPPI DEPARTMENT OF
TRANSPORTATION**

Notice to Contractors

Letting Date for January – January 25, 2011



**Two Month Projects
Have An (*)**

MISSISSIPPI DEPARTMENT OF TRANSPORTATION
NOTICE TO CONTRACTORS
LETTING DATE FOR JANUARY - Tuesday, January 25, 2011

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List (Proposal and Specimen Holders) is available online at www.gomdot.com

PROPOSAL AND PLAN SALES WILL BEGIN ON JANUARY 03, 2011

Proposals must be purchased from:

Contract Administration Engineer
MDOT Administration Building
401 North West Street
Jackson, MS 39201

(or)

P.O. Box 1850
Jackson, MS 39215-1850
Telephone: (601) 359-7744
FAX: (601) 359-7732

Plans may be purchased from:

MDOT Plans Print Shop
MDOT Shop Complex, Building C, Room 114
2567 North West Street
Jackson, MS 39216

(or)

P.O. Box 1850
Jackson, MS 39215-1850
Telephone: (601) 359-7460
or FAX: (601) 359-7461
or e-mail: plans@mdot.state.ms.us

Sealed bids will be received by the Mississippi Transportation Commission in the Office of the Contract Administration Engineer, First Floor Room 1013, Mississippi Department of Transportation Office Administration Building, 401 North West Street, Jackson, Mississippi, until 10:00 o'clock A.M., Tuesday; shortly thereafter, bids will be publicly opened in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

* No plans except Standard Drawings

LIST OF CONTRACTS FOR JANUARY

CALL	CONTRACT	COUNTY
01	BRSTP-2901-00(015) / 100300301 & BRSTP-2901-00(015) / 100300302	Grenada
02	STP-0000-05(006) / 104756305	District 5
03	STP-0014-01(032) / 100806301	Pike
04	STP-0014-01(057) / 105947301	Amite
05	STP-0054-01(051) / 105946301	Walthall
06	IM-0055-01(090) / 104413301	Lincoln
* 07	NH-0072-03(011) / 105482301	Humphreys
08	NCPD-6993-00(001) / 104137301	Madison
09	NH-0002-04(039) / 100094301 & STP-0002-03(047) / 100487301	Lowndes & Noxubee
10	BR-0009-02(062) / 103051301	Sharkey
* 11	MP-2000-00(061) / 303884301	District 2
12	BR-2175-00(007) / 101839301	Pike
* 13	MP-5080-51(022) / 304022301	Newton
* 14	MP-6000-00(167) / 303900301	District 6
15	SP-7338-00(005) / 105297301	Rankin
16	BWO-3165-82(001) / 502310301, BWO-3168-82(001) / 502310302, BWO-3166-82(001) / 502311301, & BWO-3167-82(001) / 502311302	Yazoo
17	BWO-5195-62(001) / 502308301 & BWO-5196-62(001) / 502308302	Scott

Sealed bids will be received by the Mississippi Transportation Commission in the Office of the Contract Administration Engineer, First Floor Room 1013, Mississippi Department of Transportation Office Administration Building, 401 North West Street, Jackson, Mississippi, until 10:00 o'clock A.M., Tuesday, February 22, 2011; shortly thereafter, bids will be publicly opened in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

LIST OF CONTRACTS FOR FEBRUARY

CALL	CONTRACT	COUNTY
01	BR-0024-03(014) / 100490302	Leake
02	BR-0198-00(001) / 102488301	George

Grade, Drain, Bridge, and Pave US Highway 51, from North of Yalobusha River to I-55, known as Federal Aid Project No. BRSTP-2901-00(015) / 100300301 & 302, in the County of Grenada, State of Mississippi.

PROJECT COMPLETION: June 17, 2013

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

Lump Sum	201-A001	Clearing and Grubbing
1 Acre	201-B001	Clearing and Grubbing
Lump Sum	202-A001	Removal of Obstructions
8,237 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
1,427 Square Yard	202-B024	Removal of Concrete Median & Island Pavement, All Depths
1,908 Linear Feet	202-B038	Removal of Curb, All Types
4,000 Linear Feet	202-B076	Removal of Traffic Stripe
36,586 Square Yard	202-B097	Removal of Concrete Overlaid w/ Asphalt Pavement, All Depths
4,075 Linear Feet	202-B102	Removal of Guard Rail
996 Linear Feet	202-B106	Removal of Pipe, All Sizes
21,170 Cubic Yard	203-A003	Unclassified Excavation, FM, AH
429,250 Cubic Yard	203-EX017	Borrow Excavation, AH, FME, Class B9
9,524 Cubic Yard	203-G003	Excess Excavation, FM, AH
609 Cubic Yard	206-A001	Structure Excavation
88,163 Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
35 Ton	213-C001	Superphosphate
140 Ton	215-A001	Vegetative Materials for Mulch
558 Square Yard	216-A001	Solid Sodding
440 Square Yard	217-A001	Ditch Liner
11 Thousand Gallon	219-A001	Watering
35 Acre	220-A001	Insect Pest Control
65 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
1 Acre	223-A001	Mowing
22,122 Linear Feet	234-A001	Temporary Silt Fence
800 Bale	235-A001	Temporary Erosion Checks
26 Each	236-A001	Silt Basin, Type A
1,075 Linear Feet	239-A001	Temporary Slope Drains
120 Ton	305-B003	Size I Stabilizer Aggregate, Coarse
11,358 Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
3,233 Gallon	408-A003	Asphalt for Prime Coat, Cut-Back MC-70 or Emulsified EA-1
5 Mile	423-A001	Rumble Strips, Ground In
1,115 Linear Feet	501-E001	Expansion Joints, Without Dowels
2,340 Square Yard	501-K001	Transverse Grooving
2,422 Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
1,643 Pounds	602-A001	Reinforcing Steel
588 Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
196 Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III
72 Linear Feet	603-CA005	36" Reinforced Concrete Pipe, Class III
236 Linear Feet	603-CA006	42" Reinforced Concrete Pipe, Class III
176 Linear Feet	603-CA007	48" Reinforced Concrete Pipe, Class III

Call No. 01 for the January 25, 2011 Letting

6	Each	603-CB001	18" Reinforced Concrete End Section
2	Each	603-CB002	24" Reinforced Concrete End Section
4	Each	603-CB004	36" Reinforced Concrete End Section
2	Each	603-CB005	42" Reinforced Concrete End Section
474	Pounds	604-A001	Castings
4,113	Linear Feet	606-B001	Guard Rail, Class A, Type 1
31	Each	606-D012	Guard Rail, Bridge End Section, Type I
14	Each	606-E001	Guard Rail, Terminal End Section
9	Each	606-E003	Guard Rail, Terminal End Section, Non-Flared
17,953	Linear Feet	609-D004	Combination Concrete Curb and Gutter Type 3A Modified
2,791	Linear Feet	609-D007	Combination Concrete Curb and Gutter Type 2 Modified
520	Linear Feet	615-A018	Concrete Bridge End Barrier, 33.5"
13,224	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
115	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
	Lump Sum	618-A001	Maintenance of Traffic
	Lump Sum	618-C001	Construction & Removal of Detour Bridge
59,051	Linear Feet	619-A1001	Temporary Traffic Stripe, Continuous White
2,825	Linear Feet	619-A1005	Temporary Traffic Stripe, Continuous White, Type 1 or 2 Tape
34,984	Linear Feet	619-A2001	Temporary Traffic Stripe, Continuous Yellow
640	Linear Feet	619-A2005	Temporary Traffic Stripe, Continuous Yellow, Type 1 or 2 Tape
26,213	Linear Feet	619-A3001	Temporary Traffic Stripe, Skip White
11,648	Linear Feet	619-A4001	Temporary Traffic Stripe, Skip Yellow
1,160	Linear Feet	619-A4003	Temporary Traffic Stripe, Skip Yellow, Type 1 or 2 Tape
40,615	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
5,938	Linear Feet	619-A5003	Temporary Traffic Stripe, Detail, Type 1 or 2 Tape
1,131	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
499	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
552	Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
222	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
478	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
300	Linear Feet	619-F1001	Concrete Median Barrier, Precast
33	Each	619-F3004	Delineators, Guard Rail, White
664	Linear Feet	619-G4001	Barricades, Type III, Single Faced
24	Linear Feet	619-G4005	Barricades, Type III, Double Faced
388	Each	619-G5001	Free Standing Plastic Drums
6	Each	619-G7001	Warning Lights, Type "B"
275	Linear Feet	619-K1001	Installation and Removal of Guard Rail, Type I, Class A
11	Each	619-K4001	Installation and Removal of Guardrail, Terminal End Section
	Lump Sum	620-A001	Mobilization
1	Each	621-A001	Field Laboratory
440	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
512	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1	Each	629-A002	Vehicular Impact Attenuator, 60 MPH
256	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
416	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
191	Square Feet	630-B001	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground

Call No. 01 for the January 25, 2011 Letting

Mounted

35	Linear Feet	630-C001	Steel U-Section Posts, 2.0 lb/ft
935	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
141	Linear Feet	630-D003	Structural Steel Beams, W6 x 9
41	Linear Feet	630-D004	Structural Steel Beams, W6 x 12
172	Pounds	630-E001	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
347	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
98	Each	630-F001	Delineators, Guard Rail, White
85	Each	630-F002	Delineators, Guard Rail, Yellow
28	Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
50	Linear Feet	630-K001	Welded & Seamless Steel Pipe Posts, 3"
83	Linear Feet	630-K002	Welded & Seamless Steel Pipe Posts, 3 1/2"
171	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
	Lump Sum	699-A001	Roadway Construction Stakes
500	Ton	815-A006	Loose Riprap, Size 100
10,204	Ton	815-A009	Loose Riprap, Size 300
12,452	Square Yard	815-E001	Geotextile under Riprap
70	Acre	907-225-A001	Grassing
140	Ton	907-225-B001	Agricultural Limestone
70	Acre	907-226-A001	Temporary Grassing
15	Acre	907-227-A001	Hydroseeding
700	Linear Feet	907-237-A003	Wattles, 20"
400	Linear Feet	907-245-A001	Triangular Silt Dike
350	Linear Feet	907-246-A001	Sandbags
41,953	Ton	907-304-B009	Granular Material, Class 3, Group D
31,745	Ton	907-304-F003	3/4" and Down Crushed Stone Base
60,510	Square Yard	907-307-C003	6" Soil-Lime-Water Mixing, Class C
812	Ton	907-307-D001	Lime
21,208	Gallon	907-407-A001	Asphalt for Tack Coat
1,114	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
23	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
1,172	Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
176	Linear Feet	907-603-ALT02	24" Type A Alternate Pipe
240	Linear Feet	907-603-ALT11	36" Type B Alternate Pipe
58	Each	907-617-A001	Right-of-Way Marker
4	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
5	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
2,418	Linear Feet	907-626-D004	6" Thermoplastic Traffic Stripe, Skip Yellow
4,122	Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
3	Mile	907-626-F004	6" Thermoplastic Edge Stripe, Continuous Yellow
15,748	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
18,444	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
651	Linear Feet	907-626-H004	Thermoplastic Legend, White
373	Square Feet	907-626-H005	Thermoplastic Legend, White
191	Square Feet	907-630-PP010	Roadside Directional Signs, Sheet Aluminum, 0.125" Thickness, Ground Mounted

Call No. 01 for the January 25, 2011 Letting

ALTERNATE GROUP AA NO. 1

509	Ton	907-308-A001	Portland Cement
60,510	Square Yard	907-308-B001	Soil-Cement-Water Mixing, Optional Mixers, Base

ALTERNATE GROUP AA NO. 2

60,510	Square Yard	907-311-A003	Processing Lime and Fly Ash Treated Course, 6" Thick
406	Ton	907-311-B001	Lime
1,625	Ton	907-311-C001	Fly Ash, Class C

ALTERNATE GROUP BB NO. 1

11,414	Ton	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture
11,293	Ton	907-403-A007	Hot Mix Asphalt, MT, 19-mm mixture
8,220	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
13,073	Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture

ALTERNATE GROUP BB NO. 2

11,414	Ton	907-403-M002	Warm Mix Asphalt, MT, 12.5-mm mixture
13,073	Ton	907-403-M004	Warm Mix Asphalt, ST, 19-mm mixture
8,220	Ton	907-403-M006	Warm Mix Asphalt, MT, 9.5-mm mixture
11,293	Ton	907-403-M007	Warm Mix Asphalt, MT, 19-mm mixture

ALTERNATE GROUP CC NO. 1

4,203	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip White
4,269	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, ContinuousWhite
3,999	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, ContinuousYellow
118	Linear Feet	628-O001	High Performance Cold Plastic Detail Stripe, White
1,816	Linear Feet	628-O002	High Performance Cold Plastic Detail Stripe, Yellow
126	Square Feet	628-P001	High Performance Cold Plastic Legend, White
192	Linear Feet	628-P002	High Performance Cold Plastic Legend, White

ALTERNATE GROUP CC NO. 2

192	Linear Feet	907-626-H009	Thermoplastic Double Drop Legend, White
126	Square Feet	907-626-H010	Thermoplastic Double Drop Legend, White
4,203	Linear Feet	907-626-I003	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White
4,269	Linear Feet	907-626-J003	6" Inverted Profile Thermoplastic Traffic Stripe, ContinuousWhite
3,999	Linear Feet	907-626-L001	6" Inverted Profile Thermoplastic Traffic Stripe, ContinuousYellow
118	Linear Feet	907-626-M001	Inverted Profile Thermoplastic Detail Traffic Stripe, White
1,816	Linear Feet	907-626-M002	Inverted Profile Thermoplastic Detail Traffic Stripe, Yellow

Bridge Items

10,484	Square Yard	501-K001	Transverse Grooving
26	Each	803-B002	Conventional Static Pile Load Test
13,335	Linear Feet	803-C002	14" x 14" Prestressed Concrete Piling
13,635	Linear Feet	803-C003	16" x 16" Prestressed Concrete Piling
30	Each	803-I001	PDA Test Pile
26	Each	803-J001	Pile Restrike
689,729	Pounds	805-A001	Reinforcement
5,242	Linear Feet	813-A001	Concrete Railing
5,676	Square Yard	815-A004	Loose Riprap, Size 300
4,784	Square Yard	815-E001	Geotextile under Riprap
1,219	Cubic Yard	907-804-A001	Bridge Concrete, Class AA
3,041	Cubic Yard	907-804-A012	Bridge Concrete, Class BD

Call No. 01 for the January 25, 2011 Letting

14,162	Linear Feet	907-804-C016	40' Prestressed Concrete Beam, Type I+2
424	Linear Feet	907-804-C021	70' Prestressed Concrete Beam, Type III
484	Linear Feet	907-804-C030	80' Prestressed Concrete Beam, Type III
302	Linear Feet	907-804-C145	50' Prestressed Concrete Beam, Type II + 2

Placement or Removal and Replacement of Raised Pavement Markers District Wide, known as Federal Aid Project No. STP-0000-05(006) / 104756305, in District 5, State of Mississippi.

PROJECT COMPLETION: May 13, 2011

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

Lump Sum		618-A001	Maintenance of Traffic
6,410	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
10,859	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
14,966	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers

Reconstructing and Overlaying approximately 8 miles of U.S. Highway 98, beginning at Van Norman Curve Road and ending at Leatherwood Road, known as Federal Aid Project No. STP-0014-01(032) / 100806301, in the County of Pike, State of Mississippi.

PROJECT COMPLETION: November 28, 2012

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

Lump Sum	201-A001	Clearing and Grubbing
2 Acre	201-B001	Clearing and Grubbing
78,748 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
2,316 Square Yard	202-B018	Removal of Concrete Driveways, All Depths
4 Each	202-B043	Removal of Guard Rail Bridge End Section
650 Linear Feet	202-B053	Removal of Guard Rail Including Post, Blockouts & Hardware
1,773 Linear Feet	202-B064	Removal of Pipe, 8" And Above
25 Each	202-B105	Removal of Pipe Headwall, All Sizes
16 Each	202-B113	Removal of Box Culvert Wingwall, All Sizes
4 Each	202-B137	Removal of Guard Rail Cable Anchor
1 Mile	202-B149	Removal of Traffic Stripe
159,897 Cubic Yard	203-A003	Unclassified Excavation, FM, AH
1,665 Cubic Yard	203-EX017	Borrow Excavation, AH, FME, Class B9
113,650 Cubic Yard	203-G003	Excess Excavation, FM, AH
1,341 Cubic Yard	206-A001	Structure Excavation
103 Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
54 Ton	213-C001	Superphosphate
217 Ton	215-A001	Vegetative Materials for Mulch
13,791 Square Yard	216-A001	Solid Sodding
8,637 Square Yard	217-A001	Ditch Liner
136 Thousand Gallon	219-A001	Watering
54 Acre	220-A001	Insect Pest Control
2,416 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
1 Acre	223-A001	Mowing
10,150 Linear Feet	234-A001	Temporary Silt Fence
7,400 Bale	235-A001	Temporary Erosion Checks
36 Each	236-A001	Silt Basin, Type A
41 Each	236-A004	Silt Basin, Type D
3,100 Linear Feet	239-A001	Temporary Slope Drains
3 Mile	321-A001	6" In-Grade Preparation
184,870 Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
3,398 Gallon	408-A003	Asphalt for Prime Coat, Cut-Back MC-70 or Emulsified EA-1
29 Mile	423-A001	Rumble Strips, Ground In
45,598 Pounds	602-A001	Reinforcing Steel
740 Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
448 Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III
192 Linear Feet	603-CA004	30" Reinforced Concrete Pipe, Class III
68 Linear Feet	603-CA005	36" Reinforced Concrete Pipe, Class III
48 Linear Feet	603-CA017	36" Reinforced Concrete Pipe, Class IV
8 Each	603-CB001	18" Reinforced Concrete End Section

Call No. 03 for the January 25, 2011 Letting

10	Each	603-CB002	24" Reinforced Concrete End Section
7	Each	603-CB003	30" Reinforced Concrete End Section
4	Each	603-CB004	36" Reinforced Concrete End Section
92	Linear Feet	603-CE005	51" x 31" Concrete Arch Pipe, Class A III
60	Linear Feet	603-CE006	58" x 36" Concrete Arch Pipe, Class A III
5	Each	603-CF005	51" x 31" Concrete Arch Pipe End Section
2	Each	603-CF006	58" x 36" Concrete Arch Pipe End Section
650	Linear Feet	606-B001	Guard Rail, Class A, Type 1
4	Each	606-D008	Guard Rail, Bridge End Section, Type H
4	Each	606-E002	Guard Rail, Terminal End Section, Flared
4,103	Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
2,963	Square Yard	614-A001	Concrete Driveway, Without Reinforcement
1,558	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
70	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
	Lump Sum	618-A001	Maintenance of Traffic
35	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
20	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
36	Mile	619-A3006	Temporary Traffic Stripe, Skip White
8	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
60,508	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
5,708	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
120	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
159	Each	619-C6001	Red-Clear Reflective High Performance Raised Marker
1,953	Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
985	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
3,040	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
116	Square Feet	619-D4001	Directional Signs
3	Each	619-E1001	Flashing Arrow Panel, Type C
1,492	Linear Feet	619-G4001	Barricades, Type III, Single Faced
24	Linear Feet	619-G4005	Barricades, Type III, Double Faced
417	Each	619-G5001	Free Standing Plastic Drums
6	Each	619-G7001	Warning Lights, Type "B"
	Lump Sum	620-A001	Mobilization
1	Each	621-A001	Field Laboratory
1,201	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
2,414	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
536	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
233	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
831	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
255	Square Feet	630-B001	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
1,226	Linear Feet	630-C004	Steel U-Section Posts, 3.0 to 3.5 lb/ft
256	Linear Feet	630-D003	Structural Steel Beams, W6 x 9
225	Pounds	630-E001	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
463	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
22	Each	630-F001	Delineators, Guard Rail, White

Call No. 03 for the January 25, 2011 Letting

22	Each	630-F002	Delineators, Guard Rail, Yellow
46	Each	630-F003	Delineators, Flexible Post Mounted, Crossover, Type I, Green
46	Each	630-F004	Delineators, Flexible Post Mounted, Crossover, Type I, Yellow
4	Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
44	Linear Feet	630-K001	Welded & Seamless Steel Pipe Posts, 3"
14	Linear Feet	630-K002	Welded & Seamless Steel Pipe Posts, 3 1/2"
305	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
	Lump Sum	699-A001	Roadway Construction Stakes
480	Ton	815-A006	Loose Riprap, Size 100
3,000	Ton	815-A009	Loose Riprap, Size 300
1,000	Square Yard	815-E001	Geotextile under Riprap
97	Ton	815-F002	Sediment Control Stone
109	Acre	907-225-A001	Grassing
322	Ton	907-225-B001	Agricultural Limestone
54	Acre	907-226-A001	Temporary Grassing
400	Linear Feet	907-237-A002	Wattles, 12"
900	Linear Feet	907-237-A003	Wattles, 20"
460	Linear Feet	907-245-A001	Triangular Silt Dike
400	Linear Feet	907-246-A001	Sandbags
9	Each	907-247-A001	Temporary Stream Diversion
15,469	Cubic Yard	907-304-C003	Granular Material, AEA, Class 6, Group C
25,670	Cubic Yard	907-304-C005	Granular Material, AEA, Class 9, Group C
5,683	Square Yard	907-307-B001	10" Soil-Lime-Water Mixing, Class B
76	Ton	907-307-D001	Lime
74,200	Gallon	907-407-A001	Asphalt for Tack Coat
288	Cubic Yard	907-601-A001	Class "B" Structural Concrete
39	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
3,716	Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
260	Linear Feet	907-603-ALT02	24" Type A Alternate Pipe
182	Each	907-617-A001	Right-of-Way Marker
16	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
16	Mile	907-626-C006	6" Thermoplastic Double Drop Edge Stripe, Continuous White,90 mil min
2,760	Linear Feet	907-626-D004	6" Thermoplastic Traffic Stripe, Skip Yellow
2	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
14	Mile	907-626-F006	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow,90 mil min
24,023	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
13,948	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
2,948	Linear Feet	907-626-H004	Thermoplastic Legend, White
71	Square Feet	907-626-H005	Thermoplastic Legend, White
ALTERNATE GROUP AA NO. 1			
1,094	Ton	907-308-A001	Portland Cement
107,983	Square Yard	907-308-B001	Soil-Cement-Water Mixing, Optional Mixers, Base
ALTERNATE GROUP AA NO. 2			
107,983	Square Yard	907-311-A003	Processing Lime and Fly Ash Treated Course, 6" Thick
782	Ton	907-311-B001	Lime
3,130	Ton	907-311-C002	Fly Ash, Class C or F

Call No. 03 for the January 25, 2011 Letting

ALTERNATE GROUP BB NO. 1

3,157	Ton	907-403-A001	Hot Mix Asphalt, HT, 12.5-mm mixture
5,399	Ton	907-403-A002	Hot Mix Asphalt, HT, 19-mm mixture
3,661	Ton	907-403-A005	Hot Mix Asphalt, HT, 9.5-mm mixture
41,471	Ton	907-403-D001	Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified
13,129	Ton	907-403-D002	Hot Mix Asphalt, HT, 19-mm mixture, Polymer Modified
21,671	Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified

ALTERNATE GROUP BB NO. 2

3,661	Ton	907-403-M009	Warm Mix Asphalt, HT, 9.5-mm mixture
3,157	Ton	907-403-M010	Warm Mix Asphalt, HT, 12.5-mm mixture
5,399	Ton	907-403-M011	Warm Mix Asphalt, HT, 19-mm mixture
21,671	Ton	907-403-P001	Warm Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
41,471	Ton	907-403-P002	Warm Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified
13,129	Ton	907-403-P003	Warm Mix Asphalt, HT, 19-mm mixture, Polymer Modified

ALTERNATE GROUP CC NO. 1

1,500	Linear Feet	907-626-I003	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White
1,500	Linear Feet	907-626-J003	6" Inverted Profile Thermoplastic Traffic Stripe, ContinuousWhite
1,500	Linear Feet	907-626-L001	6" Inverted Profile Thermoplastic Traffic Stripe, ContinuousYellow

ALTERNATE GROUP CC NO. 2

1,500	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip White
1,500	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, ContinuousWhite
1,500	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, ContinuousYellow

Widen & Overlay SR 48 from the Intersection of Highway 24/48 in Liberty Southwest to Highway 569, known as Federal Aid Project No. STP-0014-01(057) / 105947301, in the County of Amite, State of Mississippi.

PROJECT COMPLETION: May 17, 2011

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

3,120	Linear Feet	202-B076	Removal of Traffic Stripe
790	Cubic Yard	203-G004	Excess Excavation, LVM, AH
17,003	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
8	Mile	423-A001	Rumble Strips, Ground In
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
16	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
14	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
3	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
6,229	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,768	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
312	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
366	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
2,080	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, ContinuousWhite
2,080	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, ContinuousYellow
1,306	Cubic Yard	907-304-A003	Granular Material, LVM, Class 6, Group D
13,391	Gallon	907-407-A001	Asphalt for Tack Coat
8	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
2	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
7	Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
3,951	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
1,139	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,940	Linear Feet	907-626-H004	Thermoplastic Legend, White
ALTERNATE GROUP AA NO. 1			
7,855	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
4,126	Ton	907-403-B006	Hot Mix Asphalt, MT, 9.5-mm mixture, Leveling
ALTERNATE GROUP AA NO. 2			
7,855	Ton	907-403-M006	Warm Mix Asphalt, MT, 9.5-mm mixture
4,126	Ton	907-403-N005	Warm Mix Asphalt, MT, 9.5-mm mixture, Leveling

Widen & Overlay SR 27 from Kelly-Gin Road North to Lawrence County line, known as Federal Aid Project No. STP-0054-01(051) / 105946301, in the County of Walthall, State of Mississippi.

PROJECT COMPLETION: June 06, 2011

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

1,800	Linear Feet	202-B053	Removal of Guard Rail Including Post, Blockouts & Hardware
810	Linear Feet	202-B076	Removal of Traffic Stripe
4,600	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
17	Mile	423-A001	Rumble Strips, Ground In
1,725	Linear Feet	606-B001	Guard Rail, Class A, Type 1
12	Each	606-D001	Guard Rail, Bridge End Section, Type A
12	Each	606-E002	Guard Rail, Terminal End Section, Flared
8	Each	606-E003	Guard Rail, Terminal End Section, Non-Flared
12	Each	606-F002	Special Sections, Guard Rail Bridge End Connector
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
30	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
13	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
14	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
8,200	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,450	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
407	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
811	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
540	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
540	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
105	Each	630-F001	Delineators, Guard Rail, White
6,600	Cubic Yard	907-304-A003	Granular Material, LVM, Class 6, Group D
29,000	Gallon	907-407-A001	Asphalt for Tack Coat
15	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
7	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
6	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
5,800	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
2,400	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,450	Linear Feet	907-626-H004	Thermoplastic Legend, White
ALTERNATE GROUP AA NO. 1			
13,150	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
8,900	Ton	907-403-B009	Hot Mix Asphalt, ST, 9.5-mm mixture, Leveling
ALTERNATE GROUP AA NO. 2			
13,150	Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture
8,900	Ton	907-403-N001	Warm Mix Asphalt, ST, 9.5-mm mixture, Leveling

Milling and Overlaying approximately ten miles of I-55, between Brookhaven and the Copiah County Line, known as Federal Aid Project No. IM-0055-01(090) / 104413301, in the County of Lincoln, State of Mississippi.

PROJECT COMPLETION: September 09, 2011

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

123	Square Yard	202-B033	Removal of Concrete Pavement w/ Variable Depth Overlay
16	Each	202-B048	Removal of Guard Rail Cable Anchor, Texas Twist Including Post & Rail
5	Each	202-B049	Removal of Guard Rail Cable Anchor, Type 1 Including Post, Rail, Anchor & Hardware
3,140	Linear Feet	202-B053	Removal of Guard Rail Including Post, Blockouts & Hardware
10,401	Linear Feet	202-B076	Removal of Traffic Stripe
128	Each	202-B086	Removal of Guard Post
5	Each	202-B136	Removal of Guard Rail Terminal End Section
560,898	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
3,440	Linear Feet	413-B001	Cleaning and Sealing Joints
42	Mile	423-A001	Rumble Strips, Ground In
48	Linear Feet	501-D001	Expansion Joints, With Dowels
43	Square Yard	503-A003	8" and Variable Continuously Reinforced Concrete Pavement
32	Linear Feet	503-B001	Saw Cut, Longitudinal Joints
120	Linear Feet	503-C002	Saw Cut, 3-inch
120	Linear Feet	503-C007	Saw Cut, Full Depth
7	Cubic Yard	503-D001	Concrete for Base Repair
21	Each	503-E002	Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted
60	Each	503-F001	1" Smooth Dowel Bars, Drilled & Epoxied or Grouted
128	Each	606-A003	Guard Post, Type II
3,020	Linear Feet	606-B001	Guard Rail, Class A, Type 1
250	Linear Feet	606-B002	Guard Rail, Class A, Type 1, Double Faced
2	Each	606-B014	Guard Rail, Bridge Connector, Per Plans
13	Each	606-C003	Guard Rail, Cable Anchor, Type 1
9	Each	606-E002	Guard Rail, Terminal End Section, Flared
4	Each	606-E003	Guard Rail, Terminal End Section, Non-Flared
4	Each	606-E009	Guard Rail, Terminal End Section, Double Faced
	Lump Sum	618-A001	Maintenance of Traffic
54	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
54	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
45	Mile	619-A3006	Temporary Traffic Stripe, Skip White
82,032	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
2,316	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
112	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
808	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
24	Linear Feet	619-G4001	Barricades, Type III, Single Faced
	Lump Sum	620-A001	Mobilization
2,200	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
180	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
4,718	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
4,718	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

Call No. 06 for the January 25, 2011 Letting

160	Each	630-F001	Delineators, Guard Rail, White
84	Each	630-F002	Delineators, Guard Rail, Yellow
92	Each	630-F006	Delineators, Post Mounted, Single White
48	Each	630-F007	Delineators, Post Mounted, Single Yellow
191	Each	630-F008	Delineators, Post Mounted, Double White
78	Each	630-F009	Delineators, Post Mounted, Double Yellow
2,571	Ton	907-304-B004	Granular Material, Class 6, Group D
15,600	Ton	907-402-A002	Hot Mix Asphalt, Open Graded Friction Course, 9.5mm Mixture
23	Mile	907-403-S002	Joint Sealant for HMA
56,098	Gallon	907-407-A001	Asphalt for Tack Coat
3,560	Pounds	907-420-A001	Undersealing Concrete Pavement
12	Each	907-606-R002	Repair of Terminal End Section
23	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
5	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
23	Mile	907-626-C006	6" Thermoplastic Double Drop Edge Stripe, Continuous White,90 mil min
5	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
23	Mile	907-626-F006	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow,90 mil min
1,304	Linear Feet	907-626-H004	Thermoplastic Legend, White
26,592	Linear Feet	907-626-Y002	Thermoplastic Detail Traffic Stripe, White, 6" Equivalent Length, 40-mil. min.
7,812	Linear Feet	907-626-Y004	Thermoplastic Detail Traffic Stripe, Yellow, 6" Equivalent Length, 40-mil. min.
3,882	Linear Feet	907-628-I004	6" High Performance Cold Plastic Traffic Stripe, Skip White, Series 380I ES
ALTERNATE GROUP AA NO. 1			
6,568	Ton	907-403-A005	Hot Mix Asphalt, HT, 9.5-mm mixture
11,224	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
28,482	Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
ALTERNATE GROUP AA NO. 2			
11,224	Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture
6,568	Ton	907-403-M009	Warm Mix Asphalt, HT, 9.5-mm mixture
28,482	Ton	907-403-P001	Warm Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified

Overlaying approximately 9 miles of US Highway 49 between Belzoni and the Sunflower County Line, known as Federal Aid Project No. NH-0072-03(011) / 105482301, in the County of Humphreys, State of Mississippi.

PROJECT COMPLETION: July 06, 2011

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

100	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
2,000	Linear Feet	202-B076	Removal of Traffic Stripe
100	Square Yard	202-B097	Removal of Concrete Overlaid w/ Asphalt Pavement, All Depths
35	Cubic Yard	203-G003	Excess Excavation, FM, AH
1,450	Ton	406-A003	Cold Milling of Bituminous Pavement, All Depths
19	Mile	423-A001	Rumble Strips, Ground In
250	Each	606-B025	Guard Rail, Replace Metal Blockout
6	Each	606-E001	Guard Rail, Terminal End Section
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
19	Mile	619-A1004	Temporary Traffic Stripe, Continuous White, Paint
16	Mile	619-A2004	Temporary Traffic Stripe, Continuous Yellow, Paint
21	Mile	619-A3007	Temporary Traffic Stripe, Skip White, Paint
1,000	Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint
725	Linear Feet	619-A6003	Temporary Traffic Stripe, Legend, Paint
20	Each	619-F3003	Delineators, Guard Rail, Yellow
30	Each	619-F3004	Delineators, Guard Rail, White
1,150	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
50	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
875	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip White
875	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
875	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
13,250	Ton	907-304-B002	Granular Material, Class 5, Group D
60	Ton	907-304-F003	3/4" and Down Crushed Stone Base
16,500	Gallon	907-407-A001	Asphalt for Tack Coat
10	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
10	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
8	Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
11,800	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
19,100	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
2,100	Linear Feet	907-626-H004	Thermoplastic Legend, White
1	Each	907-687-A018	Traffic Recorder Classification Permanent System
ALTERNATE GROUP AA NO. 1			
16,600	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
11,825	Ton	907-403-B006	Hot Mix Asphalt, MT, 9.5-mm mixture, Leveling
ALTERNATE GROUP AA NO. 2			
16,600	Ton	907-403-M006	Warm Mix Asphalt, MT, 9.5-mm mixture
11,825	Ton	907-403-N005	Warm Mix Asphalt, MT, 9.5-mm mixture, Leveling

Construction necessary to complete the Canton Parkway, connecting US 51 to SR 43 in Madison County, known as Federal Aid Project No. NCPD-6993-00(001) / 104137301, in the County of Madison, State of Mississippi.

PROJECT COMPLETION: October 26, 2012

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

Lump Sum	201-A001	Clearing and Grubbing
4 Acre	201-B001	Clearing and Grubbing
235 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
1,066 Linear Feet	202-B017	Removal of Concrete Combination Curb & Gutter
310 Square Yard	202-B024	Removal of Concrete Median & Island Pavement, All Depths
250 Linear Feet	202-B106	Removal of Pipe, All Sizes
1 Each	202-B140	Removal of Box Bridge Headwall
1,200 Linear Feet	202-B141	Removal of Edge Drain
1 Mile	202-B149	Removal of Traffic Stripe
2 Each	202-B186	Removal of Low Mast Lighting Assembly and Foundation
9,841 Cubic Yard	203-A003	Unclassified Excavation, FM, AH
589,622 Cubic Yard	203-EX027	Borrow Excavation, AH, FME, Class B14
11,111 Cubic Yard	203-F001	Channel Excavation, FM
9,722 Cubic Yard	203-G003	Excess Excavation, FM, AH
2,397 Cubic Yard	206-A001	Structure Excavation
533 Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
15,000 Square Yard	209-A001	Geotextile Stabilization, Type V
30,653 Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
38 Ton	213-C001	Superphosphate
76 Ton	215-A001	Vegetative Materials for Mulch
208 Square Yard	216-A001	Solid Sodding
4 Thousand Gallon	219-A001	Watering
38 Acre	220-A001	Insect Pest Control
66 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
1 Acre	223-A001	Mowing
32,635 Linear Feet	234-A001	Temporary Silt Fence
682 Bale	235-A001	Temporary Erosion Checks
25 Each	236-A001	Silt Basin, Type A
12,427 Linear Feet	239-A001	Temporary Slope Drains
9,762 Square Yard	309-A001	Crushed Stone Drainage Layer
444 Ton	406-A003	Cold Milling of Bituminous Pavement, All Depths
12 Mile	423-A001	Rumble Strips, Ground In
365 Linear Feet	501-E001	Expansion Joints, Without Dowels
747 Square Yard	501-K001	Transverse Grooving
772 Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
1,667 Pounds	602-A001	Reinforcing Steel
1,296 Linear Feet	603-CA088	18" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
1,408 Linear Feet	603-CA089	24" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
116 Linear Feet	603-CA090	30" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
128 Linear Feet	603-CA091	36" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets

Call No. 08 for the January 25, 2011 Letting

56	Linear Feet	603-CA092	42" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
200	Linear Feet	603-CA120	72" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
14	Each	603-CB001	18" Reinforced Concrete End Section
11	Each	603-CB002	24" Reinforced Concrete End Section
2	Each	603-CB010	72" Reinforced Concrete End Section
864	Linear Feet	603-CE003	36" x 23" Concrete Arch Pipe, Class A III
136	Linear Feet	603-CE004	44" x 27" Concrete Arch Pipe, Class A III
354	Linear Feet	603-CE006	58" x 36" Concrete Arch Pipe, Class A III
10	Each	603-CF003	36" x 23" Concrete Arch Pipe End Section
4	Each	603-CF006	58" x 36" Concrete Arch Pipe End Section
6,250	Pounds	604-B001	Gratings
1,889	Linear Feet	605-J001	Edge Drain & Edge Drain Outlet/Vent Inspection
1,300	Linear Feet	606-B001	Guard Rail, Class A, Type 1
8	Each	606-D012	Guard Rail, Bridge End Section, Type I
8	Each	606-E002	Guard Rail, Terminal End Section, Flared
2,262	Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
	Lump Sum	613-A001	Adjustment of Castings, Gratings & Utility Appurtenances
160	Linear Feet	615-A018	Concrete Bridge End Barrier, 33.5"
827	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
75	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
	Lump Sum	618-A001	Maintenance of Traffic
20,930	Linear Feet	619-A1001	Temporary Traffic Stripe, Continuous White
13,490	Linear Feet	619-A2001	Temporary Traffic Stripe, Continuous Yellow
577	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
158	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
428	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
280	Linear Feet	619-G4001	Barricades, Type III, Single Faced
72	Linear Feet	619-G4005	Barricades, Type III, Double Faced
158	Each	619-G5001	Free Standing Plastic Drums
	Lump Sum	620-A001	Mobilization
1,022	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
290	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
2,266	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip White
2,266	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
2,266	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
208	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
365	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
79	Linear Feet	630-C002	Steel U-Section Posts, 2.0 to 2.5 lb/ft
308	Linear Feet	630-C004	Steel U-Section Posts, 3.0 to 3.5 lb/ft
495	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
28	Each	630-F001	Delineators, Guard Rail, White
28	Each	630-F002	Delineators, Guard Rail, Yellow
14	Each	630-F003	Delineators, Flexible Post Mounted, Crossover, Type I, Green
14	Each	630-F004	Delineators, Flexible Post Mounted, Crossover, Type I, Yellow
8	Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
93	Linear Feet	630-K002	Welded & Seamless Steel Pipe Posts, 3 1/2"

Call No. 08 for the January 25, 2011 Letting

310	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
1,950	Linear Feet	635-A001	Vehicle Loop Assemblies
8,440	Linear Feet	636-A002	Shielded Cable
6	Each	638-A005	Loop Detector Amplifier, Card Rack Mounted, 4 Channel
12	Each	640-A016	Traffic Signal Heads, Type 1 LED
2	Each	640-A017	Traffic Signal Heads, Type 2 LED
5	Each	640-A022	Traffic Signal Heads, Type 7 LED
1	Each	642-A001	Solid State Traffic Actuated Controllers, Type 8M
1	Each	642-A008	Solid State Traffic Actuated Controllers, Type 8A
7	Each	644-A001	Optical Detector
2,215	Linear Feet	644-B001	Optical Detector Cable
2	Each	644-C002	Phase Selector, 4 Channel
	Lump Sum	646-A001	Removal of Existing Traffic Signal Equipment
2	Each	647-A001	Pullbox, Type 1
14	Each	647-A005	Pullbox, Type 2
1	Each	648-A001	Radio Interconnect, Installed in New Controller Cabinet
87	Square Feet	653-B001	Street Name Sign, Encapsulated Lens
1,765	Linear Feet	666-B013	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 3Conductor
180	Linear Feet	666-B015	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 5Conductor
2,110	Linear Feet	666-B016	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 7Conductor
150	Linear Feet	668-A018	Traffic Signal Conduit, Underground, Type 4, 2"
125	Linear Feet	668-A020	Traffic Signal Conduit, Underground, Type 4, 3"
960	Linear Feet	668-B023	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 1"
2,000	Linear Feet	668-B024	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2"
625	Linear Feet	668-B025	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
570	Linear Feet	682-A025	Underground Branch Circuit, AWG 4, 3 Conductor
10	Linear Feet	684-B003	Slip Casing, 24" Diameter
2	Each	686-A001	Relocation of Existing Lighting Assemblies
	Lump Sum	699-A001	Roadway Construction Stakes
314,544	Pounds	805-A001	Reinforcement
160	Linear Feet	813-A002	Concrete Railing, 32"
540	Ton	815-A006	Loose Riprap, Size 100
3,208	Ton	815-A009	Loose Riprap, Size 300
3,819	Square Yard	815-E001	Geotextile under Riprap
500	Cubic Yard	815-F001	Sediment Control Stone
76	Acre	907-225-A001	Grassing
228	Ton	907-225-B001	Agricultural Limestone
38	Acre	907-226-A001	Temporary Grassing
25	Each	907-234-D001	Inlet Siltation Guard
5,665	Linear Feet	907-237-A003	Wattles, 20"
480	Linear Feet	907-245-A001	Triangular Silt Dike
440	Linear Feet	907-246-A001	Sandbags
4	Each	907-247-A001	Temporary Stream Diversion
49,456	Ton	907-304-B001	Granular Material, Class 5, Group C
44,785	Ton	907-304-B005	Granular Material, Class 9, Group C
2,871	Cubic Yard	907-304-H002	3/4" and Down Crushed Stone Base, LVM

Call No. 08 for the January 25, 2011 Letting

94,401	Square Yard	907-307-A002	6" Soil-Lime-Water Mixing, Class A
1,275	Ton	907-307-D001	Lime
18,871	Gallon	907-407-A001	Asphalt for Tack Coat
365	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
30	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
1,889	Linear Feet	907-605-H001	Edge Drain
100	Linear Feet	907-605-I001	Edge Drain Outlets/Vents
62	Each	907-617-A001	Right-of-Way Marker
1	Each	907-622-A002	Engineer's Field Office Building, Type 3
30,119	Linear Feet	907-626-A004	6" Thermoplastic Traffic Stripe, Skip White
2,226	Linear Feet	907-626-A006	6" Thermoplastic Double Drop Traffic Stripe, Skip White
2,226	Linear Feet	907-626-B005	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
28,170	Linear Feet	907-626-C008	6" Thermoplastic Edge Stripe, Continuous White
2,934	Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
2,226	Linear Feet	907-626-E005	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
20,919	Linear Feet	907-626-F008	6" Thermoplastic Edge Stripe, Continuous Yellow
19,217	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
14,965	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,059	Linear Feet	907-626-H004	Thermoplastic Legend, White
542	Square Feet	907-626-H005	Thermoplastic Legend, White
3	Each	907-639-A011	Traffic Signal Equipment Pole, Type II, 17' Shaft, 35' Arm
3	Each	907-639-A019	Traffic Signal Equipment Pole, Type II, 17' Shaft, 70' Arm
1	Each	907-639-A031	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 70' Arm
2	Each	907-645-B001	Be Prepared to Stop When Flashing Assembly
3	Each	907-684-A001	Pole Foundation, 24" Diameter
2,994	Cubic Yard	907-804-B001	Box Bridge Concrete, Class B
ALTERNATE GROUP AA NO. 1			
961	Ton	907-308-A001	Portland Cement
113,506	Square Yard	907-308-B001	Soil-Cement-Water Mixing, Optional Mixers, Base
ALTERNATE GROUP AA NO. 2			
113,506	Square Yard	907-311-A003	Processing Lime and Fly Ash Treated Course, 6" Thick
851	Ton	907-311-B001	Lime
3,404	Ton	907-311-C002	Fly Ash, Class C or F
ALTERNATE GROUP BB NO. 1			
13,191	Ton	907-403-A001	Hot Mix Asphalt, HT, 12.5-mm mixture
14,254	Ton	907-403-A002	Hot Mix Asphalt, HT, 19-mm mixture
19,119	Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
296	Ton	907-403-C001	Hot Mix Asphalt, HT, 19-mm mixture, Trench Widening
13,191	Ton	907-403-D001	Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified
11,147	Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
ALTERNATE GROUP BB NO. 2			
19,119	Ton	907-403-M004	Warm Mix Asphalt, ST, 19-mm mixture
13,191	Ton	907-403-M010	Warm Mix Asphalt, HT, 12.5-mm mixture
14,254	Ton	907-403-M011	Warm Mix Asphalt, HT, 19-mm mixture
296	Ton	907-403-O005	Warm Mix Asphalt, HT, 19-mm mixture, Trench Widening
11,147	Ton	907-403-P001	Warm Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified

Call No. 08 for the January 25, 2011 Letting

13,191 Ton 907-403-P002 Warm Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified

Bridge Items

9,570	Square Yard	501-K001	Transverse Grooving
20	Each	803-A001	Test Pile
8	Each	803-B002	Conventional Static Pile Load Test
15,900	Linear Feet	803-C002	14" x 14" Prestressed Concrete Piling
3,300	Linear Feet	803-C003	16" x 16" Prestressed Concrete Piling
600	Linear Feet	803-O011	Temporary Casing, 66" Diameter
542,480	Pounds	805-A001	Reinforcement
4,532	Linear Feet	813-A001	Concrete Railing
1,496	Square Yard	815-A004	Loose Riprap, Size 300
2,131	Square Yard	815-E001	Geotextile under Riprap
600	Linear Feet	907-803-K006	Drilled Shaft, 60" Diameter
1	Each	907-803-L002	Test Shaft, 60" Diameter
50	Linear Feet	907-803-M005	Trial Shaft, 60" Diameter
3,838	Cubic Yard	907-804-A001	Bridge Concrete, Class AA
2,860	Linear Feet	907-804-C008	120' Prestressed Concrete Beam, Type BT-72
775	Linear Feet	907-804-C011	130' Prestressed Concrete Beam, Type BT-72
8,963	Linear Feet	907-804-C016	40' Prestressed Concrete Beam, Type I+2

Grade, Drain, Bridge, and Pave of US Highway 45 from Brooksville to Carson Road, known as State Project No. NH-0002-04(039) / 100094301 & STP-0002-03(047) / 100487301, in the Counties of Lowndes and Noxubee, State of Mississippi.

PROJECT COMPLETION: June 28, 2013

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

Lump Sum	201-A001	Clearing and Grubbing
3 Acre	201-B001	Clearing and Grubbing
10,612 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
1 Each	202-B009	Removal of Bridge
150 Linear Feet	202-B038	Removal of Curb, All Types
495 Linear Feet	202-B064	Removal of Pipe, 8" And Above
4,100 Linear Feet	202-B076	Removal of Traffic Stripe
10 Each	202-B079	Removal of Headwall
5 Each	202-B088	Removal of Box Culvert Headwall, All Sizes
18,990 Square Yard	202-B097	Removal of Concrete Overlaid w/ Asphalt Pavement, All Depths
300 Linear Feet	202-B102	Removal of Guard Rail
10 Each	202-B111	Removal of Bridge Piling
1,000 Cubic Yard	202-B276	Remove and Reset Riprap
222,559 Cubic Yard	203-A003	Unclassified Excavation, FM, AH
134,647 Cubic Yard	203-EX017	Borrow Excavation, AH, FME, Class B9
14,970 Cubic Yard	203-G003	Excess Excavation, FM, AH
4,679 Cubic Yard	206-A001	Structure Excavation
288 Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
267 Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
7,956 Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
102 Ton	213-C001	Superphosphate
503 Ton	215-A001	Vegetative Materials for Mulch
4,057 Square Yard	216-A001	Solid Sodding
23,931 Square Yard	217-A001	Ditch Liner
82 Thousand Gallon	219-A001	Watering
102 Acre	220-A001	Insect Pest Control
1,335 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
205 Acre	223-A001	Mowing
37,825 Square Yard	224-A001	Soil Reinforcing Mat
12,503 Linear Feet	234-A001	Temporary Silt Fence
3,624 Bale	235-A001	Temporary Erosion Checks
29 Each	236-A004	Silt Basin, Type D
3,090 Linear Feet	239-A001	Temporary Slope Drains
500 Ton	406-A003	Cold Milling of Bituminous Pavement, All Depths
25 Mile	423-A001	Rumble Strips, Ground In
181 Linear Feet	501-E001	Expansion Joints, Without Dowels
365 Square Yard	501-K001	Transverse Grooving
365 Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
159,680 Pounds	602-A001	Reinforcing Steel
2,384 Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III

Call No. 09 for the January 25, 2011 Letting

576	Linear Feet	603-CA004	30" Reinforced Concrete Pipe, Class III
37	Each	603-CB001	18" Reinforced Concrete End Section
4	Each	603-CB002	24" Reinforced Concrete End Section
10	Each	603-CB003	30" Reinforced Concrete End Section
336	Linear Feet	603-CE004	44" x 27" Concrete Arch Pipe, Class A III
180	Linear Feet	603-CE005	51" x 31" Concrete Arch Pipe, Class A III
336	Linear Feet	603-CE006	58" x 36" Concrete Arch Pipe, Class A III
4	Each	603-CF004	44" x 27" Concrete Arch Pipe End Section
2	Each	603-CF005	51" x 31" Concrete Arch Pipe End Section
4	Each	603-CF006	58" x 36" Concrete Arch Pipe End Section
9	Each	603-SB044	18" Branch Connections, Stub into Existing Box Culvert
14,500	Pounds	604-B001	Gratings
700	Linear Feet	606-B001	Guard Rail, Class A, Type 1
4	Each	606-D012	Guard Rail, Bridge End Section, Type I
4	Each	606-E001	Guard Rail, Terminal End Section
1,949	Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
296	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
86	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
	Lump Sum	618-A001	Maintenance of Traffic
28	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
17	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
8	Mile	619-A3006	Temporary Traffic Stripe, Skip White
4	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
25,500	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,300	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
674	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
2,722	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
2	Each	619-E1001	Flashing Arrow Panel, Type C
4	Each	619-F3004	Delineators, Guard Rail, White
2,820	Linear Feet	619-G4001	Barricades, Type III, Single Faced
48	Linear Feet	619-G4005	Barricades, Type III, Double Faced
550	Each	619-G5001	Free Standing Plastic Drums
4	Each	619-G7001	Warning Lights, Type "B"
225	Linear Feet	619-K1001	Installation and Removal of Guard Rail, Type I, Class A
2	Each	619-K2002	Installation and Removal of Guard Rail, Type I Bridge End Section
2	Each	619-K4001	Installation and Removal of Guardrail, Terminal End Section
	Lump Sum	620-A001	Mobilization
1	Each	621-A001	Field Laboratory
1,848	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
924	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
14	Each	630-F001	Delineators, Guard Rail, White
14	Each	630-F002	Delineators, Guard Rail, Yellow
30	Each	630-F003	Delineators, Flexible Post Mounted, Crossover, Type I, Green
30	Each	630-F004	Delineators, Flexible Post Mounted, Crossover, Type I, Yellow
8	Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
	Lump Sum	699-A001	Roadway Construction Stakes

Call No. 09 for the January 25, 2011 Letting

40	Linear Feet	813-A002	Concrete Railing, 32"
1,290	Ton	815-A006	Loose Riprap, Size 100
2,252	Ton	815-A009	Loose Riprap, Size 300
3,753	Square Yard	815-E001	Geotextile under Riprap
177	Ton	815-F002	Sediment Control Stone
204	Acre	907-225-A001	Grassing
306	Ton	907-225-B001	Agricultural Limestone
102	Acre	907-226-A001	Temporary Grassing
29	Each	907-234-D001	Inlet Siltation Guard
1,350	Linear Feet	907-237-A002	Wattles, 12"
2,580	Linear Feet	907-237-A003	Wattles, 20"
2,580	Linear Feet	907-245-A001	Triangular Silt Dike
2,580	Linear Feet	907-246-A001	Sandbags
5	Each	907-247-A001	Temporary Stream Diversion
86,357	Cubic Yard	907-304-A005	Granular Material, LVM, Class 9, Group C
37,828	Cubic Yard	907-304-A008	Granular Material, LVM, Class 3, Group C
9,494	Cubic Yard	907-304-H002	3/4" and Down Crushed Stone Base, LVM
131,270	Square Yard	907-307-C003	6" Soil-Lime-Water Mixing, Class C
4,137	Ton	907-307-D001	Lime
17,260	Gallon	907-407-A001	Asphalt for Tack Coat
945	Cubic Yard	907-601-A001	Class "B" Structural Concrete
45	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
3,408	Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
216	Linear Feet	907-603-ALT02	24" Type A Alternate Pipe
8	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
14	Mile	907-626-B004	6" Thermoplastic Traffic Stripe, Continuous White
11	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
9,000	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
13,600	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,300	Linear Feet	907-626-H004	Thermoplastic Legend, White
ALTERNATE GROUP AA NO. 1			
1,112	Ton	907-308-A001	Portland Cement
131,270	Square Yard	907-308-B001	Soil-Cement-Water Mixing, Optional Mixers, Base
ALTERNATE GROUP AA NO. 2			
131,270	Square Yard	907-311-A003	Processing Lime and Fly Ash Treated Course, 6" Thick
1,011	Ton	907-311-B001	Lime
4,041	Ton	907-311-C002	Fly Ash, Class C or F
ALTERNATE GROUP BB NO. 1			
23,666	Ton	907-403-A013	Hot Mix Asphalt, ST, 25-mm mixture
17,122	Ton	907-403-D001	Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified
38,361	Ton	907-403-D002	Hot Mix Asphalt, HT, 19-mm mixture, Polymer Modified
20,713	Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
ALTERNATE GROUP BB NO. 2			
23,666	Ton	907-403-M005	Warm Mix Asphalt, ST, 25-mm mixture
20,713	Ton	907-403-P001	Warm Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
17,122	Ton	907-403-P002	Warm Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified

Call No. 09 for the January 25, 2011 Letting

38,361	Ton	907-403-P003	Warm Mix Asphalt, HT, 19-mm mixture, Polymer Modified
			ALTERNATE GROUP CC NO. 1
300	Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III
			ALTERNATE GROUP CC NO. 2
300	Linear Feet	907-603-PE206	24" Corrugated Polyethylene Pipe
			ALTERNATE GROUP DD NO. 1
300	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip White
600	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, ContinuousWhite
600	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, ContinuousYellow
			ALTERNATE GROUP DD NO. 2
300	Linear Feet	907-626-I003	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White
600	Linear Feet	907-626-J003	6" Inverted Profile Thermoplastic Traffic Stripe, ContinuousWhite
600	Linear Feet	907-626-L001	6" Inverted Profile Thermoplastic Traffic Stripe, ContinuousYellow
			Bridge Items
1,134	Square Yard	501-K001	Transverse Grooving
4	Each	803-B002	Conventional Static Pile Load Test
1,170	Linear Feet	803-D002	HP 12 x 53 Steel Piling
1,645	Linear Feet	803-D003	HP 14 x 73 Steel Piling
595	Linear Feet	803-F009	20" Pre-Formed Pile Hole
2	Each	803-I001	PDA Test Pile
4	Each	803-J001	Pile Restrike
77,242	Pounds	805-A001	Reinforcement
567	Linear Feet	813-A001	Concrete Railing
1,188	Square Yard	815-A004	Loose Riprap, Size 300
711	Square Yard	815-E001	Geotextile under Riprap
563	Cubic Yard	907-804-A001	Bridge Concrete, Class AA
954	Linear Feet	907-804-C016	40' Prestressed Concrete Beam, Type I+2
717	Linear Feet	907-804-C019	60' Prestressed Concrete Beam, Type II+2

Replacing Bridge No. 168.3 on U.S. Highway No. 61 at Nitta Yuma, known as State Project No. BR-0009-02(062) / 103051301, in the County of Sharkey, State of Mississippi.

PROJECT COMPLETION: June 04, 2012

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

Lump Sum	201-A001	Clearing and Grubbing
Lump Sum	202-A001	Removal of Obstructions
6,524 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
4,940 Square Yard	202-B033	Removal of Concrete Pavement w/ Variable Depth Overlay
134 Linear Feet	202-B038	Removal of Curb, All Types
2 Each	202-B042	Removal of Flared End Section, All Sizes
694 Linear Feet	202-B076	Removal of Traffic Stripe
475 Linear Feet	202-B102	Removal of Guard Rail
312 Linear Feet	202-B106	Removal of Pipe, All Sizes
2 Each	202-B110	Removal of Timber Piling
7,450 Cubic Yard	203-A003	Unclassified Excavation, FM, AH
21,903 Cubic Yard	203-EX017	Borrow Excavation, AH, FME, Class B9
12,574 Cubic Yard	203-G003	Excess Excavation, FM, AH
109 Cubic Yard	206-A001	Structure Excavation
4 Ton	213-C001	Superphosphate
24 Ton	215-A001	Vegetative Materials for Mulch
9 Square Yard	216-A001	Solid Sodding
379 Square Yard	217-A001	Ditch Liner
1 Thousand Gallon	219-A001	Watering
4 Acre	220-A001	Insect Pest Control
1 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
1 Acre	223-A001	Mowing
243 Square Yard	224-A001	Soil Reinforcing Mat
6,500 Linear Feet	234-A001	Temporary Silt Fence
315 Bale	235-A001	Temporary Erosion Checks
2 Each	236-A001	Silt Basin, Type A
800 Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
2,378 Gallon	408-A003	Asphalt for Prime Coat, Cut-Back MC-70 or Emulsified EA-1
8,094 Square Yard	409-A002	Geotextile Fabric For Underseal, Type V
2 Mile	423-A001	Rumble Strips, Ground In
96 Linear Feet	501-E001	Expansion Joints, Without Dowels
200 Square Yard	501-K001	Transverse Grooving
200 Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
48 Linear Feet	603-CA004	30" Reinforced Concrete Pipe, Class III
2 Each	603-CB002	24" Reinforced Concrete End Section
60 Linear Feet	603-CE003	36" x 23" Concrete Arch Pipe, Class A III
2 Each	603-CF003	36" x 23" Concrete Arch Pipe End Section
338 Linear Feet	606-B001	Guard Rail, Class A, Type 1
4 Each	606-D012	Guard Rail, Bridge End Section, Type I
4 Each	606-E002	Guard Rail, Terminal End Section, Flared

Call No. 10 for the January 25, 2011 Letting

	Lump Sum	618-A001	Maintenance of Traffic
	Lump Sum	618-C001	Construction & Removal of Detour Bridge
15,699	Linear Feet	619-A1001	Temporary Traffic Stripe, Continuous White
9,460	Linear Feet	619-A2001	Temporary Traffic Stripe, Continuous Yellow
1,950	Linear Feet	619-A2005	Temporary Traffic Stripe, Continuous Yellow, Type 1 or 2 Tape
5,360	Linear Feet	619-A4001	Temporary Traffic Stripe, Skip Yellow
1,129	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
3,312	Linear Feet	619-A5004	Temporary Traffic Stripe, Detail, Type 1 Tape
222	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
73	Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
111	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
330	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
12	Each	619-F3004	Delineators, Guard Rail, White
120	Linear Feet	619-G4001	Barricades, Type III, Single Faced
24	Linear Feet	619-G4005	Barricades, Type III, Double Faced
18	Each	619-G5001	Free Standing Plastic Drums
6	Each	619-G7001	Warning Lights, Type "B"
100	Linear Feet	619-K1001	Installation and Removal of Guard Rail, Type I, Class A
4	Each	619-K4001	Installation and Removal of Guardrail, Terminal End Section
	Lump Sum	620-A001	Mobilization
57	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
47	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
136	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
91	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
358	Linear Feet	630-C004	Steel U-Section Posts, 3.0 to 3.5 lb/ft
	Lump Sum	699-A001	Roadway Construction Stakes
200	Ton	815-A006	Loose Riprap, Size 100
12	Acre	907-225-A001	Grassing
25	Ton	907-225-B001	Agricultural Limestone
4	Acre	907-226-A001	Temporary Grassing
300	Linear Feet	907-234-C002	Super Silt Fence
440	Linear Feet	907-237-A003	Wattles, 20"
200	Linear Feet	907-245-A001	Triangular Silt Dike
500	Each	907-246-B002	Rockbags
8,250	Ton	907-304-B002	Granular Material, Class 5, Group D
2,641	Ton	907-304-D001	Granular Material, Crushed Stone
1,400	Gallon	907-407-A001	Asphalt for Tack Coat
90	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
2	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
728	Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
76	Linear Feet	907-603-ALT02	24" Type A Alternate Pipe
12	Each	907-617-A001	Right-of-Way Marker
5,120	Linear Feet	907-626-C008	6" Thermoplastic Edge Stripe, Continuous White
2,680	Linear Feet	907-626-D004	6" Thermoplastic Traffic Stripe, Skip Yellow
2,000	Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
404	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White

Call No. 10 for the January 25, 2011 Letting

161	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
111	Linear Feet	907-626-H004	Thermoplastic Legend, White
24	Square Feet	907-630-PP008	Roadside Directional Signs, Sheet Aluminum, 0.080" Thickness, Ground Mounted
ALTERNATE GROUP AA NO. 1			
4,494	Ton	907-403-A007	Hot Mix Asphalt, MT, 19-mm mixture
1,512	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
ALTERNATE GROUP AA NO. 2			
1,512	Ton	907-403-M006	Warm Mix Asphalt, MT, 9.5-mm mixture
4,494	Ton	907-403-M007	Warm Mix Asphalt, MT, 19-mm mixture
ALTERNATE GROUP BB NO. 1			
480	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, ContinuousWhite
480	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, ContinuousYellow
ALTERNATE GROUP BB NO. 2			
480	Linear Feet	907-626-J003	6" Inverted Profile Thermoplastic Traffic Stripe, ContinuousWhite
480	Linear Feet	907-626-L001	6" Inverted Profile Thermoplastic Traffic Stripe, ContinuousYellow
Bridge Items			
896	Square Yard	501-K001	Transverse Grooving
2	Each	803-B002	Conventional Static Pile Load Test
1,520	Linear Feet	803-C002	14" x 14" Prestressed Concrete Piling
1,815	Linear Feet	803-C003	16" x 16" Prestressed Concrete Piling
3	Each	803-I001	PDA Test Pile
2	Each	803-J001	Pile Restrike
63,069	Pounds	805-A001	Reinforcement
403	Linear Feet	813-A001	Concrete Railing
832	Ton	815-A009	Loose Riprap, Size 300
390	Square Yard	815-E001	Geotextile under Riprap
373	Cubic Yard	907-804-A001	Bridge Concrete, Class AA
1,193	Linear Feet	907-804-C016	40' Prestressed Concrete Beam, Type I+2

Installation of Pavement Markings on Various Routes in District 2, know as State Project No. MP-2000-00(061) / 303884301, in District 2, State of Mississippi.

PROJECT COMPLETION: October 13, 2011

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

8,973	Linear Feet	202-B076	Removal of Traffic Stripe
	Lump Sum	618-A001	Maintenance of Traffic
20	Mile	907-626-U002	4" Thermoplastic Traffic Stripe, Skip White, 40-mil min.
1	Mile	907-626-U004	6" Thermoplastic Traffic Stripe, Skip White, 40-mil min.
139	Mile	907-626-V002	4" Thermoplastic Traffic Stripe, Continuous White, 40-mil min.
31	Mile	907-626-V004	6" Thermoplastic Traffic Stripe, Continuous White, 40-mil min.
35	Mile	907-626-W002	4" Thermoplastic Traffic Stripe, Skip Yellow, 40-mil min.
7	Mile	907-626-W004	6" Thermoplastic Traffic Stripe, Skip Yellow, 40-mil min.
60	Mile	907-626-X002	4" Thermoplastic Traffic Stripe, Continuous Yellow, 40-mil min.
23	Mile	907-626-X004	6" Thermoplastic Traffic Stripe, Continuous Yellow, 40-mil min.
65,087	Linear Feet	907-626-Y001	Thermoplastic Detail Traffic Stripe, White, 4" Equivalent Length, 40-mil. min.
3,140	Linear Feet	907-626-Y002	Thermoplastic Detail Traffic Stripe, White, 6" Equivalent Length, 40-mil. min.
33,533	Linear Feet	907-626-Y003	Thermoplastic Detail Traffic Stripe, Yellow, 4" Equivalent Length, 40-mil. min.
1,720	Linear Feet	907-626-Y004	Thermoplastic Detail Traffic Stripe, Yellow, 6" Equivalent Length, 40-mil. min.
19,269	Linear Feet	907-626-Z001	Thermoplastic Legend, White, 4" Equivalent Length, 40-mil. min.
4,736	Square Feet	907-626-Z002	Thermoplastic Legend, White, 4" Equivalent Length, 40-mil. min.
2,997	Linear Feet	907-626-Z003	Thermoplastic Legend, White, 6" Equivalent Length, 40-mil. min.
10	Square Feet	907-626-Z004	Thermoplastic Legend, White, 6" Equivalent Length, 40-mil. min.
1,290	Linear Feet	907-628-I001	4" High Performance Cold Plastic Traffic Stripe, Skip White
4,170	Linear Feet	907-628-J001	4" High Performance Cold Plastic Traffic Stripe, ContinuousWhite
1,990	Linear Feet	907-628-L001	4" High Performance Cold Plastic Traffic Stripe, Skip Yellow
2,533	Linear Feet	907-628-M001	4" High Performance Cold Plastic Traffic Stripe, ContinuousYellow

Bridge Replacement on US 51 between Summit and Pike/Lincoln Cty. Line, known as State Project No. BR-2175-00(007) / 101839301, in the County of Pike, State of Mississippi.

PROJECT COMPLETION: June 01, 2011

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

	Lump Sum	201-A001	Clearing and Grubbing
	Lump Sum	202-A001	Removal of Obstructions
4,399	Square Meter	202-B005	Removal of Asphalt Pavement (All Depths)
446	Meter	202-B056	Removal of Guard Rail Only
65	Meter	202-B066	Removal of Pipe (200-mm and above)
100	Cubic Meter	203-G003	Excess Excavation (FM) (AH)
1	Metric Ton	213-C001	Superphosphate
5	Metric Ton	215-A001	Vegetative Materials for Mulch
1,177	Square Meter	216-A001	Solid Sodding
107	thousand liter	219-A001	Watering
1	Hectare	220-A001	Insect Pest Control
14	Cubic Meter	221-A001	Portland Cement Concrete Paved Ditch
51	Square Meter	224-A001	Soil Reinforcing Mat
216	Bale	235-A001	Temporary Erosion Checks
4	Each	236-A001	Silt Basin (Type A)
200	Metric Ton	310-B003	Size I Stabilizer Aggregate, Coarse
186	Square Meter	406-A001	Cold Milling of Bituminous Pavement (All Depths)
28	Meter	501-E001	Expansion Joints (Without Dowels)
165	Square Meter	502-A001	Reinforced Cement Concrete Bridge End Pavement
29	Meter	603-C-A004	750-mm Reinforced Concrete Pipe, Class III
2	Each	603-C-B003	750-mm Reinforced Concrete End Section
362	Meter	606-B001	Guard Rail (Class A, Type 1)
4	Each	606-D012	Guard Rail, Bridge End Section, Type I
38	Meter	609-D007	Combination Concrete Curb and Gutter Type 2 Modified
12	Meter	615-A016	Concrete Bridge End Barrier, 850-mm
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Meter	619-D1001	Standard Roadside Construction Signs (less than 0.9 square meter)
24	Square Meter	619-D2001	Standard Roadside Construction Signs (0.9 square meter or more)
15	Meter	619-G4001	Barricades (Type III) (Single Faced)
20	Meter	619-G4005	Barricades (Type III) (Double Faced)
50	Each	619-G5001	Free Standing Plastic Drums
4	Each	619-G7001	Warning Lights (Type "B")
	Lump Sum	620-A001	Mobilization
42	Each	630-F001	Delineators (Guard Rail)(White)
4	Each	630-G001	Type 3 Object Markers (OM-3R or OM-3L) Post Mounted
50	Metric Ton	815-A005	Loose Riprap, (Size 45 kg)
949	Metric Ton	815-A007	Loose Riprap, (Size 136 kg)
8,525	Cubic Meter	907-203-EX004	Borrow Excavation (AH)(FME) (Class B9)
4,939	Square Meter	907-209-A004	Geotextile Fabric Stabilization (Type V Non-Woven)
76	Square Meter	907-217-A001	Ditch Liner
1	Hectare	907-225-A001	Grassing

Call No. 12 for the January 25, 2011 Letting

7	Metric Ton	907-225-B001	Agricultural Limestone
1	Hectare	907-226-A002	Temporary Grassing
76	Each	907-230-F004	Shrub and Groundcover Planting, Horsetail or Scouring Rush
60	Each	907-230-F005	Shrub and Groundcover Planting, Louisiana Iris
35	Each	907-230-F006	Shrub and Groundcover Planting, Cattail
43	Each	907-230-F007	Shrub and Groundcover Planting, Pickerelweed
58	Each	907-230-F008	Shrub and Groundcover Planting, Lizard's Tail
825	Meter	907-234-A002	Temporary Silt Fence
560	Meter	907-234-F001	Turbidity Barrier
61	Meter	907-237-A002	Wattles, 500-mm
18	Meter	907-245-A001	Triangular Silt Dike
18	Meter	907-246-A001	Sandbags
849	Cubic Meter	907-304-A001	Granular Material (Class 6, Group C)
2,705	Cubic Meter	907-304-H001	20-mm and Down Crushed Stone (LVM)
6,378	Liter	907-407-A001	Asphalt for Tack Coat
28	Meter	907-413-H001	Sawing and Sealing Transverse Joints in Asphalt Pavment
1	Kilometer	907-423-A001	Rumble Strips (Ground In)
165	Square Meter	907-501-K001	Transverse Grooving
10	Meter	907-603-ALT01	450-mm Type A Alternate Pipe
45	Meter	907-603-ALT09	750-mm Type A Alternate Pipe
4	Each	907-606-E001	Guard Rail, Terminal End Section
4	Each	907-617-A003	Right-of-Way Marker
3	Each	907-619-E3001	Changeable Message Sign
1	Kilometer	907-626-CC004	150-mm Thermoplastic Double Drop Edge Stripe (Continuous White) (2.25-mm min)
360	Meter	907-626-DD002	150-mm Thermoplastic Traffic Stripe (Skip Yellow) (2.25-mm min)
749	Meter	907-626-EE003	150-mm Thermoplastic Traffic Stripe (Continuous Yellow) (2.25-mm min)
205	Meter	907-626-GG001	Thermoplastic Detail Stripe (150-mm Equivalent Length)(White)(2.25-mm min.)
36	Meter	907-626-HH004	Thermoplastic Legend (White) (3.00-mm min)
69	Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers
19	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers
	Lump Sum	907-699-A001	Roadway Construction Stakes
ALTERNATE GROUP AA NO. 1			
598	Metric Ton	907-403-A001	Hot Mix Asphalt, ST, 9.5-mm mixture
684	Metric Ton	907-403-A002	Hot Mix Asphalt, ST, 12.5-mm mixture
1,382	Metric Ton	907-403-A003	Hot Mix Asphalt, ST, 19-mm mixture
ALTERNATE GROUP AA NO. 2			
598	Metric Ton	907-403-M003	Warm Mix Asphalt, ST, 9.5-mm mixture
684	Metric Ton	907-403-M004	Warm Mix Asphalt, ST, 12.5-mm mixture
1,382	Metric Ton	907-403-M005	Warm Mix Asphalt, ST, 19-mm mixture
ALTERNATE GROUP BB NO. 1			
98	Meter	907-626-J003	150-mm Inverted Profile Thermoplastic Traffic Stripe, Continuous White
98	Meter	907-626-L003	150-mm Inverted Profile Thermoplastic Traffic Stripe (Continuous Yellow)
ALTERNATE GROUP BB NO. 2			
98	Meter	907-628-JJ001	150-mm High Performance Cold Plastic Traffic Stripe (Continuous White)
98	Meter	907-628-MM001	150-mm High Performance Cold Plastic Traffic Stripe (Continuous Yellow)

Bridge Items

4,197	Kilogram	805-A001	Reinforcement
98	Meter	813-A001	Concrete Railing
610	Metric Ton	815-A007	Loose Riprap, (Size 136 kg)
2	Each	907-803-A001	Test Pile
2	Each	907-803-B002	Conventional Static Pile Load Test
576	Meter	907-803-C001	350-mm x 350-mm Prestressed Concrete Piling
43	Cubic Meter	907-804-A001	Bridge Concrete (Class AA)
40	Each	907-804-E004	12-m Prestressed Concrete Voided Slab (1.219-m Interior) State Furnished
8	Each	907-804-F006	12-m Prestressed Concrete Voided Slab (1.042-m Exterior) State Furnished
304	Square Meter	907-815-E001	Geotextile Fabric under Riprap

Mill and Overlay approximately 3.5 miles of U.S. Hwy. 80 from the end of the 4-lane East of SR 15 to just East of the Veteran's Memorial Cemetery, known as State Project No. MP-5080-51(022) / 304022301 in the County of Newton, State of Mississippi.

PROJECT COMPLETION: May 27, 2011

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

33	Square Yard	202-B033	Removal of Concrete Pavement w/ Variable Depth Overlay
115	Linear Feet	202-B038	Removal of Curb, All Types
825	Linear Feet	202-B102	Removal of Guard Rail
38	Cubic Yard	203-G004	Excess Excavation, LVM, AH
15,730	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
550	Linear Feet	503-C007	Saw Cut, Full Depth
338	Linear Feet	606-B007	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
8	Each	606-D004	Guard Rail, Bridge End Section, Type E
8	Each	606-E001	Guard Rail, Terminal End Section
115	Linear Feet	609-E001	Bituminous Curb
	Lump Sum	618-A001	Maintenance of Traffic
14	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
6	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
7	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
12,261	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
744	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
77	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
202	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
100	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
35	Each	619-F3004	Delineators, Guard Rail, White
24	Linear Feet	619-G4005	Barricades, Type III, Double Faced
	Lump Sum	620-A001	Mobilization
131	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
10	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
452	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
4	Each	630-G001	Type 3 Object Markers, OM-3R, Post Mounted
4	Each	630-G003	Type 3 Object Markers, OM-3L, Post Mounted
151	Cubic Yard	907-304-A001	Granular Material, LVM, Class 5, Group C
18,820	Linear Feet	907-413-D001	Cleaning and Filling Joints in PCC Pavement
20,702	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
8	Each	907-606-D001	Special Bridge Connector
7	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
4	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
3	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
1,633	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
4,498	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
372	Linear Feet	907-626-H004	Thermoplastic Legend, White
39	Square Feet	907-626-H005	Thermoplastic Legend, White
ALTERNATE GROUP AA NO. 1			
6,150	Ton	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture
60	Ton	907-403-A007	Hot Mix Asphalt, MT, 19-mm mixture

Call No. 13 for the January 25, 2011 Letting

3,400 Ton	907-403-C003	Hot Mix Asphalt, MT, 19-mm mixture, Trench Widening
		ALTERNATE GROUP AA NO. 2
6,150 Ton	907-403-M002	Warm Mix Asphalt, MT, 12.5-mm mixture
60 Ton	907-403-M007	Warm Mix Asphalt, MT, 19-mm mixture
3,400 Ton	907-403-O003	Warm Mix Asphalt, MT, 19-mm mixture, Trench Widening

Installing pavement markings on various routes in District 6, known as State Project No. MP-6000-00(167) / 303900301, in District 6, State of Mississippi.

PROJECT COMPLETION: May 26, 2011

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

44	Mile	202-B149	Removal of Traffic Stripe
	Lump Sum	618-A001	Maintenance of Traffic
372	Mile	907-626-A005	6" Thermoplastic Double Drop Traffic Stripe, Skip White
372	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
372	Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
715,421	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
357,233	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow

Construction necessary to build an interchange on SR 475 at Old Brandon Road, known as State Project No. SP-7338-00(005) / 105297301, in the County of Rankin, State of Mississippi.

PROJECT COMPLETION: August 17, 2012

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

Lump Sum	201-A001	Clearing and Grubbing
21,340 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
561 Square Yard	202-B024	Removal of Concrete Median & Island Pavement, All Depths
3,800 Linear Feet	202-B076	Removal of Traffic Stripe
973 Linear Feet	202-B106	Removal of Pipe, All Sizes
285,611 Cubic Yard	203-A003	Unclassified Excavation, FM, AH
6,709 Cubic Yard	203-D002	Muck Excavation, LVM
5,057 Cubic Yard	203-EX002	Borrow Excavation, AH, LVM, Class B1
256 Cubic Yard	203-G004	Excess Excavation, LVM, AH
1,857 Cubic Yard	206-A001	Structure Excavation
16 Ton	213-C001	Superphosphate
9,553 Square Yard	216-A001	Solid Sodding
100 Square Yard	217-A001	Ditch Liner
1,000 Thousand Gallon	219-A001	Watering
16 Acre	220-A001	Insect Pest Control
200 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
1 Acre	223-A001	Mowing
30 Linear Feet	239-A001	Temporary Slope Drains
2,000 Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
200 Linear Feet	501-E001	Expansion Joints, Without Dowels
394 Square Yard	501-K001	Transverse Grooving
406 Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
656 Pounds	602-A001	Reinforcing Steel
560 Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III
480 Linear Feet	603-CA005	36" Reinforced Concrete Pipe, Class III
312 Linear Feet	603-CA006	42" Reinforced Concrete Pipe, Class III
160 Linear Feet	603-CA009	60" Reinforced Concrete Pipe, Class III
80 Linear Feet	603-CA107	24" Reinforced Concrete Pipe, Class V, Jacked or Bored
8 Each	603-CB002	24" Reinforced Concrete End Section
2 Each	603-CB004	36" Reinforced Concrete End Section
2 Each	603-CB005	42" Reinforced Concrete End Section
2 Each	603-CB008	60" Reinforced Concrete End Section
250 Pounds	604-B001	Gratings
713 Linear Feet	606-B001	Guard Rail, Class A, Type 1
4 Each	606-D012	Guard Rail, Bridge End Section, Type I
3 Each	606-E002	Guard Rail, Terminal End Section, Flared
1 Each	606-E003	Guard Rail, Terminal End Section, Non-Flared
1,322 Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
442 Linear Feet	615-A001	Concrete Type I Cast-in-Place Median Barrier
80 Linear Feet	615-A018	Concrete Bridge End Barrier, 33.5"

Call No. 15 for the January 25, 2011 Letting

581	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
59	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
	Lump Sum	618-A001	Maintenance of Traffic
1,510	Linear Feet	619-A1001	Temporary Traffic Stripe, Continuous White
2,000	Linear Feet	619-A2001	Temporary Traffic Stripe, Continuous Yellow
2,125	Linear Feet	619-A3001	Temporary Traffic Stripe, Skip White
135	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
177	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
54	Each	619-C6001	Red-Clear Reflective High Performance Raised Marker
26	Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
41	Each	619-C9001	One-Way Yellow Reflective High Performance Raised Marker
48	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
558	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
1,320	Linear Feet	619-F1001	Concrete Median Barrier, Precast
486	Linear Feet	619-G4005	Barricades, Type III, Double Faced
169	Each	619-G5001	Free Standing Plastic Drums
8	Each	619-G7001	Warning Lights, Type "B"
	Lump Sum	620-A001	Mobilization
616	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
172	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
2	Each	629-A001	Vehicular Impact Attenuator, 50 MPH
2	Each	629-B001	Median Barrier End Section
378	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
651	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
41	Linear Feet	630-C002	Steel U-Section Posts, 2.0 to 2.5 lb/ft
507	Linear Feet	630-C004	Steel U-Section Posts, 3.0 to 3.5 lb/ft
345	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
14	Each	630-F001	Delineators, Guard Rail, White
17	Each	630-F002	Delineators, Guard Rail, Yellow
214	Linear Feet	630-K001	Welded & Seamless Steel Pipe Posts, 3"
100	Linear Feet	630-K002	Welded & Seamless Steel Pipe Posts, 3 1/2"
326	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
1	Each	682-E001	Underground Junction Box
	Lump Sum	699-A001	Roadway Construction Stakes
200	Ton	815-A006	Loose Riprap, Size 100
2,768	Square Yard	815-B001	Grouted Riprap
31	Acre	907-225-A001	Grassing
94	Ton	907-225-B001	Agricultural Limestone
16	Acre	907-226-A001	Temporary Grassing
2	Each	907-234-D001	Inlet Siltation Guard
420	Linear Feet	907-237-A003	Wattles, 20"
400	Linear Feet	907-245-A001	Triangular Silt Dike
180	Linear Feet	907-246-A001	Sandbags
14,755	Ton	907-304-B001	Granular Material, Class 5, Group C
22,513	Ton	907-304-B005	Granular Material, Class 9, Group C
1,510	Ton	907-304-F003	3/4" and Down Crushed Stone Base

Call No. 15 for the January 25, 2011 Letting

25,039	Square Yard	907-307-C003	6" Soil-Lime-Water Mixing, Class C
338	Ton	907-307-D001	Lime
13,300	Gallon	907-407-A001	Asphalt for Tack Coat
180	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
8	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
14,268	Linear Feet	907-626-A004	6" Thermoplastic Traffic Stripe, Skip White
14,164	Linear Feet	907-626-C008	6" Thermoplastic Edge Stripe, Continuous White
14,011	Linear Feet	907-626-F008	6" Thermoplastic Edge Stripe, Continuous Yellow
10,998	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
6,934	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
84	Linear Feet	907-626-H004	Thermoplastic Legend, White
397	Square Feet	907-626-H005	Thermoplastic Legend, White
ALTERNATE GROUP AA NO. 1			
507	Ton	907-308-A001	Portland Cement
46,501	Square Yard	907-308-B001	Soil-Cement-Water Mixing, Optional Mixers, Base
ALTERNATE GROUP AA NO. 2			
46,501	Square Yard	907-311-A003	Processing Lime and Fly Ash Treated Course, 6" Thick
314	Ton	907-311-B001	Lime
1,256	Ton	907-311-C002	Fly Ash, Class C or F
ALTERNATE GROUP BB NO. 1			
945	Ton	907-403-A001	Hot Mix Asphalt, HT, 12.5-mm mixture
4,376	Ton	907-403-A002	Hot Mix Asphalt, HT, 19-mm mixture
2,140	Ton	907-403-A005	Hot Mix Asphalt, HT, 9.5-mm mixture
361	Ton	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture
5,705	Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
271	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
500	Ton	907-403-B002	Hot Mix Asphalt, HT, 19-mm mixture, Leveling
6,088	Ton	907-403-D001	Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified
2,965	Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
ALTERNATE GROUP BB NO. 2			
271	Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture
361	Ton	907-403-M003	Warm Mix Asphalt, ST, 12.5-mm mixture
5,705	Ton	907-403-M004	Warm Mix Asphalt, ST, 19-mm mixture
2,140	Ton	907-403-M009	Warm Mix Asphalt, HT, 9.5-mm mixture
945	Ton	907-403-M010	Warm Mix Asphalt, HT, 12.5-mm mixture
4,376	Ton	907-403-M011	Warm Mix Asphalt, HT, 19-mm mixture
500	Ton	907-403-N010	Warm Mix Asphalt, HT, 19-mm mixture, Leveling
2,965	Ton	907-403-P001	Warm Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
6,088	Ton	907-403-P002	Warm Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified
ALTERNATE GROUP CC NO. 1			
640	Linear Feet	907-626-I003	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White
640	Linear Feet	907-626-J003	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
640	Linear Feet	907-626-L001	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow
ALTERNATE GROUP CC NO. 2			
640	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip White
640	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White

Call No. 15 for the January 25, 2011 Letting

640	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, ContinuousYellow
Bridge Items			
2,728	Square Yard	501-K001	Transverse Grooving
683	Cubic Yard	801-A001	Foundation Excavation for Bridges
4	Each	803-B002	Conventional Static Pile Load Test
5,040	Linear Feet	803-C002	14" x 14" Prestressed Concrete Piling
9,600	Linear Feet	803-C003	16" x 16" Prestressed Concrete Piling
4	Each	803-I001	PDA Test Pile
368,800	Pounds	805-A001	Reinforcement
1,302	Linear Feet	813-A001	Concrete Railing
264	Cubic Yard	815-D001	Concrete Slope Paving
1,836	Cubic Yard	907-804-A001	Bridge Concrete, Class AA
898	Linear Feet	907-804-C148	75' Prestressed Concrete Beam, Type IV
435	Linear Feet	907-804-C176	72' Prestressed Concrete Beam, Type IV
437	Linear Feet	907-804-C178	73' Prestressed Concrete Beam, Type IV
473	Linear Feet	907-804-C179	79' Prestressed Concrete Beam, Type IV
1,065	Linear Feet	907-804-C180	89' Prestressed Concrete Beam, Type IV
561	Linear Feet	907-804-C181	93' Prestressed Concrete Beam, Type IV

Construction necessary to build a Project Office Building, Field Lab Building, Maintenance Area Headquarters Building and Equipment Shed at Yazoo City, known as State Project Nos. BWO-3165-82(001) / 502310301, BWO-3168-82(001) / 502310302, BWO-3166-82(001) / 502311301 & BWO-3167-82(001) / 502311302, in the County of Yazoo, State of Mississippi.

PROJECT COMPLETION: June 30, 2012

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

7,900	Cubic Yard	203-A003	Unclassified Excavation, FM, AH
150	Square Yard	209-A001	Geotextile Stabilization, Type V
3,900	Square Yard	212-B001	Standard Ground Preparation
2	Ton	213-B001	Combination Fertilizer, 13-13-13
2	Ton	213-C001	Superphosphate
4	Ton	215-A001	Vegetative Materials for Mulch
3,885	Square Yard	216-A001	Solid Sodding
194	Thousand Gallon	219-A001	Watering
2	Acre	220-A001	Insect Pest Control
4	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
2	Acre	223-A001	Mowing
2,700	Square Yard	224-A001	Soil Reinforcing Mat
1,900	Linear Feet	234-A001	Temporary Silt Fence
200	Linear Feet	239-A001	Temporary Slope Drains
500	Pounds	602-A001	Reinforcing Steel
724	Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
5	Each	603-CB001	18" Reinforced Concrete End Section
1,500	Pounds	604-A001	Castings
1,200	Pounds	604-B001	Gratings
200	Linear Feet	606-B007	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
1,033	Linear Feet	607-B041	72" Type I Chain Link Fence, Class I, With Top Guard
1,033	Linear Feet	607-D002	Barbed Wire Fence, 3 Strands, Galvanized Steel
1	Each	607-G039	Gate, 6' x 6' Chain Link
4	Each	607-G112	Gate, 13' x 6' Chain Link, With Top Guard
70	Each	607-P1009	Line Post, 9' x 2" Galvanized Steel
16	Each	607-P2021	Brace Post, 9' 6" x 2 1/2" Galvanized Steel
6	Each	607-P3008	Gate Post, 9' x 3 1/2" Galvanized Steel
444	Square Yard	608-B001	Concrete Sidewalk, With Reinforcement
1,791	Linear Feet	609-B001	Concrete Curb, Header
1	Each	613-D005	Adjustment of Manhole
1	Each	613-D006	Adjustment of Water Meter
1	Each	613-D007	Adjustment of Utility Appurtenance
1	Each	613-D011	Adjustment of Water Valve
	Lump Sum	620-A001	Mobilization
1,260	Linear Feet	628-G001	6" Cold Plastic Detail Stripe, White
84	Linear Feet	628-H001	Cold Plastic Legend, White
20	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
77	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
	Lump Sum	699-A001	Roadway Construction Stakes

Call No. 16 for the January 25, 2011 Letting

150	Square Yard	815-B001	Grouted Riprap
75	Ton	815-F002	Sediment Control Stone
21,790	Square Yard	907-203-I001	Site Grading
2	Acre	907-225-A001	Grassing
6	Ton	907-225-B001	Agricultural Limestone
2	Acre	907-226-A001	Temporary Grassing
6	Each	907-234-D001	Inlet Siltation Guard
2	Each	907-234-E001	Reset Inlet Siltation Guard
200	Linear Feet	907-237-A003	Wattles, 20"
	Lump Sum	907-242-A006	Construction of Equipment Shed
	Lump Sum	907-242-A006	Construction of Field Lab
	Lump Sum	907-242-A006	Construction of Maintenance Headquarters
	Lump Sum	907-242-A006	Construction of Project Office
300	Each	907-246-B002	Rockbags
1	Each	907-290-A001	Flagpole
6,956	Ton	907-304-B002	Granular Material, Class 5, Group D
514	Ton	907-304-F003	3/4" and Down Crushed Stone Base
8	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
250	Linear Feet	907-628-G001	6" Cold Plastic Detail Stripe, Blue-ADA
4	Each	907-628-H002	Cold Plastic Legend, Blue-ADA Handicap Symbol
4	Each	907-630-PP001	Handicap Parking Sign with Post
ALTERNATE GROUP AA NO. 1			
1,665	Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
566	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
ALTERNATE GROUP AA NO. 2			
566	Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture
1,665	Ton	907-403-M004	Warm Mix Asphalt, ST, 19-mm mixture

Call No. 17 for the January 25, 2011 Letting

Construction necessary to build a new Maintenance Headquarters and a Equipment Shed in Kalem, known as State Project No. BWO-5195-62(001) / 502308301 & BWO-5196-62(001) / 502308302, in the County of Scott, State of Mississippi.

PROJECT COMPLETION: January 31, 2012

Advance Information Only - Items and Quantities Subject to Change

Building Items

	Lump Sum	1500-A001	Construction of Equipment Shed
	Lump Sum	1500-A001	Construction of Maintenance Area Headquarters
185	Linear Feet	607-B041	72" Type I Chain Link Fence, Class I , With Top Guard
2	Each	607-G120	Gate (72" Chain Link, Galv. Steel), (24' DBL),(W/Top Guard)
17	Each	607-P1009	Line Post, 9' x 2" Galvanized Steel
6	Each	607-P2021	Brace Post, 9' 6" x 2 1/2" Galvanized Steel
4	Each	607-P3020	Gate Post, 11' x 3 1/2" Galvanized Steel

Replacement of Bridges No. 98.7, No. 101.0 and No. 101.5 on SR 16 between the Madison County Line and SR 25, known as State Project No. BR-0024-03(014) / 100490302, in the County of Leake, State of Mississippi.

PROJECT COMPLETION: November 16, 2012

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

	Lump Sum	201-A001	Clearing and Grubbing
1	Acre	201-B001	Clearing and Grubbing
	Lump Sum	202-A001	Removal of Obstructions
21,301	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
504	Linear Feet	202-B064	Removal of Pipe, 8" And Above
3,900	Linear Feet	202-B076	Removal of Traffic Stripe
2,092	Linear Feet	202-B102	Removal of Guard Rail
20	Each	202-B130	Removal of Piling
69,036	Cubic Yard	203-EX027	Borrow Excavation, AH, FME, Class B14
14,616	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
18	Ton	213-C001	Superphosphate
103	Ton	215-A001	Vegetative Materials for Mulch
488	Square Yard	217-A001	Ditch Liner
18	Acre	220-A001	Insect Pest Control
55	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
1	Acre	223-A001	Mowing
267	Square Yard	224-A001	Soil Reinforcing Mat
25,000	Linear Feet	234-A001	Temporary Silt Fence
1,122	Bale	235-A001	Temporary Erosion Checks
143	Linear Feet	239-A001	Temporary Slope Drains
1,067	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
291	Linear Feet	501-E001	Expansion Joints, Without Dowels
603	Square Yard	501-K001	Transverse Grooving
321	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
300	Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
2	Each	603-CB005	42" Reinforced Concrete End Section
1,275	Linear Feet	606-B001	Guard Rail, Class A, Type 1
12	Each	606-D012	Guard Rail, Bridge End Section, Type I
12	Each	606-E002	Guard Rail, Terminal End Section, Flared
120	Linear Feet	615-A018	Concrete Bridge End Barrier, 33.5"
	Lump Sum	618-A001	Maintenance of Traffic
11,966	Linear Feet	619-A1001	Temporary Traffic Stripe, Continuous White
11,966	Linear Feet	619-A2001	Temporary Traffic Stripe, Continuous Yellow
3,900	Linear Feet	619-A2005	Temporary Traffic Stripe, Continuous Yellow, Type 1 or 2 Tape
4,769	Linear Feet	619-A5003	Temporary Traffic Stripe, Detail, Type 1 or 2 Tape
139	Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
116	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
714	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
36	Each	619-F3004	Delineators, Guard Rail, White
98	Linear Feet	619-G4001	Barricades, Type III, Single Faced
24	Linear Feet	619-G4005	Barricades, Type III, Double Faced

Call No. 01 for the February 22, 2011 Letting

42	Each	619-G5001	Free Standing Plastic Drums
4	Each	619-G7001	Warning Lights, Type "B"
	Lump Sum	620-A001	Mobilization
180	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
2,624	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
2,624	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
66	Each	630-F001	Delineators, Guard Rail, White
12	Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
	Lump Sum	699-A001	Roadway Construction Stakes
1,000	Ton	815-A006	Loose Riprap, Size 100
1,721	Ton	815-A009	Loose Riprap, Size 300
1,384	Square Yard	815-E001	Geotextile under Riprap
1,000	Ton	815-F002	Sediment Control Stone
75	Acre	907-225-A001	Grassing
109	Ton	907-225-B001	Agricultural Limestone
27	Acre	907-226-A001	Temporary Grassing
1,000	Linear Feet	907-237-A003	Wattles, 20"
500	Linear Feet	907-245-A001	Triangular Silt Dike
500	Linear Feet	907-246-A001	Sandbags
8,652	Ton	907-304-B001	Granular Material, Class 5, Group C
22,830	Ton	907-304-B005	Granular Material, Class 9, Group C
24,399	Square Yard	907-307-C003	6" Soil-Lime-Water Mixing, Class C
78	Ton	907-307-D001	Lime
3,743	Gallon	907-407-A001	Asphalt for Tack Coat
291	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
1	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
256	Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
48	Linear Feet	907-603-ALT05	42" Type A Alternate Pipe
25	Each	907-617-A001	Right-of-Way Marker
	Lump Sum	907-618-D001	Construction and Removal of Detour Road
11,780	Linear Feet	907-626-C007	6" Thermoplastic Double Drop Edge Stripe, Continuous White
4,250	Linear Feet	907-626-D005	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
3,360	Linear Feet	907-626-E005	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
413	Ton	907-308-A001	Portland Cement
48,798	Square Yard	907-308-B002	Soil-Cement-Water Mixing, Optional Mixers, Design Soil
48,798	Square Yard	907-311-A003	Processing Lime and Fly Ash Treated Course, 6" Thick
293	Ton	907-311-B001	Lime
1,161	Ton	907-311-C002	Fly Ash, Class C or F
3,884	Ton	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture
4,332	Ton	907-403-A007	Hot Mix Asphalt, MT, 19-mm mixture
489	Ton	907-403-C003	Hot Mix Asphalt, MT, 19-mm mixture, Trench Widening
3,884	Ton	907-403-M002	Warm Mix Asphalt, MT, 12.5-mm mixture
4,332	Ton	907-403-M007	Warm Mix Asphalt, MT, 19-mm mixture
489	Ton	907-403-O003	Warm Mix Asphalt, MT, 19-mm mixture, Trench Widening
Bridge Items			
5,311	Square Yard	501-K001	Transverse Grooving

Call No. 01 for the February 22, 2011 Letting

6	Each	803-B002	Conventional Static Pile Load Test
2,375	Linear Feet	803-C002	14" x 14" Prestressed Concrete Piling
4,425	Linear Feet	803-C003	16" x 16" Prestressed Concrete Piling
2,280	Linear Feet	803-D003	HP 14 x 73 Steel Piling
1,755	Linear Feet	803-D007	HP 14 x 89 Steel Piling
13	Each	803-I001	PDA Test Pile
6	Each	803-J001	Pile Restrike
513,883	Pounds	805-A001	Reinforcement
2,390	Linear Feet	813-A001	Concrete Railing
1,170	Ton	815-A009	Loose Riprap, Size 300
1,108	Square Yard	815-E001	Geotextile under Riprap
756	Cubic Yard	907-804-A001	Bridge Concrete, Class AA
1,568	Cubic Yard	907-804-A012	Bridge Concrete, Class BD
4,956	Linear Feet	907-804-C016	40' Prestressed Concrete Beam, Type I+2
1,436	Linear Feet	907-804-C030	80' Prestressed Concrete Beam, Type III
768	Linear Feet	907-804-C150	110' Prestressed Concrete Beam, Type IV

Replacement of Bridge No. 206.9 on SR 198 over Big Creek, known as State Project No. BR-0198-00(001) / 102488301, in the County of George, State of Mississippi.

PROJECT COMPLETION: March 30, 2012

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

Lump Sum	201-A001	Clearing and Grubbing
6,718 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
1 Each	202-B009	Removal of Bridge
2 Each	202-B019	Removal of Concrete Headwall
1,000 Linear Feet	202-B053	Removal of Guard Rail Including Post, Blockouts & Hardware
40 Linear Feet	202-B064	Removal of Pipe, 8" And Above
2,631 Cubic Yard	203-A003	Unclassified Excavation, FM, AH
53,030 Cubic Yard	203-EX014	Borrow Excavation, AH, LVM, Class B7
7,152 Cubic Yard	203-G004	Excess Excavation, LVM, AH
138 Cubic Yard	206-A001	Structure Excavation
31 Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
7,289 Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
18,393 Square Yard	211-A001	Topsoil for Slope Treatment, From Right-of-Way
4 Ton	213-C001	Superphosphate
16 Ton	215-A001	Vegetative Materials for Mulch
9,196 Square Yard	216-A001	Solid Sodding
4,500 Square Yard	217-A001	Ditch Liner
736 Thousand Gallon	219-A001	Watering
4 Acre	220-A001	Insect Pest Control
4,300 Linear Feet	234-A001	Temporary Silt Fence
564 Bale	235-A001	Temporary Erosion Checks
1,973 Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
2 Mile	423-A001	Rumble Strips, Ground In
1 Mile	423-B001	Rumble Strips, Ground In, Concrete
109 Linear Feet	501-E001	Expansion Joints, Without Dowels
241 Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
19,537 Pounds	602-A001	Reinforcing Steel
48 Linear Feet	603-CA089	24" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
2 Each	603-CB002	24" Reinforced Concrete End Section
400 Linear Feet	606-B001	Guard Rail, Class A, Type 1
4 Each	606-D012	Guard Rail, Bridge End Section, Type I
4 Each	606-E001	Guard Rail, Terminal End Section
Lump Sum	618-A001	Maintenance of Traffic
2 Mile	619-A1002	Temporary Traffic Stripe, Continuous White
440 Linear Feet	619-A2001	Temporary Traffic Stripe, Continuous Yellow
1 Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
101 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
80 Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
16 Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
312 Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More

Call No. 02 for the February 22, 2011 Letting

22	Each	619-F3004	Delineators, Guard Rail, White
144	Linear Feet	619-G4001	Barricades, Type III, Single Faced
24	Linear Feet	619-G4005	Barricades, Type III, Double Faced
70	Each	619-G5001	Free Standing Plastic Drums
	Lump Sum	620-A001	Mobilization
1	Each	621-A001	Field Laboratory
26	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
89	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
7	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
27	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
56	Linear Feet	630-C004	Steel U-Section Posts, 3.0 to 3.5 lb/ft
	Lump Sum	699-A001	Roadway Construction Stakes
129	Ton	815-A006	Loose Riprap, Size 100
96	Ton	815-A009	Loose Riprap, Size 300
232	Square Yard	815-E001	Geotextile under Riprap
8	Acre	907-225-A001	Grassing
24	Ton	907-225-B001	Agricultural Limestone
4	Acre	907-226-A001	Temporary Grassing
300	Linear Feet	907-237-A003	Wattles, 20"
1	Each	907-247-A001	Temporary Stream Diversion
4,363	Cubic Yard	907-304-A005	Granular Material, LVM, Class 9, Group C
3,077	Ton	907-304-F001	Size 825 Crushed Stone Base
1,973	Gallon	907-407-A001	Asphalt for Tack Coat
90	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
101	Cubic Yard	907-601-A001	Class "B" Structural Concrete
44	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
104	Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
13	Each	907-617-A001	Right-of-Way Marker
2	Mile	907-626-C006	6" Thermoplastic Double Drop Edge Stripe, Continuous White, 90 mil min
1	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
1	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
105	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
80	Linear Feet	907-626-H004	Thermoplastic Legend, White
828	Ton	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture
1,217	Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
1,049	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
1,049	Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture
828	Ton	907-403-M003	Warm Mix Asphalt, ST, 12.5-mm mixture
1,217	Ton	907-403-M004	Warm Mix Asphalt, ST, 19-mm mixture

Bridge Items

1,608	Square Yard	501-K001	Transverse Grooving
2	Each	803-B002	Conventional Static Pile Load Test
4,110	Linear Feet	803-D002	HP 12 x 53 Steel Piling
1,995	Linear Feet	803-D003	HP 14 x 73 Steel Piling
3	Each	803-I001	PDA Test Pile
2	Each	803-J001	Pile Restrike

Call No. 02 for the February 22, 2011 Letting

120,384	Pounds	805-A001	Reinforcement
724	Linear Feet	813-A001	Concrete Railing
460	Ton	815-A009	Loose Riprap, Size 300
443	Square Yard	815-E001	Geotextile under Riprap
326	Cubic Yard	907-804-A001	Bridge Concrete, Class AA
483	Cubic Yard	907-804-A012	Bridge Concrete, Class BD
477	Linear Feet	907-804-C016	40' Prestressed Concrete Beam, Type I+2
1,076	Linear Feet	907-804-C019	60' Prestressed Concrete Beam, Type II+2
599	Linear Feet	907-804-C171	100' Prestressed Concrete Beam, Type IV

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Bid or specimen proposals must be acquired from the Contract Administration Division. These proposals are available at a cost of Ten Dollars (\$10.00) per proposal. Proposals may be purchased from the Contract Administration Engineer, MDOT Administration Building, 401 North West Street, P.O. Box 1850, Jackson, 39215-1850, Telephone No. (601) 359-7744, Fax No. (601) 359-7732 or purchased online at www.gomdot.com.

Plans may be acquired on a cost per sheet basis from MDOT Plans Print Shop, MDOT Shop Complex, Building C, Room 114, 2567 North West Street, Jackson, Mississippi 39216, Telephone No. (601) 359-7460, Fax No. (601) 359-7461 or purchased online at www.gomdot.com.

Bid bond, signed or countersigned by a Mississippi Agent or Qualified non-resident agent, with Power of Attorney Attached, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

LARRY L. "BUTCH" BROWN
EXECUTIVE DIRECTOR