


[Proposal & Plan Sales Will Begin on October 3, 2011](#)



**MISSISSIPPI DEPARTMENT OF
TRANSPORTATION**

Notice to Contractors

Letting Date for October – October 25, 2011



MISSISSIPPI DEPARTMENT OF TRANSPORTATION
NOTICE TO CONTRACTORS
LETTING DATE FOR OCTOBER - Tuesday, October 25, 2011

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List (Proposal and Specimen Holders) is available online at www.gomdot.com

PROPOSAL AND PLAN SALES WILL BEGIN ON OCTOBER 03, 2011

Proposals must be purchased from:

Contract Administration Engineer
MDOT Administration Building
401 North West Street
Jackson, MS 39201

(or)

P.O. Box 1850
Jackson, MS 39215-1850
Telephone: (601) 359-7744
FAX: (601) 359-7732

Plans may be purchased from:

MDOT Plans Print Shop
MDOT Shop Complex, Building C, Room 114
2567 North West Street
Jackson, MS 39216

(or)

P.O. Box 1850
Jackson, MS 39215-1850
Telephone: (601) 359-7460
or FAX: (601) 359-7461
or e-mail: plans@mdot.state.ms.us

Sealed bids will be received by the Mississippi Transportation Commission in the Office of the Contract Administration Engineer, First Floor Room 1013, Mississippi Department of Transportation Office Administration Building, 401 North West Street, Jackson, Mississippi, until 10:00 o'clock A.M., Tuesday; shortly thereafter, bids will be publicly opened in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

* No plans except Standard Drawings

LIST OF CONTRACTS FOR OCTOBER

CALL	CONTRACT	COUNTY
-01	STP-0006-01(072) / 104095302	Union
01	HSIP-0010-01(044) / 105944301	Harrison
02	HSIP-0014-03(062) / 105941301	George
03	BR-0016-03(020) / 102160302	Calhoun
04	BR-0171-00(013) / 102487301	Lincoln

Reconstruction on US 78 in New Albany from SR 30 to SR 15, known as Federal Aid Project No. STP-0006-01(072) / 104095302, in Union County.

PROJECT COMPLETION: November 22, 2013

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

Lump Sum	201-A001	Clearing and Grubbing
2,007 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
500 Square Yard	202-B006	Removal of Asphalt Pavement, Failed Areas
58 Square Yard	202-B018	Removal of Concrete Driveways, All Depths
23 Each	202-B019	Removal of Concrete Headwall
1,988 Square Yard	202-B024	Removal of Concrete Median & Island Pavement, All Depths
1,156 Square Yard	202-B025	Removal of Concrete Paved Ditch
500 Square Yard	202-B031	Removal of Concrete Pavement Punchouts, 8" Depth
17,425 Linear Feet	202-B038	Removal of Curb, All Types
6,901 Linear Feet	202-B041	Removal of Fence, All Types
21 Each	202-B042	Removal of Flared End Section, All Sizes
5,410 Linear Feet	202-B076	Removal of Traffic Stripe
2,008 Linear Feet	202-B087	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
1,726 Square Yard	202-B097	Removal of Concrete Overlaid w/ Asphalt Pavement, All Depths
42,445 Cubic Yard	203-A003	Unclassified Excavation, FM, AH
75,656 Cubic Yard	203-EX017	Borrow Excavation, AH, FME, Class B9
4,000 Cubic Yard	203-G004	Excess Excavation, LVM, AH
891 Cubic Yard	206-A001	Structure Excavation
32 Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
57,124 Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
29 Ton	213-C001	Superphosphate
145 Ton	215-A001	Vegetative Materials for Mulch
3,118 Square Yard	216-A001	Solid Sodding
2,989 Square Yard	217-A001	Ditch Liner
62 Thousand Gallon	219-A001	Watering
29 Acre	220-A001	Insect Pest Control
1,166 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
1 Acre	223-A001	Mowing
3,571 Square Yard	224-A001	Soil Reinforcing Mat
29,980 Linear Feet	234-A001	Temporary Silt Fence
1,044 Bale	235-A001	Temporary Erosion Checks
50 Each	236-A001	Silt Basin, Type A
1,255 Linear Feet	239-A001	Temporary Slope Drains
76,736 Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
491 Square Yard	406-B001	Cold Milling of Concrete Pavement, All Depths
16,457 Gallon	408-A003	Asphalt for Prime Coat, Cut-Back MC-70 or Emulsified EA-1
8 Mile	423-A001	Rumble Strips, Ground In
173 Linear Feet	501-E001	Expansion Joints, Without Dowels
398 Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
500 Square Yard	503-A004	8" and Variable Continuously Reinforced Concrete Pavement, Broom Finish

Call No. -01 for the October 25, 2011 Letting

355	Linear Feet	503-B001	Saw Cut, Longitudinal Joints
288	Linear Feet	503-C002	Saw Cut, 3-inch
15,602	Linear Feet	503-C007	Saw Cut, Full Depth
167	Cubic Yard	503-D001	Concrete for Base Repair
348	Each	503-E002	Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted
18,133	Pounds	602-A001	Reinforcing Steel
140	Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
92	Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III
12	Linear Feet	603-CA004	30" Reinforced Concrete Pipe, Class III
16	Linear Feet	603-CA005	36" Reinforced Concrete Pipe, Class III
24	Linear Feet	603-CA007	48" Reinforced Concrete Pipe, Class III
56	Linear Feet	603-CA009	60" Reinforced Concrete Pipe, Class III
12	Linear Feet	603-CA012	84" Reinforced Concrete Pipe, Class III
12	Each	603-CB001	18" Reinforced Concrete End Section
6	Each	603-CB002	24" Reinforced Concrete End Section
2	Each	603-CB003	30" Reinforced Concrete End Section
2	Each	603-CB004	36" Reinforced Concrete End Section
1	Each	603-CB006	48" Reinforced Concrete End Section
2	Each	603-CB008	60" Reinforced Concrete End Section
84	Linear Feet	603-CE001	22" x 13" Concrete Arch Pipe, Class A III
128	Linear Feet	603-CE002	29" x 18" Concrete Arch Pipe, Class A III
24	Linear Feet	603-CE003	36" x 23" Concrete Arch Pipe, Class A III
32	Linear Feet	603-CE004	44" x 27" Concrete Arch Pipe, Class A III
24	Linear Feet	603-CE006	58" x 36" Concrete Arch Pipe, Class A III
56	Linear Feet	603-CE008	73" x 45" Concrete Arch Pipe, Class A III
3	Each	603-CF001	22" x 13" Concrete Arch Pipe End Section
5	Each	603-CF002	29" x 18" Concrete Arch Pipe End Section
2	Each	603-CF003	36" x 23" Concrete Arch Pipe End Section
2	Each	603-CF004	44" x 27" Concrete Arch Pipe End Section
3	Each	603-CF006	58" x 36" Concrete Arch Pipe End Section
4	Each	603-CF008	73" x 45" Concrete Arch Pipe End Section
1,692	Pounds	604-A001	Castings
1,260	Pounds	604-B001	Gratings
850	Linear Feet	606-B005	Guard Rail, Class A, Type 1, 'W' Beam
2	Each	606-C003	Guard Rail, Cable Anchor, Type 1
4	Each	606-D012	Guard Rail, Bridge End Section, Type I
4	Each	606-E001	Guard Rail, Terminal End Section
8	Each	606-E009	Guard Rail, Terminal End Section, Double Faced
8,203	Linear Feet	607-A001	31.5" Type "A" Woven Wire Fence, w/ Barbed Wire as Shown
350	Linear Feet	607-B001	60" Type I Chain Link Fence, Class I
2,112	Linear Feet	607-E001	Barbed Wire Fence, Single Strand
1	Each	607-G020	Gate, 12' x 60" Galvanized Metal
1	Each	607-G029	Gate, 6' x 10' Galvanized Metal
48	Each	607-P1002	Line Post, 10' x 4" Timber
4	Each	607-P1005	Line Post, 10' x 4" x 4" Concrete
28	Each	607-P1007	Line Post, 7' x 1 1/2" Galvanized Steel

Call No. -01 for the October 25, 2011 Letting

16	Each	607-P1009	Line Post, 9' x 2" Galvanized Steel
34	Each	607-P1016	Line Post, 7' x 4" x 4" Concrete
7	Each	607-P1017	Line Post, 9' x 4" x 4" Concrete
359	Each	607-P1020	Line Post, 7' x 4" Timber
72	Each	607-P1021	Line Post, 9' x 4" Timber
8	Each	607-P1031	Line Post, 10' x 2 1/2" Galvanized Steel
119	Each	607-P2001	Brace Post, 8' x 6" Timber
24	Each	607-P2002	Brace Post, 10' x 6" Timber
15	Each	607-P2003	Brace Post, 12' x 6" Timber
13	Each	607-P2004	Brace Post, 8' x 6" x 6" Concrete
3	Each	607-P2005	Brace Post, 10' x 6" x 6" Concrete
2	Each	607-P2006	Brace Post, 12' x 6" x 6" Concrete
7	Each	607-P2023	Brace Post, 8' x 2" Galvanized Steel
1	Each	607-P3004	Gate Post, 9' x 2 1/2" Galvanized Steel
155	Each	607-Z001	Concrete Anchors
3,943	Linear Feet	609-D004	Combination Concrete Curb and Gutter Type 3A Modified
144	Square Yard	614-A001	Concrete Driveway, Without Reinforcement
7,280	Linear Feet	615-A009	Concrete Type I Cast-in-Place Median Barrier, 42" High
80	Linear Feet	615-A019	Concrete Bridge End Barrier, 43.5"
209	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
	Lump Sum	618-A001	Maintenance of Traffic
3	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
1	Mile	619-A1008	Temporary Traffic Stripe, Continuous White, Type 1 Tape
4	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
2	Mile	619-A2008	Temporary Traffic Stripe, Continuous Yellow, Type 1 Tape
3	Mile	619-A3006	Temporary Traffic Stripe, Skip White
1	Mile	619-A3009	Temporary Traffic Stripe, Skip White, Type 1 Tape
31,927	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
8,902	Linear Feet	619-A5004	Temporary Traffic Stripe, Detail, Type 1 Tape
676	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
207	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
450	Each	619-C6001	Red-Clear Reflective High Performance Raised Marker
155	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
1,164	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
65	Each	619-D3001	Remove and Reset Signs, All Sizes
2	Each	619-E1001	Flashing Arrow Panel, Type C
14,100	Linear Feet	619-F1001	Concrete Median Barrier, Precast
5,145	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
48	Linear Feet	619-G4001	Barricades, Type III, Single Faced
72	Linear Feet	619-G4005	Barricades, Type III, Double Faced
1,571	Each	619-G5001	Free Standing Plastic Drums
36	Each	619-G7001	Warning Lights, Type "B"
	Lump Sum	620-A001	Mobilization
1	Each	621-A001	Field Laboratory
1,477	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
284	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers

Call No. -01 for the October 25, 2011 Letting

2	Each	629-A003	Vehicular Impact Attenuator, 70 MPH
2	Each	629-B001	Median Barrier End Section
1	Each	629-C001	Vehicular Impact Attenuator Back-up Wall
170	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
119	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
222	Square Feet	630-B001	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
69	Linear Feet	630-C002	Steel U-Section Posts, 2.0 to 2.5 lb/ft
120	Linear Feet	630-C004	Steel U-Section Posts, 3.0 to 3.5 lb/ft
269	Linear Feet	630-D003	Structural Steel Beams, W6 x 9
266	Pounds	630-E001	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
213	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
38	Each	630-F001	Delineators, Guard Rail, White
4	Each	630-G001	Type 3 Object Markers, OM-3R, Post Mounted
4	Each	630-G003	Type 3 Object Markers, OM-3L, Post Mounted
30	Linear Feet	630-K001	Welded & Seamless Steel Pipe Posts, 3"
16	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
43	Linear Feet	630-K004	Welded & Seamless Steel Pipe Posts, 5"
780	Linear Feet	682-A004	Underground Branch Circuit, AWG 1/0, 3 Conductor
490	Linear Feet	682-A015	Underground Branch Circuit, AWG 2, 3 Conductor
80	Linear Feet	682-A028	Underground Branch Circuit, AWG 4/0, 3 Conductor
6,455	Linear Feet	682-A031	Underground Branch Circuit, AWG 6, 3 Conductor
180	Linear Feet	682-B005	Underground Branch Circuit, Jacked or Bored, AWG 1/0, 3 Conductor
45	Linear Feet	682-B016	Underground Branch Circuit, Jacked or Bored, AWG 2, 3 Conductor
65	Linear Feet	682-B028	Underground Branch Circuit, Jacked or Bored, AWG 4/0, 3 Conductor
820	Linear Feet	682-B031	Underground Branch Circuit, Jacked or Bored, AWG 6, 3 Conductor
1,420	Linear Feet	682-C028	Structure Mounted Branch Circuit, AWG 6, 3 Conductor
10	Each	682-D001	Underground Pull Box
4	Each	682-D003	Structure Mounted Pull Box
1	Each	682-F001	Secondary Power Controllers
1	Each	683-A008	Lighting Assembly, High Mast, Type 100-4-A
2	Each	683-A072	Lighting Assembly, High Mast, Type 130-8-S
13	Each	683-B049	Lighting Assembly, Low Mast, Type 40-1-0-400
4	Each	683-B051	Lighting Assembly, Low Mast, Type 40-1-10-400
23	Cubic Yard	684-A003	Pole Foundation, 24" Diameter
6	Cubic Yard	684-A004	Pole Foundation, 36" Diameter
18	Cubic Yard	684-A005	Pole Foundation, 42" Diameter
11	Linear Feet	684-B003	Slip Casing, 24" Diameter
23	Linear Feet	684-B004	Slip Casing, 36" Diameter
23	Linear Feet	684-B005	Slip Casing, 42" Diameter
481	Ton	815-A009	Loose Riprap, Size 300
915	Square Yard	815-E001	Geotextile under Riprap
58	Acre	907-225-A001	Grassing
174	Ton	907-225-B001	Agricultural Limestone
29	Acre	907-226-A001	Temporary Grassing
7	Each	907-234-D001	Inlet Siltation Guard

Call No. -01 for the October 25, 2011 Letting

1,870	Linear Feet	907-237-A002	Wattles, 12"
520	Linear Feet	907-237-A003	Wattles, 20"
3,095	Linear Feet	907-245-A001	Triangular Silt Dike
520	Linear Feet	907-246-A001	Sandbags
4	Each	907-247-A001	Temporary Stream Diversion
260	Ton	907-249-A001	Riprap for Erosion Control
180	Cubic Yard	907-249-B001	Remove and Reset Riprap
18,747	Cubic Yard	907-304-C007	Granular Material, AEA, Class 3, Group C
30,828	Ton	907-304-F003	3/4" and Down Crushed Stone Base
37,929	Linear Feet	907-403-S003	Joint Sealant
32,825	Gallon	907-407-A001	Asphalt for Tack Coat
88	Cubic Yard	907-601-A001	Class "B" Structural Concrete
72	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
22,339	Linear Feet	907-606-G001	Cable Barrier
15	Each	907-606-H001	Cable Barrier Terminal Section
10	Each	907-606-I001	Cable Barrier Post Repair
1	Each	907-607-P3001	Gate Post, 11' 6" x 3 1/2" Galvanized Steel, Dark Green Color
60	Each	907-617-A001	Right-of-Way Marker
7	Mile	907-626-A005	6" Thermoplastic Double Drop Traffic Stripe, Skip White
2	Mile	907-626-B006	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
8	Mile	907-626-C006	6" Thermoplastic Double Drop Edge Stripe, Continuous White, 90 mil min
240	Linear Feet	907-626-D005	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
1,196	Linear Feet	907-626-E005	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
7	Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
10,868	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
9,288	Linear Feet	907-626-G007	Thermoplastic Double Drop Detail Stripe, Yellow
1,151	Linear Feet	907-626-H004	Thermoplastic Legend, White
1,269	Square Feet	907-626-H005	Thermoplastic Legend, White
60	Cubic Yard	907-631-B001	Flowable Fill, Non-Excavatable
13	Each	907-682-E001	Underground Junction Box With Concrete Pad
6	Each	907-683-B015	Lighting Assembly, Low Mast, Type 35-1-4-400, Bridge Mounted
	Lump Sum	907-699-A002	Roadway Construction Stakes
1,760	Hours	907-906001	Trainees

ALTERNATE GROUP AA NO. 1

6,705	Ton	907-403-A001	Hot Mix Asphalt, HT, 12.5-mm mixture
2,710	Ton	907-403-A002	Hot Mix Asphalt, HT, 19-mm mixture
2,013	Ton	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture
3,014	Ton	907-403-A007	Hot Mix Asphalt, MT, 19-mm mixture
3,455	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
5,849	Ton	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture
4,765	Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
2,195	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
2,517	Ton	907-403-C001	Hot Mix Asphalt, HT, 19-mm mixture, Trench Widening
9,948	Ton	907-403-D001	Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified
7,461	Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified

ALTERNATE GROUP AA NO. 2

Call No. -01 for the October 25, 2011 Letting

2,195	Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture
2,013	Ton	907-403-M002	Warm Mix Asphalt, MT, 12.5-mm mixture
5,849	Ton	907-403-M003	Warm Mix Asphalt, ST, 12.5-mm mixture
4,765	Ton	907-403-M004	Warm Mix Asphalt, ST, 19-mm mixture
3,455	Ton	907-403-M006	Warm Mix Asphalt, MT, 9.5-mm mixture
3,014	Ton	907-403-M007	Warm Mix Asphalt, MT, 19-mm mixture
6,705	Ton	907-403-M010	Warm Mix Asphalt, HT, 12.5-mm mixture
2,710	Ton	907-403-M011	Warm Mix Asphalt, HT, 19-mm mixture
2,517	Ton	907-403-O005	Warm Mix Asphalt, HT, 19-mm mixture, Trench Widening
7,461	Ton	907-403-P001	Warm Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
9,948	Ton	907-403-P002	Warm Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified

ALTERNATE GROUP BB NO. 1

3,858	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip White
2,524	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, ContinuousWhite
2,524	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, ContinuousYellow
14	Linear Feet	628-O001	High Performance Cold Plastic Detail Stripe, White

ALTERNATE GROUP BB NO. 2

3,858	Linear Feet	907-626-I003	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White
2,524	Linear Feet	907-626-J003	6" Inverted Profile Thermoplastic Traffic Stripe, ContinuousWhite
2,524	Linear Feet	907-626-L001	6" Inverted Profile Thermoplastic Traffic Stripe, ContinuousYellow
14	Linear Feet	907-626-M001	Inverted Profile Thermoplastic Detail Traffic Stripe, White

Bridge Items

946	Cubic Yard	801-A001	Foundation Excavation for Bridges
4	Each	803-B002	Conventional Static Pile Load Test
2,340	Linear Feet	803-D003	HP 14 x 73 Steel Piling
4,540	Linear Feet	803-D006	HP 14 x 117 Steel Piling
10,080	Linear Feet	803-D007	HP 14 x 89 Steel Piling
13,803	Linear Feet	803-F005	18" Pre-Formed Pile Hole
4	Each	803-I001	PDA Test Pile
93	Linear Feet	803-N001	Exploration
68	Linear Feet	803-O008	Temporary Casing, 48" Diameter
539,681	Pounds	805-A001	Reinforcement
2,517	Linear Feet	813-A003	Concrete Railing, 42"
1,281	Linear Feet	813-D001	Concrete Median Barrier Railing
878	Ton	815-A009	Loose Riprap, Size 300
260	Cubic Yard	815-D001	Concrete Slope Paving
1,269	Square Yard	815-E001	Geotextile under Riprap
718	Linear Feet	907-803-K001	Drilled Shaft, 48" Diameter
93	Linear Feet	907-803-M001	Trial Shaft, 48" Diameter
2,529	Cubic Yard	907-804-A001	Bridge Concrete, Class AA
717	Linear Feet	907-804-C002	60' Prestressed Concrete Beam, Type III
3,693	Linear Feet	907-804-C016	40' Prestressed Concrete Beam, Type I+2
2,511	Linear Feet	907-804-C021	70' Prestressed Concrete Beam, Type III
714	Linear Feet	907-804-C026	90' Prestressed Concrete Beam, Type IV
1,192	Linear Feet	907-804-C148	75' Prestressed Concrete Beam, Type IV

Construction necessary for Interchange Improvements at I-10 and Cedar Lake Road, known as Federal Aid Project No. HSIP-0010-01(044) / 105944301 in Harrison County.

PROJECT COMPLETION: June 08, 2012

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

	Lump Sum	201-A001	Clearing and Grubbing
130	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
52	Square Yard	202-B025	Removal of Concrete Paved Ditch
26	Each	202-B039	Removal of Delineator, All Types
2	Each	202-B042	Removal of Flared End Section, All Sizes
7	Each	202-B070	Removal of Sign Including Post & Footing
1,000	Linear Feet	202-B076	Removal of Traffic Stripe
184	Linear Feet	202-B093	Removal of Curb & Gutter, All Types
2	Each	202-B136	Removal of Guard Rail Terminal End Section
103	Square Yard	202-B216	Removal of Island Pavement, All Types
1,725	Cubic Yard	203-A003	Unclassified Excavation, FM, AH
1,070	Cubic Yard	203-G003	Excess Excavation, FM, AH
40	Cubic Yard	206-A001	Structure Excavation
1,897	Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
875	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
1	Ton	213-C001	Superphosphate
5	Ton	215-A001	Vegetative Materials for Mulch
15	Square Yard	216-A001	Solid Sodding
225	Square Yard	217-A001	Ditch Liner
1	Thousand Gallon	219-A001	Watering
2	Acre	220-A001	Insect Pest Control
5	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
1	Acre	223-A001	Mowing
2,800	Linear Feet	234-A001	Temporary Silt Fence
50	Bale	235-A001	Temporary Erosion Checks
1,955	Ton	406-A003	Cold Milling of Bituminous Pavement, All Depths
643	Pounds	602-A001	Reinforcing Steel
60	Linear Feet	603-CA088	18" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
2	Each	603-CB001	18" Reinforced Concrete End Section
8	Linear Feet	603-CE042	44" x 27" Concrete Arch Pipe, Class A III, Flexible Plastic Gaskets
4	Linear Feet	603-CE045	36" x 23" Concrete Arch Pipe, Class A III, Flexible Plastic Gaskets
1	Each	603-SB044	18" Branch Connections, Stub into Existing Box Culvert
2	Each	606-E002	Guard Rail, Terminal End Section, Flared
152	Linear Feet	609-D004	Combination Concrete Curb and Gutter Type 3A Modified
57	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
13	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
	Lump Sum	618-A001	Maintenance of Traffic
19,094	Linear Feet	619-A1001	Temporary Traffic Stripe, Continuous White
8,584	Linear Feet	619-A2001	Temporary Traffic Stripe, Continuous Yellow
4,550	Linear Feet	619-A3001	Temporary Traffic Stripe, Skip White

Call No. 01 for the October 25, 2011 Letting

16,908	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,154	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
2,192	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
50	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
376	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
1,500	Linear Feet	619-F1001	Concrete Median Barrier, Precast
48	Linear Feet	619-G4001	Barricades, Type III, Single Faced
31	Each	619-G5001	Free Standing Plastic Drums
	Lump Sum	620-A001	Mobilization
362	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
92	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
11	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
97	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
482	Square Feet	630-B001	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
26	Linear Feet	630-C004	Steel U-Section Posts, 3.0 to 3.5 lb/ft
34	Linear Feet	630-D003	Structural Steel Beams, W6 x 9
121	Linear Feet	630-D005	Structural Steel Beams, W6 x 15
34	Pounds	630-E001	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
314	Pounds	630-E003	Structural Steel Angles & Bars, 4" x 4" x 5/16" Angles
133	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
8	Each	630-F006	Delineators, Post Mounted, Single White
16	Each	630-F008	Delineators, Post Mounted, Double White
10	Each	630-F009	Delineators, Post Mounted, Double Yellow
15	Linear Feet	630-K001	Welded & Seamless Steel Pipe Posts, 3"
62	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
1,464	Linear Feet	635-A001	Vehicle Loop Assemblies
4,818	Linear Feet	636-A005	Shielded Cable, AWG #14, 2 Conductor
4	Each	638-A005	Loop Detector Amplifier, Card Rack Mounted, 4 Channel
5	Each	640-A001	Traffic Signal Heads, Type 1
2	Each	640-A008	Traffic Signal Heads, Type 4
2	Each	640-A009	Traffic Signal Heads, Type 4A
1	Each	640-A013	Traffic Signal Heads, Type 7
3	Each	647-A005	Pullbox, Type 2
1	Each	648-B001	Radio Interconnect, Installed in Existing Controller Cabinet
1,096	Linear Feet	666-B016	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 7Conductor
332	Linear Feet	666-B022	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 8, 2Conductor
1,850	Linear Feet	668-A016	Traffic Signal Conduit, Underground, Type 4, 1"
24	Linear Feet	668-A018	Traffic Signal Conduit, Underground, Type 4, 2"
2	Acre	907-225-A001	Grassing
5	Ton	907-225-B001	Agricultural Limestone
2	Acre	907-226-A001	Temporary Grassing
125	Linear Feet	907-237-A003	Wattles, 20"
1,804	Ton	907-304-F001	Size 825 Crushed Stone Base
6,363	Gallon	907-407-A001	Asphalt for Tack Coat
10	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures

Call No. 01 for the October 25, 2011 Letting

2,275	Linear Feet	907-626-A004	6" Thermoplastic Traffic Stripe, Skip White
2,875	Linear Feet	907-626-B003	6" Thermoplastic Traffic Stripe, Continuous White
6,672	Linear Feet	907-626-C007	6" Thermoplastic Double Drop Edge Stripe, Continuous White
1,851	Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
2,441	Linear Feet	907-626-F005	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
6,153	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
2,301	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
769	Linear Feet	907-626-H004	Thermoplastic Legend, White
1,096	Square Feet	907-626-H005	Thermoplastic Legend, White
1	Each	907-639-A015	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 50' Arm
4	Cubic Yard	907-639-C002	Pole Foundations, 36" Diameter
10	Linear Feet	907-639-D001	Slip Casing, 36" Diameter
	Lump Sum	907-699-A002	Roadway Construction Stakes

ALTERNATE GROUP AA NO. 1

2,402	Ton	907-403-A001	Hot Mix Asphalt, HT, 12.5-mm mixture
305	Ton	907-403-A002	Hot Mix Asphalt, HT, 19-mm mixture
822	Ton	907-403-A005	Hot Mix Asphalt, HT, 9.5-mm mixture
752	Ton	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture
376	Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
645	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture

ALTERNATE GROUP AA NO. 2

645	Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture
752	Ton	907-403-M003	Warm Mix Asphalt, ST, 12.5-mm mixture
376	Ton	907-403-M004	Warm Mix Asphalt, ST, 19-mm mixture
822	Ton	907-403-M009	Warm Mix Asphalt, HT, 9.5-mm mixture
2,402	Ton	907-403-M010	Warm Mix Asphalt, HT, 12.5-mm mixture
305	Ton	907-403-M011	Warm Mix Asphalt, HT, 19-mm mixture

Intersection Improvements on US 98 East at MS 63 North, known as Federal Aid Project No. HSIP-0014-03(062) / 105941301, in George County.

PROJECT COMPLETION: May 15, 2012

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

	Lump Sum	201-A001	Clearing and Grubbing
506	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
20	Square Yard	202-B024	Removal of Concrete Median & Island Pavement, All Depths
500	Linear Feet	202-B076	Removal of Traffic Stripe
117	Linear Feet	202-B093	Removal of Curb & Gutter, All Types
300	Cubic Yard	203-A003	Unclassified Excavation, FM, AH
4,071	Cubic Yard	203-EX013	Borrow Excavation, AH, FME, Class B7
2,150	Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
3	Ton	213-C001	Superphosphate
12	Ton	215-A001	Vegetative Materials for Mulch
8,000	Linear Feet	234-A001	Temporary Silt Fence
200	Bale	235-A001	Temporary Erosion Checks
100	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
336	Linear Feet	503-C007	Saw Cut, Full Depth
537	Pounds	602-A001	Reinforcing Steel
540	Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
95	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
	Lump Sum	618-A001	Maintenance of Traffic
2	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
2	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
2	Mile	619-A3006	Temporary Traffic Stripe, Skip White
50	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
68	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
24	Linear Feet	619-G4001	Barricades, Type III, Single Faced
	Lump Sum	620-A001	Mobilization
486	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
786	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
410	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
220	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
681	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
372	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
282	Linear Feet	630-D003	Structural Steel Beams, W6 x 9
192	Pounds	630-E001	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
238	Pounds	630-E003	Structural Steel Angles & Bars, 4" x 4" x 5/16" Angles
54	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
30	Linear Feet	630-K001	Welded & Seamless Steel Pipe Posts, 3"
32	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
	Lump Sum	646-A001	Removal of Existing Traffic Signal Equipment
1	Acre	907-225-A001	Grassing
2	Ton	907-225-B001	Agricultural Limestone
1	Acre	907-226-A001	Temporary Grassing

Call No. 02 for the October 25, 2011 Letting

28,164	Square Yard	907-228-A001	Erosion Control Blanket, Type I
200	Linear Feet	907-237-A002	Wattles, 12"
1,400	Linear Feet	907-237-A003	Wattles, 20"
108	Ton	907-249-A001	Riprap for Erosion Control
5,139	Ton	907-304-B005	Granular Material, Class 9, Group C
2,176	Ton	907-304-F001	Size 825 Crushed Stone Base
5,110	Gallon	907-402-B001	Bituminous Tack Coat
9	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
8,240	Linear Feet	907-626-A004	6" Thermoplastic Traffic Stripe, Skip White
7,747	Linear Feet	907-626-C007	6" Thermoplastic Double Drop Edge Stripe, Continuous White
960	Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
4,873	Linear Feet	907-626-F005	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
10,900	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
3,235	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
363	Square Feet	907-626-H005	Thermoplastic Legend, White
	Lump Sum	907-699-A002	Roadway Construction Stakes
ALTERNATE GROUP AA NO. 1			
4,026	Ton	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture
805	Ton	907-403-A007	Hot Mix Asphalt, MT, 19-mm mixture
3,019	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
851	Ton	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture
638	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
ALTERNATE GROUP AA NO. 2			
638	Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture
4,026	Ton	907-403-M002	Warm Mix Asphalt, MT, 12.5-mm mixture
851	Ton	907-403-M003	Warm Mix Asphalt, ST, 12.5-mm mixture
3,019	Ton	907-403-M006	Warm Mix Asphalt, MT, 9.5-mm mixture
805	Ton	907-403-M007	Warm Mix Asphalt, MT, 19-mm mixture

Replacing 3 Bridges on SR 8, from Calhoun City to Derma, known as Federal Aid Project No. BR-0016-03(020) / 102160302, in Calhoun County.

PROJECT COMPLETION: October 14, 2013

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

Lump Sum	201-A001	Clearing and Grubbing
1 Hectare	201-B001	Clearing and Grubbing
Lump Sum	202-A001	Removal of Obstructions
7,330 Square Meter	202-B005	Removal of Asphalt Pavement (All Depths)
4,139 Square Meter	202-B018	Removal of Concrete Driveways (All Depths)
206 Square Meter	202-B024	Removal of Concrete Median & Island Pavement (All Depths)
70 Square Meter	202-B035	Removal of Concrete Sidewalk
235 Meter	202-B039	Removal of Curb (All Types)
6 Each	202-B059	Removal of Inlets (All Sizes)
300 Meter	202-B076	Removal of Traffic Stripe
383 Meter	202-B107	Removal of Pipe (All Sizes)
7,678 Cubic Meter	203-G003	Excess Excavation (FM) (AH)
1,073 Cubic Meter	206-A001	Structure Excavation
4,578 Cubic Meter	211-B001	Topsoil for Slope Treatment(Contractor Furnished) (LVM)
135 Square Meter	212-B001	Standard Ground Preparation
1 Metric Ton	213-B001	Combination Fertilizer (13-13-13)
6 Metric Ton	213-C001	Superphosphate
135 Square Meter	216-A001	Solid Sodding
9 thousand liter	219-A001	Watering
3 Hectare	220-A001	Insect Pest Control
14 Cubic Meter	221-A001	Portland Cement Concrete Paved Ditch
6 Each	236-A004	Silt Basin (Type D)
1,000 Square Meter	406-A001	Cold Milling of Bituminous Pavement (All Depths)
78 Meter	501-E001	Expansion Joints (Without Dowels)
467 Square Meter	502-A001	Reinforced Cement Concrete Bridge End Pavement
4,473 Kilogram	602-A001	Reinforcing Steel
658 Meter	603-C-A002	450-mm Reinforced Concrete Pipe, Class III
46 Meter	603-C-A003	600-mm Reinforced Concrete Pipe, Class III
13 Meter	603-C-A005	900-mm Reinforced Concrete Pipe, Class III
199 Meter	603-C-A007	1200-mm Reinforced Concrete Pipe, Class III
4 Each	603-C-B001	450-mm Reinforced Concrete End Section
3 Each	603-C-B002	600-mm Reinforced Concrete End Section
2 Each	603-C-B004	900-mm Reinforced Concrete End Section
1,289 Kilogram	604-A001	Castings
150 Meter	605-O003	150-mm Perforated Sewer Pipe for Underdrains (SDR 23.5)
75 Meter	605-P003	150-mm Non-perforated Sewer Pipe for Underdrains (SDR 23.5)
187 Cubic Meter	605-W001	Filter Material for Combination Storm Drain &/or Underdrains, Type A (FM)
456 Cubic Meter	605-W002	Filter Material for Combination Storm Drain &/or Underdrains, Type B (FM)
225 Meter	606-B001	Guard Rail (Class A, Type 1)
11 Each	606-D012	Guard Rail, Bridge End Section, Type I
95 Square Meter	608-A001	Concrete Sidewalk (Without Reinforcement)

Call No. 03 for the October 25, 2011 Letting

224	Meter	609-B001	Concrete Curb, Type Header
594	Meter	609-D004	Combination Concrete Curb and Gutter Type 3A Modified
103	Meter	609-D007	Combination Concrete Curb and Gutter Type 2 Modified
3,104	Square Meter	614-B001	Concrete Driveway (With Reinforcement)
37	Meter	615-A015	Concrete Bridge End Barrier, 810-mm
1,044	Square Meter	616-A001	Concrete Median and/or Island Pavement (100-mm)
	Lump Sum	618-A001	Maintenance of Traffic
29	Square Meter	619-D1001	Standard Roadside Construction Signs (less than 0.9 square meter)
64	Square Meter	619-D2001	Standard Roadside Construction Signs (0.9 square meter or more)
18	Each	619-F3004	Delineators (Guard Rail) (White)
178	Meter	619-G4001	Barricades (Type III) (Single Faced)
7	Meter	619-G4005	Barricades (Type III) (Double Faced)
165	Each	619-G5001	Free Standing Plastic Drums
4	Each	619-G7001	Warning Lights (Type "B")
92	Meter	619-K1001	Installation and Removal of Guard Rail (Type I)(Class A)
12	Each	619-K2003	Installation and Removal of Guard Rail (Type "H" Bridge EndSection)
	Lump Sum	620-A001	Mobilization
1	Each	621-A001	Field Laboratory
1	Each	629-A004	Vehicular Impact Attenuator (112 kph)
50	Each	630-F001	Delineators (Guard Rail)(White)
12	Each	630-G001	Type 3 Object Markers (OM-3R or OM-3L) Post Mounted
94	Metric Ton	815-A005	Loose Riprap, (Size 45 kg)
3,345	Metric Ton	815-A007	Loose Riprap, (Size 136 kg)
11,373	Cubic Meter	907-203-A002	Unclassified Excavation (FM) (AH)
21,683	Cubic Meter	907-203-EX004	Borrow Excavation (AH)(FME) (Class B9)
9,865	Square Meter	907-209-A004	Geotextile Fabric Stabilization (Type V Non-Woven)
72	Square Meter	907-217-A001	Ditch Liner
8	Hectare	907-223-A001	Mowing
8	Hectare	907-225-A001	Grassing
41	Metric Ton	907-225-B001	Agricultural Limestone
8	Hectare	907-226-A002	Temporary Grassing
2,800	Meter	907-234-A002	Temporary Silt Fence
400	Meter	907-234-C002	Super Silt Fence
900	Meter	907-237-A002	Wattles, 500-mm
11	Meter	907-245-A001	Triangular Silt Dike
175	Each	907-246-A002	Sandbags
13,806	Metric Ton	907-304-B001	Granular Material (Class 3, Group D)
5,557	Metric Ton	907-304-I004	Crushed Stone Base (Size 610)
24	Metric Ton	907-310-B002	Size III Stabilizer Aggregate, Coarse
14,753	Liter	907-407-A001	Asphalt for Tack Coat
74	Meter	907-413-H001	Sawing and Sealing Transverse Joints in Asphalt Pavment
452	Square Meter	907-501-K001	Transverse Grooving
82	Cubic Meter	907-601-B001	Class "B" Structural Concrete, Minor Structures
359	Meter	907-603-ALT01	450-mm Type A Alternate Pipe
117	Meter	907-603-ALT05	600-mm Type A Alternate Pipe
2,512	Square Meter	907-605-AA004	Geotextile for Subsurface Drainage, Type III

Call No. 03 for the October 25, 2011 Letting

11	Each	907-606-E001	Guard Rail, Terminal End Section
49	Each	907-617-A003	Right-of-Way Marker
	Lump Sum	907-618-C001	Construction & Removal of Detour Bridge
5,216	Meter	907-619-A1009	Temporary Traffic Stripe (Continuous White)
5,511	Meter	907-619-A2009	Temporary Traffic Stripe (Continuous Yellow)
2,021	Meter	907-619-A5005	Temporary Traffic Stripe (Detail)
110	Each	907-619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
12	Each	907-619-K4001	Installation and Removal of Guardrail (Terminal End Section)
2,622	Meter	907-626-CC002	150-mm Thermoplastic Edge Stripe (Continuous White) (1.50-mmmin)
1,151	Meter	907-626-DD002	150-mm Thermoplastic Traffic Stripe (Skip Yellow) (2.25-mm min)
2,437	Meter	907-626-EE003	150-mm Thermoplastic Traffic Stripe (Continuous Yellow) (2.25-mm min)
542	Meter	907-626-GG001	Thermoplastic Detail Stripe (150-mm Equivalent Length)(White)(2.25-mm min.)
764	Meter	907-626-GG002	Thermoplastic Detail Stripe (150-mm Equivalent Length)(Yellow)(2.25-mm min.)
21	Square Meter	907-626-H001	Thermoplastic Legend (White)(3.00-mm min.)
180	Meter	907-626-H002	Thermoplastic Legend (White)(3.00-mm min.)
11	Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers
486	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers
	Lump Sum	907-699-A001	Roadway Construction Stakes
3,683	Square Meter	907-815-E001	Geotextile Fabric under Riprap
20	Metric Ton	907-815-F002	Sediment Control Stone

ALTERNATE GROUP AA NO. 1

2,311	Metric Ton	907-403-A005	Hot Mix Asphalt, MT, 9.5-mm mixture
3,803	Metric Ton	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture
2,525	Metric Ton	907-403-A007	Hot Mix Asphalt, MT, 19-mm mixture
153	Metric Ton	907-403-C003	Hot Mix Asphalt, MT, 19-mm mixture, Trench Widening

ALTERNATE GROUP AA NO. 2

2,311	Metric Ton	907-403-M001	Warm Mix Asphalt, MT, 9.5-mm mixture
2,525	Metric Ton	907-403-M002	Warm Mix Asphalt, MT, 19-mm mixture
3,803	Metric Ton	907-403-M007	Warm Mix Asphalt, MT, 12.5-mm mixture
153	Metric Ton	907-403-O001	Warm Mix Asphalt, MT, 19-mm mixture, Trench Widening

ALTERNATE GROUP BB NO. 1

461	Meter	907-628-JJ001	150-mm High Performance Cold Plastic Traffic Stripe (Continuous White)
315	Meter	907-628-LL001	150-mm High Performance Cold Plastic Traffic Stripe (Skip Yellow)
461	Meter	907-628-MM001	150-mm High Performance Cold Plastic Traffic Stripe (Continuous Yellow)

ALTERNATE GROUP BB NO. 2

461	Meter	907-626-J003	150-mm Inverted Profile Thermoplastic Traffic Stripe, Continuous White
315	Meter	907-626-K003	150-mm Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow
461	Meter	907-626-L003	150-mm Inverted Profile Thermoplastic Traffic Stripe (Continuous Yellow)

Bridge Items

14,880	Kilogram	805-A001	Reinforcement
390	Meter	813-A001	Concrete Railing
1,327	Metric Ton	815-A007	Loose Riprap, (Size 136 kg)
9	Each	907-803-A001	Test Pile
9	Each	907-803-B002	Conventional Static Pile Load Test
474	Meter	907-803-D001	HP 310 x 79 Steel Piling

Call No. 03 for the October 25, 2011 Letting

801	Meter	907-803-D002	HP 360 x 108 Steel Piling
6	Each	907-803-J001	Pile Restrike
189	Cubic Meter	907-804-A001	Bridge Concrete (Class AA)
144	Each	907-804-E001	12.192-m Prestressed Concrete Voided Slab (1.219-m Interior)
32	Each	907-804-F008	12.192-m Prestressed Concrete Voided Slab (1.042-m Exterior)
1,256	Square Meter	907-815-E001	Geotextile Fabric under Riprap

Bridge Replacements on SR 550 between the Homochitto River and the West Junction of US 51, known as State Project No. BR-0171-00(013) / 102487301, in Lincoln County.

PROJECT COMPLETION: July 09, 2013

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

Lump Sum	201-A001	Clearing and Grubbing Bridge
1 Acre	201-B001	Clearing and Grubbing
Lump Sum	202-A001	Removal of Obstructions
14,434 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
1 Each	202-B008	Removal of Box Culvert
264 Linear Feet	202-B064	Removal of Pipe, 8" And Above
1,154 Linear Feet	202-B102	Removal of Guard Rail
21,596 Cubic Yard	203-A003	Unclassified Excavation, FM, AH
25,439 Cubic Yard	203-EX017	Borrow Excavation, AH, FME, Class B9
2,335 Cubic Yard	203-F001	Channel Excavation, FM
11,359 Cubic Yard	203-G003	Excess Excavation, FM, AH
654 Cubic Yard	206-A001	Structure Excavation
82 Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
13,057 Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
10,894 Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
10 Ton	213-C001	Superphosphate
46 Ton	215-A001	Vegetative Materials for Mulch
716 Square Yard	216-A001	Solid Sodding
564 Square Yard	217-A001	Ditch Liner
15 Thousand Gallon	219-A001	Watering
10 Acre	220-A001	Insect Pest Control
149 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
1 Acre	223-A001	Mowing
12,914 Linear Feet	234-A001	Temporary Silt Fence
60 Bale	235-A001	Temporary Erosion Checks
12 Each	236-A001	Silt Basin, Type A
6 Each	236-A004	Silt Basin, Type D
540 Linear Feet	239-A001	Temporary Slope Drains
513 Cubic Yard	305-B001	Size I Stabilizer Aggregate, Coarse
9,277 Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
2,740 Gallon	408-A003	Asphalt for Prime Coat, Cut-Back MC-70 or Emulsified EA-1
180 Linear Feet	501-E001	Expansion Joints, Without Dowels
400 Square Yard	501-K001	Transverse Grooving
400 Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
34,417 Pounds	602-A001	Reinforcing Steel
3 Each	603-CB001	18" Reinforced Concrete End Section
2 Each	603-CB003	30" Reinforced Concrete End Section
1 Each	603-SB003	18" Branch Connections, Stub into Concrete Box Culvert
850 Linear Feet	606-B001	Guard Rail, Class A, Type 1
8 Each	606-D012	Guard Rail, Bridge End Section, Type I

Call No. 04 for the October 25, 2011 Letting

7	Each	606-E002	Guard Rail, Terminal End Section, Flared
1	Each	606-E003	Guard Rail, Terminal End Section, Non-Flared
366	Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
80	Linear Feet	615-A018	Concrete Bridge End Barrier, 33.5"
	Lump Sum	618-A001	Maintenance of Traffic
2,600	Linear Feet	619-A1001	Temporary Traffic Stripe, Continuous White
2,600	Linear Feet	619-A2001	Temporary Traffic Stripe, Continuous Yellow
1,200	Linear Feet	619-A2005	Temporary Traffic Stripe, Continuous Yellow, Type 1 or 2 Tape
1,200	Linear Feet	619-A5004	Temporary Traffic Stripe, Detail, Type 1 Tape
48	Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
154	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
621	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
12	Each	619-F3004	Delineators, Guard Rail, White
240	Linear Feet	619-G4001	Barricades, Type III, Single Faced
60	Linear Feet	619-G4005	Barricades, Type III, Double Faced
89	Each	619-G5001	Free Standing Plastic Drums
4	Each	619-G7001	Warning Lights, Type "B"
100	Linear Feet	619-K1001	Installation and Removal of Guard Rail, Type I, Class A
4	Each	619-K4001	Installation and Removal of Guardrail, Terminal End Section
	Lump Sum	620-A001	Mobilization
128	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
125	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
6	Linear Feet	630-C001	Steel U-Section Posts, 2.0 lb/ft
200	Linear Feet	630-C004	Steel U-Section Posts, 3.0 to 3.5 lb/ft
16	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
44	Each	630-F001	Delineators, Guard Rail, White
8	Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
4,661	Ton	815-A009	Loose Riprap, Size 300
900	Square Yard	815-E001	Geotextile under Riprap
78	Ton	815-F002	Sediment Control Stone
61	Ton	907-213-A001	Agricultural Limestone
23	Acre	907-225-A001	Grassing
10	Acre	907-226-A001	Temporary Grassing
800	Linear Feet	907-234-C002	Super Silt Fence
300	Linear Feet	907-237-A002	Wattles, 12"
300	Linear Feet	907-245-A001	Triangular Silt Dike
300	Linear Feet	907-246-A001	Sandbags
3	Each	907-247-A001	Temporary Stream Diversion
1,959	Ton	907-249-A001	Riprap for Erosion Control
7,849	Ton	907-304-B003	Granular Material, Class 6, Group C
2,775	Ton	907-304-B005	Granular Material, Class 9, Group C
4,407	Ton	907-304-F002	Size 610 Crushed Stone Base
12,595	Square Yard	907-307-C003	6" Soil-Lime-Water Mixing, Class C
170	Ton	907-307-D001	Lime
2,740	Gallon	907-307-S001	Bituminous Curing Seal
4,824	Gallon	907-407-A001	Asphalt for Tack Coat

Call No. 04 for the October 25, 2011 Letting

253	Cubic Yard	907-601-A001	Class "B" Structural Concrete
1	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
676	Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
48	Linear Feet	907-603-ALT03	30" Type A Alternate Pipe
32	Each	907-617-A001	Right-of-Way Marker
	Lump Sum	907-618-C001	Construction and Removal of Detour Bridge
2,160	Linear Feet	907-618-E001	Detour Bridge Piling
	Lump Sum	907-618-F001	Detour Bridge Test Pile
11,190	Linear Feet	907-626-C008	6" Thermoplastic Edge Stripe, Continuous White
4,082	Linear Feet	907-626-D004	6" Thermoplastic Traffic Stripe, Skip Yellow
8,275	Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
1,753	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
570	Linear Feet	907-626-H004	Thermoplastic Legend, White
	Lump Sum	907-699-A002	Roadway Construction Stakes
ALTERNATE GROUP AA NO. 1			
2,076	Ton	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture
4,373	Ton	907-403-A007	Hot Mix Asphalt, MT, 19-mm mixture
1,934	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
ALTERNATE GROUP AA NO. 2			
2,076	Ton	907-403-M002	Warm Mix Asphalt, MT, 12.5-mm mixture
1,934	Ton	907-403-M006	Warm Mix Asphalt, MT, 9.5-mm mixture
4,373	Ton	907-403-M007	Warm Mix Asphalt, MT, 19-mm mixture
ALTERNATE GROUP BB NO. 1			
848	Linear Feet	907-626-C005	6" Thermoplastic Double Drop Edge Stripe, Continuous White,90 mil min
626	Linear Feet	907-626-D005	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
222	Linear Feet	907-626-F007	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow,90 mil min
ALTERNATE GROUP BB NO. 2			
848	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, ContinuousWhite
626	Linear Feet	628-L002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
222	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, ContinuousYellow
ALTERNATE GROUP BB NO. 3			
848	Linear Feet	907-626-J003	6" Inverted Profile Thermoplastic Traffic Stripe, ContinuousWhite
626	Linear Feet	907-626-K003	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow
222	Linear Feet	907-626-L001	6" Inverted Profile Thermoplastic Traffic Stripe, ContinuousYellow
Bridge Items			
1,511	Square Yard	501-K001	Transverse Grooving
2	Each	803-B002	Conventional Static Pile Load Test
1,085	Linear Feet	803-C002	14" x 14" Prestressed Concrete Piling
3,905	Linear Feet	803-C003	16" x 16" Prestressed Concrete Piling
4	Each	803-I001	PDA Test Pile
2	Each	803-J001	Pile Restrike
127,237	Pounds	805-A001	Reinforcement
688	Linear Feet	813-A001	Concrete Railing
1,650	Ton	815-A009	Loose Riprap, Size 300
1,000	Square Yard	815-E001	Geotextile under Riprap
642	Cubic Yard	907-804-A001	Bridge Concrete, Class AA

Call No. 04 for the October 25, 2011 Letting

477	Linear Feet	907-804-C016	40' Prestressed Concrete Beam, Type I+2
1,069	Linear Feet	907-804-C019	60' Prestressed Concrete Beam, Type II+2
479	Linear Feet	907-804-C030	80' Prestressed Concrete Beam, Type III

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Bid or specimen proposals must be acquired from the Contract Administration Division. These proposals are available at a cost of Ten Dollars (\$10.00) per proposal. Proposals may be purchased from the Contract Administration Engineer, MDOT Administration Building, 401 North West Street, P.O. Box 1850, Jackson, 39215-1850, Telephone No. (601) 359-7744, Fax No. (601) 359-7732 or purchased online at www.gomdot.com.

Plans may be acquired on a cost per sheet basis from MDOT Plans Print Shop, MDOT Shop Complex, Building C, Room 114, 2567 North West Street, Jackson, Mississippi 39216, Telephone No. (601) 359-7460, Fax No. (601) 359-7461 or purchased online at www.gomdot.com.

Bid bond, signed or countersigned by a Mississippi Agent or Qualified non-resident agent, with Power of Attorney Attached, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

MELINDA L. MCGRATH
INTERIM EXECUTIVE DIRECTOR