

SECTION 905 -- PROPOSAL (CONTINUED)

I (We) further propose to execute the attached contract agreement (Section 902) as soon as the work is awarded to me (us), and to begin and complete the work within the time limit(s) provided for in the Specifications and Advertisement. I (We) also propose to execute the attached contract bond (Section 903) in an amount not less than one hundred (100) percent of the total of my (our) part, but also to guarantee the excellence of both workmanship and materials until the work is finally accepted.

I (We) enclose a certified check, cashier's check or bid bond for **five percent (5%) of total bid** and hereby agree that in case of my (our) failure to execute the contract and furnish bond within Ten (10) days after notice of award, the amount of this check (bid bond) will be forfeited to the State of Mississippi as liquidated damages arising out of my (our) failure to execute the contract as proposed. It is understood that in case I am (we are) not awarded the work, the check will be returned as provided in the Specifications.

Bidder acknowledges receipt of and has added to and made a part of the proposal and contract documents the following addendum (addenda):

ADDENDUM NO. 1 DATED 1/15/2013 ADDENDUM NO. DATED
 ADDENDUM NO. DATED ADDENDUM NO. DATED

Number	Description
1	Table of Contents, replace same; Add NTB Nos. 4282, 4288 & 4289; Wage Rates, replace same; Revised Supplement SP 907-403-4, replaces same; Add Supplement for SP 907-703-10; BidItems, replace same; Revised Plan Sheet Nos. 2 & 16, replace same; Amendment EBS Download Required.

TOTAL ADDENDA: 1
 (Must agree with total addenda issued prior to opening of bids)

Respectfully Submitted,

DATE _____

 Contractor

BY _____
 Signature

TITLE _____

ADDRESS _____

CITY, STATE, ZIP _____

PHONE _____

FAX _____

E-MAIL _____

(To be filled in if a corporation)

Our corporation is chartered under the Laws of the State of _____ and the names, titles and business addresses of the executives are as follows:

_____ President	_____ Address
_____ Secretary	_____ Address
_____ Treasurer	_____ Address

The following is my (our) itemized proposal.

HSIP-0428-00(025) / 100588301

Rankin County(ies)

Revised 09/21/2005

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

TABLE OF CONTENTS

PROJECT: HSIP-0428-00(025) / 100588301 – Rankin County

901--Advertisement

904--Notice to Bidders: Governing Specs. - # 1
 Final Cleanup - # 3
 Fiber Reinforced Concrete - # 640
 Payroll Requirements - # 883
 Errata & Modifications to 2004 Standard Specifications - # 1405
 Federal Bridge Formula - # 1928
 Status of ROW, W/Attachments - # 2382
 DBE Forms, Participation, and Payment - # 2596
 Non-Quality Control/Quality Assurance Concrete - # 2818
 Reduced Speed Limit Signs - # 2937
 Alternate Asphalt Mixture Bid Items - # 3039
 Temporary Traffic Paint - # 3131
 Warm Mix Asphalt (WMA) - # 3242
 DUNS Requirement for Federal Funded Projects - # 3414
 Storm Water Discharge Associated with Construction Activities (≥ 5 Acres) -
 # 3581
 Additional Erosion Control Requirements - # 3612
 Type III Barricade Rails - # 3655
 Petroleum Products Base Price - # 3893
 Questions Regarding Bidding - # 3980
 Contract Time - # 4014
 Specialty Items - # 4015
 Placement of Fill Material in Federally Regulated Areas - # 4016
 Disadvantaged Business Enterprise, W/Supplement - # 4103
 Rumble Stripe - # 4189
 Safety Apparel - # 4214
 Pay Item Change - # 4282
 Cold Milling Locations - # 4288
 Asphalt Leveling Locations - # 4289

906: Required Federal Contract Provisions -- FHWA-1273, W/ Supplements

907-101-4: Definitions
907-102-8: Bidding Requirements and Conditions, W/ Supplement
907-103-8: Award and Execution of Contract
907-104-1: Partnering Process
907-104-4: Disposal of Materials
907-105-6: Control of Work, W/ Supplement
907-107-9: Legal Relations & Responsibility to Public, W/ Supplement
907-107-10: Contractor's Erosion Control Plan, W/ Supplement
907-108-24: Prosecution and Progress, W/ Supplement
907-109-5: Measurement and Payment, W/ Supplement
907-110-2: Wage Rates
907-225-3: Grassing
907-226-2: Temporary Grassing

-- CONTINUED ON NEXT PAGE --

PAGE 2 - PROJECT: HSIP-0428-00(025) / 100588301 – Rankin County

- 907-227-10: Hydroseeding
- 907-228-1: Erosion Control Blanket
- 907-237-4: Wattles
- 907-246-3: Sandbags & Rockbags
- 907-249-1: Riprap for Erosion Control
- 907-304-13: Granular Courses
- 907-307-3: Lime Treated Courses, W/Supplement
- 907-308-3: Cement Treated Courses, W/Supplement
- 907-311-2: Lime-Fly Ash Treated Courses, W/Supplement
- 907-401-2: Hot Mix Asphalt (HMA), W/ Supplement
- 907-401-6: Warm Mix Asphalt (WMA)
- 907-403-4: Hot Mix Asphalt (HMA), W/ Supplement
- 907-403-12: Warm Mix Asphalt (WMA)
- 907-407-1: Tack Coat
- 907-601-1: Structural Concrete
- 907-603-8: Culverts and Storm Drains
- 907-605-3: Underdrains
- 907-617-2: Right-Of-Way Markers
- 907-618-9: Placement of Temporary Traffic Stripe
- 907-619-5: Changeable Message Signs
- 907-626-25: Thermoplastic Traffic Marking
- 907-699-4: Construction Stakes
- 907-701-4: Hydraulic Cement
- 907-702-3: Polyphosphoric Acid (PPA) Modification of Petroleum Asphalt Cement
- 907-703-10: Aggregates, W/ Supplement
- 907-708-5: Non Metal Drainage Structures, W/ Supplement
- 907-709-1: Metal Pipe
- 907-710-1: Fast Drying Solvent Traffic Paint
- 907-711-4: Synthetic Structural Fiber Reinforcement
- 907-713-2: Admixtures for Concrete, W/ Supplement
- 907-714-6: Miscellaneous Materials
- 907-715-3: Roadside Development Materials, W/ Supplement
- 907-720-1: Pavement Marking Materials, W/ Supplement
- 907-804-13: Concrete Bridges and Structures, W/ Supplement

- 906-7: Training Special Provision

SECTION 905 - PROPOSAL,
PROPOSAL BID ITEMS,
COMBINATION BID PROPOSAL,
CERTIFICATION OF PERFORMANCE - PRIOR FEDERAL-AID CONTRACTS,
CERTIFICATION REGARDING NON-COLLUSION, DEBARMENT AND SUSPENSION,
SECTION 902 - CONTRACT FORM, AND SECTION 903 - CONTRACT BOND FORMS,
OCR-485.

(REVISIONS TO THE ABOVE WILL BE INDICATED ON THE SECOND SHEET
OF SECTION 905 AS ADDENDA)

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

SECTION 904 - NOTICE TO BIDDERS NO. 4282

CODE: (SP)

DATE: 1/15/2013

SUBJECT: Pay Item Change

PROJECT: HSIP-0428-00(025) / 100588301 – Rankin County

The Bidder's attention is called to the Pay Item 305-B003, Size I Stabilizer Aggregate Course. The Pay Item is not included in the Addendum Plans, but is in the Bidsheets. Pay Item 907-310-B001, Size III Stabilizer Aggregate Course, has been removed from the Project. Please Bid accordingly.

The Bidders are advised that the pay item, quantity and unit of measure for Pay Item 406-A003, Cold Milling of Bituminous Pavement shown on the plans is 934 Tons. This is in error. The correct pay item, quantity and unit of measure for Pay Item 406-A001, Cold Milling of Bituminous Pavement is **934 Square Yards** as shown on the bid sheets.

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

SECTION 904 - NOTICE TO BIDDERS NO. 4288

CODE: (SP)

DATE: 1/15/2013

SUBJECT: Cold Milling Locations

PROJECT: HSIP-0428-00(025) / 100588301 – Rankin County

The Bidder's attention is called to the table regarding the locations of the Cold Milling on this project.

406-A Cold Milling of Bituminous Pavement, All Depths

Mainline: SR 43

Station		Station	Length ft	Width ft	Area yd2	Remarks
111+00.00	to	112+50.00	150.00	28.0	466.7	At Begin Project
342+00.00	to	343+50.00	150.00	28.0	466.7	At End Project
PROJECT TOTAL					934.0	

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

SECTION 904 - NOTICE TO BIDDERS NO. 4289

CODE: (SP)

DATE: 1/15/2013

SUBJECT: Asphalt Leveling Locations

PROJECT: HSIP-0428-00(025) / 100588301 – Rankin County

The Bidder's attention is called to the table regarding the locations of the Hot Mix Asphalt or Warm Mix Asphalt Leveling on this project.

Hot Mix or Warm Mix Asphalt, ST (19mm Mixture), Leveling

Mainline: SR 43

Station		Station	Length ft	Width ft	Area yd2	Rate	Tonnage	Remarks
111+00.00	to	120+00.00	900.00	22.0	2200	0.358	786.5	
163+00.00	to	167+26.53	426.53	22.0	1043	0.358	372.9	
167+73.83	to	188+00.00	2026.17	22.0	4953	0.358	1770.7	
210+00.00	to	211+31.47	131.47	22.0	321	0.358	114.8	
212+00.00	to	227+00.00	1500.00	22.0	3667	0.358	1311	
244+00.00	to	246+16.30	216.30	22.0	529	0.358	189.1	
246+75.62	to	253+00.00	624.38	22.0	1526	0.358	545.5	
265+00.00	to	270+77.61	577.61	22.0	1412	0.358	504.8	
271+36.96	to	297+00.00	2563.04	22.0	6265	0.358	2239.7	
309+00.00	to	316+00.00	700.00	22.0	1711	0.358	611.7	
339+00.00	to	341+65.20	265.20	22.0	648	0.358	231.7	
339+54.68	to	343+50.00	395.32	22.0	966	0.358	345.3	
PROJECT TOTAL					25241		9024	

Quantities and Location may vary at the direction of the Engineer

>

General Decision Number: MS130180 01/04/2013 MS180

Superseded General Decision Number: MS20120180

State: Mississippi

Construction Type: Highway

Counties: Copiah, Hinds and Rankin Counties in Mississippi.

HIGHWAY CONSTRUCTION PROJECTS (excluding tunnels, building structures in rest area projects & railroad construction; bascule, suspension & spandrel arch bridges designed for commercial navigation, bridges involving marine construction; and other major bridges).

Modification Number Publication Date
 0 01/04/2013

* ELEC0480-007 07/01/2012

	Rates	Fringes
ELECTRICIAN.....	\$ 23.10	3%+7.43

SUMS2008-141 09/04/2008

	Rates	Fringes
CEMENT MASON/CONCRETE FINISHER...	\$ 12.85	0.39
LABORER: Common or General.....	\$ 8.25	0.00
LABORER: Pipelayer.....	\$ 10.17	0.00
OPERATOR: Backhoe.....	\$ 13.38	0.00
OPERATOR: Broom.....	\$ 8.00	0.00
OPERATOR: Bulldozer.....	\$ 9.00	0.00
OPERATOR: Grader/Blade.....	\$ 11.67	0.00
OPERATOR: Mechanic.....	\$ 13.00	0.00
OPERATOR: Piledriver.....	\$ 12.50	1.23
OPERATOR: Roller.....	\$ 10.00	0.00
OPERATOR: Scraper.....	\$ 10.00	0.00
TRUCK DRIVER.....	\$ 10.00	0.00

WELDERS - Receive rate prescribed for craft performing

operation to which welding is incidental.

=====

Unlisted classifications needed for work not included within the scope of the classifications listed may be added after award only as provided in the labor standards contract clauses (29CFR 5.5 (a) (1) (ii)).

The body of each wage determination lists the classification and wage rates that have been found to be prevailing for the cited type(s) of construction in the area covered by the wage determination. The classifications are listed in alphabetical order of "identifiers" that indicate whether the particular rate is union or non-union.

Union Identifiers

An identifier enclosed in dotted lines beginning with characters other than "SU" denotes that the union classification and rate have found to be prevailing for that classification. Example: PLUM0198-005 07/01/2011. The first four letters , PLUM, indicate the international union and the four-digit number, 0198, that follows indicates the local union number or district council number where applicable , i.e., Plumbers Local 0198. The next number, 005 in the example, is an internal number used in processing the wage determination. The date, 07/01/2011, following these characters is the effective date of the most current negotiated rate/collective bargaining agreement which would be July 1, 2011 in the above example.

Union prevailing wage rates will be updated to reflect any changes in the collective bargaining agreements governing the rates.

0000/9999: weighted union wage rates will be published annually each January.

Non-Union Identifiers

Classifications listed under an "SU" identifier were derived from survey data by computing average rates and are not union rates; however, the data used in computing these rates may include both union and non-union data. Example: SULA2004-007 5/13/2010. SU indicates the rates are not union majority rates, LA indicates the State of Louisiana; 2004 is the year of the survey; and 007 is an internal number used in producing the wage determination. A 1993 or later date, 5/13/2010, indicates the classifications and rates under that identifier were issued as a General Wage Determination on that date.

Survey wage rates will remain in effect and will not change until a new survey is conducted.

WAGE DETERMINATION APPEALS PROCESS

1.) Has there been an initial decision in the matter? This can be:

- * an existing published wage determination
- * a survey underlying a wage determination
- * a Wage and Hour Division letter setting forth a position on a wage determination matter
- * a conformance (additional classification and rate) ruling

On survey related matters, initial contact, including requests for summaries of surveys, should be with the Wage and Hour Regional Office for the area in which the survey was conducted because those Regional Offices have responsibility for the Davis-Bacon survey program. If the response from this initial contact is not satisfactory, then the process described in 2.) and 3.) should be followed.

With regard to any other matter not yet ripe for the formal process described here, initial contact should be with the Branch of Construction Wage Determinations. Write to:

Branch of Construction Wage Determinations
Wage and Hour Division
U.S. Department of Labor
200 Constitution Avenue, N.W.
Washington, DC 20210

2.) If the answer to the question in 1.) is yes, then an interested party (those affected by the action) can request review and reconsideration from the Wage and Hour Administrator (See 29 CFR Part 1.8 and 29 CFR Part 7). Write to:

Wage and Hour Administrator
U.S. Department of Labor
200 Constitution Avenue, N.W.
Washington, DC 20210

The request should be accompanied by a full statement of the interested party's position and by any information (wage payment data, project description, area practice material, etc.) that the requestor considers relevant to the issue.

3.) If the decision of the Administrator is not favorable, an interested party may appeal directly to the Administrative Review Board (formerly the Wage Appeals Board). Write to:

Administrative Review Board
U.S. Department of Labor
200 Constitution Avenue, N.W.
Washington, DC 20210

4.) All decisions by the Administrative Review Board are final.

=====

END OF GENERAL DECISION

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

SUPPLEMENT TO SPECIAL PROVISION NO. 907-403-4

DATE: 01/08/2013

SUBJECT: Hot Mix Asphalt (HMA)

Before Subsection 907-403.05.2 on page 1, add the following:

907-403.03--Construction Requirements.

907-403.03.2--Smoothness Tolerances. Delete the fourth paragraph of Subsection 403.03.2 on page 267 and substitute the following.

Where only a surface lift is required, the finished surface lift shall have a profile index of not more than 60.0 inches per mile.

Delete the last paragraph of Subsection 403.03.2 at the bottom of page 268, and the table at the top of page 269 and substitute the following:

Except for a single lift overlay, when the Profile Index for the final surface lift is less than or equal to eighteen inches per mile (18.0 inches / mile) per segment, a unit price increase will be added. The following schedule lists the Profile Index range and the corresponding contract price adjustment:

Profile Index inches / mile / segment	Contract Price Adjustment percent of unit bid price
less than 6.0	108
6.0 to 10.0	106
10.1 to 14.0	104
14.1 to 18.0	102
18.1 to Required P.I.	100
over Required P.I.	100 (with correction to Required P.I.)

For a single lift overlay, when the Profile Index for the final surface lift is less than or equal to eighteen inches per mile (18.0 inches / mile) per segment, a unit price increase will be added. The following schedule lists the Profile Index range and the corresponding contract price adjustment:

Profile Index inches / mile / segment	Contract Price Adjustment percent of unit bid price
less than or equal to 18.0	103
18.1 to Required P.I.	100
over Required P.I.	100 (with correction to Required P.I.)

Delete the first full paragraph of Subsection 403.03.2 on page 269 and substitute the following:

Contract price adjustments for rideability shall only be applicable to the surface lift and furthermore to only the segment(s) or portions of the segments(s) of the surface lift that require smoothness be determined by using a profilograph.

Delete the third full paragraph of Subsection 403.03.2 on page 269 and substitute the following:

Any contract price adjustment for rideability will be applied on a segment to segment basis on the theoretical tonnage based on 12-foot lanes, determined in accordance with Subsections 401.02.6.5 and 403.04, for the segment(s) or portions thereof for which an adjustment is warranted.

Delete Subsection 403.03.5.5 on page 273 and substitute the following:

907-403.03.5.5--Preliminary Leveling. All irregularities of the existing pavement, such as ruts, cross-slope deficiencies, etc., shall be corrected by spot leveling, skin patching, feather edging or a wedge lift in advance of placing the first overall lift.

907-403.04--Method of Measurement. After the first paragraph of Subsection 403.04 on page 274, add the following.

The pay quantities for each individual job mix formula (JMF) will be calculated using the approved JMF maximum specific gravity (Gmm) and the following formulas.

When the composite mixture has a maximum specific gravity of 2.540 or less,

$$T_p = T_w$$

When the composite mixture has a maximum specific gravity greater than 2.540,

$$T_p = T_w((100-(((Gmm*A*B)-C)/(Gmm*A*B))*100))/100$$

Where:

- T_p = Total tonnage for payment
- T_w = Total tonnage weighed, used and accepted

Gmm = Maximum Specific Gravity of the approved composite asphalt mixture

A = 46.725 lbs/yd²/in

B = 0.93 = 93% density

C = 110.374 lbs/yd²/in = Theoretical density at 2.540 Gmm

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

SUPPLEMENT TO SPECIAL PROVISION NO. 907-703-10

DATE: 1/08/2013

SUBJECT: Aggregates

Before Subsection 907-703.06.1.2 on page 1, add the following.

907-703.06.1--Coarse Aggregates. Delete the third paragraph of Subsection 703.06.1 on page 613, and substitute the following.

When tested in accordance with AASHTO Designation: T 19, the dry rodded unit weight of all aggregates except expanded clay and shale shall not be less than 70 pounds per cubic foot.

Realign SR 43 from Crossroads to I-20, known Federal Aid Project No. HSIP-0428-00(025) / 100588301 in Rankin County.

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
Roadway Items					
0010	201-A001		1	Lump Sum	Clearing and Grubbing
0020	201-B001		11	Acre	Clearing and Grubbing
0030	202-B005		48,366	Square Yard	Removal of Asphalt Pavement, All Depths
0040	202-B076		9,312	Linear Feet	Removal of Traffic Stripe
0050	202-B106		2,400	Linear Feet	Removal of Pipe, All Sizes
0060	203-A003	(E)	232,761	Cubic Yard	Unclassified Excavation, FM, AH
0070	203-EX030	(E)	36,257	Cubic Yard	Borrow Excavation, AH, LVM, Class B15
0080	203-G003	(E)	42,126	Cubic Yard	Excess Excavation, FM, AH
0090	206-A001	(S)	264	Cubic Yard	Structure Excavation
0100	212-B001		9,680	Square Yard	Standard Ground Preparation
0110	213-B001		1	Ton	Combination Fertilizer, 13-13-13
0120	213-C001		37	Ton	Superphosphate
0130	216-A001		8,169	Square Yard	Solid Sodding
0140	217-A001		3,972	Square Yard	Ditch Liner
0150	219-A001		165	Thousand Gallon	Watering [\$20.00]
0160	220-A001		37	Acre	Insect Pest Control [\$30.00]
0170	221-A001	(S)	805	Cubic Yard	Portland Cement Concrete Paved Ditch
0180	223-A001		1	Acre	Mowing [\$40.00]
0190	224-A001		883	Square Yard	Soil Reinforcing Mat
0200	234-A001		25,000	Linear Feet	Temporary Silt Fence
0210	235-A001		500	Bale	Temporary Erosion Checks
0220	236-A004		10	Each	Silt Basin, Type D
0230	239-A001		1,300	Linear Feet	Temporary Slope Drains
0240	305-B003	(GT)	1,681	Ton	Size I Stabilizer Aggregate, Coarse
0250	406-A001		934	Square Yard	Cold Milling of Bituminous Pavement, All Depths
Changed 01/14/2013					
0260	423-A001		9	Mile	Rumble Strips, Ground In
0270	503-C007		38	Linear Feet	Saw Cut, Full Depth
0280	603-CA003	(S)	910	Linear Feet	24" Reinforced Concrete Pipe, Class III
0290	603-CA004	(S)	168	Linear Feet	30" Reinforced Concrete Pipe, Class III
0300	603-CA015	(S)	510	Linear Feet	24" Reinforced Concrete Pipe, Class IV
0310	603-CA107	(S)	52	Linear Feet	24" Reinforced Concrete Pipe, Class V, Jacked or Bored

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
0320	603-CB002	(S)	32	Each	24" Reinforced Concrete End Section
0330	603-CB003	(S)	2	Each	30" Reinforced Concrete End Section
0340	603-CE002	(S)	168	Linear Feet	29" x 18" Concrete Arch Pipe, Class A III
0350	603-CF002	(S)	4	Each	29" x 18" Concrete Arch Pipe End Section
0360	605-AA004	(S)	4,293	Square Yard	Geotextile for Subsurface Drainage, Type V
0370	605-W001	(GY)	26	Cubic Yard	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
0380	605-W002	(GY)	851	Cubic Yard	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
0390	609-D007	(S)	1,773	Linear Feet	Combination Concrete Curb and Gutter Type 2 Modified
0400	614-A002	(S)	232	Square Yard	Concrete Driveway, Without Reinforcement, 6-inch Thickness
0410	616-A001	(S)	231	Square Yard	Concrete Median and/or Island Pavement, 4-inch
0420	616-A003	(S)	216	Square Yard	Concrete Median and/or Island Pavement, 10-inch
0430	618-A001		1	Lump Sum	Maintenance of Traffic
0440	619-A1002		12	Mile	Temporary Traffic Stripe, Continuous White
0450	619-A2002		12	Mile	Temporary Traffic Stripe, Continuous Yellow
0460	619-A4006		2	Mile	Temporary Traffic Stripe, Skip Yellow
0470	619-A5001		4,161	Linear Feet	Temporary Traffic Stripe, Detail
0480	619-A6002		537	Square Feet	Temporary Traffic Stripe, Legend
0490	619-C6001		346	Each	Red-Clear Reflective High Performance Raised Marker
0500	619-C7001		173	Each	Two-Way Yellow Reflective High Performance Raised Marker
0510	619-D1001		500	Square Feet	Standard Roadside Construction Signs, Less than 10 Square Feet
0520	619-D2001		866	Square Feet	Standard Roadside Construction Signs, 10 Square Feet or More
0530	619-F1001		1,300	Linear Feet	Concrete Median Barrier, Precast
0540	619-G4001		840	Linear Feet	Barricades, Type III, Single Faced
0550	619-G4005		24	Linear Feet	Barricades, Type III, Double Faced
0560	619-G5001		154	Each	Free Standing Plastic Drums
0570	619-G7001		15	Each	Warning Lights, Type "B"
0580	620-A001		1	Lump Sum	Mobilization
0590	627-J001		185	Each	Two-Way Clear Reflective High Performance Raised Markers
0600	627-K001		42	Each	Red-Clear Reflective High Performance Raised Markers
0610	627-L001		505	Each	Two-Way Yellow Reflective High Performance Raised Markers
0620	630-A001		80	Square Feet	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
0630	630-A002		219	Square Feet	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
0640	630-C004		336	Linear Feet	Steel U-Section Posts, 3.0 to 3.5 lb/ft
0650	630-E004		174	Pounds	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
0660	630-K002		56	Linear Feet	Welded & Seamless Steel Pipe Posts, 3 1/2"

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
0670	630-K003		70	Linear Feet	Welded & Seamless Steel Pipe Posts, 4"
0680	815-A009	(S)	600	Ton	Loose Riprap, Size 300
0690	815-E001	(S)	143	Square Yard	Geotextile under Riprap
0700	815-F002	(S)	300	Ton	Sediment Control Stone
0710	907-225-A001		74	Acre	Grassing
0720	907-225-B001		221	Ton	Agricultural Limestone
0730	907-225-C001		184	Ton	Mulch, Vegetative Mulch
0740	907-226-A001		37	Acre	Temporary Grassing
0750	907-228-A001		822	Square Yard	Erosion Control Blanket, Type I
0760	907-237-A003		3,500	Linear Feet	Wattles, 20"
0770	907-246-B002		100	Each	Rockbags
0780	907-249-A001		2,000	Ton	Riprap for Erosion Control
0790	907-249-B001		1,000	Cubic Yard	Remove and Reset Riprap
0800	907-304-A010	(GY)	11,125	Cubic Yard	Granular Material, LVM, Class 5, Group E
0810	907-304-C005	(GY)	17,818	Cubic Yard	Granular Material, AEA, Class 9, Group C
0820	907-304-H002	(GY)	800	Cubic Yard	3/4" and Down Crushed Stone Base, LVM
0830	907-307-C003	(M)	36,173	Square Yard	6" Soil-Lime-Water Mixing, Class C
0840	907-307-D001		489	Ton	Lime
0850	907-307-S001	(A3)	13,559	Gallon	Bituminous Curing Seal
0860	907-407-A001	(A2)	7,209	Gallon	Asphalt for Tack Coat
0870	907-601-B003	(S)	6	Cubic Yard	Class "B" Structural Concrete, Minor Structures
0880	907-603-ALT01	(S)	3,609	Linear Feet	18" Type A Alternate Pipe
0890	907-603-ALT02	(S)	1,382	Linear Feet	24" Type A Alternate Pipe
0900	907-603-ALT03	(S)	648	Linear Feet	30" Type A Alternate Pipe
0910	907-603-ALT04	(S)	176	Linear Feet	36" Type A Alternate Pipe
0920	907-603-ALT05	(S)	126	Linear Feet	42" Type A Alternate Pipe
0930	907-603-ALT12	(S)	152	Linear Feet	36" x 23" Type A Alternate Pipe
0940	907-603-ALT13	(S)	200	Linear Feet	44" x 27" Type A Alternate Pipe
0950	907-605-O002	(S)	400	Linear Feet	6" Perforated Sewer Pipe for Underdrains, SDR 35
0960	907-605-P002	(S)	100	Linear Feet	6" Non-perforated Sewer Pipe for Underdrains, SDR 35
0970	907-617-A001		206	Each	Right-of-Way Marker
0980	907-619-E3001		3	Each	Changeable Message Sign
0990	907-626-C003		10	Mile	6" Thermoplastic Double Drop Edge Stripe, Continuous White
1000	907-626-D006		2	Mile	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
1010	907-626-E006		10	Mile	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
1020	907-626-G006		6,373	Linear Feet	Thermoplastic Double Drop Detail Stripe, White
1030	907-626-H005		416	Square Feet	Thermoplastic Legend, White
1040	907-699-A002		1	Lump Sum	Roadway Construction Stakes
1050	907-906001		520	Hours	Trainees [\$5.00]
ALTERNATE GROUP AA NUMBER 1					
1060	907-308-A001		1,203	Ton	Portland Cement
1070	907-308-B001	(M)	113,276	Square Yard	Soil-Cement-Water Mixing, Optional Mixers, Base
1080	907-308-S001	(A3)	13,559	Gallon	Bituminous Curing Seal
ALTERNATE GROUP AA NUMBER 2					
1090	907-311-A003	(M)	113,276	Square Yard	Processing Lime and Fly Ash Treated Course, 6" Thick
1100	907-311-B001		838	Ton	Lime
1110	907-311-C002		3,350	Ton	Fly Ash, Class C or F
1120	907-311-S001	(A3)	13,559	Gallon	Bituminous Curing Seal
ALTERNATE GROUP BB NUMBER 1					
1130	907-403-A011	(BA1)	13,803	Ton	Hot Mix Asphalt, ST, 12.5-mm mixture
ALTERNATE GROUP BB NUMBER 2					
1140	907-403-M003	(BA1)	13,803	Ton	Warm Mix Asphalt, ST, 12.5-mm mixture
ALTERNATE GROUP CC NUMBER 1					
1150	907-403-A012	(BA1)	14,288	Ton	Hot Mix Asphalt, ST, 19-mm mixture
ALTERNATE GROUP CC NUMBER 2					
1160	907-403-M004	(BA1)	14,288	Ton	Warm Mix Asphalt, ST, 19-mm mixture
ALTERNATE GROUP DD NUMBER 1					
1170	907-403-A015	(BA1)	7,967	Ton	Hot Mix Asphalt, ST, 9.5-mm mixture
ALTERNATE GROUP DD NUMBER 2					
1180	907-403-M001	(BA1)	7,967	Ton	Warm Mix Asphalt, ST, 9.5-mm mixture
ALTERNATE GROUP EE NUMBER 1					
1190	907-403-B008	(BA1)	9,024	Ton	Hot Mix Asphalt, ST, 19-mm mixture, Leveling
ALTERNATE GROUP EE NUMBER 2					
1200	907-403-N003	(BA1)	9,024	Ton	Warm Mix Asphalt, ST, 19-mm mixture, Leveling
ALTERNATE GROUP FF NUMBER 1					
1210	907-403-C005	(BA1)	1,886	Ton	Hot Mix Asphalt, ST, 19-mm mixture, Trench Widening
ALTERNATE GROUP FF NUMBER 2					
1220	907-403-O001	(BA1)	1,886	Ton	Warm Mix Asphalt, ST, 19-mm mixture, Trench Widening