

| HARRISON (24) | | | | | MISSISSIPPI DEPARTMENT OF TRANSPORTATION | Warren Paving, Inc. | Huey Stockstill, Inc. | |
|---|-----------|--|------------|-------|--|---------------------|-----------------------|--|
| Pavement Restoration of approximately 5 miles of I-110 from US 90 to I-10, known as Federal Aid Project No. IM-0110-01(029) / 105922301 in Harrison County. | | | | | \$1,760,930.00 | \$1,863,382.09 | \$1,889,603.50 | |
| Ref# | SM Item | Item Description | Item Qty | Units | | 1 | 2 | |
| 0010 | 202-B036 | Removal of Concrete Slope Paving | 100.000 | SY | | 21.90 | 51.00 | |
| 0020 | 202-B081 | Removal of Continuously Reinforced Concrete Pavement, 8-inch | 8.000 | SY | | 328.50 | 340.00 | |
| 0030 | 202-B102 | Removal of Guard Rail | 3,906.000 | LF | | 2.10 | 2.00 | |
| 0040 | 202-B149 | Removal of Traffic Stripe | 30.000 | MI | | 1,575.00 | 1,600.00 | |
| 0050 | 202-B189 | Removal of Impact Attenuator | 1.000 | EA | | 1,312.50 | 1,300.00 | |
| 0060 | 202-B298 | Removal of Existing Joint Material | 410.000 | LF | | 42.00 | 43.00 | |
| 0070 | 221-A001 | Portland Cement Concrete Paved Ditch | 100.000 | CY | | 438.00 | 450.00 | |
| 0080 | 223-A001 | Mowing | 1.000 | ACRE | | 50.00 | 50.00 | |
| 0090 | 406-A001 | Cold Milling of Bituminous Pavement, All Depths | 66,488.000 | SY | | 1.55 | 1.40 | |
| 0100 | 413-B001 | Cleaning and Sealing Joints | 1,251.000 | LF | | 10.50 | 10.50 | |
| 0110 | 501-D001 | Expansion Joints, With Dowels | 6.000 | LF | | 109.50 | 114.00 | |
| 0120 | 501-G001 | Dowels, Drilled and Installed | 6.000 | EA | | 54.75 | 57.00 | |
| 0130 | 503-B001 | Saw Cut, Longitudinal Joints | 12.000 | LF | | 54.75 | 57.00 | |
| 0140 | 503-C002 | Saw Cut, 3-inch | 8,992.000 | LF | | 5.25 | 5.40 | |
| 0150 | 503-C005 | Saw Cut, 8-inch | 6.000 | LF | | 54.75 | 57.00 | |
| 0160 | 503-C010 | Saw Cut, 4-inch | 410.000 | LF | | 10.50 | 10.00 | |
| 0170 | 503-D001 | Concrete for Base Repair | 1.000 | CY | | 1,642.50 | 1,700.00 | |
| 0180 | 503-E002 | Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted | 6.000 | EA | | 109.50 | 57.00 | |
| 0190 | 606-B004 | Guard Rail, Class A, Type 1, Metal Post | 2,644.000 | LF | | 16.80 | 17.00 | |
| 0200 | 606-D003 | Guard Rail, Bridge End Section, Type D Modified | 14.000 | EA | | 1,312.50 | 1,300.00 | |
| 0210 | 606-D008 | Guard Rail, Bridge End Section, Type H | 4.000 | EA | | 1,102.50 | 1,100.00 | |
| 0220 | 606-E002 | Guard Rail, Terminal End Section, Flared | 22.000 | EA | | 1,942.50 | 1,900.00 | |
| 0230 | 618-A001 | Maintenance of Traffic | 1.000 | LS | | 81,250.00 | 159,000.00 | |
| 0240 | 619-A1001 | Temporary Traffic Stripe, Continuous White | 9,466.000 | LF | | 0.11 | 0.10 | |
| 0250 | 619-A2001 | Temporary Traffic Stripe, Continuous Yellow | 6,275.000 | LF | | 0.11 | 0.10 | |
| 0260 | 619-A3001 | Temporary Traffic Stripe, Skip White | 5,117.000 | LF | | 0.11 | 0.10 | |

| HARRISON (24) | | | | | MISSISSIPPI DEPARTMENT OF TRANSPORTATION | Warren Paving, Inc. | Huey Stockstill, Inc. | |
|---|-----------|--|-----------|-------|--|---------------------|-----------------------|--|
| Pavement Restoration of approximately 5 miles of I-110 from US 90 to I-10, known as Federal Aid Project No. IM-0110-01(029) / 105922301 in Harrison County. | | | | | \$1,760,930.00 | \$1,863,382.09 | \$1,889,603.50 | |
| Ref# | SM Item | Item Description | Item Qty | Units | | 1 | 2 | |
| 0270 | 619-A5001 | Temporary Traffic Stripe, Detail | 5,771.000 | LF | | 0.11 | 0.10 | |
| 0280 | 619-A6002 | Temporary Traffic Stripe, Legend | 1,147.000 | SF | | 1.05 | 1.00 | |
| 0290 | 619-D1001 | Standard Roadside Construction Signs, Less than 10 Square Fe | 112.000 | SF | | 8.40 | 8.00 | |
| 0300 | 619-D2001 | Standard Roadside Construction Signs, 10 Square Feet or More | 540.000 | SF | | 8.40 | 8.00 | |
| 0310 | 619-G4001 | Barricades, Type III, Single Faced | 48.000 | LF | | 29.40 | 30.00 | |
| 0320 | 620-A001 | Mobilization | 1.000 | LS | | 102,837.00 | 175,000.00 | |
| 0330 | 627-D001 | Two-Way Yellow Reflective Raised Markers | 1,553.000 | EA | | 5.25 | 5.40 | |
| 0340 | 627-K001 | Red-Clear Reflective High Performance Raised Markers | 3,228.000 | EA | | 5.25 | 5.40 | |
| 0350 | 629-A001 | Vehicular Impact Attenuator, 50 MPH | 1.000 | EA | | 29,400.00 | 57,000.00 | |
| 0360 | 630-F001 | Delineators, Guard Rail, White | 105.000 | EA | | 15.75 | 16.00 | |
| 0370 | 630-F002 | Delineators, Guard Rail, Yellow | 42.000 | EA | | 15.75 | 16.00 | |
| 0380 | 630-G002 | Type 3 Object Markers, OM-3R or OM-3L, Post Mounted | 17.000 | EA | | 60.23 | 58.00 | |
| 0390 | 635-A001 | Vehicle Loop Assemblies | 2,428.000 | LF | | 12.05 | 10.00 | |
| 0400 | 636-A001 | Shielded Cable, AWG #18, 4 Conductor | 2,470.000 | LF | | 1.75 | 1.00 | |
| 0410 | 638-A005 | Loop Detector Amplifier, Card Rack Mounted, 4 Channel | 4.000 | EA | | 462.09 | 400.00 | |
| 0420 | 640-A016 | Traffic Signal Heads, Type 1 LED | 7.000 | EA | | 793.88 | 800.00 | |
| 0430 | 640-A018 | Traffic Signal Heads, Type 3 LED | 2.000 | EA | | 1,088.43 | 1,200.00 | |
| 0440 | 640-A019 | Traffic Signal Heads, Type 5 LED | 2.000 | EA | | 903.38 | 900.00 | |
| 0450 | 640-A022 | Traffic Signal Heads, Type 7 LED | 3.000 | EA | | 1,559.28 | 1,600.00 | |
| 0460 | 642-A008 | Solid State Traffic Actuated Controllers, Type 8A | 1.000 | EA | | 11,450.42 | 12,000.00 | |
| 0470 | 644-A001 | Optical Detector | 6.000 | EA | | 874.91 | 900.00 | |
| 0480 | 644-B001 | Optical Detector Cable | 2,318.000 | LF | | 1.31 | 1.00 | |
| 0490 | 644-C002 | Phase Selector, 4 Channel | 2.000 | EA | | 4,270.50 | 3,500.00 | |
| 0500 | 646-A001 | Removal of Existing Traffic Signal Equipment | 1.000 | LS | | 1,095.00 | 8,000.00 | |
| 0510 | 647-A003 | Pullbox, Type 4 | 1.000 | EA | | 547.50 | 1,000.00 | |
| 0520 | 647-A005 | Pullbox, Type 2 | 8.000 | EA | | 481.80 | 500.00 | |

| HARRISON (24) | | | | | MISSISSIPPI DEPARTMENT OF TRANSPORTATION | Warren Paving, Inc. | Huey Stockstill, Inc. | |
|---|--------------|--|------------|-------|--|---------------------|-----------------------|--|
| Pavement Restoration of approximately 5 miles of I-110 from US 90 to I-10, known as Federal Aid Project No. IM-0110-01(029) / 105922301 in Harrison County. | | | | | \$1,760,930.00 | \$1,863,382.09 | \$1,889,603.50 | |
| Ref# | SM Item | Item Description | Item Qty | Units | | 1 | 2 | |
| 0530 | 648-A001 | Radio Interconnect, Installed in New Controller Cabinet | 1.000 | EA | | 7,829.25 | 7,000.00 | |
| 0540 | 648-B001 | Radio Interconnect, Installed in Existing Controller Cabinet | 1.000 | EA | | 7,829.25 | 7,000.00 | |
| 0550 | 666-B022 | Electric Cable, Underground in Conduit, IMSA 20-1, AWG 8, 2 | 303.000 | LF | | 3.29 | 8.00 | |
| 0560 | 666-B054 | Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 8 | 2,377.000 | LF | | 2.96 | 2.60 | |
| 0570 | 668-A018 | Traffic Signal Conduit, Underground, Type 4, 2" | 43.000 | LF | | 5.48 | 10.00 | |
| 0580 | 668-A020 | Traffic Signal Conduit, Underground, Type 4, 3" | 428.000 | LF | | 4.82 | 10.00 | |
| 0590 | 668-B024 | Traffic Signal Conduit, Underground Drilled or Jacked, Rolle | 500.000 | LF | | 13.14 | 12.00 | |
| 0600 | 668-B025 | Traffic Signal Conduit, Underground Drilled or Jacked, Rolle | 206.000 | LF | | 15.33 | 15.00 | |
| 0610 | 808-A001 | Joint Preparation | 1,716.000 | LF | | 15.75 | 16.00 | |
| 0620 | 815-D001 | Concrete Slope Paving | 12.000 | CY | | 766.50 | 800.00 | |
| 0630 | 907-403-S004 | Joint Sealant | 8.000 | MI | | 1,314.00 | 1,600.00 | |
| 0640 | 907-407-A001 | Asphalt for Tack Coat | 3,167.000 | GAL | | 4.13 | 3.00 | |
| 0650 | 907-420-A001 | Undersealing Concrete Pavement | 20,000.000 | LBS | | 5.20 | 5.00 | |
| 0660 | 907-501-A001 | 8" Reinforced Cement Concrete Pavement, Broom Finish | 8.000 | SY | | 383.25 | 400.00 | |
| 0670 | 907-626-A003 | 6" Thermoplastic Traffic Stripe, Skip White | 10.000 | MI | | 1,575.00 | 1,600.00 | |
| 0680 | 907-626-B003 | 6" Thermoplastic Traffic Stripe, Continuous White | 2,638.000 | LF | | 1.05 | 1.00 | |
| 0690 | 907-626-C003 | 6" Thermoplastic Double Drop Edge Stripe, Continuous White | 12.000 | MI | | 2,625.00 | 2,600.00 | |
| 0700 | 907-626-F003 | 6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow | 13.000 | MI | | 2,625.00 | 2,600.00 | |
| 0710 | 907-626-G004 | Thermoplastic Detail Stripe, White | 35,515.000 | LF | | 1.05 | 1.00 | |
| 0720 | 907-626-G005 | Thermoplastic Detail Stripe, Yellow | 1,535.000 | LF | | 1.05 | 1.00 | |
| 0730 | 907-626-H004 | Thermoplastic Legend, White | 1,391.000 | LF | | 1.58 | 1.50 | |
| 0740 | 907-626-H005 | Thermoplastic Legend, White | 1,147.000 | SF | | 5.25 | 5.00 | |
| 0750 | 907-639-A007 | Traffic Signal Equipment Pole, Type II, 17' Shaft, 40' Arm | 2.000 | EA | | 6,707.97 | 6,000.00 | |
| 0760 | 907-639-A011 | Traffic Signal Equipment Pole, Type II, 17' Shaft, 35' Arm | 1.000 | EA | | 5,515.52 | 5,000.00 | |
| 0770 | 907-639-A012 | Traffic Signal Equipment Pole, Type II, 17' Shaft, 45' Arm | 2.000 | EA | | 7,721.94 | 7,000.00 | |
| 0780 | 907-639-A021 | Traffic Signal Equipment Pole, Type IV, 30' Shaft, 40' Arm | 1.000 | EA | | 7,465.71 | 7,000.00 | |

| | | | | | | | | |
|---|--------------|--------------------------------------|-----------|-------|--|---------------------|-----------------------|--|
| HARRISON (24) | | | | | MISSISSIPPI DEPARTMENT OF TRANSPORTATION | Warren Paving, Inc. | Huey Stockstill, Inc. | |
| Pavement Restoration of approximately 5 miles of I-110 from US 90 to I-10, known as Federal Aid Project No. IM-0110-01(029) / 105922301 in Harrison County. | | | | | \$1,760,930.00 | \$1,863,382.09 | \$1,889,603.50 | |
| Ref# | SM Item | Item Description | Item Qty | Units | | 1 | 2 | |
| 0790 | 907-639-C002 | Pole Foundations, 36" Diameter | 24.000 | CY | | 492.75 | 700.00 | |
| 0800 | 907-639-D001 | Slip Casing, 36" Diameter | 90.000 | LF | | 10.95 | 40.00 | |
| 0810 | 907-658-A001 | Hardened Network Switch, Type A | 1.000 | EA | | 3,487.58 | 2,800.00 | |
| 0820 | 907-658-B001 | Terminal Server | 1.000 | EA | | 2,847.00 | 2,300.00 | |
| 0830 | 907-823-A001 | Preformed Joint Seal, Type I | 4,469.000 | LF | | 26.25 | 26.00 | |
| 0840 | 907-823-A002 | Preformed Joint Seal, Type II | 1,133.000 | LF | | 32.55 | 33.00 | |
| 0850 | 907-304-F002 | Size 610 Crushed Stone Base | 519.000 | TON | | | | |
| 0860 | 907-304-F003 | 3/4" and Down Crushed Stone Base | 519.000 | TON | | | | |
| 0870 | 907-304-F004 | Size 825B Crushed Stone Base | 519.000 | TON | | 38.33 | 30.00 | |
| 0880 | 907-403-A005 | Hot Mix Asphalt, HT, 9.5-mm mixture | 2,643.000 | TON | | 98.10 | | |
| 0890 | 907-403-M009 | Warm Mix Asphalt, HT, 9.5-mm mixture | 2,643.000 | TON | | | 74.00 | |
| 0900 | 907-403-A015 | Hot Mix Asphalt, ST, 9.5-mm mixture | 3,023.000 | TON | | 97.33 | | |
| 0910 | 907-403-M001 | Warm Mix Asphalt, ST, 9.5-mm mixture | 3,023.000 | TON | | | 73.00 | |