

MARION (46)					MISSISSIPPI DEPARTMENT OF TRANSPORTATION	T. L. Wallace Construction, Inc.	Tanner Construction Company, Inc.	Key, LLC
Bridge Replacement on US 98 over Silver Creek, known as Federal Aid Project No. BR-0014-02(068) / 106437301 in Marion County.					\$6,141,543.84	\$5,343,299.15	\$6,022,940.09	\$6,596,306.08
Ref#	SM Item	Item Description	Item Qnty	Units		1	2	3
0010	201-B001	Clearing and Grubbing	2.000	ACRE		5,260.00	5,000.00	1,800.00
0020	202-B005	Removal of Asphalt Pavement, All Depths	12,397.000	SY		2.35	3.85	2.25
0030	202-B009	Removal of Bridge	2.000	EA		100,000.00	145,000.00	115,000.00
0040	202-B025	Removal of Concrete Paved Ditch	604.000	SY		4.10	10.00	20.00
0050	202-B070	Removal of Sign Including Post & Footing	20.000	EA		89.45	85.00	85.00
0060	202-B076	Removal of Traffic Stripe	5,845.000	LF		1.05	1.00	1.00
0070	202-B087	Removal of Guard Rail, Including Rails, Posts and Terminal E	1,800.000	LF		3.15	3.00	3.00
0080	202-B097	Removal of Concrete Overlayed w/ Asphalt Pavement, All Depth	267.000	SY		14.65	10.00	45.00
0090	202-B150	Removal of Object Markers	8.000	EA		15.80	15.00	15.00
0100	203-EX035	Borrow Excavation, AH, FME, Class B9-6	25,811.000	CY		7.30	8.00	8.50
0110	211-A001	Topsoil for Slope Treatment, From Right-of-Way	12,100.000	SY		0.80	0.89	1.50
0120	213-C001	Superphosphate	2.000	TON		632.00	600.00	1,000.00
0130	217-A001	Ditch Liner	2,378.000	SY		1.35	3.00	1.50
0140	219-A001	Watering	265.000	KGAL		20.00	20.00	20.00
0150	220-A001	Insect Pest Control	4.000	ACRE		30.00	30.00	30.00
0160	221-A001	Portland Cement Concrete Paved Ditch	152.000	CY		454.00	431.00	435.00
0170	223-A001	Mowing	4.000	ACRE		50.00	50.00	50.00
0180	234-A001	Temporary Silt Fence	8,406.000	LF		2.10	2.00	5.50
0190	236-A001	Silt Basin, Type A	4.000	EA		136.00	650.00	2,000.00
0200	406-A001	Cold Milling of Bituminous Pavement, All Depths	1,867.000	SY		4.20	9.35	4.00
0210	423-A001	Rumble Strips, Ground In	4.000	MI		584.00	300.00	300.00
0220	501-E001	Expansion Joints, Without Dowels	94.000	LF		12.65	12.00	12.00
0230	502-A001	Reinforced Cement Concrete Bridge End Pavement	184.000	SY		116.00	108.00	105.00
0240	503-C007	Saw Cut, Full Depth	48.000	LF		12.05	19.00	50.00
0250	603-CA088	18" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets	880.000	LF		28.75	41.00	40.00
0260	605-AA005	Geotextile for Subsurface Drainage, Type V, Non-Woven	13,933.000	SY		1.85	1.65	1.25

MARION (46)					MISSISSIPPI DEPARTMENT OF TRANSPORTATION	T. L. Wallace Construction, Inc.	Tanner Construction Company, Inc.	Key, LLC
Bridge Replacement on US 98 over Silver Creek, known as Federal Aid Project No. BR-0014-02(068) / 106437301 in Marion County.					\$6,141,543.84	\$5,343,299.15	\$6,022,940.09	\$6,596,306.08
Ref#	SM Item	Item Description	Item Qty	Units		1	2	3
0270	606-B005	Guard Rail, Class A, Type 1, 'W' Beam	1,338.000	LF		20.55	19.50	19.50
0280	606-B008	Guard Rail, Class A, Type 1, Thrie Beam	100.000	LF		29.45	28.00	28.00
0290	606-B016	Guard Rail, Class A, Type 1, Thrie Beam, Transition Section,	4.000	LF		29.45	28.00	28.00
0300	606-D012	Guard Rail, Bridge End Section, Type I	5.000	EA		2,050.00	1,950.00	1,950.00
0310	606-D020	Guard Rail, Bridge End Section, Type C Modified	2.000	EA		1,740.00	1,650.00	1,650.00
0320	606-E002	Guard Rail, Terminal End Section, Flared	7.000	EA		2,160.00	2,050.00	2,050.00
0330	606-E003	Guard Rail, Terminal End Section, Non-Flared	4.000	EA		2,210.00	2,100.00	2,100.00
0340	615-A015	Concrete Bridge End Barrier, 32"	40.000	LF		48.60	42.00	42.00
0350	618-A001	Maintenance of Traffic	1.000	LS		53,000.00	38,000.00	85,000.00
0360	619-A1004	Temporary Traffic Stripe, Continuous White, Paint	4.000	MI		526.00	500.00	500.00
0370	619-A2004	Temporary Traffic Stripe, Continuous Yellow, Paint	3.000	MI		526.00	500.00	500.00
0380	619-A3006	Temporary Traffic Stripe, Skip White	4.000	MI		684.00	650.00	650.00
0390	619-A5002	Temporary Traffic Stripe, Detail, Paint	24,204.000	LF		0.15	0.12	0.12
0400	619-A5005	Temporary Traffic Stripe, Detail, Type 2 Tape	5,778.000	LF		0.80	0.75	0.75
0410	619-A6002	Temporary Traffic Stripe, Legend	263.000	SF		1.05	1.00	1.00
0420	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker	96.000	EA		4.20	4.00	4.00
0430	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Fe	223.000	SF		5.80	7.85	5.50
0432	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More	1,928.000	SF		5.80	7.85	5.50
0450	619-E1001	Flashing Arrow Panel, Type C	4.000	EA		2,370.00	3,900.00	2,250.00
0460	619-F1001	Concrete Median Barrier, Precast	560.000	LF		24.00	31.00	55.00
0470	619-F1002	Portable Median Barrier	8,221.000	LF		24.00	31.00	50.00
0480	619-F3003	Delineators, Guard Rail, Yellow	35.000	EA		18.95	18.00	18.00
0490	619-F3004	Delineators, Guard Rail, White	24.000	EA		18.95	18.00	18.00
0500	619-G4001	Barricades, Type III, Single Faced	216.000	LF		15.80	18.00	15.00
0502	619-G4004	Barricades, Type III, Single Faced, Permanent, Red/White	48.000	LF		68.40	42.30	45.00
0510	619-G4005	Barricades, Type III, Double Faced	102.000	LF		18.95	18.00	18.00

MARION (46)					MISSISSIPPI DEPARTMENT OF TRANSPORTATION	T. L. Wallace Construction, Inc.	Tanner Construction Company, Inc.	Key, LLC
Bridge Replacement on US 98 over Silver Creek, known as Federal Aid Project No. BR-0014-02(068) / 106437301 in Marion County.					\$6,141,543.84	\$5,343,299.15	\$6,022,940.09	\$6,596,306.08
Ref#	SM Item	Item Description	Item Qty	Units		1	2	3
0512	619-G7001	Warning Lights, Type "B"	38.000	EA		247.00	160.00	235.00
0530	619-J1002	Impact Attenuator, 50 MPH	5.000	UNIT		2,470.00	4,500.00	4,500.00
0540	619-J2004	Impact Attenuator, 50 MPH, Replacement Package	1.000	UNIT		2,720.00	2,500.00	2,500.00
0550	620-A001	Mobilization	1.000	LS		350,000.00	555,000.00	575,000.00
0560	627-K001	Red-Clear Reflective High Performance Raised Markers	461.000	EA		4.20	4.00	4.00
0580	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness	89.000	SF		30.30	19.00	11.00
0582	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness	153.000	SF		35.00	18.00	14.00
0590	630-C004	Steel U-Section Posts, 3.0 to 3.5 lb/ft	302.000	LF		14.15	10.00	5.00
0600	630-F005	Delineators, Flexible Post Mounted, Crossover, Type II	20.000	EA		36.85	35.00	50.00
0610	630-G001	Type 3 Object Markers, OM-3R, Post Mounted	4.000	EA		167.00	75.00	85.00
0620	630-G003	Type 3 Object Markers, OM-3L, Post Mounted	4.000	EA		167.00	75.00	85.00
0630	635-A001	Vehicle Loop Assemblies	956.000	LF		13.40	13.35	16.00
0640	809-A003	Retaining Wall System	10,236.000	SF		31.05	36.65	56.00
0650	815-A009	Loose Riprap, Size 300	5.000	TON		90.45	102.00	125.00
0660	815-F002	Sediment Control Stone	2.000	TON		82.10	102.00	95.00
0670	907-216-A001	Solid Sodding	13,251.000	SY		1.85	1.75	3.50
0680	907-225-A001	Grassing	4.000	ACRE		842.00	800.00	2,000.00
0690	907-225-B001	Agricultural Limestone	8.000	TON		78.95	75.00	60.00
0700	907-225-C001	Mulch, Vegetative Mulch	8.000	TON		189.00	180.00	225.00
0710	907-226-A001	Temporary Grassing	4.000	ACRE		789.00	750.00	1,500.00
0720	907-234-D001	Inlet Siltation Guard	2.000	EA		263.00	250.00	1,000.00
0730	907-237-A003	Wattles, 20"	312.000	LF		4.20	5.86	4.00
0740	907-246-A001	Sandbags	30.000	LF		4.75	4.50	5.00
0750	907-304-A004	Granular Material, LVM, Class 6, Group C	4,794.000	CY		12.00	15.75	14.00
0760	907-407-A001	Asphalt for Tack Coat	4,655.000	GAL		2.45	2.35	2.35
0770	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement	2,472.000	LF		3.70	3.50	5.25

MARION (46)					MISSISSIPPI DEPARTMENT OF TRANSPORTATION	T. L. Wallace Construction, Inc.	Tanner Construction Company, Inc.	Key, LLC
Bridge Replacement on US 98 over Silver Creek, known as Federal Aid Project No. BR-0014-02(068) / 106437301 in Marion County.					\$6,141,543.84	\$5,343,299.15	\$6,022,940.09	\$6,596,306.08
Ref#	SM Item	Item Description	Item Qty	Units		1	2	3
0780	907-603-ALT01	18" Type A Alternate Pipe	80.000	LF		20.25	35.00	40.00
0790	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White	4.000	MI		1,260.00	1,200.00	1,200.00
0800	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White	3.000	MI		2,530.00	2,400.00	2,400.00
0810	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow	2.000	MI		2,530.00	2,400.00	2,400.00
0820	907-626-G004	Thermoplastic Detail Stripe, White	9,639.000	LF		0.75	0.70	0.70
0830	907-626-G005	Thermoplastic Detail Stripe, Yellow	6,339.000	LF		0.75	0.70	0.70
0840	907-626-H004	Thermoplastic Legend, White	1,895.000	LF		2.10	2.00	2.00
0850	907-626-H005	Thermoplastic Legend, White	263.000	SF		4.75	4.50	4.50
0860	907-699-A002	Roadway Construction Stakes	1.000	LS		57,000.00	78,500.00	150,000.00
0870	907-899-A001	Railway-Highway Provisions	1.000	LS		93,000.00	120,000.00	135,000.00
0880	907-304-F002	Size 610 Crushed Stone Base	2,831.000	TON		56.40	57.40	
0890	907-304-F003	3/4" and Down Crushed Stone Base	2,831.000	TON				39.00
0900	907-304-F004	Size 825B Crushed Stone Base	2,831.000	TON				
0910	907-403-A002	Hot Mix Asphalt, HT, 19-mm mixture	5,113.000	TON				
0920	907-403-M011	Warm Mix Asphalt, HT, 19-mm mixture	5,113.000	TON		78.50	74.60	74.60
0930	907-403-A005	Hot Mix Asphalt, HT, 9.5-mm mixture	6,353.000	TON				
0940	907-403-M009	Warm Mix Asphalt, HT, 9.5-mm mixture	6,353.000	TON		86.30	82.00	82.00
0950	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture	1,315.000	TON				
0960	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture	1,315.000	TON		86.30	82.00	82.00
0970	501-K001	Transverse Grooving	2,112.000	SY		2.55	2.40	2.40
0980	607-B025	120" Type I Chain Link Fence, Class I	220.000	LF		44.50	84.00	80.00
0990	803-C003	16" x 16" Prestressed Concrete Piling	2,210.000	LF		31.00	47.00	52.50
1000	803-I001	PDA Test Pile	2.000	EA		5,120.00	14,000.00	10,000.00
1010	803-J001	Pile Restrike	2.000	EA		469.00	1,700.00	1,000.00
1020	803-N001	Exploration	75.000	LF		1.00	1.00	10.00
1030	803-O009	Temporary Casing, 54" Diameter	540.000	LF		21.05	21.00	20.00

MARION (46)					MISSISSIPPI DEPARTMENT OF TRANSPORTATION	T. L. Wallace Construction, Inc.	Tanner Construction Company, Inc.	Key, LLC
Bridge Replacement on US 98 over Silver Creek, known as Federal Aid Project No. BR-0014-02(068) / 106437301 in Marion County.					\$6,141,543.84	\$5,343,299.15	\$6,022,940.09	\$6,596,306.08
Ref#	SM Item	Item Description	Item Qnty	Units		1	2	3
1040	805-A001	Reinforcement	250,147.000	LBS		0.75	0.92	0.95
1050	813-A002	Concrete Railing, 32"	1,061.000	LF		48.40	42.00	42.00
1060	815-A009	Loose Riprap, Size 300	615.000	TON		59.85	67.45	95.00
1070	815-D001	Concrete Slope Paving	97.000	CY		294.00	506.00	575.00
1080	815-E001	Geotextile under Riprap	973.000	SY		2.25	2.20	3.50
1090	907-803-K003	Drilled Shaft, 54" Diameter	900.000	LF		576.00	605.00	600.00
1100	907-803-L005	Test Shaft, 54" Diameter	1.000	EA		113,000.00	114,000.00	125,000.00
1110	907-803-M003	Trial Shaft, 54" Diameter	75.000	LF		1,720.00	606.00	625.00
1120	907-804-A001	Bridge Concrete, Class AA	1,095.000	CY		470.00	550.00	605.00
1130	907-804-C259	90' Prestressed Concrete Beam, Type BT-54	535.000	LF		134.00	140.00	145.00
1140	907-804-C260	109' Prestressed Concrete Beam, Type BT-54	1,302.000	LF		122.00	140.00	145.00
1150	907-804-C261	110' Prestressed Concrete Beam, Type BT-54	1,310.000	LF		122.00	140.00	145.00

MARION (46)					Eutaw Construction Company, Inc.	L & A Contracting Company		
Bridge Replacement on US 98 over Silver Creek, known as Federal Aid Project No. BR-0014-02(068) / 106437301 in Marion County.					\$7,095,360.36	\$7,340,815.27		
Ref#	SM Item	Item Description	Item Qnty	Units	4	5		
0010	201-B001	Clearing and Grubbing	2.000	ACRE	5,000.00	50,000.00		
0020	202-B005	Removal of Asphalt Pavement, All Depths	12,397.000	SY	4.00	2.36		
0030	202-B009	Removal of Bridge	2.000	EA	60,000.00	150,000.00		
0040	202-B025	Removal of Concrete Paved Ditch	604.000	SY	7.00	29.10		
0050	202-B070	Removal of Sign Including Post & Footing	20.000	EA	85.00	89.25		
0060	202-B076	Removal of Traffic Stripe	5,845.000	LF	0.97	1.05		
0070	202-B087	Removal of Guard Rail, Including Rails, Posts and Terminal E	1,800.000	LF	2.90	3.15		
0080	202-B097	Removal of Concrete Overlayed w/ Asphalt Pavement, All Depth	267.000	SY	30.00	2.50		
0090	202-B150	Removal of Object Markers	8.000	EA	14.48	15.75		
0100	203-EX035	Borrow Excavation, AH, FME, Class B9-6	25,811.000	CY	15.00	12.18		
0110	211-A001	Topsoil for Slope Treatment, From Right-of-Way	12,100.000	SY	9.00	1.45		
0120	213-C001	Superphosphate	2.000	TON	579.00	630.00		
0130	217-A001	Ditch Liner	2,378.000	SY	1.25	1.37		
0140	219-A001	Watering	265.000	KGAL	20.00	20.00		
0150	220-A001	Insect Pest Control	4.000	ACRE	30.00	30.00		
0160	221-A001	Portland Cement Concrete Paved Ditch	152.000	CY	415.00	538.75		
0170	223-A001	Mowing	4.000	ACRE	50.00	50.00		
0180	234-A001	Temporary Silt Fence	8,406.000	LF	2.68	2.10		
0190	236-A001	Silt Basin, Type A	4.000	EA	1,000.00	1,750.00		
0200	406-A001	Cold Milling of Bituminous Pavement, All Depths	1,867.000	SY	5.84	4.18		
0210	423-A001	Rumble Strips, Ground In	4.000	MI	289.50	315.00		
0220	501-E001	Expansion Joints, Without Dowels	94.000	LF	10.00	12.60		
0230	502-A001	Reinforced Cement Concrete Bridge End Pavement	184.000	SY	145.00	113.40		
0240	503-C007	Saw Cut, Full Depth	48.000	LF	5.00	15.00		
0250	603-CA088	18" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets	880.000	LF	30.00	41.11		
0260	605-AA005	Geotextile for Subsurface Drainage, Type V, Non-Woven	13,933.000	SY	3.00	2.89		

MARION (46)					Eutaw Construction Company, Inc.	L & A Contracting Company		
Bridge Replacement on US 98 over Silver Creek, known as Federal Aid Project No. BR-0014-02(068) / 106437301 in Marion County.					\$7,095,360.36	\$7,340,815.27		
Ref#	SM Item	Item Description	Item Qnty	Units	4	5		
0270	606-B005	Guard Rail, Class A, Type 1, 'W' Beam	1,338.000	LF	18.82	20.48		
0280	606-B008	Guard Rail, Class A, Type 1, Thrie Beam	100.000	LF	27.02	29.40		
0290	606-B016	Guard Rail, Class A, Type 1, Thrie Beam, Transition Section,	4.000	LF	27.02	29.40		
0300	606-D012	Guard Rail, Bridge End Section, Type I	5.000	EA	1,881.75	2,047.50		
0310	606-D020	Guard Rail, Bridge End Section, Type C Modified	2.000	EA	1,592.25	1,732.50		
0320	606-E002	Guard Rail, Terminal End Section, Flared	7.000	EA	1,978.25	2,152.50		
0330	606-E003	Guard Rail, Terminal End Section, Non-Flared	4.000	EA	2,026.50	2,205.00		
0340	615-A015	Concrete Bridge End Barrier, 32"	40.000	LF	40.53	50.00		
0350	618-A001	Maintenance of Traffic	1.000	LS	100,000.00	150,000.00		
0360	619-A1004	Temporary Traffic Stripe, Continuous White, Paint	4.000	MI	482.50	525.00		
0370	619-A2004	Temporary Traffic Stripe, Continuous Yellow, Paint	3.000	MI	482.50	525.00		
0380	619-A3006	Temporary Traffic Stripe, Skip White	4.000	MI	627.25	682.50		
0390	619-A5002	Temporary Traffic Stripe, Detail, Paint	24,204.000	LF	0.12	0.13		
0400	619-A5005	Temporary Traffic Stripe, Detail, Type 2 Tape	5,778.000	LF	0.72	0.79		
0410	619-A6002	Temporary Traffic Stripe, Legend	263.000	SF	0.97	1.05		
0420	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker	96.000	EA	3.86	4.20		
0430	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Fe	223.000	SF	7.24	5.78		
0432	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More	1,928.000	SF	7.00	5.78		
0450	619-E1001	Flashing Arrow Panel, Type C	4.000	EA	3,184.50	2,362.50		
0460	619-F1001	Concrete Median Barrier, Precast	560.000	LF	80.00	58.16		
0470	619-F1002	Portable Median Barrier	8,221.000	LF	85.00	98.61		
0480	619-F3003	Delineators, Guard Rail, Yellow	35.000	EA	17.37	18.90		
0490	619-F3004	Delineators, Guard Rail, White	24.000	EA	17.37	18.90		
0500	619-G4001	Barricades, Type III, Single Faced	216.000	LF	11.58	15.75		
0502	619-G4004	Barricades, Type III, Single Faced, Permanent, Red/White	48.000	LF	33.78	68.25		
0510	619-G4005	Barricades, Type III, Double Faced	102.000	LF	14.48	18.90		

MARION (46)					Eutaw Construction Company, Inc.	L & A Contracting Company		
Bridge Replacement on US 98 over Silver Creek, known as Federal Aid Project No. BR-0014-02(068) / 106437301 in Marion County.					\$7,095,360.36	\$7,340,815.27		
Ref#	SM Item	Item Description	Item Qnty	Units	4	5		
0512	619-G7001	Warning Lights, Type "B"	38.000	EA	337.75	246.75		
0530	619-J1002	Impact Attenuator, 50 MPH	5.000	UNIT	4,342.50	5,625.00		
0540	619-J2004	Impact Attenuator, 50 MPH, Replacement Package	1.000	UNIT	2,412.50	2,625.00		
0550	620-A001	Mobilization	1.000	LS	595,000.00	450,000.00		
0560	627-K001	Red-Clear Reflective High Performance Raised Markers	461.000	EA	3.86	4.20		
0580	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness	89.000	SF	18.00	18.90		
0582	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness	153.000	SF	17.37	19.95		
0590	630-C004	Steel U-Section Posts, 3.0 to 3.5 lb/ft	302.000	LF	10.00	10.50		
0600	630-F005	Delineators, Flexible Post Mounted, Crossover, Type II	20.000	EA	33.78	36.75		
0610	630-G001	Type 3 Object Markers, OM-3R, Post Mounted	4.000	EA	75.00	78.75		
0620	630-G003	Type 3 Object Markers, OM-3L, Post Mounted	4.000	EA	75.00	78.75		
0630	635-A001	Vehicle Loop Assemblies	956.000	LF	15.44	16.80		
0640	809-A003	Retaining Wall System	10,236.000	SF	30.00	36.30		
0650	815-A009	Loose Riprap, Size 300	5.000	TON	85.00	66.15		
0660	815-F002	Sediment Control Stone	2.000	TON	85.00	66.15		
0670	907-216-A001	Solid Sodding	13,251.000	SY	1.69	1.84		
0680	907-225-A001	Grassing	4.000	ACRE	772.00	840.00		
0690	907-225-B001	Agricultural Limestone	8.000	TON	72.38	78.75		
0700	907-225-C001	Mulch, Vegetative Mulch	8.000	TON	173.70	189.00		
0710	907-226-A001	Temporary Grassing	4.000	ACRE	723.75	787.50		
0720	907-234-D001	Inlet Siltation Guard	2.000	EA	241.25	262.50		
0730	907-237-A003	Wattles, 20"	312.000	LF	3.86	4.20		
0740	907-246-A001	Sandbags	30.000	LF	4.34	4.73		
0750	907-304-A004	Granular Material, LVM, Class 6, Group C	4,794.000	CY	20.00	34.73		
0760	907-407-A001	Asphalt for Tack Coat	4,655.000	GAL	2.27	2.47		
0770	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement	2,472.000	LF	3.38	3.68		

MARION (46)					Eutaw Construction Company, Inc.	L & A Contracting Company		
Bridge Replacement on US 98 over Silver Creek, known as Federal Aid Project No. BR-0014-02(068) / 106437301 in Marion County.					\$7,095,360.36	\$7,340,815.27		
Ref#	SM Item	Item Description	Item Qnty	Units	4	5		
0780	907-603-ALT01	18" Type A Alternate Pipe	80.000	LF	25.00	51.53		
0790	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White	4.000	MI	1,158.00	1,260.00		
0800	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White	3.000	MI	2,316.00	2,520.00		
0810	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow	2.000	MI	2,316.00	2,520.00		
0820	907-626-G004	Thermoplastic Detail Stripe, White	9,639.000	LF	0.68	0.74		
0830	907-626-G005	Thermoplastic Detail Stripe, Yellow	6,339.000	LF	0.68	0.74		
0840	907-626-H004	Thermoplastic Legend, White	1,895.000	LF	1.93	2.10		
0850	907-626-H005	Thermoplastic Legend, White	263.000	SF	4.34	4.73		
0860	907-699-A002	Roadway Construction Stakes	1.000	LS	110,000.00	200,000.00		
0870	907-899-A001	Railway-Highway Provisions	1.000	LS	350,000.00	300,000.00		
0880	907-304-F002	Size 610 Crushed Stone Base	2,831.000	TON	60.00	61.60		
0890	907-304-F003	3/4" and Down Crushed Stone Base	2,831.000	TON				
0900	907-304-F004	Size 825B Crushed Stone Base	2,831.000	TON				
0910	907-403-A002	Hot Mix Asphalt, HT, 19-mm mixture	5,113.000	TON				
0920	907-403-M011	Warm Mix Asphalt, HT, 19-mm mixture	5,113.000	TON	71.99	78.33		
0930	907-403-A005	Hot Mix Asphalt, HT, 9.5-mm mixture	6,353.000	TON				
0940	907-403-M009	Warm Mix Asphalt, HT, 9.5-mm mixture	6,353.000	TON	79.13	86.10		
0950	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture	1,315.000	TON				
0960	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture	1,315.000	TON	79.13	86.10		
0970	501-K001	Transverse Grooving	2,112.000	SY	2.32	2.52		
0980	607-B025	120" Type I Chain Link Fence, Class I	220.000	LF	81.00	44.38		
0990	803-C003	16" x 16" Prestressed Concrete Piling	2,210.000	LF	42.50	36.19		
1000	803-I001	PDA Test Pile	2.000	EA	6,201.00	5,845.00		
1010	803-J001	Pile Restrike	2.000	EA	250.00	1,332.85		
1020	803-N001	Exploration	75.000	LF	5.00	12.50		
1030	803-O009	Temporary Casing, 54" Diameter	540.000	LF	20.00	1.25		

MARION (46)					Eutaw Construction Company, Inc.	L & A Contracting Company		
Bridge Replacement on US 98 over Silver Creek, known as Federal Aid Project No. BR-0014-02(068) / 106437301 in Marion County.					\$7,095,360.36	\$7,340,815.27		
Ref#	SM Item	Item Description	Item Qnty	Units	4	5		
1040	805-A001	Reinforcement	250,147.000	LBS	1.00	0.94		
1050	813-A002	Concrete Railing, 32"	1,061.000	LF	43.50	50.00		
1060	815-A009	Loose Riprap, Size 300	615.000	TON	80.00	66.15		
1070	815-D001	Concrete Slope Paving	97.000	CY	750.00	486.36		
1080	815-E001	Geotextile under Riprap	973.000	SY	3.00	4.65		
1090	907-803-K003	Drilled Shaft, 54" Diameter	900.000	LF	585.00	600.00		
1100	907-803-L005	Test Shaft, 54" Diameter	1.000	EA	125,000.00	200,000.00		
1110	907-803-M003	Trial Shaft, 54" Diameter	75.000	LF	600.00	900.00		
1120	907-804-A001	Bridge Concrete, Class AA	1,095.000	CY	700.00	470.86		
1130	907-804-C259	90' Prestressed Concrete Beam, Type BT-54	535.000	LF	145.00	180.00		
1140	907-804-C260	109' Prestressed Concrete Beam, Type BT-54	1,302.000	LF	145.00	163.00		
1150	907-804-C261	110' Prestressed Concrete Beam, Type BT-54	1,310.000	LF	145.00	156.00		