

## SECTION 905 -- PROPOSAL (CONTINUED)

I (We) hereby certify by digital signature and electronic submission via Bid Express of the Section 905 proposal below, that all certifications, disclosures and affidavits incorporated herein are deemed to be duly executed in the aggregate, fully enforceable and binding upon delivery of the bid proposal. I (We) further acknowledge that this certification shall not extend to the bid bond or alternate security which must be separately executed for the benefit of the Commission. This signature does not cure deficiencies in any required certifications, disclosures and/or affidavits. I (We) also acknowledge the right of the Commission to require full and final execution on any certification, disclosure or affidavit contained in the proposal at the Commission's election upon award. Failure to so execute at the Commission's request within the time allowed in the Standard Specifications for execution of all contract documents will result in forfeiture of the bid bond or alternate security.

Bidder acknowledges receipt of and has added to and made a part of the proposal and contract documents the following addendum (addenda):

ADDENDUM NO.	<u>1</u>	DATED	<u>11/17/2017</u>	ADDENDUM NO.	_____	DATED	_____
ADDENDUM NO.	<u>2</u>	DATED	<u>11/27/2017</u>	ADDENDUM NO.	_____	DATED	_____
ADDENDUM NO.	<u>3</u>	DATED	<u>11/30/2017</u>	ADDENDUM NO.	_____	DATED	_____

Number	Description
1	Revised Table of Contents; Added NTB Nos. 437, 438, & 439; Revised Bid Items; Revised or Added Plan Sheet Nos. 2, 6-11, 13, 16-18, 25, 27, 31, 2017-2029; Amendment EBS Download Required.
2	Postponed; Amendment EBS Download Required.
3	Revised NTB No. 438; Revised Bid Items; Amendment EBS Download Required.

TOTAL ADDENDA: 3  
 (Must agree with total addenda issued prior to opening of bids)

Respectfully Submitted,

DATE \_\_\_\_\_

\_\_\_\_\_  
 Contractor

BY \_\_\_\_\_  
 Signature

TITLE \_\_\_\_\_

ADDRESS \_\_\_\_\_

CITY, STATE, ZIP \_\_\_\_\_

PHONE \_\_\_\_\_

FAX \_\_\_\_\_

E-MAIL \_\_\_\_\_

(To be filled in if a corporation)

Our corporation is chartered under the Laws of the State of \_\_\_\_\_ and the names, titles and business addresses of the executives are as follows:

_____ President	_____ Address
_____ Secretary	_____ Address
_____ Treasurer	_____ Address

The following is my (our) itemized proposal.  
 HSIP-0008-01(133)/ 106994301000  
 Forrest County(ies)

Revised 01/26/2016

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

SECTION 904 - NOTICE TO BIDDERS NO. 438

CODE: (SP)

DATE: 11/30/2017

SUBJECT: Pay Item Correction

PROJECT: HSIP-0008-01(133) / 106994301 – Forrest County

Bidders are hereby advised that the following pay items has been revised from what is shown on the plan Summary of Quantities, but are correctly shown on the bid items:

<u>Deleted</u> - 907-659-A002	Traffic Management Center Modification--- <u>12 Each</u>
<u>Added</u> - 907-659-A001	Traffic Management Center Modification --- <u>1 Lump Sum</u>
<u>Added</u> - 907-659-C001	Traffic Management Center Modification --- <u>1 Lump Sum</u>
<u>Revised</u> – 639-C001	Multimode Phase Selector --- <u>13 Each</u>

Installation of a Traffic Signal on US 49 from Peps Point Road to US 98, known as Federal Aid Project No. HSIP-0008-01(133) / 106994301 in Forrest County.

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
<b>Roadway Items</b>					
0010	202-B007		306	Square Yard	Removal of Asphalt Pavement, All Depths
0020	202-B088		703	Linear Feet	Removal of Curb & Gutter, All Types
0030	202-B129		2	Each	Removal of Flared End Section, All Sizes
0040	202-B165		7	Each	Removal of Inlets, All Sizes
0050	202-B168		135	Square Yard	Removal of Island Pavement, All Types
0060	202-B171		6,348	Linear Feet	Removal of Legend, All Types
0070	202-B172		102	Square Feet	Removal of Legend, All Types
0080	202-B191		356	Linear Feet	Removal of Pipe, 8" And Above
0090	202-B215		24	Each	Removal of Sign Including Post & Footing
0100	202-B240		898	Linear Feet	Removal of Traffic Stripe
0110	203-A002	(E)	2,248	Cubic Yard	Unclassified Excavation, LVM, AH
0120	203-EX038	(E)	294	Cubic Yard	Borrow Excavation, AH, LVM, Class B7-6
0130	203-G002	(E)	1,388	Cubic Yard	Excess Excavation, LVM, AH
0140	206-A001	(S)	949	Cubic Yard	Structure Excavation
0150	209-A005		15,443	Square Yard	Geotextile Stabilization, Type V, Non-Woven
0160	211-A001		779	Square Yard	Topsoil for Slope Treatment, From Right-of-Way
0170	213-C001		1	Ton	Superphosphate
0180	216-A001		39	Square Yard	Solid Sodding
0190	219-A001		1	Thousand Gallon	Watering [\$20.00]
0200	221-A001	(S)	2	Cubic Yard	Concrete Paved Ditch
0210	225-A001		2	Acre	Grassing
0220	225-B001		6	Ton	Agricultural Limestone
0230	225-C001		4	Ton	Mulch, Vegetative Mulch
0240	226-A001		2	Acre	Temporary Grassing
0250	234-A001		4,250	Linear Feet	Temporary Silt Fence
0260	237-A002		668	Linear Feet	Wattles, 20"
0270	246-A001		71	Linear Feet	Sandbags
0280	249-A001		68	Ton	Riprap for Erosion Control
0290	403-A001	(BA1)	1,085	Ton	12.5-mm, HT, Asphalt Pavement
0300	403-A004	(BA1)	1,368	Ton	19-mm, HT, Asphalt Pavement
0310	403-A006	(BA1)	1,627	Ton	19-mm, ST, Asphalt Pavement
0320	403-A013	(BA1)	3,795	Ton	9.5-mm, HT, Asphalt Pavement

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
0330	403-A015	(BA1)	244	Ton	9.5-mm, ST, Asphalt Pavement
0340	406-D001		31,560	Square Yard	Fine Milling of Bituminous Pavement, All Depths
0350	407-A001	(A2)	3,040	Gallon	Asphalt for Tack Coat
0360	413-E001		2,660	Linear Feet	Sawing and Sealing Transverse Joints in Asphalt Pavement
0370	423-A001		2	Mile	Rumble Strips, Ground In
0380	503-C010		606	Linear Feet	Saw Cut, Full Depth
0390	601-B001	(S)	75	Cubic Yard	Class "B" Structural Concrete, Minor Structures
0400	601-B002	(S)	2	Cubic Yard	Class "C" Structural Concrete, Minor Structures
0410	602-A001	(S)	1,294	Pounds	Reinforcing Steel
0420	603-ALT003	(S)	1,416	Linear Feet	18" Type A Alternate Pipe
0430	603-ALT006	(S)	400	Linear Feet	24" Type A Alternate Pipe
0440	603-CA011	(S)	232	Linear Feet	18" Reinforced Concrete Pipe, Class III
0450	603-CA012	(S)	29	Linear Feet	18" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
0460	603-CB003	(S)	2	Each	18" Reinforced Concrete End Section
0470	603-CB004	(S)	1	Each	24" Reinforced Concrete End Section
0480	603-SB012	(S)	2	Each	18" Branch Connections, Stub into Box Culvert
0490	604-A001		158	Pounds	Castings
0500	604-B001		3,000	Pounds	Gratings
0510	608-B001	(S)	7	Square Yard	Concrete Sidewalk, With Reinforcement
0520	608-C001		16	Square Feet	Detectable Warning Panels
0530	609-D004	(S)	30	Linear Feet	Combination Concrete Curb and Gutter Type 2 Modified
0540	609-D012	(S)	3,744	Linear Feet	Combination Concrete Curb and Gutter Type 3A Modified
0550	612-A001		17	Cubic Yard	Flowable Fill, Excavatable
0560	616-A001	(S)	484	Square Yard	Concrete Median and/or Island Pavement, 10-inch
0570	616-A004	(S)	1,527	Square Yard	Concrete Median and/or Island Pavement, 4-inch
0580	618-A001		1	Lump Sum	Maintenance of Traffic
0590	619-A1003		4,512	Linear Feet	Temporary Traffic Stripe, Continuous White, Paint
0600	619-A2003		2,982	Linear Feet	Temporary Traffic Stripe, Continuous Yellow, Paint
0610	619-A3004		6,358	Linear Feet	Temporary Traffic Stripe, Skip White, Paint
0620	619-A5002		32,917	Linear Feet	Temporary Traffic Stripe, Detail, Paint
0630	619-A6004		9,227	Linear Feet	Temporary Traffic Stripe, Legend, Paint
0640	619-D1001		32	Square Feet	Standard Roadside Construction Signs, Less than 10 Square Feet
0650	619-D2001		1,256	Square Feet	Standard Roadside Construction Signs, 10 Square Feet or More
0660	619-G4005		144	Linear Feet	Barricades, Type III, Single Faced

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
0670	620-A001		1	Lump Sum	Mobilization
0680	626-A003		6,358	Linear Feet	6" Thermoplastic Traffic Stripe, Skip White
0690	626-C003		4,512	Linear Feet	6" Thermoplastic Edge Stripe, Continuous White
0700	626-E003		144	Linear Feet	6" Thermoplastic Traffic Stripe, Continuous Yellow
0710	626-F004		2,838	Linear Feet	6" Thermoplastic Edge Stripe, Continuous Yellow
0720	626-G002		27,297	Linear Feet	Thermoplastic Detail Stripe, White
0730	626-G003		5,620	Linear Feet	Thermoplastic Detail Stripe, Yellow
0740	626-H004		938	Square Feet	Thermoplastic Legend, White
0750	626-H005		9,227	Linear Feet	Thermoplastic Legend, White
0760	627-J001		46	Each	Two-Way Clear Reflective High Performance Raised Markers
0770	627-K001		694	Each	Red-Clear Reflective High Performance Raised Markers
0780	627-L001		474	Each	Two-Way Yellow Reflective High Performance Raised Markers
0790	630-A001		220	Square Feet	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
0800	630-A003		596	Square Feet	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
0810	630-C003		862	Linear Feet	Steel U-Section Posts, 3.0 lb/ft
0820	630-E004		231	Pounds	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
0830	630-F003		5	Each	Delineators, Flexible Post Mounted, Crossover, Type II
0840	630-K003		186	Linear Feet	Welded & Seamless Steel Pipe Posts, 4"
0850	632-A007		11	Each	Solid State Traffic Cabinet Assembly, Type III Cabinet, Type 1 Controller
0860	632-B008		3	Each	Remove and Replace Existing Traffic Signal Cabinet Assembly, Type III Cabinet, Type 1 Controller
0870	634-A014		1	Each	Traffic Signal Equipment Pole, Type II, 17' Shaft, 30' Arm
0880	634-A015		4	Each	Traffic Signal Equipment Pole, Type II, 17' Shaft, 35' Arm
0890	634-A016		3	Each	Traffic Signal Equipment Pole, Type II, 17' Shaft, 40' Arm
0900	634-A017		2	Each	Traffic Signal Equipment Pole, Type II, 17' Shaft, 45' Arm
0910	634-A020		5	Each	Traffic Signal Equipment Pole, Type II, 17' Shaft, 50' Arm
0920	634-A021		4	Each	Traffic Signal Equipment Pole, Type II, 17' Shaft, 55' Arm
0930	634-A022		2	Each	Traffic Signal Equipment Pole, Type II, 17' Shaft, 60' Arm
0940	634-A024		1	Each	Traffic Signal Equipment Pole, Type II, 17' Shaft, 70' Arm
0950	634-A038		1	Each	Traffic Signal Equipment Pole, Type II, 22' Shaft, 30' Arm
0960	634-A039		1	Each	Traffic Signal Equipment Pole, Type II, 22' Shaft, 35' Arm
0970	634-A040		1	Each	Traffic Signal Equipment Pole, Type II, 22' Shaft, 40' Arm
0980	634-A042		1	Each	Traffic Signal Equipment Pole, Type II, 22' Shaft, 50' Arm
0990	634-A045		1	Each	Traffic Signal Equipment Pole, Type II, 22' Shaft, 65' Arm

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
1000	634-A049		1	Each	Traffic Signal Equipment Pole, Type II, 22' Shaft, 85' Arm
1010	634-A079		1	Each	Traffic Signal Equipment Pole, Type III, 17' Shaft, 45' & 60' Arms
1020	634-A197		2	Each	Traffic Signal Equipment Pole, Type II, 40' Shaft, 50' Arm
1030	634-A198		2	Each	Traffic Signal Equipment Pole, Type II, 40' Shaft, 55' Arm
1040	634-A199		1	Each	Traffic Signal Equipment Pole, Type II, 40' Shaft, 60' Arm
1050	634-A200		1	Each	Traffic Signal Equipment Pole, Type II, 40' Shaft, 65' Arm
1060	634-A201		1	Each	Traffic Signal Equipment Pole, Type II, 40' Shaft, 70' Arm
1070	634-A250		1	Each	Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 75' Arm
1080	634-A251		1	Each	Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 80' Arm
1090	634-A252		1	Each	Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 85' Arm
1100	634-A267		1	Each	Traffic Signal Equipment Pole, Type II(L), 40' Shaft, 80' Arm
1110	634-C005		164	Cubic Yard	Pole Foundations, Class "B" Concrete
1120	635-A059		71	Each	Traffic Signal Head, Type 1
1130	635-A061		3	Each	Traffic Signal Head, Type 2
1140	635-A065		30	Each	Traffic Signal Head, Type 2 FYA
1150	635-A070		14	Each	Traffic Signal Head, Type 3
1160	635-A073		4	Each	Traffic Signal Head, Type 4
1170	635-A076		20	Each	Traffic Signal Head, Type 6
1180	636-B016		8,080	Linear Feet	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 5 Conductor
1190	636-B018		10,369	Linear Feet	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 8 Conductor
1200	636-B029		240	Linear Feet	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 8, 3 Conductor
1210	636-B037		1,078	Linear Feet	Electric Cable, Underground in Conduit, THHN, AWG #10, 3 Conductor
1220	636-B048		949	Linear Feet	Electric Cable, Underground in Conduit, THHN, AWG #4, 3 Conductor
1230	636-C009		365	Linear Feet	Electric Cable, Aerial Supported, IMSA 20-1, AWG 14, 8 Conductor
1240	637-A009		48	Each	Pull Box Enclosure, Type 2, Tier 22
1250	637-A011		12	Each	Pull Box Enclosure, Type 3, Tier 22
1260	637-C028		3,992	Linear Feet	Traffic Signal Conduit, Underground, Type 4, 2"
1270	637-C030		313	Linear Feet	Traffic Signal Conduit, Underground, Type 4, 3"
1280	637-D002		2,354	Linear Feet	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2"
1290	637-D003		4,333	Linear Feet	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
1300	637-F005		138	Linear Feet	Traffic Signal Conduit, Aerial Supported, Type 1, 2"
1310	638-A003		7	Each	Flashing Assembly, Be Prepared to Stop When Flashing
1320	639-B001		42	Each	Optical Detector
1330	639-C001		13	Each	Multimode Phase Selector

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
1340	639-E001		9,158	Linear Feet	Optical Detector Cable
1350	640-A001		484	Linear Feet	Vehicle Loop Assemblies
1360	640-B003		5,124	Linear Feet	Shielded Cable, AWG #14, 2 Conductor
1370	640-C005		2	Each	Loop Detector Amplifier, Card Rack Mounted, 4 Channel
1380	642-B002		2	Each	Magnetometer Detection System Component, 18-foot Pole
1390	642-B007		6	Each	Magnetometer Detection System Component, Extension Card
1400	642-B009		33	Each	Magnetometer Detection System Component, Repeater
1410	642-B010		22	Each	Magnetometer Detection System Component, SPP Digital Radio
1420	642-B011		76	Each	Magnetometer Detection System Component, Wireless Detection Sensor
1430	643-A003		7	Each	Video Detection System, 1 Sensor, Type 2
1440	645-B001		20	Each	Accessible Pedestrian Detection Assembly
1450	647-A001		1	Lump Sum	Removal of Existing Traffic Signal Equipment
1460	653-B003		384	Square Feet	Street Name Sign, Type III
1470	699-A001		1	Lump Sum	Roadway Construction Stakes
1480	907-650-A002		8	Each	On Street Video Equipment, Fixed Type
1490	907-650-A003		4	Each	On Street Video Equipment, PTZ Type
1500	907-659-A001		1	Lump Sum	Traffic Management Center Modifications
1502	907-659-C001		1	Lump Sum	Traffic Management Center Modifications - Training
1510	907-661-B002		600	Linear Feet	Fiber Optic Drop Cable, 12 SM
1520	907-663-A001		12	Each	Network Switch, Type A
1530	907-672-A003		13	Each	Remove and Reset Traffic Signal Equipment
1540	907-672-B002		5	Each	Remove and Reset ITS Equipment
1550	907-906001		520	Hours	Trainees [\$5.00]
<b>ALTERNATE GROUP AA NUMBER 1</b>					
1560	304-F001	(GT)	8,367	Ton	3/4" and Down Crushed Stone Base
<b>ALTERNATE GROUP AA NUMBER 2</b>					
1570	304-F002	(GT)	8,367	Ton	Size 610 Crushed Stone Base
<b>ALTERNATE GROUP AA NUMBER 3</b>					
1580	304-F003	(GT)	8,367	Ton	Size 825B Crushed Stone Base