

# MISSISSIPPI DEPARTMENT OF TRANSPORTATION

## **Notice to Contractors**

Letting Date For December - December 19, 2017

# MISSISSIPPI DEPARTMENT OF TRANSPORTATION NOTICE TO CONTRACTORS LETTING DATE FOR DECEMBER - Tuesday, December 19, 2017

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List is available online at mdot.ms.gov

#### PROPOSAL AND PLAN SALES WILL BEGIN ON NOVEMBER 27, 2017

Proposals must be purchased online at: https://shopmdot.ms.gov For Information Please Contact: Contract Administration Division Jackson, MS

Telephone: (601) 359-7700


Plans must be purchased online at: https://shopmdot.ms.gov For Information Please Contact: MDOT Plans Print Shop Jackson, MS Telephone: (601) 359-7460

Telephone: (601) 359-7460 e-mail: plans@mdot.state.ms.us

Electronic bids will be received by the Mississippi Transportation Commission at 10:00 o'clock A.M., Tuesday, December 19, 2017; from the Bid Express Service and shortly thereafter, bids will be publicly read in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

#### LIST OF CONTRACTS FOR DECEMBER

CALL	CONTRACT	COUNTY
01	BR-0066-01(004)/100774301	JACKSON



Bridge Replacement on SR 57 at Red Creek Bridge No. 20.3, known as Federal Aid Project No. BR-0066-01(004) / 100774301 in Jackson County.

#### PROJECT COMPLETION: Contractor Determined

### Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change Roadway Items

			· · · · · · · · · · · · · · · · · · ·
1	Lump Sum	201-A001	Clearing and Grubbing
1	Lump Sum	202-A001	Removal of Obstructions
6,655	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
373	Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
80	Linear Feet	202-B191	Removal of Pipe, 8" And Above
11,161	Cubic Yard	203-A001	Unclassified Excavation, FM, AH
48,799	Cubic Yard	203-EX018	Borrow Excavation, AH, FME, Class B7-6
22,570	Cubic Yard	203-G001	Excess Excavation, FM, AH
77	Cubic Yard	206-A001	Structure Excavation
17,116	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
100	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
11	Ton	213-C001	Superphosphate
90	Square Yard	216-A001	Solid Sodding
455	Square Yard	217-A001	Ditch Liner
2	Thousand Gallon	219-A001	Watering
22	Acre	220-A001	Insect Pest Control
10	Cubic Yard	221-A001	Concrete Paved Ditch
43	Acre	223-A001	Mowing
775	Square Yard	224-A001	Soil Reinforcing Mat
22	Acre	225-A001	Grassing
43	Ton	225-B001	Agricultural Limestone
32	Ton	225-C001	Mulch, Vegetative Mulch
22	Acre	226-A001	Temporary Grassing
7,447	Linear Feet	234-A001	Temporary Silt Fence

844	Linear Feet	234-C001	Super Silt Fence
2	Each	236-A008	Silt Basin, Type D
60	Linear Feet	237-A002	Wattles, 20"
60	Linear Feet	245-A001	Silt Dike
60	Each	246-A002	Sandbags
500	Ton	249-A001	Riprap for Erosion Control
1,150	Ton	403-A002	12.5-mm, MT, Asphalt Pavement
1,976	Ton	403-A005	19-mm, MT, Asphalt Pavement
1,211	Ton	403-A014	9.5-mm, MT, Asphalt Pavement
2,849	Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
855	Gallon	407-A001	Asphalt for Tack Coat
44	Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
1	Mile	423-A001	Rumble Strips, Ground In
190	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
783	Linear Feet	503-C010	Saw Cut, Full Depth
1	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
1	Cubic Yard	601-B002	Class "C" Structural Concrete, Minor Structures
104	Linear Feet 6	603-CA027	24" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
72	Linear Feet 6	603-CA041	30" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
2	Each	603-CB004	24" Reinforced Concrete End Section
2	Each 6	603-CB005	30" Reinforced Concrete End Section
78	Square Yard	605-AA001	Geotextile for Subsurface Drainage, Type III
88	Linear Feet	605-B001	4" Perforated Concrete Pipe for Underdrains, Class Type 1
64	Linear Feet	605-P003	4" Non-perforated Sewer Pipe for Underdrains, SDR 35
8	Cubic Yard	605-X002	Filter Material for Filter Beds, Type A
438	Linear Feet	606-B001	Guard Rail, Class A, Type 1
4	Each	606-D001	Guard Rail, Bridge End Section
4	Each	606-E001	Guard Rail, Terminal End Section
153	Linear Feet	609-D004	Combination Concrete Curb and Gutter Type 2 Modified
40	Linear Feet	615-A002	Concrete Bridge End Barrier, 33.5"

28	Each 61	17-A001	Right-of-Way Marker	
1	Lump Sum 61	18-A001	Maintenance of Traffic	
9,402	Linear Feet 619	9-A1002	Temporary Traffic Stripe, Continuous White	
9,292	Linear Feet 619	9-A2002	Temporary Traffic Stripe, Continuous Yellow	
336	Linear Feet 619	9-A5001	Temporary Traffic Stripe, Detail	
33	Linear Feet 619	9-A6002	Temporary Traffic Stripe, Legend	
36	Square Feet 619	9-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet	
360	Square Feet 619	9-D2001	Standard Roadside Construction Signs, 10 Square Feet or More	
15	Each 619	9-D3001	Remove and Reset Signs, All Sizes	
126	Linear Feet 619	9-G4001	Barricades, Type III, Double Faced	
48	Linear Feet 619	9-G4006	Barricades, Type III, Single Faced, Permanent	
45	Each 619	9-G5001	Free Standing Plastic Drums	
4	Each 619	9-G7001	Warning Lights, Type "B"	
1	Lump Sum 62	20-A001	Mobilization	
1	Each 62	22-A002	Engineer's Field Office Building, Type 2	
9,402	Linear Feet 62	26-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White	
9,292	Linear Feet 62	26-E002	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow	
336	Linear Feet 62	26-G002	Thermoplastic Detail Stripe, White	
33	Linear Feet 62	26-H005	Thermoplastic Legend, White	
62	Each 62	27-B001	Two-Way Clear Reflective Raised Markers	
100	Each 62	27-D001	Two-Way Yellow Reflective Raised Markers	
21	Square Feet 63	30-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness	
146	Square Feet 63	30-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness	
66	Linear Feet 63	30-C003	Steel U-Section Posts, 3.0 lb/ft	
277	Pounds 63	30-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar	
22	Each 63	30-F006	Delineators, Guard Rail, White	
4	Each 63	30-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted	
105	Linear Feet 63	30-K001	Welded & Seamless Steel Pipe Posts, 3 1/2"	
1	Lump Sum 69	99-A001	Roadway Construction Stakes	
3,178	Ton 81	15-A007	Loose Riprap, Size 300	

2,686	Square Yard	815-E001	Geotextile under Riprap
200	Ton	815-F002	Sediment Control Stone
198	Linear Feet	907-253-A001	Coir Fiber Baffle
			ALTERNATE GROUP AA NUMBER 1
5,280	Ton	304-F001	3/4" and Down Crushed Stone Base
			ALTERNATE GROUP AA NUMBER 2
5,280	Ton	304-F002	Size 610 Crushed Stone Base
	_		ALTERNATE GROUP AA NUMBER 3
5,280	Ion	304-F003	Size 825B Crushed Stone Base
1 870	Square Yard	501-K001	Bridge Items Transverse Grooving
	Each		Conventional Static Pile Load Test
	Linear Feet		HP 12 x 74 Steel Piling
	Each		PDA Test Pile, HP Steel Pile
	Each		Pile Restrike
870	Linear Feet	803-K010	Drilled Shaft, 72" Diameter
1	Each	803-L006	Test Shaft, 72" Diameter
151	Linear Feet	803-M009	Trial Shaft, 72" Diameter
60	Linear Feet	803-N001	Exploration
60	Linear Feet	803-O023	Temporary Casing, 72" Diameter
225	Cubic Yard	804-A001	Bridge Concrete, Class AA
694	Cubic Yard	804-A004	Bridge Concrete, Class BD
6	Cubic Yard	804-A006	Bridge Concrete, Class F
278,417	Pounds	805-A001	Reinforcement
944	Linear Feet	813-A002	Concrete Railing, 32"
3,002	Ton	815-A007	Loose Riprap, Size 300
1,780	Square Yard	815-E001	Geotextile under Riprap
1,049	Linear Feet	907-804-PP001	105' Post-Tensioned Concrete Beam, Per Plans
600	Linear Feet	907-804-PP002	120' Post-Tensioned Concrete Beam, Per Plans
680	Linear Feet	907-804-PP003	68' Post-Tensioned Concrete Beam, Per Plans

1 Lump Sum 907-804-PP004 Post Tensioning System

84 Linear Feet 907-822-B008 2 1/8" Reinforced Elastomeric Molded Rubber Expansion Joint

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Contractors may request permission to bid online at <a href="http://shopmdot.ms.gov">http://shopmdot.ms.gov</a> at no cost. Upon approval, contractors shall be eligible to submit a bid using Bid Express at <a href="http://bidx.com">http://bidx.com</a>. Specimen proposals may be viewed and downloaded online at no cost at <a href="http://mdot.ms.gov">http://mdot.ms.gov</a> or purchased online at <a href="http://shopmdot.ms.gov">http://shopmdot.ms.gov</a> at a cost of Ten Dollars (\$10.00) per proposal plus a small convenience fee. Cash or checks will not be accepted as payment.

Plans must be purchased online at https://shopmdot.ms.gov. Costs of plans will be on a cost per sheet basis plus a small convenience fee. You can contact the MDOT Plans Print Shop at Telephone No. (601) 359-7460 or e-mail at plans@mdot.state.ms.us. Plans will be shipped on receipt of payment. Cash or checks will not be accepted as payment.

Bid bond, signed or countersigned by a Mississippi Resident Agent or qualified non-resident agent, with Power of Attorney attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

MELINDA L. MCGRATH, P.E. EXECUTIVE DIRECTOR