### SECTION 905 -- PROPOSAL (CONTINUED)

I (We) hereby certify by digital signature and electronic submission via Bid Express of the Section 905 proposal below, that all certifications, disclosures and affidavits incorporated herein are deemed to be duly executed in the aggregate, fully enforceable and binding upon delivery of the bid proposal. I (We) further acknowledge that this certification shall not extend to the bid bond or alternate security which must be separately executed for the benefit of the Commission. This signature does not cure deficiencies in any required certifications, disclosures and/or affidavits. I (We) also acknowledge the right of the Commission to require full and final execution on any certification, disclosure or affidavit contained in the proposal at the Commission's election upon award. Failure to so execute at the Commission's request within the time allowed in the Standard Specifications for execution of all contract documents will result in forfeiture of the bid bond or alternate security.

Bidder acknowledges receipt of and has added to and made a part of the proposal and contract documents the following addendum (addenda):

ADDENDUM NO. 1/18/2018 DATED ADDENDUM NO. DATED ADDENDUM NO ADDENDUM NO. DATED DATED ADDENDUM NO. DATED ADDENDUM NO DATED Numbe Description TOTAL ADDENDA: (Must agree with total addenda issued prior to opening of bids) Revised Table of Contents; Add SP 907-626-3; Revised BidItems; Revised or Added Plan Sheet Nos. 2, 3, & 4; Respectfully Submitted, Amendment EBS Download Required. DATE Contractor Signature TITLE **ADDRESS** CITY, STATE, ZIP FAX \_\_\_

(To be filled in if a corporation)

Our corporation is chartered under the Laws of the State of \_\_\_\_\_\_\_ and the names, titles and business addresses of the executives are as follows:

President Address

Secretary Address

Treasurer Address

E-MAIL

The following is my (our) itemized proposal.

 $\begin{array}{l} {\sf BWO-2214-05(001)/\ 502996301000,\ BWO-2215-05(001)/\ 502996302000,\ BWO-2217-05(001)/\ 502996304000\ \&\ LWO-2096-05(002)/\ 502996305000} \end{array}$ 

Benton County(ies)

Revised 01/26/2016

## MISSISSIPPI DEPARTMENT OF TRANSPORTATION TABLE OF CONTENTS

PROJECT: BWO-2214-05(001)/502996301 - Benton BWO-2215-05(001)/502996302 - Benton BWO-2217-05(001)/502996304 - Benton LWO-2096-05(002)/502996305 - Benton

Section 901 - Advertisement

Section 904 - Notice t	
#1	Governing Specification
#3	Final Cleanup
#5	Storm Water Discharge Associated with Construction Activities (≥1 and <5 Acres)
#8	Errata and Modifications to the 2017 Standard Specifications
#9	Federal Bridge Formula
#11	Additional Erosion Control Requirements
#12	MASH Compliant Devices
#13	Safety Edge
#30	Additional Governing Specifications for BWO/LWO Projects
#113	Tack Coat
#445	Mississippi Agent and Qualified Nonresident Agent
#541	Contract Time
Section 907 - Special	Provisions
907-102-2	Bidding Requirements and Conditions
907-103-2	Award and Execution of Contract
907-107-1	Contractor's Erosion Control Plan
907-242-2	Maintenance Area Headquarters and Structures
907-290-1	Flagpole
907-626-3	Thermoplastic Markings
907-626-5	Thermoplastic Blue ADA Markings

Section 905 - Proposal, Proposal Bid Items, Combination Bid Proposal

State Board of Contractors Requirement

State Certification Regarding Non-Collusion, Debarment and Suspensions

Section 902 - Contract Form

Section 903 - Contract Bond Forms

(REVISIONS TO THE ABOVE WILL BE INDICATED ON THE SECOND SHEET OF SECTION 905 AS ADDENDA)
01/18/2018 01:16 PM

### MISSISSIPPI DEPARTMENT OF TRANSPORTATION

CODE: (SP)

#### SPECIAL PROVISION NO. 907-626-3

**DATE:** 01/17/2017

**SUBJECT:** Thermoplastic Markings

Section 626, Thermoplastic Traffic Markings, of the 2017 Edition of the Mississippi Standard Specifications for Road and Bridge Construction is hereby amended as follows:

<u>907-626.03.1.2--Construction Details.</u> After the first sentence of the eighth paragraph of Subsection 626.03.1.2 on Page 494, add the following.

For 4-inch stripe, additional beads by the drop-on method shall be applied at a rate of not less than two pounds of beads per 100 feet of four-inch stripe.

<u>907-626.04--Method of Measurement.</u> After the second paragraph of Subsection 626.04 on Page 495, add the following.

Four-inch equivalent detail traffic stripe will be measured by the linear foot from end-to-end of individual stripes. Measurements will be made along the surface of each stripe and will exclude skip intervals where skips are specified. Stripes more than four inches in width will be converted to equivalent lengths of four-inch stripe.

After the last paragraph of Subsection 626.04 on Page 495, add the following.

When transverse railroad bands, pedestrian crosswalks and stop lines are measured by the linear foot of 4-inch equivalent stripe, stripes more than four inches in width will be converted to equivalent lengths of four-inch widths.

**<u>907-626.05--Basis of Payment.</u>** Add the following pay items to the list of pay items on pages 495 & 496.

907-626-A: 4" Thermoplastic Traffic Stripe, Skip White	- per linear foot or mile
907-626-B: 4" Thermoplastic Traffic Stripe, Continuous White	- per linear foot or mile
907-626-C: 4" Thermoplastic Edge Stripe, Continuous White	- per linear foot or mile
907-626-D: 4" Thermoplastic Traffic Stripe, Skip Yellow	- per linear foot or mile
907-626-E: 4" Thermoplastic Traffic Stripe, Continuous Yellow	- per linear foot or mile
907-626-F: 4" Thermoplastic Edge Stripe, Continuous Yellow	- per linear foot or mile

907-626-G: Thermoplastic Detail Stripe, <u>Color</u>, 4" Equivalent Length - per linear foot

907-626-H: Thermoplastic Legend, <u>Color</u>, 4" Equivalent Length - per linear foot or square foot

Proposal (Sheet 2 - 1)

BENTON

Construction of Ashland Maintenance Area Headquarters Building, with other Structures, and Site Work, known as State Project Nos. BWO-2214-05(001), BWO-2215-05(001), BWO-2217-05(001), & LWO-2096-05(002) / 502996301, 302, 304, & 305 in Benton County.

Line No.	Item Code	Adj Code	Quantity Road	Units Iway Items	Description [Fixed Unit Price]
0010	201-A001		1	Lump Sum	Clearing and Grubbing
0020	202-B126		2,485	Linear Feet	Removal of Fence, All Types
0030	203-A001	(E)	12,986	Cubic Yard	Unclassified Excavation, FM, AH
0040	203-EX020	(E)	1,546	Cubic Yard	Borrow Excavation, AH, FME, Class B9
0050	209-A005		16,000	Square Yard	Geotextile Stabilization, Type V, Non-Woven
0060	213-C001		2	Ton	Superphosphate
0070	216-A001		790	Square Yard	Solid Sodding
0800	217-A001		1,000	Square Yard	Ditch Liner
0090	219-A001		15	Thousand Gallon	Watering [\$20.00]
0100	220-A001		4	Acre	Insect Pest Control [\$30.00]
0110	223-A001		4	Acre	Mowing [\$50.00]
0120	225-A001		4	Acre	Grassing
0130	225-B001		1	Ton	Agricultural Limestone
0140	225-C001		8	Ton	Mulch, Vegetative Mulch
0150	226-A001		4	Acre	Temporary Grassing
0160	234-A001		3,000	Linear Feet	Temporary Silt Fence
0170	237-A002		400	Linear Feet	Wattles, 20"
0175	249-A001		27	Ton	Riprap for Erosion Control
0180	249-B001		27	Cubic Yard	Remove and Reset Riprap
0190	403-A003	(BA1)	147	Ton	12.5-mm, ST, Asphalt Pavement
0200	403-A006	(BA1)	220	Ton	19-mm, ST, Asphalt Pavement
0210	407-A001	(A2)	150	Gallon	Asphalt for Tack Coat
0220	503-C003		12	Linear Feet	Saw Cut, 2-inch
0230	601-A001	(S)	10	Cubic Yard	Class "B" Structural Concrete
0240	602-A001	(S)	400	Pounds	Reinforcing Steel
0250	603-CA026	(S)	56	Linear Feet	24" Reinforced Concrete Pipe, Class III
0260	603-CB004	(S)	2	Each	24" Reinforced Concrete End Section
0270	607-B026		4,380	Linear Feet	72" Type I Chain Link Fence, Class I , With Top Guard
0280	607-G094		4	Each	Gate, 13' x 6' Chain Link
0290	607-P1018		438	Each	Line Post, 9' x 2" Galvanized Steel
0300	607-P1030		8	Each	Line Post, 14' x 2" Galvanized Steel
0310	607-P2012		68	Each	Brace Post, 9' x 2 1/2" Galvanized Steel

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
0320	607-P3008		8	Each	Gate Post, 9' x 2 1/2" Galvanized Steel
0330	608-B001	(S)	114	Square Yard	Concrete Sidewalk, With Reinforcement
0340	609-B002	(S)	153	Linear Feet	Concrete Curb, Header
0350	620-A001		1	Lump Sum	Mobilization
0360	907-626-B001		260	Linear Feet	4" Thermoplastic Traffic Stripe, Continuous White
0370	626-G001		125	Linear Feet	Thermoplastic Detail Stripe, Blue-ADA
0380	630-A001		8	Square Feet	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
0390	630-C001		9	Linear Feet	Square Tube Posts, 4.0 lb/ft
0400	699-A001		1	Lump Sum	Roadway Construction Stakes
0410	815-A002	(S)	100	Ton	Loose Riprap, Size 100
0420	815-E001	(S)	80	Square Yard	Geotextile under Riprap
0430	815-F002	(S)	40	Ton	Sediment Control Stone
0440	907-290-A001		1	Each	Flagpole
0450	907-607-PP002		1	Lump Sum	Fence Slats, Vinyl
0460	907-626-H001		1	Each	Thermoplastic Legend, Blue-ADA Handicap Symbol
0470	907-630-PP003		1	Each	Handicap Parking Sign, With Post
			ALTERNATE GR	ROUP AA NUMBEF	R 1
0480	304-F001	(GT)	1,200	Ton	3/4" and Down Crushed Stone Base
			ALTERNATE GR	ROUP AA NUMBER	R 2
0490	304-F002	(GT)	1,200	Ton	Size 610 Crushed Stone Base
			ALTERNATE GR	ROUP AA NUMBEF	₹ 3
0500	304-F003	(GT)	1,200	Ton 	Size 825B Crushed Stone Base
				ing Items	
0510	907-242-A001		1	Lump Sum	Construction of Administration Building & Shop
0520	907-242-A001		1	Lump Sum	Construction of Bulk Salt Storage
0530	907-242-A001		1	Lump Sum	Construction of Equipment Shed

LWO-2096-05(002 MISS. BWO-2214-05(001

# MISSISSIPPI DEPARTMENT OF TRANSPORTATION

# BENTON COUNTY MAINTENANCE FACILITIES

PROJECT NUMBER:

BWO-2214-05(001)502996

BWO-2215-05(001)502996

BWO-2217-05(001)502996

LWO-2096-05(002)502996

BENTON COUNTY:

16924 BOUNDARY DR. ASHLAND, MISSISSIPPI


		INDEX OF DRAWINGS
-	1	TITLE SHEET
T102	2	INDEX OF DRAWINGS
T103	3	SUMMARY OF QUANTITIES
T104	4	SUMMARY OF QUANTITIES
T105	5	ABBREVIATIONS
T106	6	CODE INFORMATION
C100	7	EXISTING SITE & DEMOLITION PLAN
C200	8	SITE PLAN
C201	9	FENCING PLAN
C300	10	GRADING & DRAINAGE PLAN
C301	11	EROSION CONTROL PLAN
C400	12	SITE DETAILS
C401	13	SITE DETAILS
C402	14	SITE DETAILS
C403	15	EROSION CONTROL DETAILS
C404	16	EROSION CONTROL DETAILS
C405	17	FENCE DETAILS
VS-1	18	VEGETATION SCHEDULE
S100	19	STRUCTURAL GENERAL NOTES
S101	20	FOUNDATION FRAMING PLAN - SHOP
S102	21	2ND FLOOR FRAMING PLAN - SHOP
S103	22	EQUIPMENT SHED FOUNDATION & FLOOR FRAMING PLAN
S104	23	SALT STORAGE FRAMING PLANS
S201	24	FOUNDATION DETAILS
S301	25	WOOD FRAMING DETAILS
A101-A	26	FLOOR PLAN - SHOP
A102-A	27	REFLECTED CEILING PLANS - SHOP
A103-A	28	ROOF PLAN & DETAILS - SHOP
A201-A	29	BUILDING ELEVATIONS - SHOP
A301-A	30	BUILDING SECTIONS
A302-A	31	BUILDING SECTIONS
A303-A	32	WALL SECTIONS
A304-A	33	WALL SECTIONS
A401-A	34	ENLARGED PLANS & INTERIOR ELEVATIONS
A402-A	35	MILLWORK DETAILS
A501	36	MISCELLANEOUS DETAILS & PARTITION TYPES
A601-A	37	OPENING SCHEDULES
A602-A	38	OPENING DETAILS
A603-A	39	OPENING DETAILS

		INDEX OF DRAWINGS
A604-A	40	OPENING DETAILS
A901-A	41	EXTERIOR VIEWS
I101-A	42	FINISH FLOOR PLAN
I601-A	43	INTERIOR FINISH SCHEDULE AND ELEVATIONS
A101-B	44	EQUIPMENT SHED FLOOR PLAN
A102-B	45	EQUIPMENT SHED REFLECTED CEILING PLAN
A103-B	46	EQUIPMENT SHED ROOF PLAN
A201-B	47	EQUIPMENT SHED ELEVATIONS
A202-B	48	EQUIPMENT SHED ELEVATIONS
A301-B	49	EQUIPMENT SHED SECTIONS
A302-B	50	ROOF DETAILS
A101-D	51	BULK SALT STORAGE FLOOR PLAN, REFLECTED CEILING PLAN & ROOF PLAN
A201-D	52	BULK SALT STORAGE ELEVATIONS
A301-D	53	BULK SALT STORAGE BUILDING SECTIONS & DETAILS
A302-D	54	BULK SALT STORAGE WALL SECTIONS & DETAILS
PME001	55	PLUMBING, MECHANICAL & ELECTRICAL SITE PLAN
P001	56	PLUMBING SCHEDULE, NOTES & ABBREVIATIONS
P101-A	57	PLUMBING FLOOR PLAN - SHOP
P101-B	58	PLUMBING FLOOR PLAN - EQUIP SHED
P501	59	PLUMBING DETAILS
FP101-A	60	FIRE SUPRESSION FLOOR PLAN - SHOP
M001	61	HVAC SCHEDULES, GENERAL NOTES, ABBREVIATIONS & LEGENDS
M101-A	62	MECHANICAL FLOOR PLAN - SHOP
M101-B	63	MECHANICAL FLOOR PLAN - EQUIP SHED
M101-C	64	HVAC DETAILS
E001	65	ELECTRICAL LEGENDS AND ABBREVIATIONS
E101-A	66	LIGHTING - SHOP
E102-A	67	POWER - SHOP
E103-A	68	FIRE ALARM AND SECURITY - SHOP
E104-A	69	TELECOMMUNICATIONS - SHOP
E101-B	70	LIGHTING - EQUIP SHED
E102-B	71	POWER - EQUIP SHED
E101-D	72	LIGHTING AND POWER - BULK SALT STORAGE
E501	73	ELECTRICAL DETAILS
E502	74	ELECTRICAL DETAILS
E503	75	ELECTRICAL DETAILS
E601	76	SINGLE LINE DIAGRAM
E602	77	LIGHTING FIXTURE SCHEDULE





CIVIL & STRUCTURAL





**MECHANICAL & PLUMBING** 



**ELECTRICAL** 



620-A001

630-A001

630-C001

**MOBILIZATION** 

STEEL U-SECTION POSTS, 3.0 LB/FT

STANDARD ROADSIDE SIGNS, SHEET ALUMINUM, 0.080" THICKNESS

	SUMMARY OF QUANTITIES			
PAY ITEM NO.	PAY ITEM	UNIT	PRELIMINARY	FINAL
201-A001	CLEARING AND GRUBBING	LS	100%	
202-B126	REMOVAL OF FENCE, ALL TYPES	LF	2485	
202 5 120				^
203-A001	UNCLASSIFIED EXCAVATION, FM, AH	CY	12986	/1\
203-EX020	BORROW EXCAVATION, AH, FME, CLASS B9	CY	1546	
~~~				
209-A005	GEOTEXTILE STABILIZATION, TYPE V, NON-WOVEN	SY	16,000	
213-C001	SUPERPHOSPHATE	TON	2	
216-A001	SOLID SODDING	SY	790	
217-A001	DITCH LINER	SY	1,000	
219-A001	WATERING	KGAL	15	
220-A001	INSECT PEST CONTROL	ACRE	4	
223-A001	MOWING	ACRE	4	
225-A001	GRASSING	ACRE	4	
225-B001	AGRICULTURAL LIMESTONE	TON	1	
225-C001	MULCH, VEGETATIVE MULCH	TON	8	
226-A001	TEMPORARY GRASSING	ACRE	4	
907-290-A001	FLAGPOLE	EA	1	
~	TEMPORARY SILT FENCE	LF	3000	
237-A002	WATTLES, 20"	LF	400	
907-242-A0 <del>01</del>	CONSTRUCTION OF ADMINISTRATION BUILDING AND SHOP	LS	100%	
907-242-A001	CONSTRUCTION OF EQUIPMENT SHED	LS	100%	
907-242-A001	CONSTRUCTION OF BULK SALT STORAGE	LS	100%	
249-A001	RIPRAP FOR EROSION CONTROL V V V V V V V V V V V V V V V V V V V	TON	<b>27</b>	
249-B001	REMOVE AND RESET RIPRAP	TON	27	
		$\wedge$		
907-630-PP003	HANDICAP PARKING SIGN, WITH POST, PER PLAN	EA	1	
304-F002	SIZE 610 CRUSHED STONE BASE	TON	1200	
OR			/	\
304-G001	3/4" AND DOWN CRUSHED STONE BASE	TON	1200	
OR				/
304-F003	SIZE 825B CRUSHED STONE BASE	TON	1200	/1\
407-A001	ASPHALT FOR TACK COAT	GAL	150	
403-A003	12.5-mm, ST, ASPHALT PAVEMENT	TON	147	
403-A006	19-mm, ST, ASPHALT PAVEMENT	TON	220	
<b></b>				
503-C003	SAW CUT, 2-INCH	LF	12	
601-A001	CLASS "B" STRUCTURAL CONCRETE	CY	10	
602-A001	REINFORCING STEEL	LBS	400	<u>/ T \</u>
608-B001	CONCRETE SIDEWALK, WITH REINFORCING	SY	114	
609-B002	CONCRETE CURB, HEADER	LF	153	

FOR PRINT SCALE VERIFICATION, THIS LINE IS 4" LONG

STATE PROJECT NO. MISS. BWO-2214-05(001) MISS. |BWO-2215-05(001)| MISS. |BWO-2217-05(001)| MISS. |LWO-2096-05(002)|

\*FOR 8" CONCRETE PADS


\*FOR STOP SIGN

LS

LF

100%

9



© | © | MISSISSIPPI DEPARTMENT OF TRANSPORTATION |

**SUMMARY OF QUANTITIES** 

SHEET NUMBER DESIGN TEAM KSM CHECKED KSM DATE: 11-22-17

ORIGINAL SHEET SIZE 24" x 36"

WORKING NUMBER

	SUMMARY OF QUANTITIES			
PAY ITEM NO.	PAY ITEM	UNIT	PRELIMINARY	FINA
603-CA026	24" REINFORCED CONCRETE PIPE, CLASS III	LF	56	
603-CB004	24" REINFORCED CONCRETE END SECTION	EA	2	
907-626-B001	4" THERMOPLASTIC TRAFFIC STRIPE, CONTINUOUS WHITE	LF	260	
626-G001	THERMOPLASTIC DETAIL STRIPE, BLUE-ADA	LF	125	
907-626-H001	THERMOPLASTIC LEGEND, BLUE-ADA HANDICAP SYMBOL	EA	1	
607-B026	72" TYPE I CHAIN LINK FENCE, CLASS I, WITH TOP GUARD	LF	4380	
607-P1018	LINE POST,9'x2" GALVANIZED STEEL	EA	438	
607-P1030	LINE POST,14'x2" GALVANIZED STEEL	EA	8	
607-P2012	BRACE POST, 9'x2 1/2" GALVANIZED STEEL	EA	68	
607-P3008	GATE POST, 9'x2 1/2" GALVANIZED STEEL	EA	8	
607-PP002	FENCE SLATS, VINYL	LS	100%	
607-G094	GATE, 13'x6' CHAIN LINK	EA	4	
699-A001	ROADWAY CONSTRUCTION STAKES	LS	100%	
815-A002	LOOSE RIPRAP, SIZE 100	TON	100	
815-E001	GEOTEXTILE UNDER RIPRAP	SY	80	
815-F002	SEDIMENT CONTROL STONE	TON	40	

FOR PRINT SCALE VERIFICATION, THIS LINE IS 4" LONG

MISS. BWO-2214-05(001)

MISS. BWO-2217-05(001)

MISS. BWO-2217-05(001)

MISS. LWO-2096-05(002)

