


Proposal & Plan Sales Will Begin on February 4, 2019



**MISSISSIPPI DEPARTMENT OF
TRANSPORTATION**

Notice to Contractors

Letting Date For February - February 26, 2019



MISSISSIPPI DEPARTMENT OF TRANSPORTATION

NOTICE TO CONTRACTORS

LETTING DATE FOR FEBRUARY - Tuesday, February 26, 2019

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List is available online at mdot.ms.gov

PROPOSAL AND PLAN SALES WILL BEGIN ON FEBRUARY 4, 2019

Proposals must be purchased online at:
<https://shopmdot.ms.gov>
For Information Please Contact:
Contract Administration Division
Jackson, MS
Telephone: (601) 359-7700

Plans must be purchased online at:
<https://shopmdot.ms.gov>
For Information Please Contact:
MDOT Plans Print Shop
Jackson, MS
Telephone: (601) 359-7460
e-mail: plans@mdot.state.ms.us

Electronic bids will be received by the Mississippi Transportation Commission at 10:00 o'clock A.M., Tuesday, February 26, 2019; from the Bid Express Service and shortly thereafter, bids will be publicly read in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

* No plans except Standard Drawings

LIST OF CONTRACTS FOR FEBRUARY

CALL	CONTRACT	COUNTY
01	NH-0002-05(089)/107675301	LOWNDES
* 02	STP-0008-05(041)/107698301 & STP-0072-04(028)/107774301 & STP-0072-04(028)/107774302	TALLAHATCHIE, COAHOMA, TALLAHATCHIE
* 03	NH-0011-01(069)/107720301	SUNFLOWER
* 04	NH-0011-02(091)/107770301	MONTGOMERY
05	STP-0013-02(031)/107804301	SIMPSON
06	STP-0015-01(136)/107728301	ADAMS
07	STP-0037-04(060)/107490301	MADISON
* 08	STP-0039-02(053)/107631301	HINDS
09	BR-0053-01(016)/107857301	MONROE
10	IM-0055-02(233)/106023303	HINDS
11	NHPP-9999-06(018)/106720302 & NHPP-9999-06(018)/106720303 & NHPP-9999-06(018)/106720304	DESOTO, PANOLA, TATE
* 12	STP-0060-01(017)/107772301	TUNICA
* 13	HSIP-0064-01(035)/107901301	PEARL RIVER
* 14	NH-0070-04(027)/107773301	LAFAYETTE
15	BR-0526-00(006)/102403301	LEAKE

*	16	HSIP-0862-00(020)/107550301	ITAWAMBA
*	17	STP-1125-00(004)/107782301	PEARL RIVER
	18	NH-1132-00(010)/107790301	WAYNE
*	19	BR-1708-00(002)/107816301 & BR-0044-02(038)/107816302	PRENTISS, OKTIBBEHA
*	20	STP-2904-00(016)/107622301	SCOTT
	21	BR-7314-00(030)/107569301 & BR-7314-00(030)/107569301	HINDS, RANKIN

CALL No. 01

Mill & Overlay approximately 4 miles of US 45 from the End of Divided Lanes to Monroe County Line, known as Federal Aid Project No. NH-0002-05(089) / 107675301 in Lowndes County.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

50 Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
6 Each	202-B138	Removal of Guard Rail Bridge End Section
2,100 Linear Feet	202-B150	Removal of Guard Rail Including Post, Blockouts & Hardware
6 Each	202-B152	Removal of Guard Rail Terminal End Section
50 Cubic Yard	203-G001	Excess Excavation, FM, AH
3,000 Cubic Yard	304-A003	Granular Material, LVM, Class 3, Group D
16,600 Ton	403-A014	9.5-mm, MT, Asphalt Pavement
166,000 Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
8,500 Gallon	407-A001	Asphalt for Tack Coat
16 Mile	423-A001	Rumble Strips, Ground In
2,100 Linear Feet	606-B001	Guard Rail, Class A, Type 1
6 Each	606-D020	Guard Rail, Bridge End Section, Type H, Metal Post
6 Each	606-E001	Guard Rail, Terminal End Section
1 Lump Sum	618-A001	Maintenance of Traffic
1 Square Feet	618-B001	Additional Construction Signs
16 Mile	619-A1001	Temporary Traffic Stripe, Continuous White
14 Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
18 Mile	619-A3001	Temporary Traffic Stripe, Skip White
52,000 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,300 Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
42 Each	619-F3001	Delineators, Guard Rail, White
42 Each	619-F3002	Delineators, Guard Rail, Yellow
1 Lump Sum	620-A001	Mobilization
9 Mile	626-A004	6" Thermoplastic Traffic Stripe, Skip White

8 Mile	626-C004	6" Thermoplastic Edge Stripe, Continuous White
7 Mile	626-F003	6" Thermoplastic Edge Stripe, Continuous Yellow
13,500 Linear Feet	626-G002	Thermoplastic Detail Stripe, White
12,500 Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
63 Square Feet	626-H004	Thermoplastic Legend, White
636 Linear Feet	626-H005	Thermoplastic Legend, White
225 Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
900 Each	627-K001	Red-Clear Reflective High Performance Raised Markers
50 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers

ALTERNATE GROUP AA NUMBER 1

900 Linear Feet	907-624-A002	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White
900 Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
900 Linear Feet	907-624-D002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

ALTERNATE GROUP AA NUMBER 2

900 Linear Feet	628-G001	6" High Performance Cold Plastic Traffic Stripe, Skip White
900 Linear Feet	628-H001	6" High Performance Cold Plastic Traffic Stripe, Continuous White
900 Linear Feet	628-J001	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

CALL No. 02

Mill & Overlay approximately 8 miles of US 49 E from SR 32 W to US 49 W, Overlay approximately 0.5 miles of US 49 W from Sunflower County Line to Tallahatchie County Line, & Overlay approximately 2 miles of US 49 W from Coahoma County Line to Tutwiler, known as Federal Aid Project Nos. STP-0008-05(041) / 107698301 & STP-0072-04(028) / 107774301 & 107774302 in Tallahatchie & Coahoma Counties.

PROJECT COMPLETION: 102 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

345 Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
1,640 Square Yard	202-B062	Removal of Concrete Overlaid w/ Asphalt Pavement, All Depths
324 Cubic Yard	203-G001	Excess Excavation, FM, AH
7,160 Ton	304-B002	Granular Material, Class 3, Group D
1,290 Ton	403-A006	19-mm, ST, Asphalt Pavement
13,170 Ton	403-A014	9.5-mm, MT, Asphalt Pavement
4,585 Ton	403-A015	9.5-mm, ST, Asphalt Pavement
1,095 Ton	403-B011	9.5-mm, MT, Asphalt Pavement, Leveling
570 Ton	403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
221,800 Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
21,482 Gallon	407-A001	Asphalt for Tack Coat
79,689 Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
21 Mile	423-A001	Rumble Strips, Ground In
650 Linear Feet	609-B002	Concrete Curb, Header
650 Linear Feet	609-D008	Combination Concrete Curb and Gutter Type 3A
85 Square Yard	616-A001	Concrete Median and/or Island Pavement, 10-inch
615 Square Yard	616-A004	Concrete Median and/or Island Pavement, 4-inch
1 Lump Sum	618-A001	Maintenance of Traffic
2 Square Feet	618-B001	Additional Construction Signs
33 Mile	619-A1001	Temporary Traffic Stripe, Continuous White
7 Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
21 Linear Feet	619-A4001	Temporary Traffic Stripe, Skip Yellow
39,210 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
9,643 Linear Feet	619-A6002	Temporary Traffic Stripe, Legend

1	Lump Sum	620-A001	Mobilization
22	Mile	626-C004	6" Thermoplastic Edge Stripe, Continuous White
11	Mile	626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
4	Mile	626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
13,175	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
3,024	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
315	Square Feet	626-H004	Thermoplastic Legend, White
4,822	Linear Feet	626-H005	Thermoplastic Legend, White
2,551	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers

ALTERNATE GROUP AA NUMBER 1

548	Ton	304-F001	3/4" and Down Crushed Stone Base
-----	-----	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

548	Ton	304-F002	Size 610 Crushed Stone Base
-----	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

548	Ton	304-F003	Size 825B Crushed Stone Base
-----	-----	----------	------------------------------

CALL No. 03

Overlay approximately 10 miles of US 82 from US 49 W to Leflore CL, known as Federal Aid Project No. NH-0011-01(069) / 107720301 in Sunflower County.

PROJECT COMPLETION: 106 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

750 Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
190 Square Yard	202-B188	Removal of Pavement, All Types and Depths
63 Cubic Yard	203-G001	Excess Excavation, FM, AH
18,365 Ton	304-B004	Granular Material, Class 5, Group D
62 Ton	403-A006	19-mm, ST, Asphalt Pavement
30,500 Ton	403-A013	9.5-mm, HT, Asphalt Pavement
4,733 Ton	403-A014	9.5-mm, MT, Asphalt Pavement
33,600 Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
34,155 Gallon	407-A001	Asphalt for Tack Coat
51,000 Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
36 Mile	423-A001	Rumble Strips, Ground In
600 Linear Feet	606-B001	Guard Rail, Class A, Type 1
4 Each	606-D001	Guard Rail, Bridge End Section
4 Each	606-E007	Guard Rail, Terminal End Section, Non-Flared
1 Lump Sum	618-A001	Maintenance of Traffic
1 Square Feet	618-B001	Additional Construction Signs
19 Mile	619-A1004	Temporary Traffic Stripe, Continuous White, Paint
18 Mile	619-A2004	Temporary Traffic Stripe, Continuous Yellow, Paint
21 Mile	619-A3003	Temporary Traffic Stripe, Skip White, Paint
1 Mile	619-A4004	Temporary Traffic Stripe, Skip Yellow, Paint
18,300 Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint White
14,500 Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint Yellow
150 Square Feet	619-A6003	Temporary Traffic Stripe, Legend, Paint
2,250 Linear Feet	619-A6004	Temporary Traffic Stripe, Legend, Paint
1 Lump Sum	620-A001	Mobilization

21 Mile	626-A001	6" Thermoplastic Double Drop Traffic Stripe, Skip White
22 Mile	626-B002	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
1 Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
18 Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
18,300 Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
14,500 Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
150 Square Feet	626-H004	Thermoplastic Legend, White
2,000 Linear Feet	626-H005	Thermoplastic Legend, White
1,110 Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,800 Each	627-K001	Red-Clear Reflective High Performance Raised Markers
280 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
28 Each	630-F012	Delineators, Post Mounted, Single White
237 Linear Feet	907-640-A001	Vehicle Loop Assemblies

ALTERNATE GROUP AA NUMBER 1

115 Ton	304-F001	3/4" and Down Crushed Stone Base
---------	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

115 Ton	304-F002	Size 610 Crushed Stone Base
---------	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

115 Ton	304-F003	Size 825B Crushed Stone Base
---------	----------	------------------------------

CALL No. 04

Scrub Seal & Overlay approximately 9 miles of US 82 from 0.27 miles E of SR 182 to the Webster County Line, known as Federal Aid Project No. NH-0011-02(091) / 107770301 in Montgomery County.

PROJECT COMPLETION: 66 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

7,350	Linear Feet	202-B240	Removal of Traffic Stripe
17,300	Ton	304-B002	Granular Material, Class 3, Group D
27,765	Ton	403-A014	9.5-mm, MT, Asphalt Pavement
28,150	Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
25,200	Gallon	407-A001	Asphalt for Tack Coat
120	Square Feet	412-A001	Pre-Grinding
33	Mile	423-A001	Rumble Strips, Ground In
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
32	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
28	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
34	Mile	619-A3001	Temporary Traffic Stripe, Skip White
76,800	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
10,040	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
2,450	Linear Feet	626-A002	6" Thermoplastic Double Drop Traffic Stripe, Skip White
17	Mile	626-A004	6" Thermoplastic Traffic Stripe, Skip White
2,450	Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White
16	Mile	626-C004	6" Thermoplastic Edge Stripe, Continuous White
2,450	Linear Feet	626-F002	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
14	Mile	626-F003	6" Thermoplastic Edge Stripe, Continuous Yellow
16,500	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
21,900	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
5,020	Linear Feet	626-H005	Thermoplastic Legend, White
2,300	Each	627-K001	Red-Clear Reflective High Performance Raised Markers

150 Each

627-L001 Two-Way Yellow Reflective High Performance Raised Markers

290,500 Square Yard

907-414-A001 Scrub Seal

CALL No. 05

Scrub Seal & Thin Lift approximately 9 miles of SR 28 from SR 13 East to US 49, known as Federal Aid Project No. STP-0013-02(031) / 107804301 in Simpson County.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

878	Linear Feet	202-B240	Removal of Traffic Stripe
4,644	Cubic Yard	304-A008	Granular Material, LVM, Class 6, Group D
1,457	Ton	403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
12,084	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
14,647	Gallon	407-A001	Asphalt for Tack Coat
9,111	Ton	411-A001	Ultra Thin Asphalt Pavement
348	Square Feet	412-A001	Pre-Grinding
18	Mile	423-A001	Rumble Strips, Ground In
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
41	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
25	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
1	Mile	619-A3001	Temporary Traffic Stripe, Skip White
14	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
11,913	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
115	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
2,756	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
1	Mile	626-A004	6" Thermoplastic Traffic Stripe, Skip White
18	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
6	Mile	626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
11	Mile	626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
6,449	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
5,464	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
115	Square Feet	626-H004	Thermoplastic Legend, White

6,176	Linear Feet	626-H005	Thermoplastic Legend, White
803	Each	627-H001	Chip Seal Reflective Raised Markers
937	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
40	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
927	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
17	Square Feet	628-L002	High Performance Cold Plastic Legend, White
124,427	Square Yard	907-414-A001	Scrub Seal
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips

ALTERNATE GROUP AA NUMBER 1

302	Linear Feet	907-624-A003	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White, High Contrast
453	Linear Feet	907-624-B003	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White, High Contrast
302	Linear Feet	907-624-D001	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow, High Contrast

ALTERNATE GROUP AA NUMBER 2

302	Linear Feet	628-G001	6" High Performance Cold Plastic Traffic Stripe, Skip White
453	Linear Feet	628-H001	6" High Performance Cold Plastic Traffic Stripe, Continuous White
302	Linear Feet	628-J001	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

CALL No. 06

Mill & Overlay approximately 3 miles of US 84 from the Mississippi River Bridge to US 61, known as Federal Aid Project No. STP-0015-01(136) / 107728301 in Adams County.

PROJECT COMPLETION: 127 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

153	Square Yard	202-B069	Removal of Concrete Pavement w/ Variable Depth Overlay
1,180	Linear Feet	202-B150	Removal of Guard Rail Including Post, Blockouts & Hardware
132	Cubic Yard	203-G002	Excess Excavation, LVM, AH
111	Cubic Yard	304-A008	Granular Material, LVM, Class 6, Group D
20	Ton	403-A001	12.5-mm, HT, Asphalt Pavement
41	Ton	403-A004	19-mm, HT, Asphalt Pavement
6,476	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
6,258	Ton	403-D007	9.5-mm, HT, Asphalt Pavement, Polymer Modified
250	Ton	403-E004	9.5-mm, HT, Asphalt Pavement, Polymer Modified, Leveling
164,664	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
8,874	Gallon	407-A001	Asphalt for Tack Coat
7,554	Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
398	Linear Feet	503-C010	Saw Cut, Full Depth
963	Linear Feet	606-B002	Guard Rail, Class A, Type 1, 'W' Beam
3	Each	606-C003	Guard Rail, Cable Anchor, Type 1
2	Each	606-D005	Guard Rail, Bridge End Section, Type A
8	Each	606-E005	Guard Rail, Terminal End Section, Flared
4	Each	606-E007	Guard Rail, Terminal End Section, Non-Flared
16	Linear Feet	609-D007	Combination Concrete Curb and Gutter Type 3 Modified
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
6	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
6	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
5	Mile	619-A3001	Temporary Traffic Stripe, Skip White
34,645	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail

3,231	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
3,725	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
5	Mile	626-A004	6" Thermoplastic Traffic Stripe, Skip White
6	Mile	626-C004	6" Thermoplastic Edge Stripe, Continuous White
6	Mile	626-F003	6" Thermoplastic Edge Stripe, Continuous Yellow
20,139	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
14,506	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
3,231	Square Feet	626-H004	Thermoplastic Legend, White
3,725	Linear Feet	626-H005	Thermoplastic Legend, White
1,252	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
205	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
17	Each	627-P001	Two-Way Blue Reflective High Performance Raised Markers
4	Each	630-F002	Delineators, Flexible Post Mounted, Crossover, Type I, Yellow
2	Each	630-F003	Delineators, Flexible Post Mounted, Crossover, Type II
105	Each	630-F006	Delineators, Guard Rail, White
10	Each	630-F007	Delineators, Guard Rail, Yellow
301	Each	907-606-PP007	Remove and Replace Guard Rail Blockouts
5,937	Linear Feet	907-640-A001	Vehicle Loop Assemblies
1	Each	907-687-A001	Traffic Recorder Classification Permanent System

ALTERNATE GROUP AA NUMBER 1

52	Ton	304-F001	3/4" and Down Crushed Stone Base
----	-----	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

52	Ton	304-F002	Size 610 Crushed Stone Base
----	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

52	Ton	304-F003	Size 825B Crushed Stone Base
----	-----	----------	------------------------------

CALL No. 07

Bridge Removal on SR 43, Bridge Nos. 185.2 & 184.7, known as Federal Aid Project No. STP-0037-04(060) / 107490301 in Madison County.

PROJECT COMPLETION: 127 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	201-A001	Clearing and Grubbing
1	Lump Sum	202-A001	Removal of Obstructions
1,252	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
1,000	Linear Feet	202-B136	Removal of Guard Rail
15	Each	202-B215	Removal of Sign Including Post & Footing
14,709	Cubic Yard	203-D002	Muck Excavation, LVM
24,902	Cubic Yard	203-EX021	Borrow Excavation, AH, FME, Class B9-6
4,927	Cubic Yard	203-G002	Excess Excavation, LVM, AH
164	Cubic Yard	206-A001	Structure Excavation
109	Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
13,962	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
1	Ton	213-C001	Superphosphate
1,000	Square Yard	216-A001	Solid Sodding
16	Thousand Gallon	219-A001	Watering
2,244	Linear Feet	234-A001	Temporary Silt Fence
2,012	Linear Feet	234-F001	Turbidity Barrier
200	Linear Feet	237-A002	Wattles, 20"
8	Ton	249-A001	Riprap for Erosion Control
150	Cubic Yard	304-A006	Granular Material, LVM, Class 5, Group E
50	Ton	305-E002	Stabilizer Aggregate, Fine
538	Ton	403-A002	12.5-mm, MT, Asphalt Pavement
532	Ton	403-A005	19-mm, MT, Asphalt Pavement
377	Ton	403-A014	9.5-mm, MT, Asphalt Pavement
649	Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
561	Gallon	407-A001	Asphalt for Tack Coat

50	Linear Feet	503-C010	Saw Cut, Full Depth
136	Linear Feet	603-PA003	10' x 6' Precast Concrete Box Culvert
4	Each	603-PB003	10' x 6' Precast Concrete Box Culvert End Section
3,625	Cubic Yard	605-X005	Filter Material for Filter Beds, Type C
1,988	Linear Feet	606-B001	Guard Rail, Class A, Type 1
4	Each	606-E007	Guard Rail, Terminal End Section, Non-Flared
1	Lump Sum	618-A001	Maintenance of Traffic
2,430	Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
120	Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow
1,160	Linear Feet	619-A4001	Temporary Traffic Stripe, Skip Yellow
581	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
338	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
150	Linear Feet	619-F1004	Portable Median Barrier, 60 MPH
102	Linear Feet	619-G4001	Barricades, Type III, Double Faced
16	Each	619-G5001	Free Standing Plastic Drums
14	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
2,430	Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White
1,160	Linear Feet	626-D002	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
120	Linear Feet	626-E002	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
31	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
48	Each	630-F006	Delineators, Guard Rail, White
1	Lump Sum	699-A001	Roadway Construction Stakes
9,240	Ton	815-A007	Loose Riprap, Size 300
7,411	Square Yard	815-E001	Geotextile under Riprap
6	Cubic Yard	815-F001	Sediment Control Stone
10	Each	907-269-PP001	Pumping System
2	Each	907-619-E3001	Changeable Message Sign
ALTERNATE GROUP AA NUMBER 1			
1,450	Ton	304-F001	3/4" and Down Crushed Stone Base

ALTERNATE GROUP AA NUMBER 2

1,450 Ton 304-F002 Size 610 Crushed Stone Base

ALTERNATE GROUP AA NUMBER 3

1,450 Ton 304-F003 Size 825B Crushed Stone Base

Bridge Items

47,767 Square Feet 802-C001 Temporary Steel Sheet Piling

CALL No. 08

Mill & Overlay approximately 12 miles of SR 18 from the beginning of the 4-lane South of Raymond to I-20, known as Federal Aid Project No. STP-0039-02(053) / 107631301 in Hinds County.

PROJECT COMPLETION: 201 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

575	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
45	Square Yard	202-B009	Removal of Asphalt Pavement, Failed Areas
208	Square Yard	202-B045	Removal of Cement Treated Base, All Depths
11,960	Square Yard	202-B047	Removal of Cement Treated Shoulders w/ Variable Depth Overlay
595	Linear Feet	202-B051	Removal of Concrete Curb
264	Square Yard	202-B063	Removal of Concrete Paved Ditch
885	Square Yard	202-B068	Removal of Concrete Pavement Punchouts, 9" Depth
1,573	Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
1,332	Linear Feet	202-B240	Removal of Traffic Stripe
310	Cubic Yard	203-A001	Unclassified Excavation, FM, AH
175	Cubic Yard	203-EX040	Borrow Excavation, AH, LVM, Class B9
185	Cubic Yard	203-G002	Excess Excavation, LVM, AH
850	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
1,800	Square Yard	216-A001	Solid Sodding
1	Thousand Gallon	219-A001	Watering
22	Cubic Yard	221-A001	Concrete Paved Ditch
100	Linear Feet	237-A001	Wattles, 12"
1,070	Cubic Yard	304-A004	Granular Material, LVM, Class 5, Group C
50	Cubic Yard	305-B002	Size I Stabilizer Aggregate, Coarse
50,939	Ton	403-A002	12.5-mm, MT, Asphalt Pavement
2,037	Ton	403-A003	12.5-mm, ST, Asphalt Pavement
95	Ton	403-B002	12.5-mm, MT, Asphalt Pavement, Leveling
449,894	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
33,742	Gallon	407-A001	Asphalt for Tack Coat
200	Linear Feet	413-B001	Cleaning and Sealing Joints

975	Linear Feet	413-D002	Cleaning and Filling Joints
3,200	Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
15	Mile	423-A001	Rumble Strips, Ground In
155	Linear Feet	501-D001	Expansion Joints, With Dowels
1,380	Square Yard	503-A003	9" and Variable Reinforced Concrete Pavement, Broom Finish
1,022	Linear Feet	503-B001	Saw Cut, Longitudinal Joints
228	Linear Feet	503-C004	Saw Cut, 3-inch
570	Linear Feet	503-C010	Saw Cut, Full Depth
33	Cubic Yard	503-D001	Concrete for Base Repair
505	Each	503-E002	Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted
1	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
1	Each	603-CB004	24" Reinforced Concrete End Section
24	Linear Feet	603-RA002	18" Pipe Removed and Relaid
8	Linear Feet	603-RA003	24" Pipe Removed and Relaid
1	Each	603-RB002	18" End Section Removed and Relaid
943	Linear Feet	606-B003	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
150	Linear Feet	606-B007	Guard Rail, Class A, Type 1, Double Faced, Metal Post
6	Each	606-D012	Guard Rail, Bridge End Section, Type D Modified
2	Each	606-D019	Guard Rail, Bridge End Section, Type H
2	Each	606-E003	Guard Rail, Terminal End Section, Double Faced
5	Each	606-E005	Guard Rail, Terminal End Section, Flared
1	Each	606-E007	Guard Rail, Terminal End Section, Non-Flared
428	Linear Feet	609-D008	Combination Concrete Curb and Gutter Type 3A
1	Lump Sum	618-A001	Maintenance of Traffic
60	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
30	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
70	Mile	619-A3001	Temporary Traffic Stripe, Skip White
155,060	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
500	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
9,035	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend

24	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
1,390	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
28	Each	619-F3001	Delineators, Guard Rail, White
28	Each	619-F3002	Delineators, Guard Rail, Yellow
36	Linear Feet	619-G4001	Barricades, Type III, Double Faced
1	Lump Sum	620-A001	Mobilization
23	Mile	626-A001	6" Thermoplastic Double Drop Traffic Stripe, Skip White
19	Mile	626-B002	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
14	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
95,560	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
57,860	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
7,677	Square Feet	626-H001	Thermoplastic Double Drop Legend, White
9,035	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
481	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
5,433	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
589	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
8	Each	630-G004	Type 3 Object Markers, OM-3R or OM-3L
1	Lump Sum	647-A001	Removal of Existing Traffic Signal Equipment
72,780	Pounds	907-515-A001	Fiber Reinforced Polymer Patching Material
2	Each	907-632-D001	Solid State Traffic Actuated Controller, Type 1
46	Each	907-641-A002	Signal Stop Bar Radar Vehicle Detection Sensor, Type 2
8,950	Linear Feet	907-641-D001	Radar Vehicle Detection Cable
520	Hours	907-906001	Trainees
ALTERNATE GROUP AA NUMBER 1			
360	Ton	304-F001	3/4" and Down Crushed Stone Base
ALTERNATE GROUP AA NUMBER 2			
360	Ton	304-F002	Size 610 Crushed Stone Base
ALTERNATE GROUP AA NUMBER 3			
360	Ton	304-F003	Size 825B Crushed Stone Base

CALL No. 09

Bridge Preservation on SR 6 between SR 776 & SR 371, Bridge Nos. 148.2 & 146.8, known as Federal Aid Project No. BR-0053-01(016) / 107857301 in Monroe County.

PROJECT COMPLETION: 174 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Bridge Items

656 Ton	815-A007	Loose Riprap, Size 300
390 Square Yard	815-E001	Geotextile under Riprap
770 Linear Feet	907-808-A002	Joint Repair
385 Linear Feet	907-823-A001	Preformed Joint Seal, Type I
770 Linear Feet	907-823-B001	Saw Cut, Type I
9,880 Square Feet	907-824-PP003	Bridge Repair, Deck Crack Sealing
128 Square Feet	907-824-PP003	Bridge Repair, Epoxy Repair
14 Each	907-824-PP006	Bridge Repair, Clean Caps
40 Each	907-824-PP006	Bridge Repair, Install Saddles

Roadway Items

250 Linear Feet	234-A001	Temporary Silt Fence
308 Ton	403-A014	9.5-mm, MT, Asphalt Pavement
4,833 Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
187 Gallon	407-A001	Asphalt for Tack Coat
1 Lump Sum	618-A001	Maintenance of Traffic
1 Square Feet	618-B001	Additional Construction Signs
2,400 Linear Feet	619-A1003	Temporary Traffic Stripe, Continuous White, Paint
760 Linear Feet	619-A1007	Temporary Traffic Stripe, Continuous White, Type 1 or 2 Tape
1,200 Linear Feet	619-A4003	Temporary Traffic Stripe, Skip Yellow, Paint
380 Linear Feet	619-A4007	Temporary Traffic Stripe, Skip Yellow, Type 1 or 2 Tape
1 Lump Sum	620-A001	Mobilization
2,400 Linear Feet	626-C003	6" Thermoplastic Edge Stripe, Continuous White
1,200 Linear Feet	626-D004	6" Thermoplastic Traffic Stripe, Skip Yellow
20 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers

ALTERNATE GROUP AA NUMBER 1

760	Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
380	Linear Feet	907-624-C001	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow

ALTERNATE GROUP AA NUMBER 2

760	Linear Feet	628-H001	6" High Performance Cold Plastic Traffic Stripe, Continuous White
380	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow

CALL No. 10

Overlay approximately 10 miles of I-55 from Copiah County Line to Byram, known as Federal Aid Project No. IM-0055-02(233) / 106023303 in Hinds County.

PROJECT COMPLETION: 246 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

22	Acre	201-D002	Random Clearing
392	Square Yard	202-B009	Removal of Asphalt Pavement, Failed Areas
23	Square Yard	202-B063	Removal of Concrete Paved Ditch
1,253	Square Yard	202-B073	Removal of Concrete Pavement, All Depths
167	Each	202-B135	Removal of Guard Post
6,055	Linear Feet	202-B150	Removal of Guard Rail Including Post, Blockouts & Hardware
3	Each	202-B165	Removal of Inlets, All Sizes
24	Linear Feet	202-B191	Removal of Pipe, 8" And Above
162	Square Yard	202-B208	Removal of Riprap
4	Each	202-B213	Removal of Sign
42	Each	202-B215	Removal of Sign Including Post & Footing
11,488	Linear Feet	202-B240	Removal of Traffic Stripe
20	Each	202-B264	Removal of Trees Greater Than 10"
35	Cubic Yard	203-A001	Unclassified Excavation, FM, AH
1,048	Cubic Yard	203-G002	Excess Excavation, LVM, AH
1,043	Square Yard	203-I002	Site Grading
40	Cubic Yard	206-A001	Structure Excavation
2,990	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
172	Square Yard	216-A001	Solid Sodding
36	Thousand Gallon	219-A001	Watering
14	Cubic Yard	221-A001	Concrete Paved Ditch
693	Acre	223-A001	Mowing
4,160	Linear Feet	234-A001	Temporary Silt Fence
3	Each	234-D001	Inlet Siltation Guard
1,000	Linear Feet	237-A002	Wattles, 20"

10,788	Ton	304-B003	Granular Material, Class 5, Group C
15,525	Ton	402-A002	Open Graded Friction Course, 9.5-mm Mixture
22,299	Gallon	402-B001	Bituminous Tack Coat
851	Ton	403-A001	12.5-mm, HT, Asphalt Pavement
13,036	Ton	403-A003	12.5-mm, ST, Asphalt Pavement
21,011	Ton	403-A013	9.5-mm, HT, Asphalt Pavement
7,390	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
1,250	Ton	403-B001	12.5-mm, HT, Asphalt Pavement, Leveling
2,582	Ton	405-A001	Stone Matrix Asphalt, 12.5 mm Mixture
22,459	Ton	405-A002	Stone Matrix Asphalt, 9.5 mm Mixture
510,735	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
2,937	Square Yard	406-E002	Fine Milling of Concrete Pavement, All Depths
66,721	Gallon	407-A001	Asphalt for Tack Coat
120,308	Linear Feet	413-D003	Cleaning and Filling Joints in PCC Pavement
85,944	Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
37	Mile	423-A001	Rumble Strips, Ground In
60	Linear Feet	501-D001	Expansion Joints, With Dowels
1,212	Each	501-G001	Dowels, Drilled and Installed
1,253	Square Yard	503-A003	9" and Variable Reinforced Concrete Pavement, Broom Finish
940	Linear Feet	503-B001	Saw Cut, Longitudinal Joints
1,416	Linear Feet	503-C010	Saw Cut, Full Depth
104	Cubic Yard	503-D001	Concrete for Base Repair
1,006	Each	503-E002	Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted
438	Each	512-A001	Holes
21,900	Pounds	512-B002	Cement Pressure Grout Slurry, Type 6
23	Mile	512-C001	Preliminary Testing
55	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
1,646	Pounds	602-A001	Reinforcing Steel
8	Linear Feet	603-CA011	18" Reinforced Concrete Pipe, Class III
4	Linear Feet	603-CA026	24" Reinforced Concrete Pipe, Class III

16	Linear Feet	603-CA040	30" Reinforced Concrete Pipe, Class III
1	Each	603-CB005	30" Reinforced Concrete End Section
750	Pounds	604-B001	Gratings
293	Each	606-A003	Guard Posts
5,405	Linear Feet	606-B001	Guard Rail, Class A, Type 1
700	Linear Feet	606-B010	Guard Rail, Class A, Type 1, Thrie Beam
146	Linear Feet	606-B013	Guard Rail, Class A, Type 1, Thrie Beam, Transition Section
15	Each	606-C003	Guard Rail, Cable Anchor, Type 1
33	Each	606-D005	Guard Rail, Bridge End Section, Type A
12	Each	606-D019	Guard Rail, Bridge End Section, Type H
4	Each	606-D022	Guard Rail, Bridge End Section, Type I
59	Each	606-E001	Guard Rail, Terminal End Section
28	Each	606-G003	Special Sections, Special Design Bridge Connector
434	Linear Feet	609-E001	Bituminous Curb
356	Square Yard	616-B001	Bituminous Median and/or Island Pavement
1	Lump Sum	618-A001	Maintenance of Traffic
158	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
58	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
62	Mile	619-A3001	Temporary Traffic Stripe, Skip White
20	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
5,900	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
536	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
3,005	Each	619-C6001	Red-Clear Reflective High Performance Raised Marker
208	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
504	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
84	Linear Feet	619-G4005	Barricades, Type III, Single Faced
1	Lump Sum	620-A001	Mobilization
21	Mile	626-A001	6" Thermoplastic Double Drop Traffic Stripe, Skip White
54	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White

10 Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
19 Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
19 Mile	626-F001	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
4,172 Linear Feet	626-G002	Thermoplastic Detail Stripe, White
2,970 Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
115 Square Feet	626-H001	Thermoplastic Double Drop Legend, White
6,972 Linear Feet	626-H005	Thermoplastic Legend, White
232 Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
3,005 Each	627-K001	Red-Clear Reflective High Performance Raised Markers
2,142 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
8 Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
1,877 Square Feet	630-B002	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
235 Square Feet	630-B003	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Overhead Mounted
14 Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
568 Linear Feet	630-D001	Structural Steel Beams, S3 x 5.7
94 Linear Feet	630-D002	Structural Steel Beams, S4 x 7.7
229 Linear Feet	630-D006	Structural Steel Beams, W6 x 12
80 Linear Feet	630-D007	Structural Steel Beams, W6 x 15
187 Linear Feet	630-D008	Structural Steel Beams, W6 x 9
173 Linear Feet	630-D009	Structural Steel Beams, W8 x 18
48 Linear Feet	630-D010	Structural Steel Beams, W8 x 21
391 Pounds	630-E001	Structural Steel Angles & Bars, 3 1/2" x 3 1/2" x 1/4" Angles
372 Pounds	630-E002	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
179 Each	630-F006	Delineators, Guard Rail, White
99 Each	630-F007	Delineators, Guard Rail, Yellow
162 Each	630-F010	Delineators, Post Mounted, Double White
50 Each	630-F011	Delineators, Post Mounted, Double Yellow
35 Each	630-F012	Delineators, Post Mounted, Single White
30 Each	630-F013	Delineators, Post Mounted, Single Yellow
2 Each	660-A003	Equipment Cabinet, Type B

2	Each	660-B001	Cabinet Modifications
2	Each	907-632-J001	Power Service Pedestal
2	Each	907-634-E001	Camera Pole with Foundation, 50' Pole
975	Linear Feet	907-636-B050	Electric Cable, Underground in Conduit, THHN, AWG #4, 3 Conductor
48,105	Linear Feet	907-636-E001	Electric Cable, Underground in Conduit, Tracer Cable
5	Each	907-637-A002	Pullbox Enclosure, Type 2
24	Each	907-637-A004	Pullbox Enclosure, Type 4
22	Each	907-637-A005	Pullbox Enclosure, Type 5
75	Linear Feet	907-637-H002	Traffic Signal Conduit Bank, Underground, Rolled Pipe, 2"
47,925	Linear Feet	907-637-I001	Traffic Signal Conduit Bank, Underground, Drilled or Jacked, Rolled Pipe, 2 @ 2"
1,015	Linear Feet	907-637-I002	Traffic Signal Conduit Bank, Underground, Drilled or Jacked, Rolled Pipe, 2"
4	Each	907-650-A002	On Street Video Equipment, Fixed Type
2	Each	907-650-A003	On Street Video Equipment, PTZ Type
53,290	Linear Feet	907-661-A004	Fiber Optic Cable, 72 SM
485	Linear Feet	907-661-B002	Fiber Optic Drop Cable, 12 SM
3	Each	907-663-A001	Network Switch, Type A
300	Linear Feet	907-663-D001	Category 6 Cable, Installed in Conduit
1,040	Hours	907-906001	Trainees

Bridge Items

1,738	Ton	815-A002	Loose Riprap, Size 100
2,560	Linear Feet	907-808-A002	Joint Repair
2,504	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
56	Linear Feet	907-823-A002	Preformed Joint Seal, Type II
5,008	Linear Feet	907-823-B001	Saw Cut, Type I
112	Linear Feet	907-823-B002	Saw Cut, Type II

CALL No. 11

Bridge Preservation on I-55 from Batesville to Hernando, known as Federal Aid Project Nos. NHPP-9999-06(018) / 106720302, 106720303, & 106720304 in Desoto, Panola, & Tate Counties.

PROJECT COMPLETION: 126 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	202-A001	Removal of Obstructions
2,250	Square Yard	202-B083	Removal of Concrete Slope Paving
3,328	Linear Feet	202-B126	Removal of Fence, All Types
6,975	Linear Feet	202-B136	Removal of Guard Rail
36	Each	202-B137	Removal of Guard Rail Bridge Connector
38	Each	202-B148	Removal of Guard Rail End Section, All Types
15,392	Square Yard	203-I002	Site Grading
8,070	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
5	Ton	213-A001	Agricultural Limestone
872	Thousand Gallon	219-A001	Watering
9	Acre	220-A001	Insect Pest Control
9	Acre	223-A001	Mowing
9	Acre	225-A001	Grassing
12,390	Linear Feet	234-A001	Temporary Silt Fence
2,880	Linear Feet	237-A001	Wattles, 12"
630	Each	246-A002	Sandbags
225	Ton	249-A001	Riprap for Erosion Control
1,510	Ton	403-A003	12.5-mm, ST, Asphalt Pavement
542	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
968	Ton	403-D007	9.5-mm, HT, Asphalt Pavement, Polymer Modified
17,997	Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
6,975	Linear Feet	606-B001	Guard Rail, Class A, Type 1
38	Each	606-C001	Guard Rail, Cable Anchor Type 1, Metal Post
36	Each	606-D005	Guard Rail, Bridge End Section, Type A
18	Each	606-E005	Guard Rail, Terminal End Section, Flared

20	Each	606-E007	Guard Rail, Terminal End Section, Non-Flared
2,784	Linear Feet	607-A002	60" Type "A" Woven Wire Fence, w/ Barbed Wire as Shown
400	Linear Feet	607-B001	120" Type I Chain Link Fence, Class I
12	Each	607-G027	Gate, 6' x 12' Aluminum
1	Lump Sum	618-A001	Maintenance of Traffic
337	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
5,252	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
18	Each	619-E1001	Flashing Arrow Panel, Type C
11,868	Linear Feet	619-F1001	Concrete Median Barrier, Precast
11,868	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
170	Each	619-F3001	Delineators, Guard Rail, White
126	Each	619-F3002	Delineators, Guard Rail, Yellow
108	Linear Feet	619-G4001	Barricades, Type III, Double Faced
240	Linear Feet	619-G4005	Barricades, Type III, Single Faced
480	Each	619-G5001	Free Standing Plastic Drums
38	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
7,484	Linear Feet	626-A002	6" Thermoplastic Double Drop Traffic Stripe, Skip White
7,484	Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White
7,484	Linear Feet	626-F002	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
196	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
18	Each	630-G003	Type 3 Object Markers, OM-3L, Post Mounted
18	Each	630-G007	Type 3 Object Markers, OM-3R, Post Mounted
194,400	Pounds	907-420-A001	Undersealing Deep Injection
117,000	Pounds	907-420-A002	Undersealing Concrete Pavement
8	Each	907-619-E3001	Changeable Message Sign
4	Each	907-687-A001	Traffic Recorder Classification Permanent System
520	Hours	907-906001	Trainees
ALTERNATE GROUP AA NUMBER 1			
1,008	Ton	304-F001	3/4" and Down Crushed Stone Base

ALTERNATE GROUP AA NUMBER 2

1,008 Ton 304-F002 Size 610 Crushed Stone Base

ALTERNATE GROUP AA NUMBER 3

1,008 Ton 304-F003 Size 825B Crushed Stone Base

Bridge Items

70	Square Yard	202-B026	Removal of Bridge Deck
8,898	Square Yard	907-202-B001	Removal of Bridge Deck, Hydrodemolition
18	Each	907-202-B002	Removal of Debris
849	Cubic Yard	907-804-O001	Bridge Deck Overlay Concrete
996	Linear Feet	907-808-A002	Joint Repair
468	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
79	Cubic Feet	907-824-PP005	Bridge Repair, Epoxy Repair
82	Each	907-824-PP006	Bridge Repair, Clean Bent Caps
14	Each	907-824-PP006	Bridge Repair, Repair and Close Access Hatches
276	Each	907-824-PP006	Bridge Repair, Replacement Bearings
92	Each	907-824-PP006	Bridge Repair, Seismic Retrofit (Steel Bearing Extension-Type I)
18	Each	907-824-PP006	Bridge Repair, Temporary Shoring
85	Linear Feet	907-824-PP008	Bridge Repair, Concrete Railing
1,072	Linear Feet	907-824-PP008	Bridge Repair, End Wall Repair
180	Linear Feet	907-824-PP008	Bridge Repair, Epoxy Crack Repair
15,392	Square Yard	907-832-PP003	Concrete Mat

CALL No. 12

Mill & Overlay approximately 9 miles of SR 4 from US 61 to SR 3, known as Federal Aid Project No. STP-0060-01(017) / 107772301 in Tunica County.

PROJECT COMPLETION: 53 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

3,366 Ton	304-B002	Granular Material, Class 3, Group D
10,850 Ton	403-A015	9.5-mm, ST, Asphalt Pavement
825 Ton	403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
4,165 Ton	403-C003	19-mm, ST, Asphalt Pavement, Trench Widening
4,037 Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
9,850 Gallon	407-A001	Asphalt for Tack Coat
1 Lump Sum	618-A001	Maintenance of Traffic
10 Square Feet	618-B001	Additional Construction Signs
18 Mile	619-A1001	Temporary Traffic Stripe, Continuous White
1 Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
9 Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
2,700 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1 Lump Sum	620-A001	Mobilization
18 Mile	626-C004	6" Thermoplastic Edge Stripe, Continuous White
1 Mile	626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
9 Mile	626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
1,822 Linear Feet	626-G002	Thermoplastic Detail Stripe, White
890 Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
1,356 Linear Feet	626-H005	Thermoplastic Legend, White
856 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
66 Linear Feet	907-619-B001	Temporary Portable Rumble Strips

CALL No. 13

Pavement Restoration on SR 53 from S. of Cuevas Gravel Pit Road to I-59, known as Federal Aid Project No. HSIP-0064-01(035) / 107901301 in Pearl River County.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

245	Station	201-D001	Random Clearing
24	Each	202-B215	Removal of Sign Including Post & Footing
630	Linear Feet	202-B240	Removal of Traffic Stripe
1,900	Ton	304-F003	Size 825B Crushed Stone Base
9,400	Ton	403-A014	9.5-mm, MT, Asphalt Pavement
5,700	Ton	403-B011	9.5-mm, MT, Asphalt Pavement, Leveling
2,050	Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
11,350	Gallon	407-A001	Asphalt for Tack Coat
30	Mile	423-A001	Rumble Strips, Ground In
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
30	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
24	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
6	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
3,800	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
600	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
15	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
3	Mile	626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
12	Mile	626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
3,000	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
1,700	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
309	Square Feet	626-H004	Thermoplastic Legend, White
875	Linear Feet	626-H005	Thermoplastic Legend, White
600	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers

1,300	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
330	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
416	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
189	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
488	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips

ALTERNATE GROUP AA NUMBER 1

530	Linear Feet	628-H001	6" High Performance Cold Plastic Traffic Stripe, Continuous White
265	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
50	Linear Feet	628-J001	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

ALTERNATE GROUP AA NUMBER 2

530	Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
265	Linear Feet	907-624-C001	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow
50	Linear Feet	907-624-D002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

CALL No. 14

Mill & Overlay approximately 10 miles of US 278 from Panola County Line to 0.25 miles West of Coliseum Drive, known as Federal Aid Project No. NH-0070-04(027) / 107773301 in Lafayette County.

PROJECT COMPLETION: 134 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

165 Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
440 Square Yard	202-B062	Removal of Concrete Overlaid w/ Asphalt Pavement, All Depths
358 Cubic Yard	203-G001	Excess Excavation, FM, AH
13,370 Ton	304-B002	Granular Material, Class 3, Group D
475 Ton	403-A006	19-mm, ST, Asphalt Pavement
13,225 Ton	403-B010	9.5-mm, HT, Asphalt Pavement, Leveling
34,565 Ton	403-D007	9.5-mm, HT, Asphalt Pavement, Polymer Modified
395,850 Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
15,970 Gallon	407-A001	Asphalt for Tack Coat
40 Mile	423-A001	Rumble Strips, Ground In
1 Lump Sum	618-A001	Maintenance of Traffic
1 Square Feet	618-B001	Additional Construction Signs
48 Mile	619-A1001	Temporary Traffic Stripe, Continuous White
42 Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
39 Mile	619-A3003	Temporary Traffic Stripe, Skip White, Paint
10,500 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
6,224 Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1 Lump Sum	620-A001	Mobilization
20 Mile	626-A004	6" Thermoplastic Traffic Stripe, Skip White
18 Mile	626-B004	6" Thermoplastic Traffic Stripe, Continuous White
20 Mile	626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
33,865 Linear Feet	626-G002	Thermoplastic Detail Stripe, White
4,240 Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
1,297 Square Feet	626-H004	Thermoplastic Legend, White
6,224 Linear Feet	626-H005	Thermoplastic Legend, White

1,546	Each	627-C001	Red-Clear Reflective Raised Markers
90	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
133	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
29	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
19	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
74	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
968	Linear Feet	907-640-A001	Vehicle Loop Assemblies
1	Each	907-687-A001	Traffic Recorder Classification Permanent System

ALTERNATE GROUP AA NUMBER 1

300	Ton	304-F001	3/4" and Down Crushed Stone Base
-----	-----	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

300	Ton	304-F002	Size 610 Crushed Stone Base
-----	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

300	Ton	304-F003	Size 825B Crushed Stone Base
-----	-----	----------	------------------------------

CALL No. 15

Bridge Replacements on SR 487 from Tuscola to SR 35, Bridge Nos. 6.7, 7.1 and 7.6, known as Federal Aid Project No. BR-0526-00(006) / 102403301 in Leake County.

PROJECT COMPLETION: 373 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	201-A001	Clearing and Grubbing
3	Acre	201-B001	Clearing and Grubbing
1	Lump Sum	202-A001	Removal of Obstructions
5,074	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
4	Each	202-B036	Removal of Bridge Piling
115	Linear Feet	202-B191	Removal of Pipe, 8" And Above
963	Square Yard	202-B208	Removal of Riprap
11	Each	202-B215	Removal of Sign Including Post & Footing
32,976	Cubic Yard	203-A001	Unclassified Excavation, FM, AH
17,442	Cubic Yard	203-EX010	Borrow Excavation, AH, FME, Class B17
624	Cubic Yard	203-G001	Excess Excavation, FM, AH
23,818	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
3,127	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
35	Ton	213-A001	Agricultural Limestone
6	Ton	213-C001	Superphosphate
71	Square Yard	216-A001	Solid Sodding
1	Thousand Gallon	219-A001	Watering
6	Acre	220-A001	Insect Pest Control
11	Cubic Yard	221-A001	Concrete Paved Ditch
12	Acre	225-A001	Grassing
23	Ton	225-C001	Mulch, Vegetative Mulch
12	Acre	226-A001	Temporary Grassing
7,300	Linear Feet	234-A001	Temporary Silt Fence
8,500	Linear Feet	234-C001	Super Silt Fence
16,150	Linear Feet	237-A002	Wattles, 20"

4,060	Linear Feet	239-A001	Temporary Slope Drains
156	Linear Feet	245-A001	Silt Dike
795	Each	246-B001	Rockbags
2,182	Ton	249-A001	Riprap for Erosion Control
1,091	Cubic Yard	249-B001	Remove and Reset Riprap
1,650	Cubic Yard	304-A004	Granular Material, LVM, Class 5, Group C
825	Ton	403-A003	12.5-mm, ST, Asphalt Pavement
1,262	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
1,351	Gallon	407-A001	Asphalt for Tack Coat
185	Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
392	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
115	Linear Feet	503-C010	Saw Cut, Full Depth
64	Linear Feet	603-ALT003	18" Type A Alternate Pipe
120	Square Yard	605-AA001	Geotextile for Subsurface Drainage, Type III
216	Linear Feet	605-O002	4" Perforated Sewer Pipe for Underdrains, SDR 23.5
21	Linear Feet	605-P002	4" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
8	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
1,050	Linear Feet	606-B001	Guard Rail, Class A, Type 1
12	Each	606-D022	Guard Rail, Bridge End Section, Type I
11	Each	606-E005	Guard Rail, Terminal End Section, Flared
1	Each	606-E007	Guard Rail, Terminal End Section, Non-Flared
120	Linear Feet	615-A002	Concrete Bridge End Barrier, 33.5"
26	Each	617-A001	Right-of-Way Marker
1	Lump Sum	618-A001	Maintenance of Traffic
3	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
2	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
1	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
186	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
412	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
24	Linear Feet	619-G4001	Barricades, Type III, Double Faced

48	Linear Feet	619-G4005	Barricades, Type III, Single Faced
14	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
3	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
1	Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
2	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
126	Each	627-D001	Two-Way Yellow Reflective Raised Markers
2	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
73	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
132	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
60	Each	630-F006	Delineators, Guard Rail, White
6	Each	630-G003	Type 3 Object Markers, OM-3L, Post Mounted
6	Each	630-G007	Type 3 Object Markers, OM-3R, Post Mounted
1	Lump Sum	699-A001	Roadway Construction Stakes
362	Ton	815-A007	Loose Riprap, Size 300
951	Square Yard	815-E001	Geotextile under Riprap
165	Ton	815-F002	Sediment Control Stone
6	Each	907-619-E3001	Changeable Message Sign

ALTERNATE GROUP AA NUMBER 1

6,800	Ton	304-F001	3/4" and Down Crushed Stone Base
-------	-----	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

6,800	Ton	304-F002	Size 610 Crushed Stone Base
-------	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

6,800	Ton	304-F003	Size 825B Crushed Stone Base
-------	-----	----------	------------------------------

ALTERNATE GROUP BB NUMBER 1

96	Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
----	------------	----------	--

ALTERNATE GROUP BB NUMBER 2

96	Cubic Yard	605-W003	Filter Material for Combination Storm Drain and/or Underdrains, Type C, FM
----	------------	----------	--

Bridge Items

3,884	Square Yard	501-K001	Transverse Grooving
11	Each	803-I004	PDA Test Pile, Steel Pipe Pile

6	Each	803-J001	Pile Restrike
6,150	Linear Feet	803-P001	24" Steel Pipe Piling, Wall Thickness 0.500"
1,260	Linear Feet	803-P003	30" Steel Pipe Piling, Wall Thickness 0.500"
4,442	Linear Feet	804-C188	80' Prestressed Concrete Beam, Type FIB-36
1,312	Linear Feet	804-C189	110' Prestressed Concrete Beam, Type FIB-54
397,365	Pounds	805-A001	Reinforcement
14,278	Pounds	805-C001	Reinforcement, Corrosion Resistant
2,913	Linear Feet	813-A002	Concrete Railing, 32"
10,584	Ton	815-A007	Loose Riprap, Size 300
8,692	Square Yard	815-E001	Geotextile under Riprap
1,353	Cubic Yard	907-804-A001	Bridge Concrete, Class BDx
455	Cubic Yard	907-804-A002	Bridge Concrete, Class AA

CALL No. 16

Placing Audible Edge Stripe and Signs on SR 363 from SR 178 South to the Lee County Line, known as Federal Aid Project No. HSIP-0862-00(020) / 107550301 in Itawamba County.

PROJECT COMPLETION: 109 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
1	Lump Sum	620-A001	Mobilization
17	Mile	626-C004	6" Thermoplastic Edge Stripe, Continuous White
3	Mile	626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
15	Mile	626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
210	Square Feet	626-H004	Thermoplastic Legend, White
620	Linear Feet	626-H005	Thermoplastic Legend, White
360	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
695	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
530	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
2,320	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
125	Linear Feet	630-K002	Welded & Seamless Steel Pipe Posts, 3"

ALTERNATE GROUP AA NUMBER 1

15	Mile	907-626-C003	Thermoplastic Audible Edge Stripe
----	------	--------------	-----------------------------------

ALTERNATE GROUP AA NUMBER 2

15	Mile	907-626-C010	Thermoplastic Audible Bump Edge Stripe
----	------	--------------	--

CALL No. 17

Overlay approximately 6 miles of US 11 from Millard North, known as Federal Aid Project No. STP-1125-00(004) / 107782301 in Pearl River County.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

220 Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
550 Linear Feet	202-B136	Removal of Guard Rail
3,000 Ton	304-F003	Size 825B Crushed Stone Base
7,000 Ton	403-A014	9.5-mm, MT, Asphalt Pavement
250 Ton	403-A015	9.5-mm, ST, Asphalt Pavement
4,300 Ton	403-B011	9.5-mm, MT, Asphalt Pavement, Leveling
4,600 Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
9,800 Gallon	407-A001	Asphalt for Tack Coat
26,500 Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
12 Mile	423-A001	Rumble Strips, Ground In
246 Linear Feet	606-B003	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
4 Each	606-E001	Guard Rail, Terminal End Section
1 Lump Sum	618-A001	Maintenance of Traffic
1 Square Feet	618-B001	Additional Construction Signs
24 Mile	619-A1001	Temporary Traffic Stripe, Continuous White
11 Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
9 Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
1,200 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
800 Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
20 Each	619-F3001	Delineators, Guard Rail, White
1 Lump Sum	620-A001	Mobilization
12 Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
4 Mile	626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
6 Mile	626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
1,200 Linear Feet	626-G002	Thermoplastic Detail Stripe, White

63 Square Feet	626-H004 Thermoplastic Legend, White
800 Linear Feet	626-H005 Thermoplastic Legend, White
200 Each	627-J001 Two-Way Clear Reflective High Performance Raised Markers
460 Each	627-L001 Two-Way Yellow Reflective High Performance Raised Markers
8 Each	630-G005 Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
66 Linear Feet	907-619-B001 Temporary Portable Rumble Strips

CALL No. 18

Overlay approximately 12 miles North of Clara SR 63 from Greene County Line, known as Federal Aid Project No. NH-1132-00(010) / 107790301 in Wayne County.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

16,100	Square Yard	202-B188	Removal of Pavement, All Types and Depths
1,200	Linear Feet	202-B240	Removal of Traffic Stripe
2,900	Ton	304-F003	Size 825B Crushed Stone Base
2,450	Ton	403-A005	19-mm, MT, Asphalt Pavement
11,600	Ton	403-B011	9.5-mm, MT, Asphalt Pavement, Leveling
8,350	Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
38,500	Gallon	407-A001	Asphalt for Tack Coat
9,525	Ton	411-A001	Ultra Thin Asphalt Pavement
24	Mile	423-A001	Rumble Strips, Ground In
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
48	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
31	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
14	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
1,700	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,620	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
24	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
7	Mile	626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
16	Mile	626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
1,700	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
1,640	Linear Feet	626-H005	Thermoplastic Legend, White
450	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,600	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
4	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted

47 Each 630-G006 Type 3 Object Markers, OM-3R or OM-3L, 2 Markers Per Post, Post Mounted

66 Linear Feet 907-619-B001 Temporary Portable Rumble Strips

ALTERNATE GROUP AA NUMBER 1

600 Linear Feet 907-624-B002 6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White

600 Linear Feet 907-624-D002 6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

ALTERNATE GROUP AA NUMBER 2

600 Linear Feet 628-H001 6" High Performance Cold Plastic Traffic Stripe, Continuous White

600 Linear Feet 628-J001 6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

CALL No. 19

Bridge Painting on SR 182 at Trim Cane Creek (Bridge No. 143.7) and SR 30 at Big Brown Creek (Bridge No. 74.5), known as Federal Aid Project Nos. BR-1708-00(002) / 107816301 & BR-0044-02(038) / 107816302 in Oktibbeha and Prentiss Counties.

PROJECT COMPLETION: 139 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	618-A001	Maintenance of Traffic
2	Square Feet	618-B001	Additional Construction Signs
1	Lump Sum	620-A001	Mobilization

Bridge Items

11	Each	907-824-PP006	Bridge Repair, Cap Cleaning
1	Lump Sum	907-845-A001	Coating Existing Structural Steel

CALL No. 20

Mill & Overlay approximately 2 miles of US 80 from beginning of 3-lane to Eastgate Circle, known as Federal Aid Project No. STP-2904-00(016) / 107622301 in Scott County.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

145	Square Yard	202-B009	Removal of Asphalt Pavement, Failed Areas
608	Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
73	Square Feet	202-B172	Removal of Legend, All Types
2,869	Linear Feet	202-B240	Removal of Traffic Stripe
36	Cubic Yard	203-G002	Excess Excavation, LVM, AH
400	Cubic Yard	304-A004	Granular Material, LVM, Class 5, Group C
50	Ton	305-B001	Size I Stabilizer Aggregate, Coarse
7,040	Ton	403-A014	9.5-mm, MT, Asphalt Pavement
1,536	Ton	403-B002	12.5-mm, MT, Asphalt Pavement, Leveling
71,252	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
5,790	Gallon	407-A001	Asphalt for Tack Coat
6,101	Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
375	Linear Feet	606-B002	Guard Rail, Class A, Type 1, 'W' Beam
4	Each	606-D022	Guard Rail, Bridge End Section, Type I
4	Each	606-E005	Guard Rail, Terminal End Section, Flared
1	Lump Sum	618-A001	Maintenance of Traffic
10	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
10	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
2	Mile	619-A3001	Temporary Traffic Stripe, Skip White
8	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
32,216	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
738	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
6,550	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
16	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
500	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More

22	Each	619-F3001	Delineators, Guard Rail, White
12	Linear Feet	619-G4001	Barricades, Type III, Double Faced
1	Lump Sum	620-A001	Mobilization
1,605	Linear Feet	626-A002	6" Thermoplastic Double Drop Traffic Stripe, Skip White
5	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
4	Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
5	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
8,356	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
7,752	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
738	Square Feet	626-H001	Thermoplastic Double Drop Legend, White
3,276	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
128	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
2,484	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
4	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
730	Linear Feet	907-637-D001	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 1"
12	Each	907-641-A002	Signal Stop Bar Radar Vehicle Detection Sensor, Type 2
1,135	Linear Feet	907-641-D001	Radar Vehicle Detection Cable

CALL No. 21

Bridge Preservation on US 80 over the Pearl River, Bridge No. 46.4, known as Federal Aid Project Nos. BR-7314-00(030) / 1075693010 & 1075693011 in Hinds & Rankin Counties.

PROJECT COMPLETION: 185 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	618-A001	Maintenance of Traffic
52	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
248	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
3	Each	619-E1001	Flashing Arrow Panel, Type C
24	Linear Feet	619-G4001	Barricades, Type III, Double Faced
183	Each	619-G5001	Free Standing Plastic Drums
4	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization

Bridge Items

2,070	Linear Feet	907-808-A002	Joint Repair
1,035	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
2,070	Linear Feet	907-823-B001	Saw Cut, Type I
850	Square Feet	907-824-PP003	Bridge Repair, Concrete Patching
2	Each	907-824-PP006	Bridge Repair, Beam End Bearing Repair
42	Each	907-824-PP006	Bridge Repair, Beam Hanger Assembly Exterior
105	Each	907-824-PP006	Bridge Repair, Beam Hanger Assembly Interior
4	Each	907-824-PP006	Bridge Repair, Cap Cleaning
21	Each	907-824-PP006	Bridge Repair, Remove Collar Retrofit
25	Linear Feet	907-824-PP008	Bridge Repair, Concrete Patching Joint
32	Linear Feet	907-824-PP008	Bridge Repair, Rail Repair

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Contractors may request permission to bid online at <http://shopmdot.ms.gov> at no cost. Upon approval, contractors shall be eligible to submit a bid using Bid Express at <http://bidx.com>. Specimen proposals may be viewed and downloaded online at no cost at <http://mdot.ms.gov> or purchased online at <http://shopmdot.ms.gov> at a cost of Ten Dollars (\$10.00) per proposal plus a small convenience fee. Cash or checks will not be accepted as payment.

Plans must be purchased online at <https://shopmdot.ms.gov>. Costs of plans will be on a cost per sheet basis plus a small convenience fee. You can contact the MDOT Plans Print Shop at Telephone No. (601) 359-7460 or e-mail at plans@mdot.state.ms.us. Plans will be shipped on receipt of payment. Cash or checks will not be accepted as payment.

Bid bond, signed or countersigned by a Mississippi Resident Agent or qualified non-resident agent, with Power of Attorney attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

MELINDA L. MCGRATH, P.E.
EXECUTIVE DIRECTOR